

# Issa F Khouri

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8365457/publications.pdf>

Version: 2024-02-01

170  
papers

3,704  
citations

172207

29  
h-index

138251

58  
g-index

170  
all docs

170  
docs citations

170  
times ranked

3334  
citing authors

#	ARTICLE	IF	CITATIONS
1	Allogeneic hematopoietic cell transplantation for patients with blastic plasmacytoid dendritic cell neoplasm (BPDCN). Bone Marrow Transplantation, 2022, 57, 51-56.	1.3	19
2	Clinical outcome of allogeneic stem cell transplantation in patients with B-cell lymphoid malignancies following treatment with targeted small molecule inhibitors. Leukemia and Lymphoma, 2022, , 1-9.	0.6	2
3	Haploidentical versus Matched Unrelated versus Matched Sibling Donor Hematopoietic Cell Transplantation with Post-Transplantation Cyclophosphamide. Transplantation and Cellular Therapy, 2022, 28, 395.e1-395.e11.	0.6	6
4	Phase II study of umbilical cord blood-derived natural killer (CB-NK) cells with elotuzumab, lenalidomide, and high-dose melphalan followed by autologous stem cell transplantation (ASCT) for patients with high-risk multiple myeloma (HRMM).. Journal of Clinical Oncology, 2022, 40, 8009-8009.	0.8	2
5	Can we cure refractory Hodgkin's lymphoma with transplantation?. Bone Marrow Transplantation, 2021, 56, 278-281.	1.3	2
6	Cytogenetics and Blast Count Determine Transplant Outcomes in Patients with Active Acute Myeloid Leukemia. Acta Haematologica, 2021, 144, 74-81.	0.7	2
7	Outcomes in patients with CRLF2 overexpressed acute lymphoblastic leukemia after allogeneic hematopoietic cell transplantation. Bone Marrow Transplantation, 2021, 56, 1746-1749.	1.3	5
8	Long-term follow-up of salvage therapy using a combination of inotuzumab ozogamicin and mini-hyper-CVD with or without blinatumomab in relapsed/refractory Philadelphia chromosome-negative acute lymphoblastic leukemia. Cancer, 2021, 127, 2025-2038.	2.0	24
9	Vedolizumab for Steroid Refractory Lower Gastrointestinal Tract Graft-Versus-Host Disease. Transplantation and Cellular Therapy, 2021, 27, 272.e1-272.e5.	0.6	12
10	Prognostic factors for progression in patients with Philadelphia chromosome-positive acute lymphoblastic leukemia in complete molecular response within 3 months of therapy with tyrosine kinase inhibitors. Cancer, 2021, 127, 2648-2656.	2.0	33
11	Eltrombopag for Post-Transplantation Thrombocytopenia: Results of Phase II Randomized, Double-Blind, Placebo-Controlled Trial. Transplantation and Cellular Therapy, 2021, 27, 430.e1-430.e7.	0.6	18
12	Hyper-CVAD plus ofatumumab versus hyper-CVAD plus rituximab as frontline therapy in adults with Philadelphia chromosome-negative acute lymphoblastic leukemia: A propensity score analysis. Cancer, 2021, 127, 3381-3389.	2.0	10
13	Myeloablative Fractionated Busulfan With Fludarabine in Older Patients: Long Term Disease-Specific Outcomes of a Prospective Phase II Clinical Trial. Transplantation and Cellular Therapy, 2021, 27, 913.e1-913.e12.	0.6	6
14	Third-Party BK Virus-Specific Cytotoxic T Lymphocyte Therapy for Hemorrhagic Cystitis Following Allogeneic Transplantation. Journal of Clinical Oncology, 2021, 39, 2710-2719.	0.8	32
15	Nine-Year Follow-up of Patients with Relapsed Follicular Lymphoma after Nonmyeloablative Allogeneic Stem Cell Transplant and Autologous Transplant. Clinical Cancer Research, 2021, 27, 5847-5856.	3.2	3
16	Bone Marrow versus Peripheral Blood Grafts for Haploidentical Hematopoietic Cell Transplantation with Post-Transplantation Cyclophosphamide. Transplantation and Cellular Therapy, 2021, 27, 1003.e1-1003.e13.	0.6	10
17	Optimizing Myeloablative Fractionated Busulfan, Fludarabine and Thiotepa Regimen: Results of Two Parallel Cohorts in a Phase 2 Prospective Clinical Trial. Blood, 2021, 138, 1802-1802.	0.6	0
18	Incidence and Outcomes of Toxoplasma Reactivation in Patients with Hematologic Diseases after Allogeneic Hematopoietic Stem Cell Transplantation. Blood, 2021, 138, 1779-1779.	0.6	0

#	ARTICLE	IF	CITATIONS
19	Novel Disease Risk Model for Patients with Acute Myeloid Leukemia Receiving Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 197-203.	2.0	16
20	Outcome of Multiple Myeloma with Chromosome 1q Gain and 1p Deletion after Autologous Hematopoietic Stem Cell Transplantation: Propensity Score Matched Analysis. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 665-671.	2.0	21
21	Age Is a Prognostic Factor for the Overall Survival of Patients with Multiple Myeloma Undergoing Upfront Autologous Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1077-1083.	2.0	4
22	Hyper-CVAD regimen in combination with ofatumumab as frontline therapy for adults with Philadelphia chromosome-negative B-cell acute lymphoblastic leukaemia: a single-arm, phase 2 trial. <i>Lancet Haematology</i> , the, 2020, 7, e523-e533.	2.2	43
23	Optimizing the Conditioning Regimen for Hematopoietic Cell Transplant in Myelofibrosis: Long-Term Results of a Prospective Phase II Clinical Trial. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1439-1445.	2.0	17
24	Haploidentical transplants for patients with graft failure after the first allograft. <i>American Journal of Hematology</i> , 2020, 95, E267.	2.0	5
25	Idiopathic refractory ascites after allogeneic stem cell transplantation: a previously unrecognized entity. <i>Blood Advances</i> , 2020, 4, 1296-1306.	2.5	7
26	Phase II Study of CPX-351 Plus Venetoclax in Patients with Acute Myeloid Leukemia (AML). <i>Blood</i> , 2020, 136, 20-22.	0.6	8
27	A Phase II Study of Pembrolizumab in Combination with Romidepsin Demonstrates Durable Responses in Relapsed or Refractory T-Cell Lymphoma (TCL). <i>Blood</i> , 2020, 136, 40-41.	0.6	15
28	Maintenance Therapy with Ipilimumab Plus Lenalidomide after Autologous Stem Cell Transplantation for Patients with Lymphoma. <i>Blood</i> , 2020, 136, 9-11.	0.6	1
29	Factors Associated with the Improvement of Outcomes of High-Risk Relapsed Hodgkin Lymphoma (HL) Patients Receiving High-Dose Chemotherapy (HDC) and Autologous Stem-Cell Transplantation (ASCT): The MD Anderson Cancer Center Experience. <i>Blood</i> , 2020, 136, 17-18.	0.6	0
30	Comparison of Hyper-CVAD Plus Ofatumumab to Hyper-CVAD Plus Rituximab in Patients with Newly Diagnosed Philadelphia Chromosome-Negative CD20-Positive B-Cell Acute Lymphoblastic Leukemia: A Propensity Score Analysis. <i>Blood</i> , 2020, 136, 42-43.	0.6	0
31	Role of Allogeneic Stem Cell Transplant (ASCT) in Patients (Pts) with Relapsed/Refractory (R-R) Acute Lymphoblastic Leukemia (ALL) Treated with Inotuzumab Ozogamicin (INO) in Combination with Low-Intensity Chemotherapy (mini-hyper-CVD) with or without Blinatumomab (Blina): Results from a Phase 2 Study. <i>Blood</i> , 2020, 136, 39-41.	0.6	0
32	Autologous Vs. Allogeneic Stem Cell Transplantation in Double-Expressor Lymphoma. <i>Blood</i> , 2020, 136, 24-25.	0.6	0
33	Nonmyeloablative Allogeneic Stem Cell Transplantation with or without Inotuzumab Ozogamicin for Lymphoid Malignancies. <i>Blood</i> , 2020, 136, 10-12.	0.6	0
34	Risk of Gvhd and Survival in Patients with Acute Leukemia Who Were Bridged to Allogeneic Stem Cell Transplantation (alloSCT) with Venetoclax- Based Therapy. <i>Blood</i> , 2020, 136, 13-14.	0.6	1
35	Impact of Cytogenetic Abnormalities (CA) on Outcome of Patients (Pts) with Relapsed/Refractory (R-R) Acute Lymphoblastic Leukemia (ALL) Treated with Inotuzumab Ozogamicin (INO) in Combination with Low-Intensity Chemotherapy (mini-hyper-CVD) with or without Blinatumomab: Results from a Phase 2 Study. <i>Blood</i> , 2020, 136, 45-47.	0.6	0
36	Sequential Combination of Inotuzumab Ozogamicin (InO) with Low-Intensity Chemotherapy (mini-hyper-CVD) with or without Blinatumomab (Blina) As Salvage Therapy for Patients (Pts) with Acute Lymphoblastic Leukemia (ALL) in First Relapse. <i>Blood</i> , 2020, 136, 36-38.	0.6	0

#	ARTICLE	IF	CITATIONS
37	Long-Term Survival for Myeloma after Autologous Stem Cell Transplantation. Blood, 2020, 136, 23-24.	0.6	0
38	Retrospective Review of Prognostic and Predictors Markers in Newly Diagnosed Angioimmunoblastic T Cell Lymphoma at UT MD Anderson Cancer Center. Blood, 2020, 136, 27-28.	0.6	0
39	Autologous Stem Cell Transplantation for Angioimmunoblastic T-Cell Lymphoma. Blood, 2020, 136, 40-41.	0.6	0
40	African-Americans Multiple-Myeloma Patients Undergoing Upfront Autologous Stem Cell Transplant Have Similar Survival Outcomes Compared to Whites: A Propensity-Score Matched Analysis. Blood, 2020, 136, 9-10.	0.6	1
41	Vedolizumab for Steroid Refractory Lower Gastrointestinal Tract Graft Versus Host Disease. Blood, 2020, 136, 39-40.	0.6	0
42	Survival Trends in Multiple Myeloma after Autologous Hematopoietic Stem Cell Transplantation. Blood, 2020, 136, 24-25.	0.6	1
43	CD22 Expression Level As a Predictor of Survival in Patients (Pts) with Relapsed/Refractory (R-R) Acute Lymphoblastic Leukemia (ALL) Treated with Inotuzumab Ozogamicin (INO) in Combination with Low-Intensity Chemotherapy (mini-hyper-CVD) with or without Blinatumomab: Results from a Phase 2 Study. Blood, 2020, 136, 23-25.	0.6	1
44	Haploidentical transplantation for acute myeloid leukemia patients with minimal/measurable residual disease at transplantation. American Journal of Hematology, 2019, 94, 1382-1387.	2.0	20
45	Allogeneic Transplantation after Myeloablative Rituximab/BEAM ± Bortezomib for Patients with Relapsed/Refractory Lymphoid Malignancies: 5-Year Follow-Up Results. Biology of Blood and Marrow Transplantation, 2019, 25, 1347-1354.	2.0	4
46	Impact of Donor Type and Melphalan Dose on Allogeneic Transplantation Outcomes for Patients with Lymphoma. Biology of Blood and Marrow Transplantation, 2019, 25, 1340-1346.	2.0	7
47	Impact of Autologous Transplantation in Patients with Multiple Myeloma with t(11;14): A Propensity-Score Matched Analysis. Clinical Cancer Research, 2019, 25, 6781-6787.	3.2	10
48	Pilot study using post-transplant cyclophosphamide (PTCy), tacrolimus and mycophenolate GVHD prophylaxis for older patients receiving 10/10 HLA-matched unrelated donor hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2019, 54, 601-606.	1.3	24
49	Allotransplants for Patients 65 Years or Older with High-Risk Acute Myeloid Leukemia. Biology of Blood and Marrow Transplantation, 2019, 25, 505-514.	2.0	15
50	Impact of a novel prognostic model, hematopoietic cell transplant-composite risk (HCT-CR), on allogeneic transplant outcomes in patients with acute myeloid leukemia and myelodysplastic syndrome. Bone Marrow Transplantation, 2019, 54, 839-848.	1.3	24
51	Comparative Review of 30 Day Non-Relapse Mortality (NRM) in B-Cell Lymphomas Associated with Anti-CD19 Chimeric Antigen Receptor T-Cells (CAR-T) from FDA Database, Clinical Studies, and MD Anderson. Blood, 2019, 134, 1931-1931.	0.6	7
52	Allogeneic stem cell transplantation (AlloSCT) for patients (pts) with acute leukemia following venetoclax-based therapy.. Journal of Clinical Oncology, 2019, 37, 7047-7047.	0.8	1
53	Allogeneic stem cell transplantation (AlloSCT) for patients (pts) with lymphoma and chronic lymphocytic leukemia (CLL) following targeted small molecules inhibitors (SMIs).. Journal of Clinical Oncology, 2019, 37, 7550-7550.	0.8	0
54	A Randomized Study of Fludarabine-Clofarabine Vs Fludarabine Alone Combined with Busulfan and Allogeneic Hematopoietic Transplantation for AML and MDS. Blood, 2019, 134, 257-257.	0.6	1

#	ARTICLE	IF	CITATIONS
55	Allogeneic Hematopoietic Cell Transplantation May Improve Long-Term Outcomes in Patients with Ph-like Acute Lymphoblastic Leukemia with CRLF2 Overexpression. <i>Blood</i> , 2019, 134, 4598-4598.	0.6	0
56	Updated Results of Rituximab Pre- and Post-BEAM with or without <sup>90</sup> Yttrium Ibritumomab Tiuxetan during Autologous Transplant for Diffuse Large B-cell Lymphoma. <i>Clinical Cancer Research</i> , 2018, 24, 2304-2311.	3.2	11
57	A phase I study of romidepsin and ifosfamide, carboplatin, etoposide for the treatment of patients with relapsed or refractory peripheral T-cell lymphoma. <i>Haematologica</i> , 2018, 103, e416-e418.	1.7	15
58	Ipilimumab plus Lenalidomide after Allogeneic and Autologous Stem Cell Transplantation for Patients with Lymphoid Malignancies. <i>Clinical Cancer Research</i> , 2018, 24, 1011-1018.	3.2	31
59	Haploidentical Transplantation for Older Patients with Acute Myeloid Leukemia and Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1232-1236.	2.0	64
60	Fludarabine with a higher versus lower dose of myeloablative timed-sequential busulfan in older patients and patients with comorbidities: an open-label, non-stratified, randomised phase 2 trial. <i>Lancet Haematology</i> , 2018, 5, e532-e542.	2.2	23
61	Impact of t(11;14) on the Outcome of Autologous Transplantation in Multiple Myeloma: A Matched-Pair Analysis. <i>Blood</i> , 2018, 132, 4607-4607.	0.6	0
62	Stem cell transplantation outcomes in lymphoblastic lymphoma. <i>Leukemia and Lymphoma</i> , 2017, 58, 366-371.	0.6	11
63	Age over Fifty-Five Years at Diagnosis Increases Risk of Second Malignancies after Autologous Transplantation for Patients with Hodgkin Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1059-1063.	2.0	3
64	Feasibility of Lenalidomide Therapy for Persistent Chronic Lymphocytic Leukemia after Allogeneic Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1405-1410.	2.0	5
65	Clofarabine Plus Busulfan is an Effective Conditioning Regimen for Allogeneic Hematopoietic Stem Cell Transplantation in Patients with Acute Lymphoblastic Leukemia: Long-Term Study Results. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 285-292.	2.0	24
66	Differential impact of minimal residual disease negativity according to the salvage status in patients with relapsed/refractory acute lymphoblastic leukemia. <i>Cancer</i> , 2017, 123, 294-302.	2.0	70
67	Prognostic impact of pretreatment cytogenetics in adult Philadelphia chromosome-negative acute lymphoblastic leukemia in the era of minimal residual disease. <i>Cancer</i> , 2017, 123, 459-467.	2.0	49
68	Impact of Fluid Overload as New Toxicity Category on Hematopoietic Stem Cell Transplantation Outcomes. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 2166-2171.	2.0	34
69	Posttransplantation cyclophosphamide versus conventional graft-versus-host disease prophylaxis in mismatched unrelated donor hematopoietic cell transplantation. <i>British Journal of Haematology</i> , 2016, 173, 444-455.	1.2	61
70	Gemcitabine, Fludarabine, and Melphalan for Reduced-Intensity Conditioning and Allogeneic Stem Cell Transplantation for Relapsed and Refractory Hodgkin Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1333-1337.	2.0	19
71	Prognostic significance of day 14 bone marrow evaluation in adults with Philadelphia chromosome-negative acute lymphoblastic leukemia. <i>Cancer</i> , 2016, 122, 3812-3820.	2.0	17
72	Results of a phase 2 clinical trial using posttransplantation cyclophosphamide for the prevention of graft-versus-host disease in haploidentical donor and mismatched unrelated donor hematopoietic stem cell transplantation. <i>Cancer</i> , 2016, 122, 3316-3326.	2.0	75

#	ARTICLE	IF	CITATIONS
73	Pure Red Cell Aplasia in Major ABO-Mismatched Allogeneic Hematopoietic Stem Cell Transplantation Is Associated with Severe Pancytopenia. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 961-965.	2.0	15
74	Outcomes of Haploidentical Stem Cell Transplantation for Lymphoma with Melphalan-Based Conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 493-498.	2.0	38
75	Treatment with Hypomethylating Agents before Allogeneic Stem Cell Transplant Improves Progression-Free Survival for Patients with Chronic Myelomonocytic Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 47-53.	2.0	58
76	Achievement of Minimal Residual Disease Negativity By Multiparameter Flow Cytometry Is an Important Therapeutic Endpoint in Patients with Relapsed/Refractory B-Cell Acute Lymphoblastic Leukemia Receiving Salvage Treatment. <i>Blood</i> , 2016, 128, 2916-2916.	0.6	1
77	Rituximab Combined with BEAM and Autologous Stem Cell Transplantation for Older Patients with Relapsed Aggressive B-Cell Lymphomas. <i>Blood</i> , 2016, 128, 2270-2270.	0.6	6
78	Comparable Outcomes of Therapy-Related and De Novo Myelodysplastic Syndrome after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2016, 128, 2276-2276.	0.6	0
79	Age and Modified European LeukemiaNet Classification to Predict Transplant Outcomes: An Integrated Approach for Acute Myelogenous Leukemia Patients Undergoing Allogeneic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1405-1412.	2.0	22
80	Phase II Trial of Graft-versus-Host Disease Prophylaxis with Post-Transplantation Cyclophosphamide after Reduced-Intensity Busulfan/Fludarabine Conditioning for Hematological Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 906-912.	2.0	35
81	Radioimmunotherapy in Allogeneic Nonmyeloablative Conditioning for B Cell Lymphoma: Should We Use It More Often?. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 199-200.	2.0	0
82	Comparison of Survival in Patients with T Cell Lymphoma after Autologous and Allogeneic Stem Cell Transplantation as a Frontline Strategy or in Relapsed Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 855-859.	2.0	36
83	Single-Institution Experience in the Treatment of Primary Mediastinal B Cell Lymphoma Treated With Immunochemotherapy in the Setting of Response Assessment by 18Fluorodeoxyglucose Positron Emission Tomography. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 92, 113-121.	0.4	50
84	Hematopoietic Progenitor Cell Harvesting Is Feasible after Treatment with Brentuximab Vedotin in CD30+ Lymphoma Patients Who Received Multiple Prior Lines of Treatment. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1529-1531.	2.0	4
85	Fluid Overload As New Toxicity Category Has a Strong Impact on Non Relapse Mortality and Survival in Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2015, 126, 4321-4321.	0.6	2
86	A Bayesian, Phase II Randomized Trial of Extracorporeal Photopheresis (ECP) Plus Steroids Versus Steroids-Alone in Patients with Newly Diagnosed Acute Graft Vs. Host Disease (GVHD): The Addition of ECP Improves Gvhd Response and the Ability to Taper Steroids. <i>Blood</i> , 2015, 126, 854-854.	0.6	5
87	Similar Transplantation Outcomes for Acute Myeloid Leukemia and Myelodysplastic Syndrome Patients with Haploidentical versus 10/10 Human Leukocyte Antigen-Matched Unrelated and Related Donors. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1975-1981.	2.0	207
88	Long-term results of first salvage treatment in CLL patients treated initially with FCR (fludarabine, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.6	83
89	Reduced-Intensity Conditioning (RIC) and Allogeneic Stem Cell Transplantation (allo-SCT) For Relapsed/Refractory Hodgkin Lymphoma (HL) In The Brentuximab Vedotin Era: Favorable Overall and Progression-Free Survival (OS/PFS) With Low Transplant-Related Mortality (TRM). <i>Blood</i> , 2013, 122, 410-410.	0.6	5
90	Impact of monosomal karyotype and FLT3 status on post-transplant relapse in acute myeloid leukemia (AML).. <i>Journal of Clinical Oncology</i> , 2013, 31, 7010-7010.	0.8	0

#	ARTICLE	IF	CITATIONS
91	Outcome Of Chronic Lymphocytic Leukemia (CLL) Patients That Failed Allogeneic Stem Cell Transplantation. Blood, 2013, 122, 2880-2880.	0.6	0
92	Nonmyeloablative Allogeneic Stem Cell Transplantation for Non-Hodgkin Lymphoma. Cancer Journal (Sudbury, Mass ), 2012, 18, 457-462.	1.0	19
93	Nonmyeloablative allogeneic transplantation with or without 90yttrium ibritumomab tiuxetan is potentially curative for relapsed follicular lymphoma: 12-year results. Blood, 2012, 119, 6373-6378.	0.6	97
94	A Matched Controlled Analysis of Post-Transplant Cyclophosphamide (CY) Versus Tacrolimus and Mini-Dose Methotrexate in Matched Sibling and Unrelated Donor Transplant Recipients Receiving Reduced-Intensity Conditioning: Post-Transplant CY Is Associated with Higher Rates of Acute Gvhd. Blood, 2012, 120, 4200-4200.	0.6	5
95	Comparison of HLA Alleles in Follicular Lymphoma and Chronic Lymphocytic Leukemia Patients Referred for Allogeneic Stem Cell Transplantation. Blood, 2012, 120, 4218-4218.	0.6	0
96	Improved Clinical Outcomes in Chronic Lymphocytic Leukemia Patients with 17p Deletion (CLL 17p-) Who Are Able to Proceed with a Nonmyeloablative Allogeneic Stem Cell Transplantation (NST) Following an Initial Consultation with the Transplant Service: A Single Centre Experience. Blood, 2012, 120, 1977-1977.	0.6	0
97	Allogeneic stem cell transplantation in follicular lymphoma. Best Practice and Research in Clinical Haematology, 2011, 24, 271-277.	0.7	9
98	Nonmyeloablative allogeneic stem cell transplantation in relapsed/refractory chronic lymphocytic leukemia. Cancer, 2011, 117, 4679-4688.	2.0	92
99	12-Year Experience with High-Dose Rituximab-Containing Autologous Stem Cell Transplantation for SOX11-Positive Mantle Cell Lymphoma Patients in First Remission: Emerging Lymphoma-Free Survival Plateau After 3 Years,. Blood, 2011, 118, 4138-4138.	0.6	0
100	Sequential Therapy with Allogeneic Transplant Followed by Low-Dose Azacitidine for CML Patients That Failed Multiple Tyrosine Kinase Inhibitors. Blood, 2011, 118, 3106-3106.	0.6	0
101	Nonmyeloablative Allogeneic Conditioning with Bendamustine in Combination with Fludarabine and Rituximab for Lymphoid Malignancies: Immunosuppression without Myelosuppression and without Acute Gvhd. Blood, 2011, 118, 894-894.	0.6	2
102	Allogeneic Hematopoietic Stem Cell Transplantation for Myelofibrosis: PK Guided IV Busulfan Dose Intensity Results in Improved Event Free Survival. Blood, 2011, 118, 2006-2006.	0.6	0
103	Autologous and Allogeneic Stem Cell Transplantation for T-Cell Lymphoma: The M.D. Anderson Cancer Center Experience,. Blood, 2011, 118, 4118-4118.	0.6	4
104	Human-Leukocyte-Histocompatibility Antigens Predict Response to Rituximab and Donor Lymphocyte Infusion (DLI) After Non-Myeloablative Allogeneic Stem Transplantation (NST) for Chronic Lymphocytic Leukemia (CLL). Blood, 2010, 116, 2548-2548.	0.6	0
105	Outcome In Follicular Lymphoma (FL) Patients (pts) Relapsing After Autologous Stem Cell Transplantation (ASCT): Allografting Vs. Conventional Therapy. Blood, 2010, 116, 3510-3510.	0.6	0
106	Reduced Intensity Conditioning Combined with Post-Transplant Cyclophosphamide for Graft Vs. Host Disease Prophylaxis In Older-Aged or Medically Frail Patients with Advanced Hematological Malignancies. Blood, 2010, 116, 2341-2341.	0.6	0
107	Interleukin-2 and granulocyte macrophage colony-stimulating factor immunomodulation with high-dose chemotherapy and autologous hematopoietic stem cell transplantation for patients with metastatic breast cancer. International Journal of Hematology, 2009, 90, 627-634.	0.7	5
108	Human-Leukocyte-Histocompatibility Antigens (HLA-A1+, A2-, B44-) and Serum Immunoglobulin (Ig)G with CD4 Levels Predict Response to Graft-Versus-Leukemia (GVL) and Overall Survival, Respectively, After Non-Myeloablative Allogeneic Stem Transplantation (NST) for Chronic Lymphocytic Leukemia (CLL).. Blood, 2009, 114, 2287-2287.	0.6	1

#	ARTICLE	IF	CITATIONS
109	Stem Cell Transplantation with 90Yttrium Ibritumomab Tiuxetan(90YIT) in Non-Hodgkin's Lymphoma (NHL): Observations From PET Pre-Treatment Imaging and Responses in Allografted Refractory Follicular Histologies.. Blood, 2009, 114, 868-868.	0.6	2
110	Autologous Transplantation for Nodular Lymphocyte-Predominant Hodgkin Lymphoma (NLPHL).. Blood, 2009, 114, 2310-2310.	0.6	1
111	Autologous Stem Cell Mobilization with Cytokines and in-Vivo Alemtuzumab in Patients with T-Cell Non-Hodgkin's Lymphoma (T-NHL).. Blood, 2009, 114, 3213-3213.	0.6	0
112	A Randomized Phase II Trial of High-Dose Melphalan, Ascorbic Acid and Arsenic Trioxide with or without Bortezomib in Multiple Myeloma.. Blood, 2009, 114, 2309-2309.	0.6	0
113	Outcome of IgD Myeloma After Autologous Hematopoietic Stem Cell Transplantation.. Blood, 2009, 114, 4354-4354.	0.6	1
114	Eight-year experience with allogeneic stem cell transplantation for relapsed follicular lymphoma after nonmyeloablative conditioning with fludarabine, cyclophosphamide, and rituximab. Blood, 2008, 111, 5530-5536.	0.6	294
115	Life after Fludarabine, Cyclophosphamide, & Rituximab (FCR) - the Clinical Outcome of Patients with Chronic Lymphocytic Leukemia Who Receive Salvage Treatment after Frontline FCR.. Blood, 2008, 112, 2090-2090.	0.6	5
116	A Randomized Phase II Trial of High-Dose Melphalan, Ascorbic Acid and Arsenic Trioxide with or without Bortezomib in Multiple Myeloma. Blood, 2008, 112, 3320-3320.	0.6	2
117	Prognostic Factors after Nonmyeloablative Allogeneic Stem Transplantation (NST) in Chronic Lymphocytic Leukemia (CLL): Expression of P53 May Not Predict Survival.. Blood, 2008, 112, 1128-1128.	0.6	0
118	Rituximab Containing Autologous Stem Cell Transplantation May Be Curative in Mantle Cell Lymphoma for Patients in First Remission, but Not for Patients with Recurrent Disease.. Blood, 2008, 112, 1142-1142.	0.6	0
119	High-Dose Topotecan, Melphalan and Cyclophosphamide (TMC) with Autologous Stem Cell Support for Multiple Myeloma. Blood, 2008, 112, 4452-4452.	0.6	2
120	Reduced-Intensity Regimens for Allogeneic Stem Cell Transplantation Improve the Outcome in Advanced Multiple Myeloma. Blood, 2008, 112, 3298-3298.	0.6	0
121	Platelet Recovery Prior to Stem Cell Transplantation Predicts for Post- Transplant Outcomes in Patients with AML. Blood, 2008, 112, 3000-3000.	0.6	0
122	Polyoma (BK) Viruria Prior to Allogeneic Hematopoietic Stem Cell Transplantation (HSCT) from Donors Other Than Matched Siblings: A Prospective Evaluation of Hemorrhagic Cystitis (HC) Incidence. Blood, 2008, 112, 50-50.	0.6	1
123	An Analysis of the Costs Associated with Peripheral Blood Hematopoietic Progenitor Cell Mobilization, Collection and Cryopreservation in Patients with Lymphomas Undergoing Autologous Stem Cell Transplantation. Blood, 2008, 112, 2377-2377.	0.6	0
124	Reduced Intensity Conditioning (RIC) Regimen Followed by Allogeneic Hematopoietic Stem Cell Transplantation (HSCT) in Adult Patients with Acute Lymphoblastic Leukemia (ALL). Blood, 2008, 112, 4326-4326.	0.6	0
125	Addition of Umbilical Cord Blood (UCB) Unit to Reduced Intensity Conditioning (RIC) Regimen to Augment Graft Versus Tumor (GVT) in Patients (pts) with Advanced Hematologic Malignancies. Blood, 2008, 112, 3297-3297.	0.6	0
126	Busulfan and Fludarabine Conditioning Regimen Negates the Impact of Comorbidity Score on Nonrelapse Mortality in Patients with AML/MDS. Blood, 2008, 112, 799-799.	0.6	0



#	ARTICLE	IF	CITATIONS
127	Graft-versus-leukaemia effect after non-myeloablative haematopoietic transplantation can overcome the unfavourable expression of ZAP-70 in refractory chronic lymphocytic leukaemia. British Journal of Haematology, 2007, 137, 355-363.	1.2	95
128	Zevalin®/BEAM/Rituximab vs BEAM/Rituximab and Autologous Stem Cell Transplantation (ASCT) for Relapsed Chemosensitive Diffuse Large B-Cell Lymphoma (DLBCL): Impact of the IPI and PET Status.. Blood, 2007, 110, 620-620.	0.6	5
129	Chemotherapy with Granulocyte Colony Stimulating Factor (G-CSF) Alone Versus Granulocyte Colony Stimulating Factor (G-CSF) Plus Granulocyte-Macrophage Stimulating Factor (GM-CSF) for Hematopoietic Progenitor Cell Mobilization in Patients with Relapsed Non-Hodgkin's Lymphomas (NHLs).. Blood, 2007, 110, 1900-1900.	0.6	0
130	Mismatches in Low Expression HLA Class II Loci and MIC-A in Unrelated Donor Hematopoietic Stem Cell Transplantation (HSCT).. Blood, 2007, 110, 3050-3050.	0.6	0
131	Hepatitis C (HC) Virus Infection Is Associated with Worse Survival after Allogeneic Hematopoietic Stem Cell Transplantation (alloSCT) for Hematological Malignancies.. Blood, 2007, 110, 48-48.	0.6	0
132	Cardiac Toxicity and Non-Relapse Mortality in Patients with Low Left Ventricular Ejection Fraction Undergoing Stem Cell Transplantation.. Blood, 2007, 110, 3002-3002.	0.6	0
133	Risk Factors for Response after Initial Therapy for Acute Graft-Versus-Host-Disease (aGVHD).. Blood, 2007, 110, 5015-5015.	0.6	0
134	Reduced-Intensity Regimens in Allogeneic Stem-Cell Transplantation for Non-Hodgkin Lymphoma and Chronic Lymphocytic Leukemia. Hematology American Society of Hematology Education Program, 2006, 390-397.	0.9	47
135	Two-Year Follow-Up Results at the M.D. Anderson Hospital with Reduced-Intensity Allogeneic Stem Cell Transplantation with Fludarabine-Melphalan as Preparative Regimen in Relapsed/Refractory Hodgkin's Lymphoma: Comparable Outcome with Matched Related and Unrelated Donors.. Blood, 2006, 108, 3115-3115.	0.6	1
136	Efficacy and Safety of Yttrium 90 (90Y) Ibritumomab Tiuxetan in Autologous and Nonmyeloablative Stem Cell Transplantation (NST) for Relapsed Non-Hodgkin's Lymphoma (NHL).. Blood, 2006, 108, 315-315.	0.6	14
137	Chronic Graft-Versus-Host (cGVHD) after Non-Myeloablative Stem Cell Transplantation (NST) with Rituximab-Containing Conditioning Regimens for Non-Hodgkin's Lymphoma.. Blood, 2006, 108, 5316-5316.	0.6	0
138	High-Dose Chemotherapy and Autologous Hematopoietic Progenitor Cell Transplantation (AHCT) for Non-Hodgkin's Lymphoma (NHL) in Patients over 65 Years of Age.. Blood, 2006, 108, 3059-3059.	0.6	0
139	ZAP-70 Status Does Not Predict Outcome after Nonmyeloablative Allogeneic Stem-Cell Transplantation (NST) in Relapsed/Refractory Chronic Lymphocytic Leukemia (CLL) That Fails To Respond to Conventional Chemoimmunotherapy.. Blood, 2006, 108, 3028-3028.	0.6	0
140	Concurrent Administration of High-Dose Rituximab Before and After Autologous Stem-Cell Transplantation for Relapsed Aggressive B-Cell Non-Hodgkin's Lymphomas. Journal of Clinical Oncology, 2005, 23, 2240-2247.	0.8	127
141	RhG-CSF Mobilized and Apheresis-Collected Endothelial Progenitor Cells for Therapeutic Vasculogenesis.. Blood, 2005, 106, 298-298.	0.6	1
142	Non-Myeloablative Allogeneic Transplantation (NMT) with T-Cell Replete Graft for Relapsed Chemosensitive Follicular Lymphoma (FL): Donor Lymphocyte Infusion (DLI) To Convert Stable Mixed Chimerism to Full Donor Chimerism Is Not Necessary in the Absence of Disease Progression.. Blood, 2005, 106, 3659-3659.	0.6	3
143	Longer Follow-Up Confirms a Low Relapse Rate after Non-Myeloablative Allogeneic Transplantation (NMT) for Non-Hodgkin's Lymphoma (NHL), Including Patients with PET or Gallium-Avid Disease.. Blood, 2005, 106, 44-44.	0.6	3
144	Autologous Stem Cell (AUTO) vs Non-Myeloablative Allogeneic Transplantation (NMT) after High-Dose Rituximab (HD-R) -Containing Conditioning Regimens for Relapsed Chemosensitive Follicular Lymphoma (FL).. Blood, 2005, 106, 48-48.	0.6	11

#	ARTICLE	IF	CITATIONS
145	The Impact of Rituximab in the Development of Acute Graft Versus Host Disease (GVHD) Following Allogeneic Stem Cell Transplantation (SCT) for Acute Lymphoblastic Leukemia (ALL).. Blood, 2005, 106, 1803-1803.	0.6	0
146	Clinical Outcomes and Prognostic Factors in Patients with Richterâ€™s Syndrome Treated with Chemotherapy and/or Immunotherapy with or without Stem Cell Transplantation.. Blood, 2005, 106, 2097-2097.	0.6	0
147	Secondary Malignancy after Allogeneic Stem Cell Transplantation: Incidence and Risk Factors.. Blood, 2005, 106, 1123-1123.	0.6	4
148	Allogeneic Transplantation after an Alemtuzumab-Containing Myeloablative Conditioning Regimen for CD52 Positive Acute Lymphoblastic Leukemia (ALL).. Blood, 2005, 106, 1135-1135.	0.6	6
149	Treatment of Graft Failure with Fludarabine (Flu), Antithymocyte Globulin (ATG) and a Second Allogeneic Stem Cell Transplantation (SCT).. Blood, 2005, 106, 2734-2734.	0.6	0
150	Campath-IH Combined with Fludarabine/Cyclophosphamide/Rituximab (FCR) as Conditioning for Unrelated Non-Myeloablative Hematopoietic Transplantation (NMT) for Non-Hodgkinâ€™s Lymphoma (NHL): Low Mortality Rate and Lower Than Expected Incidence of Cytomegalovirus (CMV) Reactivation.. Blood, 2005, 106, 2902-2902.	0.6	0
151	Nonmyeloablative stem cell transplantation for lymphoma. Seminars in Oncology, 2004, 31, 22-26.	0.8	33
152	Nonablative allogeneic stem cell transplantation for chronic lymphocytic leukemia: impact of rituximab on immunomodulation and survival. Experimental Hematology, 2004, 32, 28-35.	0.2	119
153	Allogeneic Hematopoietic Stem Cell Transplantation (HSCT) for Patients Aged 65 Years or Older with AML and MDS.. Blood, 2004, 104, 2301-2301.	0.6	4
154	Allogeneic Transplantation for Adult Acute Lymphoblastic Leukemia (ALL) with Rituximab or Campath I-H.. Blood, 2004, 104, 5132-5132.	0.6	0
155	Reduced-Intensity Conditioning Regimen with BEAM/Rituximab for Patients with Refractory Non-Hodgkinâ€™s Lymphomas.. Blood, 2004, 104, 2315-2315.	0.6	6
156	Allogeneic Stem Cell Transplantation with Reduced-Intensity, Fludarabine-Based Conditioning in Relapsed and Refractory Hodgkinâ€™s Disease: Low Transplant-Related Mortality and Impact of Intensity of Conditioning Regimen on Survival.. Blood, 2004, 104, 2135-2135.	0.6	0
157	Effect of High-Dose Rituximab on Peripheral Blood Stem Cell Mobilization in Intermediate Grade Non-Hodgkinâ€™s Lymphomas.. Blood, 2004, 104, 2877-2877.	0.6	0
158	A Pilot Study for Haploidentical Transplant Using a Chemotherapy only Preparative Regimen eith T-Cell Depleted Haploidentical Transplant and Intensive Antibiotic Prophylaxis To Treat Advanced Leukemia Patients (pts).. Blood, 2004, 104, 5184-5184.	0.6	0
159	Long-term follow-up of autologous stem cell transplantation in patients with diffuse mantle cell lymphoma in first disease remission. Cancer, 2003, 98, 2630-2635.	2.0	87
160	Nonablative Allogeneic Stem-Cell Transplantation for Advanced/Recurrent Mantle-Cell Lymphoma. Journal of Clinical Oncology, 2003, 21, 4407-4412.	0.8	205
161	Melphalan and purine analogâ€™ containing preparative regimens: reduced-intensity conditioning for patients with hematologic malignancies undergoing allogeneic progenitor cell transplantation. Blood, 2001, 97, 631-637.	0.6	551
162	Impact of High-Dose Chemotherapy on Peripheral T-Cell Lymphomas. Journal of Clinical Oncology, 2001, 19, 3766-3770.	0.8	151

#	ARTICLE	IF	CITATIONS
163	Thiotepa, busulfan, and cyclophosphamide as a preparative regimen for allogeneic transplantation for advanced myelodysplastic syndrome and acute myelogenous leukemia. <i>American Journal of Hematology</i> , 2001, 67, 227-233.	2.0	23
164	Allogeneic haematopoietic transplantation for Richter's syndrome. <i>British Journal of Haematology</i> , 2000, 110, 897-899.	1.2	35
165	Harnessing graft-versus-malignancy: non-myeloablative preparative regimens for allogeneic haematopoietic transplantation, an evolving strategy for adoptive immunotherapy. <i>British Journal of Haematology</i> , 2000, 111, 18-29.	1.2	6
166	Allogeneic hematopoietic transplantation for acute and chronic myeloid leukemia: Non-myeloablative preparative regimens and induction of the graft-versus-leukemia effect. <i>Current Oncology Reports</i> , 2000, 2, 132-139.	1.8	19
167	Allogeneic hematopoietic transplantation for chronic lymphocytic leukemia and lymphoma: Potential for nonablative preparative regimens. <i>Current Oncology Reports</i> , 2000, 2, 182-191.	1.8	6
168	Untreated Aggressive Mantle Cell Lymphoma: Results with Intensive Chemotherapy without Stem Cell Transplant in Elderly Patients. <i>Leukemia and Lymphoma</i> , 2000, 39, 77-85.	0.6	64
169	Graft-vs.-malignancy with allogeneic blood stem cell transplantation: A potential primary treatment modality. <i>Pediatric Transplantation</i> , 1999, 3, 52-58.	0.5	10
170	Use of nonmyeloablative preparative regimens for allogeneic blood stem cell transplantation: Induction of graft-vs.-malignancy as treatment for malignant diseases. <i>Journal of Clinical Apheresis</i> , 1999, 14, 45-49.	0.7	7