

Margareta Norberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8366328/publications.pdf>

Version: 2024-02-01

72
papers

2,165
citations

218381

26
h-index

243296

44
g-index

73
all docs

73
docs citations

73
times ranked

3587
citing authors

#	ARTICLE	IF	CITATIONS
1	The VÄsterbotten Intervention Programme: background, design and implications. <i>Global Health Action</i> , 2010, 3, 4643.	0.7	268
2	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , 2018, 39, 397-406.	1.0	209
3	Visualization of asymptomatic atherosclerotic disease for optimum cardiovascular prevention (VIPVIZA): a pragmatic, open-label, randomised controlled trial. <i>Lancet</i> , The, 2019, 393, 133-142.	6.3	142
4	Work stress and low emotional support is associated with increased risk of future type 2 diabetes in women. <i>Diabetes Research and Clinical Practice</i> , 2007, 76, 368-377.	1.1	104
5	Low Levels of Tissue Inhibitors of Metalloproteinases With a High Matrix Metalloproteinase-9/Tissue Inhibitor of Metalloproteinase-1 Ratio Are Present in Tracheal Aspirate Fluids of Infants Who Develop Chronic Lung Disease. <i>Pediatrics</i> , 2004, 113, 1709-1714.	1.0	86
6	Community participation and sustainability â€œ evidence over 25 years in the VÄsterbotten Intervention Programme. <i>Global Health Action</i> , 2012, 5, 19166.	0.7	72
7	A combination of HbA1c, fasting glucose and BMI is effective in screening for individuals at risk of future type 2 diabetes: OGTT is not needed. <i>Journal of Internal Medicine</i> , 2006, 260, 263-271.	2.7	71
8	Changing patterns of tobacco use in a middle-aged population â€œ the role of snus, gender, age, and education. <i>Global Health Action</i> , 2011, 4, 5613.	0.7	59
9	Contribution of Swedish moist snuff to the metabolic syndrome: A wolf in sheep's clothing?. <i>Scandinavian Journal of Public Health</i> , 2006, 34, 576-583.	1.2	53
10	Impact of a combined community and primary care prevention strategy on all-cause and cardiovascular mortality: a cohort analysis based on 1 million person-years of follow-up in VÄsterbotten County, Sweden, during 1990â€œ2006. <i>BMJ Open</i> , 2015, 5, e009651.	0.8	53
11	Association of Pregnancy Complications and Characteristics With Future Risk of Elevated Blood Pressure. <i>Hypertension</i> , 2017, 69, 475-483.	1.3	51
12	The obesity epidemic slows among the middle-aged population in Sweden while the socioeconomic gap widens. <i>Global Health Action</i> , 2010, 3, 5149.	0.7	47
13	Increasing physical activity, but persisting social gaps among middle-aged people: trends in Northern Sweden from 1990 to 2007. <i>Global Health Action</i> , 2011, 4, 6347.	0.7	43
14	Impact of weight maintenance and loss on diabetes risk and burden: a population-based study in 33,184 participants. <i>BMC Public Health</i> , 2017, 17, 170.	1.2	40
15	Change in lifestyle behaviors and diabetes risk: evidence from a population-based cohort study with 10Â¥year follow-up. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 39.	2.0	40
16	Trends of blood pressure levels and management in VÄsterbotten County, Sweden, during 1990â€œ2010. <i>Global Health Action</i> , 2012, 5, 18195.	0.7	37
17	Health-related quality of life for pre-diabetic states and type 2 diabetes mellitus: a cross-sectional study in VÄsterbotten Sweden. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 150.	1.0	37
18	Who is using snus? - Time trends, socioeconomic and geographic characteristics of snus users in the ageing Swedish population. <i>BMC Public Health</i> , 2011, 11, 929.	1.2	36

#	ARTICLE	IF	CITATIONS
19	Adequate vitamin D levels in a Swedish population living above latitude 63°N: The 2009 Northern Sweden MONICA study. <i>International Journal of Circumpolar Health</i> , 2015, 74, 27963.	0.5	34
20	Healthy behaviours and 10-year incidence of diabetes: A population cohort study. <i>Preventive Medicine</i> , 2015, 71, 121-127.	1.6	34
21	Smokeless tobacco (snus) is associated with an increased risk of type 2 diabetes: results from five pooled cohorts. <i>Journal of Internal Medicine</i> , 2017, 281, 398-406.	2.7	34
22	Prevalence of vitamin D deficiency and its association with nutrition, travelling and clothing habits in an immigrant population in Northern Sweden. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 373-379.	1.3	31
23	Screening for type 2 diabetes: do screen-detected cases fare better?. <i>Diabetologia</i> , 2017, 60, 2200-2209.	2.9	30
24	Recruiting High-Risk Individuals to a Diabetes Prevention Program: How hard can it be?. <i>Diabetes Care</i> , 2007, 30, e61-e61.	4.3	29
25	The cost-effectiveness of interventions targeting lifestyle change for the prevention of diabetes in a Swedish primary care and community based prevention program. <i>European Journal of Health Economics</i> , 2017, 18, 905-919.	1.4	29
26	A reversal of decreasing trends in population cholesterol levels in Västerbotten County, Sweden. <i>Global Health Action</i> , 2012, 5, 10367.	0.7	26
27	How to diagnose and classify diabetes in primary health care: Lessons learned from the Diabetes Register in Northern Sweden (DiabNorth). <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 81-87.	0.6	26
28	Traditional Cardiovascular Risk Factors and Their Relation to Future Surgery for Valvular Heart Disease or Ascending Aortic Disease: A Case-Referent Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	26
29	Components of Metabolic Syndrome Predicting Diabetes: No Role of Inflammation or Dyslipidemia. <i>Obesity</i> , 2007, 15, 1875-1885.	1.5	24
30	Self-rated health and standard risk factors for myocardial infarction: a cohort study. <i>BMJ Open</i> , 2015, 5, e006589-e006589.	0.8	24
31	Lipoprotein(a) and the Apolipoprotein B/A1 Ratio Independently Associate With Surgery for Aortic Stenosis Only in Patients With Concomitant Coronary Artery Disease. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	23
32	Use of moist oral snuff (snus) and pancreatic cancer: Pooled analysis of nine prospective observational studies. <i>International Journal of Cancer</i> , 2017, 141, 687-693.	2.3	22
33	The beneficial effect over 3 years by pictorial information to patients and their physician about subclinical atherosclerosis and cardiovascular risk: Results from the VIPVIZA randomized clinical trial. <i>American Journal of Preventive Cardiology</i> , 2021, 7, 100199.	1.3	21
34	Health literacy is independently and inversely associated with carotid artery plaques and cardiovascular risk. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 209-215.	0.8	20
35	Overweight, cardiovascular diseases and diabetes: Health in Sweden: The National Public Health Report 2012. Chapter 7. <i>Scandinavian Journal of Public Health</i> , 2012, 40, 135-163.	1.2	18
36	Leptin independently predicts development of sepsis and its outcome. <i>Journal of Inflammation</i> , 2017, 14, 19.	1.5	17

#	ARTICLE	IF	CITATIONS
37	Complications of type 2 diabetes mellitus in Ramallah and al-Bireh: The Palestinian Diabetes Complications and Control Study (PDCCS). <i>Primary Care Diabetes</i> , 2018, 12, 547-557.	0.9	16
38	Association of Physician Education and Feedback on Hypertension Management With Patient Blood Pressure and Hypertension Control. <i>JAMA Network Open</i> , 2020, 3, e1918625.	2.8	16
39	No association found between cardiovascular mortality, and job demands and decision latitude: Experience from the VÄsterbotten Intervention Programme in Sweden. <i>Social Science and Medicine</i> , 2014, 117, 58-66.	1.8	15
40	Temporal Shifts in Cardiovascular Risk Factor Distribution. <i>American Journal of Preventive Medicine</i> , 2014, 46, 112-121.	1.6	15
41	Self-rated health does not predict 10-year weight change among middle-aged adults in a longitudinal population study. <i>BMC Public Health</i> , 2011, 11, 748.	1.2	14
42	Socioeconomic inequality in abdominal obesity among older people in Purworejo District, Central Java, Indonesia – a decomposition analysis approach. <i>International Journal for Equity in Health</i> , 2017, 16, 214.	1.5	13
43	Vitamin D is associated with lower limb muscle strength and grip strength in Middle Eastern- and African-born immigrants in Sweden. <i>Nutrition Research</i> , 2018, 59, 29-35.	1.3	13
44	Waist Circumference and All-Cause Mortality among Older Adults in Rural Indonesia. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 116.	1.2	13
45	A cost-effectiveness analysis of a community based CVD program in Sweden based on a retrospective register cohort. <i>BMC Public Health</i> , 2018, 18, 452.	1.2	12
46	Lifetime risk predictions for cardiovascular diseases: Competing risks analyses on a population-based cohort in Sweden. <i>Atherosclerosis</i> , 2020, 312, 90-98.	0.4	11
47	Use of moist smokeless tobacco (snus) and the risk of development of alcohol dependence: A cohort study in a middle-aged population in Sweden. <i>Drug and Alcohol Dependence</i> , 2015, 149, 151-157.	1.6	10
48	Increased knowledge makes a difference! – general practitioners' experiences of pictorial information about subclinical atherosclerosis for primary prevention: an interview study from the VIPVIZA trial. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 77-84.	0.6	10
49	Comparisons of weight change, eating habits and physical activity between women in Northern Sweden and Rural New York State- results from a longitudinal study. <i>Nutrition Journal</i> , 2015, 14, 88.	1.5	9
50	Tobacco use is not associated with groin hernia repair, a population-based study. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2017, 21, 517-523.	0.9	9
51	Smokeless tobacco (snus) use and colorectal cancer incidence and survival: Results from nine pooled cohorts. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 741-748.	1.2	7
52	No association between moist oral snuff (snus) use and oral cancer: pooled analysis of nine prospective observational studies. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 833-840.	1.2	7
53	Prescription of Lipid-Lowering and Antihypertensive Drugs Following Pictorial Information About Subclinical Atherosclerosis. <i>JAMA Network Open</i> , 2021, 4, e2121683.	2.8	7
54	Are the resources adoptive for conducting team-based diabetes management clinics? An explorative study at primary health care centers in Muscat, Oman. <i>Primary Health Care Research and Development</i> , 2019, 20, e3.	0.5	6

#	ARTICLE	IF	CITATIONS
55	Association between changes in waist circumferences and disability among older adults: WHO-INDEPTH study on global ageing and adult health (SAGE) in Indonesia. <i>Obesity Research and Clinical Practice</i> , 2019, 13, 462-468.	0.8	6
56	Arterial hypertension and diastolic blood pressure associate with aortic stenosis. <i>Scandinavian Cardiovascular Journal</i> , 2019, 53, 91-97.	0.4	6
57	Quality of life of type 2 diabetes mellitus patients in Ramallah and al-Bireh Governorateâ€“Palestine: a part of the Palestinian diabetes complications and control study (PDCCS). <i>Quality of Life Research</i> , 2021, 30, 1407-1416.	1.5	6
58	Fish consumption and risk of stroke: a second prospective case-control study from northern Sweden. <i>Nutrition Journal</i> , 2016, 15, 98.	1.5	5
59	Long-term exposure to particulate air pollution and presence and progression of carotid artery plaques - A northern Sweden VIPVIZA cohort study. <i>Environmental Research</i> , 2022, 211, 113061.	3.7	5
60	Sex-specific associations between body mass index and death before life expectancy: a comparative study from the USA and Sweden. <i>Global Health Action</i> , 2019, 12, 1580973.	0.7	4
61	From efficacy in trials to effectiveness in clinical practice: The Swedish Stroke Prevention Study. <i>Blood Pressure</i> , 2016, 25, 206-211.	0.7	3
62	Using Ecological Momentary Assessment to Study the Development of COVID-19 Worries in Sweden: Longitudinal Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e26743.	2.1	3
63	Vitamin D status was not associated with anxiety, depression, or health-related quality of life in Middle Eastern and African-born immigrants in Sweden. <i>Nutrition Research</i> , 2020, 75, 109-118.	1.3	2
64	Time to initiation of lipid-lowering drugs for subclinical atherosclerosis: sub-study of VIPVIZA randomized controlled trial, with single-arm cross-over. <i>European Heart Journal Open</i> , 2022, 2, .	0.9	2
65	Association of education and feedback on hypertension management with risk for stroke and cardiovascular disease. <i>Blood Pressure</i> , 2022, 31, 31-39.	0.7	2
66	Is intima-media thickness a predictor for cardiovascular risk? â€“ Authors' reply. <i>Lancet, The</i> , 2019, 394, 381.	6.3	1
67	The right pick: Does a self-assessment measurement tool correctly identify health care consumers with inadequate health literacy?. <i>Patient Education and Counseling</i> , 2021, , .	1.0	1
68	What kills middle-aged Swedes? A Prospective cohort study on NCD risk factors and mortality. <i>European Journal of Public Health</i> , 2015, 25, .	0.1	0
69	Flawed conclusions on the VÃsterbotten Intervention Program by San Sebastian et .al. <i>BMC Public Health</i> , 2019, 19, 1095.	1.2	0
70	Patientâ€“doctor engagement in cardiovascular prevention â€“ Authors' reply. <i>Lancet, The</i> , 2019, 394, e27.	6.3	0
71	Pictorial information about subclinical atherosclerosis reduces the CVD risk: Results from the VIPVIZA RCT. <i>European Journal of Preventive Cardiology</i> , 2021, 28, .	0.8	0
72	Reduced progression of carotid intima media thickness by pictorial presentation of subclinical atherosclerosis 3-year follow-up from VIPVIZA a randomized controlled trial. <i>European Heart Journal</i> , 2021, 42, .	1.0	0