

# Guri Skeie

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8366668/guri-skeie-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

231  
papers

10,908  
citations

55  
h-index

95  
g-index

244  
ext. papers

12,861  
ext. citations

6.3  
avg, IF

4.91  
L-index

#	Paper	IF	Citations
231	Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. <i>Lancet, The</i> , <b>2003</b> , 361, 1496-501	4 <sup>0</sup>	809
230	Meat, fish, and colorectal cancer risk: the European Prospective Investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , <b>2005</b> , 97, 906-16	9.7	603
229	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. <i>Lancet, The</i> , <b>2018</b> , 391, 1513-1523	4 <sup>0</sup>	53 <sup>0</sup>
228	Meat consumption and mortality--results from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , <b>2013</b> , 11, 63	11.4	257
227	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , <b>2016</b> , 55, 1359-75	5.2	238
226	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 150-63	7	231
225	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 89, 1441-52	7	227
224	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2007</b> , 121, 2065-72	7.5	194
223	Dietary fibre intake and risks of cancers of the colon and rectum in the European prospective investigation into cancer and nutrition (EPIC). <i>PLoS ONE</i> , <b>2012</b> , 7, e39361	3.7	179
222	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 89, 331-46	7	168
221	Use of dietary supplements in the European Prospective Investigation into Cancer and Nutrition calibration study. <i>European Journal of Clinical Nutrition</i> , <b>2009</b> , 63 Suppl 4, S226-38	5.2	163
220	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , <b>2018</b> , 39, 397-406	9.5	146
219	Cohort profile: The Norwegian Women and Cancer Study--NOWAC--Kvinner og kreft. <i>International Journal of Epidemiology</i> , <b>2008</b> , 37, 36-41	7.8	145
218	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , <b>2014</b> , 12, 168	11.4	135
217	Interactions between genetic variants and breast cancer risk factors in the breast and prostate cancer cohort consortium. <i>Journal of the National Cancer Institute</i> , <b>2011</b> , 103, 1252-63	9.7	134
216	Coffee Drinking and Mortality in 10 European Countries: A Multinational Cohort Study. <i>Annals of Internal Medicine</i> , <b>2017</b> , 167, 236-247	8	127
215	Selenium status is associated with colorectal cancer risk in the European prospective investigation of cancer and nutrition cohort. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 1149-61	7.5	121

214	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , <b>2013</b> , 28, 317-28	12.1	111
213	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2008</b> , 88, 1304-12	7	111
212	Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , <b>2007</b> , 10, 1515-25	3.3	110
211	Prediagnostic 25-hydroxyvitamin D, VDR and CASR polymorphisms, and survival in patients with colorectal cancer in western European populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 582-93	4	105
210	The association between diet and serum concentrations of IGF-I, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 1333-40	4	103
209	Differences in dietary intakes, food sources and determinants of total flavonoids between Mediterranean and non-Mediterranean countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , <b>2013</b> , 109, 1498-507	3.6	102
208	Is the association with fiber from foods in colorectal cancer confounded by folate intake?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2005</b> , 14, 1552-6	4	101
207	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , <b>2006</b> , 17, 957-69	2.8	96
206	Fruit and vegetable intake and the risk of gastric adenocarcinoma: a reanalysis of the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study after a longer follow-up. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 2910-9	7.5	93
205	Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , <b>2007</b> , 18, 361-73	2.8	92
204	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 164-74	7	87
203	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 90, 602-12	7	85
202	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , <b>2011</b> , 106, 1090-9	3.6	85
201	Tracking of overweight and obesity from early childhood to adolescence in a population-based cohort: the Tromsø Study, Fit Futures. <i>BMC Pediatrics</i> , <b>2016</b> , 16, 64	2.6	84
200	Body size and risk of differentiated thyroid carcinomas: findings from the EPIC study. <i>International Journal of Cancer</i> , <b>2012</b> , 131, E1004-14	7.5	84
199	Intake of whole grain in Scandinavia: intake, sources and compliance with new national recommendations. <i>Scandinavian Journal of Public Health</i> , <b>2012</b> , 40, 76-84	3	83
198	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , <b>2012</b> , 108, 1095-108	3.6	81
197	Social inequalities and mortality in Europe--results from a large multi-national cohort. <i>PLoS ONE</i> , <b>2012</b> , 7, e39013	3.7	79

196	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , <b>2013</b> , 110, 1500-11	3.6	74
195	Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , <b>2019</b> , 179, 1479-1490	11.5	72
194	Dietary fat intake and development of specific breast cancer subtypes. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106,	9.7	71
193	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 1398-408	7	71
192	Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. <i>British Journal of Nutrition</i> , <b>2011</b> , 106, 1915-25	3.6	71
191	Intake of dietary fiber, especially from cereal foods, is associated with lower incidence of colon cancer in the HELGA cohort. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 469-78	7.5	70
190	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 103, 454-64	7	69
189	Dietary fiber intake and risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , <b>2013</b> , 97, 344-53	7	69
188	EPIC-Heart: the cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , <b>2007</b> , 22, 129-41	12.1	69
187	Biomarkers of oxidative stress and risk of developing colorectal cancer: a cohort-nested case-control study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , <b>2012</b> , 175, 653-63	3.8	64
186	Consumption of dairy products and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , <b>2013</b> , 8, e72715	3.7	64
185	Intake of whole grains from different cereal and food sources and incidence of colorectal cancer in the Scandinavian HELGA cohort. <i>Cancer Causes and Control</i> , <b>2013</b> , 24, 1363-74	2.8	62
184	Plasma folate, related genetic variants, and colorectal cancer risk in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 1328-40	4	62
183	Glycosylated hemoglobin and risk of colorectal cancer in men and women, the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2008</b> , 17, 3108-15	4	59
182	A Nested Case-Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS Medicine</i> , <b>2016</b> , 13, e1001988	11.6	58
181	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0159025	3.7	58
180	Validity of self-reported body mass index among middle-aged participants in the Norwegian Women and Cancer study. <i>Clinical Epidemiology</i> , <b>2015</b> , 7, 313-23	5.9	57
179	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: A Multinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 1323-1331.e6	6.9	57

178	Cross-sectional study on acrylamide hemoglobin adducts in subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Agricultural and Food Chemistry</i> , <b>2008</b> , 56, 6046-53	5.7	56
177	Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 1921-30	7.5	55
176	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and incidence of colorectal cancer. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106, djt352	9.7	55
175	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , <b>2013</b> , 133, 2429-43	7.5	54
174	Macronutrient composition of the diet and prospective weight change in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , <b>2013</b> , 8, e57300	3.7	54
173	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , <b>2019</b> , 139, 2835-2845	16.7	52
172	Plasma vitamins B2, B6, and B12, and related genetic variants as predictors of colorectal cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 2549-61	4	52
171	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 345-55	7	52
170	Methodological challenges in the application of the glycemic index in epidemiological studies using data from the European Prospective Investigation into Cancer and Nutrition. <i>Journal of Nutrition</i> , <b>2009</b> , 139, 568-75	4.1	51
169	Fruit and vegetable consumption and risk of epithelial ovarian cancer: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2005</b> , 14, 2531-4	4	51
168	Dietary intake of different types and characteristics of processed meat which might be associated with cancer risk--results from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , <b>2006</b> , 9, 449-64	3.3	50
167	Whole-grain products and whole-grain types are associated with lower all-cause and cause-specific mortality in the Scandinavian HELGA cohort. <i>British Journal of Nutrition</i> , <b>2015</b> , 114, 608-23	3.6	48
166	Adherence to a healthy Nordic food index is associated with a lower incidence of colorectal cancer in women: the Diet, Cancer and Health cohort study. <i>British Journal of Nutrition</i> , <b>2013</b> , 109, 920-7	3.6	48
165	Dietary carbohydrates, glycemic index, glycemic load, and endometrial cancer risk within the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Epidemiology</i> , <b>2007</b> , 166, 912-23	3.8	48
164	Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. <i>BMC Medicine</i> , <b>2021</b> , 19, 1	11.4	48
163	Meat and fish consumption and risk of pancreatic cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2013</b> , 132, 617-24	7.5	46
162	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 1836-1844	7.5	45
161	Plasma and dietary carotenoids and vitamins A, C and E and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 2930-9	7.5	45

160	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Breast Cancer Research and Treatment</i> , <b>2013</b> , 139, 163-76	4.4	44
159	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: a nested case-control study. <i>International Journal of Cancer</i> , <b>2013</b> , 133, 1689-700	7.5	44
158	Intake of whole grains in Scandinavia is associated with healthy lifestyle, socio-economic and dietary factors. <i>Public Health Nutrition</i> , <b>2011</b> , 14, 1787-95	3.3	44
157	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2015</b> , 137, 940-8	7.5	43
156	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , <b>2020</b> , 18, 654-666.e6	6.9	43
155	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , <b>2018</b> , 57, 2399-2408	5.2	42
154	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 92, 1145-50	7	42
153	Adherence to the healthy Nordic food index and total and cause-specific mortality among Swedish women. <i>European Journal of Epidemiology</i> , <b>2015</b> , 30, 509-17	12.1	41
152	Vegetable and fruit consumption and the risk of hormone receptor-defined breast cancer in the EPIC cohort. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 103, 168-77	7	40
151	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , <b>2015</b> , 17, 15	8.3	39
150	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , <b>2011</b> , 47, 1808-16	7.5	39
149	Comparison of standardised dietary folate intake across ten countries participating in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , <b>2012</b> , 108, 552-69	3.6	39
148	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , <b>2013</b> , 52, 1369-80	5.2	38
147	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 1949-60	7.5	38
146	Dietary factors and in situ and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , <b>2011</b> , 129, 449-59	7.5	38
145	Red meat, dietary nitrosamines, and heme iron and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 555-9	4	37
144	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 902-10	7	37
143	Self-reported whole-grain intake and plasma alkylresorcinol concentrations in combination in relation to the incidence of colorectal cancer. <i>American Journal of Epidemiology</i> , <b>2014</b> , 179, 1188-96	3.8	36



142	Investigation of dietary factors and endometrial cancer risk using a nutrient-wide association study approach in the EPIC and NursesSHealth Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 466-71	4	35
141	Tea and coffee consumption and risk of esophageal cancer: the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 1470-9	7.5	35
140	Dietary change among breast and colorectal cancer survivors and cancer-free women in the Norwegian Women and Cancer cohort study. <i>Cancer Causes and Control</i> , <b>2009</b> , 20, 1955-66	2.8	35
139	Prospective analysis of circulating metabolites and breast cancer in EPIC. <i>BMC Medicine</i> , <b>2019</b> , 17, 178	11.4	34
138	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , <b>2015</b> , 30, 57-70	12.1	33
137	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the European Prospective Investigation into Cancer and Nutrition: a nested case-control study: plasma micronutrients and pancreatic cancer risk. <i>International Journal of Cancer</i> , <b>2015</b> , 136, E665-76	7.5	33
136	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , <b>2013</b> , 8, 549-60	4.3	33
135	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. <i>BMC Medicine</i> , <b>2016</b> , 14, 87	11.4	32
134	A new food-composition database for 437 polyphenols in 19,899 raw and prepared foods used to estimate polyphenol intakes in adults from 10 European countries. <i>American Journal of Clinical Nutrition</i> , <b>2018</b> , 108, 517-524	7	32
133	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 2705-14	7.5	32
132	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 1332-1342	7.5	32
131	Association of Dietary Fiber and Yogurt Consumption With Lung Cancer Risk: A Pooled Analysis. <i>JAMA Oncology</i> , <b>2020</b> , 6, e194107	13.4	31
130	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , <b>2018</b> , 107, 607-616	7	30
129	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 622-30	7.5	30
128	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 2654-63	7.5	30
127	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2011</b> , 128, 623-34	7.5	30
126	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , <b>2014</b> , 111, 1881-90	3.6	29
125	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2013</b> , 98, 827-38	7	29

124	Dietary flavonoid intake and esophageal cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>American Journal of Epidemiology</i> , <b>2013</b> , 178, 570-81	3.8	29
123	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 449-459	7.5	28
122	Dietary intake of vitamin D and calcium and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , <b>2013</b> , 65, 178-87	2.8	28
121	Ecological-level associations between highly processed food intakes and plasma phospholipid elaidic acid concentrations: results from a cross-sectional study within the European prospective investigation into cancer and nutrition (EPIC). <i>Nutrition and Cancer</i> , <b>2011</b> , 63, 1235-50	2.8	28
120	Sources of pre-analytical variations in yield of DNA extracted from blood samples: analysis of 50,000 DNA samples in EPIC. <i>PLoS ONE</i> , <b>2012</b> , 7, e39821	3.7	26
119	Nutritional quality of food as represented by the FSAM-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , <b>2018</b> , 15, e1002651	11.6	26
118	Circulating vitamin D in relation to cancer incidence and survival of the head and neck and oesophagus in the EPIC cohort. <i>Scientific Reports</i> , <b>2016</b> , 6, 36017	4.9	25
117	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , <b>2014</b> , 99, 139-47	7	25
116	Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 801-812	7.5	24
115	Plasma elaidic acid level as biomarker of industrial trans fatty acids and risk of weight change: report from the EPIC study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0118206	3.7	24
114	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Breast Cancer Research and Treatment</i> , <b>2015</b> , 154, 389-401	4.4	24
113	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , <b>2012</b> , 131, E1134-47	7.5	24
112	IGF-I and mammographic density in four geographic locations: a pooled analysis. <i>International Journal of Cancer</i> , <b>2007</b> , 121, 1786-92	7.5	24
111	Dietary fat, fat subtypes and hepatocellular carcinoma in a large European cohort. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 2715-28	7.5	23
110	The relation between birthweight, childhood body mass index, and overweight and obesity in late adolescence: a longitudinal cohort study from Norway, The Tromsø Study, Fit Futures. <i>BMJ Open</i> , <b>2017</b> , 7, e015576	3	23
109	Prediagnostic intake of dairy products and dietary calcium and colorectal cancer survival—results from the EPIC cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2014</b> , 23, 1813-23	4	23
108	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , <b>2011</b> , 22, 909-18	2.8	23
107	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ, The</i> , <b>2020</b> , 370, m3173	5.9	23



106	Coffee consumption and the risk of cancer in the Norwegian Women and Cancer (NOWAC) Study. <i>European Journal of Epidemiology</i> , <b>2016</b> , 31, 905-16	12.1	22
105	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 103, 161-7	7	22
104	No association of consumption of animal foods with risk of ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2007</b> , 16, 852-5	4	22
103	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , <b>2017</b> , 116, 811-820	8.7	21
102	A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , <b>2016</b> , 19, 242-54	3.3	21
101	Meat and heme iron intake and esophageal adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , <b>2013</b> , 133, 2744-50	7.5	21
100	Diet among breast cancer survivors and healthy women. The Norwegian Women and Cancer Study. <i>European Journal of Clinical Nutrition</i> , <b>2006</b> , 60, 1046-54	5.2	21
99	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , <b>2016</b> , 116, 316-25	3.6	20
98	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. <i>European Journal of Nutrition</i> , <b>2016</b> , 55, 7-20	5.2	20
97	Dietary intakes and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , <b>2014</b> , 66, 14-28	2.8	20
96	Cod liver oil, other dietary supplements and survival among cancer patients with solid tumours. <i>International Journal of Cancer</i> , <b>2009</b> , 125, 1155-60	7.5	20
95	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 104, 760-8	7	20
94	Circulating biomarkers of one-carbon metabolism in relation to renal cell carcinoma incidence and survival. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106,	9.7	19
93	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>British Journal of Cancer</i> , <b>2016</b> , 115, 1430-1440	8.7	18
92	Adherence to the healthy Nordic food index, dietary composition, and lifestyle among Swedish women. <i>Food and Nutrition Research</i> , <b>2015</b> , 59, 26336	3.1	18
91	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. <i>Gut</i> , <b>2019</b> , 68, 672-683	19.2	18
90	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , <b>2017</b> , 12, e0173117	3.7	17
89	Consumption of predefined Nordic dietary items in ten European countries - an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Public Health Nutrition</i> , <b>2014</b> , 17, 2650-9	3.3	17

88	Consumption of Whole-Grain Bread and Risk of Colorectal Cancer among Norwegian Women (the NOWAC Study). <i>Nutrients</i> , <b>2016</b> , 8,	6.7	17
87	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: results from the EPIC cohort study. <i>International Journal of Cancer</i> , <b>2015</b> , 136, E720-30	7.5	16
86	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , <b>2016</b> , 138, 65-73	7.5	16
85	Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Causes and Control</i> , <b>2014</b> , 25, 639-46	2.8	16
84	Cross-sectional associations of objectively measured physical activity, cardiorespiratory fitness and anthropometry in European adults. <i>Obesity</i> , <b>2014</b> , 22, E127-34	8	16
83	Milk and risk of colorectal, colon and rectal cancer in the Norwegian Women and Cancer (NOWAC) Cohort Study. <i>British Journal of Nutrition</i> , <b>2018</b> , 119, 1274-1285	3.6	16
82	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2015</b> , 136, E423-31	7.5	15
81	Coffee and Tea Consumption and the Contribution of Their Added Ingredients to Total Energy and Nutrient Intakes in 10 European Countries: Benchmark Data from the Late 1990s. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	15
80	Intake of coffee, decaffeinated coffee, or tea does not affect risk for pancreatic cancer: results from the European Prospective Investigation into Nutrition and Cancer Study. <i>Clinical Gastroenterology and Hepatology</i> , <b>2013</b> , 11, 1486-92	6.9	15
79	High coffee consumption and different brewing methods in relation to postmenopausal endometrial cancer risk in the Norwegian women and cancer study: a population-based prospective study. <i>BMC Womens Health</i> , <b>2014</b> , 14, 48	2.9	15
78	Meat and heme iron intake and risk of squamous cell carcinoma of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 2138-48	4	15
77	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. <i>International Journal of Cancer</i> , <b>2021</b> , 148, 609-625	7.5	15
76	Dietary intake of acrylamide and epithelial ovarian cancer risk in the european prospective investigation into cancer and nutrition (EPIC) cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 291-7	4	14
75	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , <b>2016</b> , 55, 2093-104	5.2	14
74	Whole grain intake and survival among Scandinavian colorectal cancer patients. <i>Nutrition and Cancer</i> , <b>2014</b> , 66, 6-13	2.8	14
73	An approach to estimate between- and within-group correlation coefficients in multicenter studies: plasma carotenoids as biomarkers of intake of fruits and vegetables. <i>American Journal of Epidemiology</i> , <b>2005</b> , 162, 591-8	3.8	14
72	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 1480-92	7.5	14
71	Anthropometric and reproductive factors and risk of esophageal and gastric cancer by subtype and subsite: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 929-942	7.5	13

70	Intake of whole grains and incidence of oesophageal cancer in the HELGA Cohort. <i>European Journal of Epidemiology</i> , <b>2016</b> , 31, 405-14	12.1	12
69	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	12
68	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. <i>Breast Cancer Research</i> , <b>2020</b> , 22, 5	8.3	12
67	Coffee consumption and risk of rare cancers in Scandinavian countries. <i>European Journal of Epidemiology</i> , <b>2018</b> , 33, 287-302	12.1	12
66	Vitamin D-Related Genes, Blood Vitamin D Levels and Colorectal Cancer Risk in Western European Populations. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	11
65	Circulating bilirubin levels and risk of colorectal cancer: serological and Mendelian randomization analyses. <i>BMC Medicine</i> , <b>2020</b> , 18, 229	11.4	11
64	Dietary patterns and whole grain cereals in the Scandinavian countries--differences and similarities. The HELGA project. <i>Public Health Nutrition</i> , <b>2015</b> , 18, 905-15	3.3	10
63	Whole-Blood Gene Expression Profiles in Large-Scale Epidemiological Studies: What Do They Tell?. <i>Current Nutrition Reports</i> , <b>2015</b> , 4, 377-386	6	10
62	Potato Consumption and Risk of Colorectal Cancer in the Norwegian Women and Cancer Cohort. <i>Nutrition and Cancer</i> , <b>2017</b> , 69, 564-572	2.8	9
61	Fiber intake modulates the association of alcohol intake with breast cancer. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 316-321	7.5	9
60	Coffee Consumption and Whole-Blood Gene Expression in the Norwegian Women and Cancer Post-Genome Cohort. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	8
59	Citrus intake and risk of skin cancer in the European Prospective Investigation into Cancer and Nutrition cohort (EPIC). <i>European Journal of Epidemiology</i> , <b>2020</b> , 35, 1057-1067	12.1	8
58	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and trans fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>International Journal of Cancer</i> , <b>2021</b> , 149, 865	7.5	8
57	Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 76-84	7.5	8
56	Consumption of ultra-processed foods associated with weight gain and obesity in adults: A multi-national cohort study. <i>Clinical Nutrition</i> , <b>2021</b> , 40, 5079-5088	5.9	8
55	Food in rural northern Norway in relation to Sami ethnicity: the SAMINOR 2 Clinical Survey. <i>Public Health Nutrition</i> , <b>2018</b> , 21, 2665-2677	3.3	7
54	Co-benefits from sustainable dietary shifts for population and environmental health: an assessment from a large European cohort study. <i>Lancet Planetary Health</i> , <b>2021</b> , 5, e786-e796	9.8	7
53	Grain and dietary fiber intake and bladder cancer risk: a pooled analysis of prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , <b>2020</b> , 112, 1252-1266	7	7

52	Alcohol consumption over time and mortality in the Swedish Women's Lifestyle and Health cohort. <i>BMJ Open</i> , <b>2016</b> , 6, e012862	3	7
51	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , <b>2019</b> , 17, 221	11.4	7
50	Coffee and tea drinking in relation to the risk of differentiated thyroid carcinoma: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , <b>2019</b> , 58, 3303-3312	5.2	7
49	Weight change in middle adulthood and risk of cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , <b>2021</b> , 148, 1637-1651	7.5	7
48	High lactose whey cheese consumption and risk of colorectal cancer - The Norwegian Women and Cancer Study. <i>Scientific Reports</i> , <b>2019</b> , 9, 296	4.9	6
47	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2020</b> , 29, 1739-1749	4.7	6
46	What characterises women who eat potatoes? A cross-sectional study among 74,208 women in the Norwegian Women and Cancer cohort. <i>Food and Nutrition Research</i> , <b>2015</b> , 59, 25703	3.1	6
45	No ethnic disparities in nutritional adequacy between the Indigenous Sami and the non-Sami population living in rural Northern Norway-the SAMINOR 2 Clinical Survey. <i>Nutrition Research</i> , <b>2019</b> , 64, 9-23	4	5
44	Intake of Sugar-Sweetened Beverages in Adolescents from Troms, Norway-The Troms Study. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	5
43	Adherence to a Western dietary pattern and risk of bladder cancer: A pooled analysis of 13 cohort studies of the Bladder Cancer Epidemiology and Nutritional Determinants international study. <i>International Journal of Cancer</i> , <b>2020</b> , 147, 3394-3403	7.5	5
42	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , <b>2020</b> , 147, 1027-1039	7.5	5
41	Change in potato consumption among Norwegian women 1998-2005-The Norwegian Women and Cancer study (NOWAC). <i>PLoS ONE</i> , <b>2017</b> , 12, e0179441	3.7	5
40	Reproductive and Lifestyle Factors and Circulating sRANKL and OPG Concentrations in Women: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2019</b> , 28, 1746-1754	4	5
39	Adherence to the Healthy Nordic Food Index in the Norwegian Women and Cancer (NOWAC) cohort. <i>Food and Nutrition Research</i> , <b>2018</b> , 62,	3.1	5
38	Comparing Calculated Nutrient Intakes Using Different Food Composition Databases: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	5
37	Dietary folate intake and pancreatic cancer risk: Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 1511-1521	7.5	5
36	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 122-131	7.5	5
35	Plant foods, dietary fibre and risk of ischaemic heart disease in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Epidemiology</i> , <b>2021</b> , 50, 212-222	7.8	5

34	Pre-diagnostic alterations in circulating bile acid profiles in the development of hepatocellular carcinoma. <i>International Journal of Cancer</i> , <b>2021</b> ,	7.5	4
33	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 2349-2359	7.5	3
32	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2019</b> , 28, 1089-1092	4	3
31	Characterization of Norwegian women eating wholegrain bread. <i>Public Health Nutrition</i> , <b>2015</b> , 18, 2836-45	4.5	3
30	Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPIC-CVD Case-Cohort Study Across Nine European Countries. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e019814	6	3
29	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , <b>2020</b> ,	6.9	3
28	Soft Drink and Juice Consumption and Renal Cell Carcinoma Incidence and Mortality in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 1270-1274	4	3
27	The association between meat and fish consumption and bladder cancer risk: a pooled analysis of 11 cohort studies. <i>European Journal of Epidemiology</i> , <b>2021</b> , 36, 781-792	12.1	3
26	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , <b>2020</b> , 59, 813-823	5.2	3
25	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 874-885	4	3
24	Potato consumption and risk of pancreatic cancer in the HELGA cohort. <i>British Journal of Nutrition</i> , <b>2018</b> , 119, 1408-1415	3.6	3
23	Dietary Advanced Glycation End-Products and Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	3
22	Dietary Intake of Advanced Glycation End Products (AGEs) and Mortality among Individuals with Colorectal Cancer.. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	3
21	Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. <i>PLoS Medicine</i> , <b>2021</b> , 18, e1003834	11.6	2
20	Prediagnostic Blood Selenium Status and Mortality among Patients with Colorectal Cancer in Western European Populations. <i>Biomedicines</i> , <b>2021</b> , 9,	4.8	2
19	Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. <i>Carcinogenesis</i> , <b>2021</b> , 42, 705-713	4.6	2
18	Long-term weight change and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , <b>2021</b> ,	7.8	2
17	Competing mortality risks analysis of prediagnostic lifestyle and dietary factors in colorectal cancer survival: the Norwegian Women and Cancer Study. <i>BMJ Open Gastroenterology</i> , <b>2019</b> , 6, e000338	3.9	2

16	Adolescent body composition and associations with body size and growth from birth to late adolescence. The Tromsø Study: Fit Futures-A Norwegian longitudinal cohort study. <i>Pediatric Obesity</i> , <b>2019</b> , 14, e12492	4.6	2
15	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , <b>2020</b> ,	7	2
14	A Smartphone-Based Information Communication Technology Solution for Primary Modifiable Risk Factors for Noncommunicable Diseases: Pilot and Feasibility Study in Norway.. <i>JMIR Formative Research</i> , <b>2022</b> , 6, e33636	2.5	2
13	Tea consumption and risk of bladder cancer in the Bladder Cancer Epidemiology and Nutritional Determinants (BLEND) Study: Pooled analysis of 12 international cohort studies.. <i>Clinical Nutrition</i> , <b>2022</b> , 41, 1122-1130	5.9	2
12	Prevalence and correlates of self-reported disordered eating: A cross-sectional study among 90 592 middle-aged Norwegian women. <i>PLoS ONE</i> , <b>2019</b> , 14, e0211056	3.7	1
11	Adherence to a healthy Nordic food index is associated with a lower incidence of colorectal cancer in women: the Diet, Cancer and Health cohort study [ERRATUM]. <i>British Journal of Nutrition</i> , <b>2014</b> , 111, 758-759	3.6	1
10	Excess body fatness during early to mid-adulthood and survival from colorectal and breast cancer: a pooled analysis of five international cohort studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> ,	4	1
9	Coffee consumption and overall and cause-specific mortality: the Norwegian Women and Cancer Study (NOWAC). <i>European Journal of Epidemiology</i> , <b>2020</b> , 35, 913-924	12.1	1
8	Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Case-Control Study Nested within a European Prospective Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 182-192	4	1
7	Non-linear associations between healthy Nordic foods and all-cause mortality in the NOWAC study: a prospective study.. <i>BMC Public Health</i> , <b>2022</b> , 22, 169	4.1	0
6	Methodological approaches to compile and validate a food composition database for methyl-group carriers in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Food Chemistry</i> , <b>2020</b> , 330, 127231	8.5	0
5	Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Epidemiology</i> , <b>2021</b> , 36, 953-964	12.1	0
4	Associations between dietary amino acid intakes and blood concentration levels. <i>Clinical Nutrition</i> , <b>2021</b> , 40, 3772-3779	5.9	0
3	Evaluation of a Web-Based Dietary Assessment Tool (myfood24) in Norwegian Women and Men Aged 60-74 Years: Usability Study.. <i>JMIR Formative Research</i> , <b>2022</b> , 6, e35092	2.5	0
2	Dietary intakes of dioxins and polychlorobiphenyls (PCBs) and breast cancer risk in 9 European countries.. <i>Environment International</i> , <b>2022</b> , 163, 107213	12.9	0
1	Whole Grain Intake and Mortality <b>2021</b> , 221-239		