

# Guri Skeie

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8366668/guri-skeie-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

231  
papers

10,908  
citations

55  
h-index

95  
g-index

244  
ext. papers

12,861  
ext. citations

6.3  
avg, IF

4.91  
L-index

#	Paper	IF	Citations
231	Non-linear associations between healthy Nordic foods and all-cause mortality in the NOWAC study: a prospective study.. <i>BMC Public Health</i> , <b>2022</b> , 22, 169	4.1	0
230	A Smartphone-Based Information Communication Technology Solution for Primary Modifiable Risk Factors for Noncommunicable Diseases: Pilot and Feasibility Study in Norway.. <i>JMIR Formative Research</i> , <b>2022</b> , 6, e33636	2.5	2
229	Tea consumption and risk of bladder cancer in the Bladder Cancer Epidemiology and Nutritional Determinants (BLEND) Study: Pooled analysis of 12 international cohort studies.. <i>Clinical Nutrition</i> , <b>2022</b> , 41, 1122-1130	5.9	2
228	Evaluation of a Web-Based Dietary Assessment Tool (myfood24) in Norwegian Women and Men Aged 60-74 Years: Usability Study.. <i>JMIR Formative Research</i> , <b>2022</b> , 6, e35092	2.5	0
227	Dietary intakes of dioxins and polychlorobiphenyls (PCBs) and breast cancer risk in 9 European countries.. <i>Environment International</i> , <b>2022</b> , 163, 107213	12.9	0
226	Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPIC-CVD Case-Cohort Study Across Nine European Countries. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e019814	6	3
225	Excess body fatness during early to mid-adulthood and survival from colorectal and breast cancer: a pooled analysis of five international cohort studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> ,	4	1
224	Pre-diagnostic alterations in circulating bile acid profiles in the development of hepatocellular carcinoma. <i>International Journal of Cancer</i> , <b>2021</b> ,	7.5	4
223	Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. <i>PLoS Medicine</i> , <b>2021</b> , 18, e1003834	11.6	2
222	Prediagnostic Blood Selenium Status and Mortality among Patients with Colorectal Cancer in Western European Populations. <i>Biomedicines</i> , <b>2021</b> , 9,	4.8	2
221	Co-benefits from sustainable dietary shifts for population and environmental health: an assessment from a large European cohort study. <i>Lancet Planetary Health</i> , <b>2021</b> , 5, e786-e796	9.8	7
220	Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. <i>Carcinogenesis</i> , <b>2021</b> , 42, 705-713	4.6	2
219	Long-term weight change and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , <b>2021</b> ,	7.8	2
218	Soft Drink and Juice Consumption and Renal Cell Carcinoma Incidence and Mortality in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 1270-1274	4	3
217	The association between meat and fish consumption and bladder cancer risk: a pooled analysis of 11 cohort studies. <i>European Journal of Epidemiology</i> , <b>2021</b> , 36, 781-792	12.1	3
216	Whole Grain Intake and Mortality <b>2021</b> , 221-239		
215	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and trans fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>International Journal of Cancer</i> , <b>2021</b> , 149, 865	7.5	8

214	Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Epidemiology</i> , <b>2021</b> , 36, 953-964	12.1	0
213	Associations between dietary amino acid intakes and blood concentration levels. <i>Clinical Nutrition</i> , <b>2021</b> , 40, 3772-3779	5.9	0
212	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. <i>International Journal of Cancer</i> , <b>2021</b> , 148, 609-625	7.5	15
211	Weight change in middle adulthood and risk of cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , <b>2021</b> , 148, 1637-1651	7.5	7
210	Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Case-Control Study Nested within a European Prospective Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 182-192	4	1
209	Plant foods, dietary fibre and risk of ischaemic heart disease in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Epidemiology</i> , <b>2021</b> , 50, 212-222	7.8	5
208	Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. <i>BMC Medicine</i> , <b>2021</b> , 19, 1	11.4	48
207	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2021</b> , 30, 874-885	4	3
206	Dietary Advanced Glycation End-Products and Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	3
205	Consumption of ultra-processed foods associated with weight gain and obesity in adults: A multi-national cohort study. <i>Clinical Nutrition</i> , <b>2021</b> , 40, 5079-5088	5.9	8
204	Dietary Intake of Advanced Glycation End Products (AGEs) and Mortality among Individuals with Colorectal Cancer.. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	3
203	Adherence to a Western dietary pattern and risk of bladder cancer: A pooled analysis of 13 cohort studies of the Bladder Cancer Epidemiology and Nutritional Determinants international study. <i>International Journal of Cancer</i> , <b>2020</b> , 147, 3394-3403	7.5	5
202	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2020</b> , 29, 1739-1749	4.6	6
201	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. <i>Breast Cancer Research</i> , <b>2020</b> , 22, 5	8.3	12
200	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , <b>2020</b> , 147, 1027-1039	7.5	5
199	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , <b>2020</b> ,	6.9	3
198	Comparing Calculated Nutrient Intakes Using Different Food Composition Databases: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	5
197	Methodological approaches to compile and validate a food composition database for methyl-group carriers in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Food Chemistry</i> , <b>2020</b> , 330, 127231	8.5	0

196	Grain and dietary fiber intake and bladder cancer risk: a pooled analysis of prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , <b>2020</b> , 112, 1252-1266	7	7
195	Coffee consumption and overall and cause-specific mortality: the Norwegian Women and Cancer Study (NOWAC). <i>European Journal of Epidemiology</i> , <b>2020</b> , 35, 913-924	12.1	1
194	Citrus intake and risk of skin cancer in the European Prospective Investigation into Cancer and Nutrition cohort (EPIC). <i>European Journal of Epidemiology</i> , <b>2020</b> , 35, 1057-1067	12.1	8
193	Circulating bilirubin levels and risk of colorectal cancer: serological and Mendelian randomization analyses. <i>BMC Medicine</i> , <b>2020</b> , 18, 229	11.4	11
192	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ, The</i> , <b>2020</b> , 370, m3173	5.9	23
191	Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 76-84	7.5	8
190	Anthropometric and reproductive factors and risk of esophageal and gastric cancer by subtype and subsite: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , <b>2020</b> , 146, 929-942	7.5	13
189	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , <b>2020</b> , 59, 813-823	5.2	3
188	Association of Dietary Fiber and Yogurt Consumption With Lung Cancer Risk: A Pooled Analysis. <i>JAMA Oncology</i> , <b>2020</b> , 6, e194107	13.4	31
187	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , <b>2020</b> , 18, 654-666.e6	6.9	43
186	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , <b>2020</b> ,	7	2
185	Vitamin D-Related Genes, Blood Vitamin D Levels and Colorectal Cancer Risk in Western European Populations. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	11
184	Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , <b>2019</b> , 179, 1479-1490	11.5	72
183	Prospective analysis of circulating metabolites and breast cancer in EPIC. <i>BMC Medicine</i> , <b>2019</b> , 17, 178	11.4	34
182	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 2349-2359	7.5	3
181	Prevalence and correlates of self-reported disordered eating: A cross-sectional study among 90 592 middle-aged Norwegian women. <i>PLoS ONE</i> , <b>2019</b> , 14, e0211056	3.7	1
180	High lactose whey cheese consumption and risk of colorectal cancer - The Norwegian Women and Cancer Study. <i>Scientific Reports</i> , <b>2019</b> , 9, 296	4.9	6
179	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2019</b> , 28, 1089-1092	4	3

178	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , <b>2019</b> , 139, 2835-2845	16.7	52
177	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	12
176	No ethnic disparities in nutritional adequacy between the Indigenous Sami and the non-Sami population living in rural Northern Norway-the SAMINOR 2 Clinical Survey. <i>Nutrition Research</i> , <b>2019</b> , 64, 9-23	4	5
175	Intake of Sugar-Sweetened Beverages in Adolescents from Troms, Norway-The Troms Study. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	5
174	Reproductive and Lifestyle Factors and Circulating sRANKL and OPG Concentrations in Women: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2019</b> , 28, 1746-1754	4	5
173	Competing mortality risks analysis of prediagnostic lifestyle and dietary factors in colorectal cancer survival: the Norwegian Women and Cancer Study. <i>BMJ Open Gastroenterology</i> , <b>2019</b> , 6, e000338	3.9	2
172	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , <b>2019</b> , 17, 221	11.4	7
171	Dietary folate intake and pancreatic cancer risk: Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2019</b> , 144, 1511-1521	7.5	5
170	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2019</b> , 145, 122-131	7.5	5
169	Adolescent body composition and associations with body size and growth from birth to late adolescence. The Troms Study: Fit Futures-A Norwegian longitudinal cohort study. <i>Pediatric Obesity</i> , <b>2019</b> , 14, e12492	4.6	2
168	Coffee and tea drinking in relation to the risk of differentiated thyroid carcinoma: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , <b>2019</b> , 58, 3303-3312	5.2	7
167	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: A Multinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 1323-1331.e6	6.9	57
166	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. <i>Gut</i> , <b>2019</b> , 68, 672-683	19.2	18
165	Coffee consumption and risk of rare cancers in Scandinavian countries. <i>European Journal of Epidemiology</i> , <b>2018</b> , 33, 287-302	12.1	12
164	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , <b>2018</b> , 107, 607-616	7	30
163	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. <i>Lancet, The</i> , <b>2018</b> , 391, 1513-1523	40	530
162	Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 801-812	7.5	24
161	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , <b>2018</b> , 57, 2399-2408	5.2	42

160	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 449-459	7.5	28
159	A new food-composition database for 437 polyphenols in 19,899 raw and prepared foods used to estimate polyphenol intakes in adults from 10 European countries. <i>American Journal of Clinical Nutrition</i> , <b>2018</b> , 108, 517-524	7	32
158	Coffee and Tea Consumption and the Contribution of Their Added Ingredients to Total Energy and Nutrient Intakes in 10 European Countries: Benchmark Data from the Late 1990s. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	15
157	Coffee Consumption and Whole-Blood Gene Expression in the Norwegian Women and Cancer Post-Genome Cohort. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	8
156	Food in rural northern Norway in relation to Sami ethnicity: the SAMINOR 2 Clinical Survey. <i>Public Health Nutrition</i> , <b>2018</b> , 21, 2665-2677	3.3	7
155	Adherence to the Healthy Nordic Food Index in the Norwegian Women and Cancer (NOWAC) cohort. <i>Food and Nutrition Research</i> , <b>2018</b> , 62,	3.1	5
154	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , <b>2018</b> , 142, 1332-1342	7.5	32
153	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , <b>2018</b> , 39, 397-406	9.5	146
152	Nutritional quality of food as represented by the FSAM-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , <b>2018</b> , 15, e1002651	11.6	26
151	Milk and risk of colorectal, colon and rectal cancer in the Norwegian Women and Cancer (NOWAC) Cohort Study. <i>British Journal of Nutrition</i> , <b>2018</b> , 119, 1274-1285	3.6	16
150	Potato consumption and risk of pancreatic cancer in the HELGA cohort. <i>British Journal of Nutrition</i> , <b>2018</b> , 119, 1408-1415	3.6	3
149	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , <b>2017</b> , 116, 811-820	8.7	21
148	Potato Consumption and Risk of Colorectal Cancer in the Norwegian Women and Cancer Cohort. <i>Nutrition and Cancer</i> , <b>2017</b> , 69, 564-572	2.8	9
147	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 1836-1844	7.5	45
146	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , <b>2017</b> , 12, e0173117	3.7	17
145	Change in potato consumption among Norwegian women 1998-2005-The Norwegian Women and Cancer study (NOWAC). <i>PLoS ONE</i> , <b>2017</b> , 12, e0179441	3.7	5
144	The relation between birthweight, childhood body mass index, and overweight and obesity in late adolescence: a longitudinal cohort study from Norway, The Tromsø Study, Fit Futures. <i>BMJ Open</i> , <b>2017</b> , 7, e015576	3	23
143	Coffee Drinking and Mortality in 10 European Countries: A Multinational Cohort Study. <i>Annals of Internal Medicine</i> , <b>2017</b> , 167, 236-247	8	127

142	Fiber intake modulates the association of alcohol intake with breast cancer. <i>International Journal of Cancer</i> , <b>2017</b> , 140, 316-321	7.5	9
141	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , <b>2016</b> , 55, 1359-75	5.2	238
140	Intake of whole grains and incidence of oesophageal cancer in the HELGA Cohort. <i>European Journal of Epidemiology</i> , <b>2016</b> , 31, 405-14	12.1	12
139	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>British Journal of Cancer</i> , <b>2016</b> , 115, 1430-1440	8.7	18
138	Circulating vitamin D in relation to cancer incidence and survival of the head and neck and oesophagus in the EPIC cohort. <i>Scientific Reports</i> , <b>2016</b> , 6, 36017	4.9	25
137	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. <i>BMC Medicine</i> , <b>2016</b> , 14, 87	11.4	32
136	Tracking of overweight and obesity from early childhood to adolescence in a population-based cohort: the Tromsø Study, Fit Futures. <i>BMC Pediatrics</i> , <b>2016</b> , 16, 64	2.6	84
135	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , <b>2016</b> , 116, 316-25	3.6	20
134	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. <i>European Journal of Nutrition</i> , <b>2016</b> , 55, 7-20	5.2	20
133	A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , <b>2016</b> , 19, 242-54	3.3	21
132	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 103, 454-64	7	69
131	Coffee consumption and the risk of cancer in the Norwegian Women and Cancer (NOWAC) Study. <i>European Journal of Epidemiology</i> , <b>2016</b> , 31, 905-16	12.1	22
130	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , <b>2016</b> , 138, 65-73	7.5	16
129	Vegetable and fruit consumption and the risk of hormone receptor-defined breast cancer in the EPIC cohort. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 103, 168-77	7	40
128	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 103, 161-7	7	22
127	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , <b>2016</b> , 55, 2093-104	5.2	14
126	A Nested Case-Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS Medicine</i> , <b>2016</b> , 13, e1001988	11.6	58
125	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0159025	3.7	58

124	Consumption of Whole-Grain Bread and Risk of Colorectal Cancer among Norwegian Women (the NOWAC Study). <i>Nutrients</i> , <b>2016</b> , 8,	6.7	17
123	Alcohol consumption over time and mortality in the Swedish Women's Lifestyle and Health cohort. <i>BMJ Open</i> , <b>2016</b> , 6, e012862	3	7
122	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , <b>2016</b> , 104, 760-8	7	20
121	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , <b>2016</b> , 139, 1480-92	7.5	14
120	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: results from the EPIC cohort study. <i>International Journal of Cancer</i> , <b>2015</b> , 136, E720-30	7.5	16
119	Characterization of Norwegian women eating wholegrain bread. <i>Public Health Nutrition</i> , <b>2015</b> , 18, 2836-45	3.5	3
118	Adherence to the healthy Nordic food index and total and cause-specific mortality among Swedish women. <i>European Journal of Epidemiology</i> , <b>2015</b> , 30, 509-17	12.1	41
117	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , <b>2015</b> , 17, 15	8.3	39
116	Dietary patterns and whole grain cereals in the Scandinavian countries--differences and similarities. The HELGA project. <i>Public Health Nutrition</i> , <b>2015</b> , 18, 905-15	3.3	10
115	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2015</b> , 136, E423-31	7.5	15
114	Dietary intake of acrylamide and epithelial ovarian cancer risk in the european prospective investigation into cancer and nutrition (EPIC) cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 291-7	4	14
113	Dietary fat, fat subtypes and hepatocellular carcinoma in a large European cohort. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 2715-28	7.5	23
112	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , <b>2015</b> , 30, 57-70	12.1	33
111	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the European Prospective Investigation into Cancer and Nutrition: a nested case-control study: plasma micronutrients and pancreatic cancer risk. <i>International Journal of Cancer</i> , <b>2015</b> , 136, E665-76	7.5	33
110	Whole-grain products and whole-grain types are associated with lower all-cause and cause-specific mortality in the Scandinavian HELGA cohort. <i>British Journal of Nutrition</i> , <b>2015</b> , 114, 608-23	3.6	48
109	What characterises women who eat potatoes? A cross-sectional study among 74,208 women in the Norwegian Women and Cancer cohort. <i>Food and Nutrition Research</i> , <b>2015</b> , 59, 25703	3.1	6
108	Adherence to the healthy Nordic food index, dietary composition, and lifestyle among Swedish women. <i>Food and Nutrition Research</i> , <b>2015</b> , 59, 26336	3.1	18
107	Whole-Blood Gene Expression Profiles in Large-Scale Epidemiological Studies: What Do They Tell?. <i>Current Nutrition Reports</i> , <b>2015</b> , 4, 377-386	6	10



106	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 2705-14	7.5	32
105	Validity of self-reported body mass index among middle-aged participants in the Norwegian Women and Cancer study. <i>Clinical Epidemiology</i> , <b>2015</b> , 7, 313-23	5.9	57
104	Plasma elaidic acid level as biomarker of industrial trans fatty acids and risk of weight change: report from the EPIC study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0118206	3.7	24
103	Investigation of dietary factors and endometrial cancer risk using a nutrient-wide association study approach in the EPIC and NursesHealth Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 466-71	4	35
102	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Breast Cancer Research and Treatment</i> , <b>2015</b> , 154, 389-401	4.4	24
101	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2015</b> , 137, 940-8	7.5	43
100	Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 1921-30	7.5	55
99	Selenium status is associated with colorectal cancer risk in the European prospective investigation of cancer and nutrition cohort. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 1149-61	7.5	121
98	Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Causes and Control</i> , <b>2014</b> , 25, 639-46	2.8	16
97	Cross-sectional associations of objectively measured physical activity, cardiorespiratory fitness and anthropometry in European adults. <i>Obesity</i> , <b>2014</b> , 22, E127-34	8	16
96	Dietary fat intake and development of specific breast cancer subtypes. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106,	9.7	71
95	Self-reported whole-grain intake and plasma alkylresorcinol concentrations in combination in relation to the incidence of colorectal cancer. <i>American Journal of Epidemiology</i> , <b>2014</b> , 179, 1188-96	3.8	36
94	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , <b>2014</b> , 99, 139-47	7	25
93	Adherence to a healthy Nordic food index is associated with a lower incidence of colorectal cancer in women: the Diet, Cancer and Health cohort study [ERRATUM]. <i>British Journal of Nutrition</i> , <b>2014</b> , 111, 758-759	3.6	1
92	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , <b>2014</b> , 12, 168	11.4	135
91	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , <b>2014</b> , 111, 1881-90	3.6	29
90	Circulating biomarkers of one-carbon metabolism in relation to renal cell carcinoma incidence and survival. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106,	9.7	19
89	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and incidence of colorectal cancer. <i>Journal of the National Cancer Institute</i> , <b>2014</b> , 106, djt352	9.7	55

88	High coffee consumption and different brewing methods in relation to postmenopausal endometrial cancer risk in the Norwegian women and cancer study: a population-based prospective study. <i>BMC Womens Health</i> , <b>2014</b> , 14, 48	2.9	15
87	Prediagnostic intake of dairy products and dietary calcium and colorectal cancer survival--results from the EPIC cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2014</b> , 23, 1813-23	4	23
86	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 1949-60	7.5	38
85	Plasma and dietary carotenoids and vitamins A, C and E and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 2930-9	7.5	45
84	Tea and coffee consumption and risk of esophageal cancer: the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 1470-9	7.5	35
83	Dietary intakes and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , <b>2014</b> , 66, 14-28	2.8	20
82	Consumption of predefined Nordic dietary items in ten European countries - an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Public Health Nutrition</i> , <b>2014</b> , 17, 2650-9	3.3	17
81	Whole grain intake and survival among Scandinavian colorectal cancer patients. <i>Nutrition and Cancer</i> , <b>2014</b> , 66, 6-13	2.8	14
80	Meat and fish consumption and risk of pancreatic cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2013</b> , 132, 617-24	7.5	46
79	Meat consumption and mortality--results from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , <b>2013</b> , 11, 63	11.4	257
78	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , <b>2013</b> , 8, 549-60	4.3	33
77	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , <b>2013</b> , 52, 1369-80	5.2	38
76	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , <b>2013</b> , 28, 317-28	12.1	111
75	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Breast Cancer Research and Treatment</i> , <b>2013</b> , 139, 163-76	4.4	44
74	Intake of whole grains from different cereal and food sources and incidence of colorectal cancer in the Scandinavian HELGA cohort. <i>Cancer Causes and Control</i> , <b>2013</b> , 24, 1363-74	2.8	62
73	Intake of coffee, decaffeinated coffee, or tea does not affect risk for pancreatic cancer: results from the European Prospective Investigation into Nutrition and Cancer Study. <i>Clinical Gastroenterology and Hepatology</i> , <b>2013</b> , 11, 1486-92	6.9	15
72	Adherence to a healthy Nordic food index is associated with a lower incidence of colorectal cancer in women: the Diet, Cancer and Health cohort study. <i>British Journal of Nutrition</i> , <b>2013</b> , 109, 920-7	3.6	48
71	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , <b>2013</b> , 110, 1500-11	3.6	74

70	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2013</b> , 98, 827-38	7	29
69	Dietary flavonoid intake and esophageal cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>American Journal of Epidemiology</i> , <b>2013</b> , 178, 570-81	3.8	29
68	Differences in dietary intakes, food sources and determinants of total flavonoids between Mediterranean and non-Mediterranean countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , <b>2013</b> , 109, 1498-507	3.6	102
67	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: a nested case-control study. <i>International Journal of Cancer</i> , <b>2013</b> , 133, 1689-700	7.5	44
66	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , <b>2013</b> , 133, 2429-43	7.5	54
65	Meat and heme iron intake and esophageal adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , <b>2013</b> , 133, 2744-50	7.5	21
64	Dietary fiber intake and risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , <b>2013</b> , 97, 344-53	7	69
63	Dietary intake of vitamin D and calcium and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , <b>2013</b> , 65, 178-87	2.8	28
62	Consumption of dairy products and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , <b>2013</b> , 8, e72715	3.7	64
61	Macronutrient composition of the diet and prospective weight change in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , <b>2013</b> , 8, e57300	3.7	54
60	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 622-30	7.5	30
59	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 1398-408	7.1	71
58	Dietary fibre intake and risks of cancers of the colon and rectum in the European prospective investigation into cancer and nutrition (EPIC). <i>PLoS ONE</i> , <b>2012</b> , 7, e39361	3.7	179
57	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 2654-63	7.5	30
56	Intake of dietary fiber, especially from cereal foods, is associated with lower incidence of colon cancer in the HELGA cohort. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 469-78	7.5	70
55	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , <b>2012</b> , 131, E1134-47	7.5	24
54	Fruit and vegetable intake and the risk of gastric adenocarcinoma: a reanalysis of the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study after a longer follow-up. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 2910-9	7.5	93
53	Body size and risk of differentiated thyroid carcinomas: findings from the EPIC study. <i>International Journal of Cancer</i> , <b>2012</b> , 131, E1004-14	7.5	84

52	Biomarkers of oxidative stress and risk of developing colorectal cancer: a cohort-nested case-control study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , <b>2012</b> , 175, 653-63	3.8	64
51	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 345-55	7	52
50	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 164-74	7	87
49	Prediagnostic 25-hydroxyvitamin D, VDR and CASR polymorphisms, and survival in patients with colorectal cancer in western European populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 582-93	4	105
48	Comparison of standardised dietary folate intake across ten countries participating in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , <b>2012</b> , 108, 552-69	3.6	39
47	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , <b>2012</b> , 108, 1095-108	3.6	81
46	Intake of whole grain in Scandinavia: intake, sources and compliance with new national recommendations. <i>Scandinavian Journal of Public Health</i> , <b>2012</b> , 40, 76-84	3	83
45	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 902-10	7	37
44	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 96, 150-63	7	231
43	Meat and heme iron intake and risk of squamous cell carcinoma of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 2138-48	4	15
42	Social inequalities and mortality in Europe—results from a large multi-national cohort. <i>PLoS ONE</i> , <b>2012</b> , 7, e39013	3.7	79
41	Sources of pre-analytical variations in yield of DNA extracted from blood samples: analysis of 50,000 DNA samples in EPIC. <i>PLoS ONE</i> , <b>2012</b> , 7, e39821	3.7	26
40	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , <b>2011</b> , 47, 1808-16	7.5	39
39	Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. <i>British Journal of Nutrition</i> , <b>2011</b> , 106, 1915-25	3.6	71
38	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , <b>2011</b> , 22, 909-18	2.8	23
37	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , <b>2011</b> , 128, 623-34	7.5	30
36	Dietary factors and in situ and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , <b>2011</b> , 129, 449-59	7.5	38
35	Interactions between genetic variants and breast cancer risk factors in the breast and prostate cancer cohort consortium. <i>Journal of the National Cancer Institute</i> , <b>2011</b> , 103, 1252-63	9.7	134

34	Intake of whole grains in Scandinavia is associated with healthy lifestyle, socio-economic and dietary factors. <i>Public Health Nutrition</i> , <b>2011</b> , 14, 1787-95	3.3	44
33	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , <b>2011</b> , 106, 1090-9	3.6	85
32	Ecological-level associations between highly processed food intakes and plasma phospholipid elaidic acid concentrations: results from a cross-sectional study within the European prospective investigation into cancer and nutrition (EPIC). <i>Nutrition and Cancer</i> , <b>2011</b> , 63, 1235-50	2.8	28
31	Red meat, dietary nitrosamines, and heme iron and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2011</b> , 20, 555-9	4	37
30	Plasma folate, related genetic variants, and colorectal cancer risk in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 1328-40	4	62
29	Plasma vitamins B2, B6, and B12, and related genetic variants as predictors of colorectal cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2010</b> , 19, 2549-61	4	52
28	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 92, 1145-50	7	42
27	Methodological challenges in the application of the glycemic index in epidemiological studies using data from the European Prospective Investigation into Cancer and Nutrition. <i>Journal of Nutrition</i> , <b>2009</b> , 139, 568-75	4.1	51
26	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 89, 1441-52	7	227
25	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 89, 331-46	7	168
24	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 90, 602-12	7	85
23	The association between diet and serum concentrations of IGF-I, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2009</b> , 18, 1333-40	4	103
22	Cod liver oil, other dietary supplements and survival among cancer patients with solid tumours. <i>International Journal of Cancer</i> , <b>2009</b> , 125, 1155-60	7.5	20
21	Dietary change among breast and colorectal cancer survivors and cancer-free women in the Norwegian Women and Cancer cohort study. <i>Cancer Causes and Control</i> , <b>2009</b> , 20, 1955-66	2.8	35
20	Use of dietary supplements in the European Prospective Investigation into Cancer and Nutrition calibration study. <i>European Journal of Clinical Nutrition</i> , <b>2009</b> , 63 Suppl 4, S226-38	5.2	163
19	Glycosylated hemoglobin and risk of colorectal cancer in men and women, the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2008</b> , 17, 3108-15	4	59
18	Cross-sectional study on acrylamide hemoglobin adducts in subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Agricultural and Food Chemistry</i> , <b>2008</b> , 56, 6046-53	5.7	56
17	Cohort profile: The Norwegian Women and Cancer Study--NOWAC--Kvinner og kreft. <i>International Journal of Epidemiology</i> , <b>2008</b> , 37, 36-41	7.8	145

16	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , <b>2008</b> , 88, 1304-12	7	111
15	Dietary carbohydrates, glycemic index, glycemic load, and endometrial cancer risk within the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Epidemiology</i> , <b>2007</b> , 166, 912-23	3.8	48
14	IGF-I and mammographic density in four geographic locations: a pooled analysis. <i>International Journal of Cancer</i> , <b>2007</b> , 121, 1786-92	7.5	24
13	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , <b>2007</b> , 121, 2065-72	7.5	194
12	EPIC-Heart: the cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , <b>2007</b> , 22, 129-41	12.1	69
11	Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , <b>2007</b> , 18, 361-73	2.8	92
10	No association of consumption of animal foods with risk of ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2007</b> , 16, 852-5	4	22
9	Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , <b>2007</b> , 10, 1515-25	3.3	110
8	Dietary intake of different types and characteristics of processed meat which might be associated with cancer risk--results from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , <b>2006</b> , 9, 449-64	3.3	50
7	Diet among breast cancer survivors and healthy women. The Norwegian Women and Cancer Study. <i>European Journal of Clinical Nutrition</i> , <b>2006</b> , 60, 1046-54	5.2	21
6	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , <b>2006</b> , 17, 957-69	2.8	96
5	Fruit and vegetable consumption and risk of epithelial ovarian cancer: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2005</b> , 14, 2531-4	4	51
4	Meat, fish, and colorectal cancer risk: the European Prospective Investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , <b>2005</b> , 97, 906-16	9.7	603
3	Is the association with fiber from foods in colorectal cancer confounded by folate intake?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2005</b> , 14, 1552-6	4	101
2	An approach to estimate between- and within-group correlation coefficients in multicenter studies: plasma carotenoids as biomarkers of intake of fruits and vegetables. <i>American Journal of Epidemiology</i> , <b>2005</b> , 162, 591-8	3.8	14
1	Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. <i>Lancet, The</i> , <b>2003</b> , 361, 1496-501	4 <sup>0</sup>	809