
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8367945/publications.pdf Version: 2024-02-01



IFONG-HO KIM

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Current Status of Serum Protein and Immunofixation Electrophoresis from 29 Hospitals in Korea. Laboratory Medicine Online, 2022, 12, 91-99. | 0.0 | 2 |
| 2 | Short Term Isocaloric Ketogenic Diet Modulates NLRP3 Inflammasome Via B-hydroxybutyrate and Fibroblast Growth Factor 21. Frontiers in Immunology, 2022, 13, 843520. | 2.2 | 8 |
| 3 | Performance Evaluation of Thyroid Function Tests on a Novel Chemiluminescent Microparticle Immunoassay System. journal of applied laboratory medicine, The, 2021, 6, 367-377. | 0.6 | 2 |
| 4 | Nlrp3, Csf3, and Edn1 in Macrophage Response to Saturated Fatty Acids and Modified Low-Density Lipoprotein. Korean Circulation Journal, 2021, 51, 68. | 0.7 | 3 |
| 5 | Association of circulating metabolites with incident type 2 diabetes in an obese population from a national cohort. Diabetes Research and Clinical Practice, 2021, 180, 109077. | 1.1 | 5 |
| 6 | Total and Exchangeable Copper Assay Using Inductively Coupled Plasma Mass Spectrometry and Establishment of a Pediatric Reference Interval. Archives of Pathology and Laboratory Medicine, 2021, 145, 877-882. | 1.2 | 10 |
| 7 | Performance Evaluation of Body Fluid Cellular Analysis Using the Beckman Coulter UniCel DxH 800, Sysmex XN-350, and UF-5000 Automated Cellular Analyzers. Annals of Laboratory Medicine, 2020, 40, 122-130. | 1.2 | 18 |
| 8 | SGLT2 inhibition modulates NLRP3 inflammasome activity via ketones and insulin in diabetes with cardiovascular disease. Nature Communications, 2020, 11, 2127. | 5.8 | 263 |
| 9 | Report of the Korean Association of External Quality Assessment Service on Therapeutic Drug Monitoring and Toxicology (2015–2019). Journal of Laboratory Medicine and Quality Assurance, 2020, 42, 183-193. | 0.1 | 3 |
| 10 | Establishment of Reference Intervals for Serum Insulin-Like Growth Factor I in Korean Adult Population. Endocrinology and Metabolism, 2020, 35, 960-964. | 1.3 | 3 |
| 11 | Turnaround Time (TAT) Setting Status of 30 Domestic Clinical Laboratories and Consideration for Improvement and Management of TAT. Laboratory Medicine Online, 2020, 10, 276-282. | 0.0 | 0 |
| 12 | Comparison of five automated urine sediment analyzers with manual microscopy for accurate identification of urine sediment. Clinical Chemistry and Laboratory Medicine, 2019, 57, 1744-1753. | 1.4 | 28 |
| 13 | Evaluation of the Analytical Performance of Atellica CH 930 Automated Chemistry Analyzer. Laboratory Medicine Online, 2019, 9, 133. | 0.0 | 0 |
| 14 | Optimal Dosing Regimen of Phenytoin for Korean Epilepsy Patients: From Premature Babies to the Elderly. Journal of Pharmaceutical Sciences, 2019, 108, 2765-2773. | 1.6 | 3 |
| 15 | Comparison of analytical performance of i-Smart 300 and pHOx ultra for the accurate determination of pleural fluid pH. Practical Laboratory Medicine, 2019, 14, e00117. | 0.6 | 2 |
| 16 | Fasting serum bile acids concentration is associated with insulin resistance independently of diabetes status. Clinical Chemistry and Laboratory Medicine, 2019, 57, 1218-1228. | 1.4 | 20 |
| 17 | Report of Korean Association of External Quality Assessment Service on the Accuracy-Based Lipid Proficiency Testing (2016-2018). Journal of Laboratory Medicine and Quality Assurance, 2019, 41, 121-129. | 0.1 | 5 |
| 18 | Fasting serum amino acids concentration is associated with insulin resistance and pro-inflammatory cytokines. Diabetes Research and Clinical Practice, 2018, 140, 107-117. | 1.1 | 17 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Relationship Between Circulating Netrin-1 Concentration, Impaired Fasting Glucose, and Newly Diagnosed Type 2 Diabetes. Frontiers in Endocrinology, 2018, 9, 691. | 1.5 | 23 |
| 20 | Budget Impact of the Accreditation Program for Clinical Laboratories on Colorectal Cancer Screening via Fecal Immunochemical Testing: Results from the National Cancer Screening Program in Korea. Annals of Laboratory Medicine, 2018, 38, 249-254. | 1.2 | 3 |
| 21 | Effect of the Standardization of Diagnostic Tests on the Prevalence of Diabetes Mellitus and Impaired Fasting Glucose. Journal of Korean Medical Science, 2018, 33, e81. | 1.1 | 2 |
| 22 | Effects of Cold Agglutinin on the Accuracy of Complete Blood Count Results and Optimal Sample Pretreatment Protocols for Eliminating Such Effects. Annals of Laboratory Medicine, 2018, 38, 371-374. | 1.2 | 8 |
| 23 | Effects of two types of medical contrast media on routine chemistry results by three automated chemistry analyzers. Clinical Biochemistry, 2017, 50, 719-725. | 0.8 | 6 |
| 24 | Stability of lyophilized pooled sera as quality control materials for tumor marker assays in external quality assessment. Clinica Chimica Acta, 2017, 471, 233-242. | 0.5 | 2 |
| 25 | Neutropenia is independently associated with sub-therapeutic serum concentration of vancomycin. Clinica Chimica Acta, 2017, 465, 106-111. | 0.5 | 13 |
| 26 | A practical way to overcome ascorbate interference in total cholesterol and triglyceride measurement by exploiting the autoxidation property of ascorbate. Clinical Biochemistry, 2017, 50, 350-351. | 0.8 | 5 |
| 27 | Fecal Occult Blood Test Results of the National Colorectal Cancer Screening Program in South Korea (2006–2013). Scientific Reports, 2017, 7, 2804. | 1.6 | 13 |
| 28 | Homeostasis model assessment of insulin resistance in a general adult population in Korea: additive association of sarcopenia and obesity with insulin resistance. Clinical Endocrinology, 2017, 86, 44-51. | 1.2 | 20 |
| 29 | Lipoprotein X Detected in a Case of Hypercholesterolemia Associated With Chronic Cholangiohepatitis. Annals of Laboratory Medicine, 2017, 37, 550-552. | 1.2 | 3 |
| 30 | Effect of Accreditation on Accuracy of Diagnostic Tests in Medical Laboratories. Annals of Laboratory Medicine, 2017, 37, 213-222. | 1.2 | 16 |
| 31 | Analytical Performance of Bio-Rad D-100 on a Hemoglobin A1c Assay. Laboratory Medicine Online, 2017, 7, 59. | 0.0 | 1 |
| 32 | Morning Spot Urine Glucose-to-Creatinine Ratios Predict Overnight Urinary Glucose Excretion in Patients With Type 2 Diabetes. Annals of Laboratory Medicine, 2017, 37, 9-17. | 1.2 | 5 |
| 33 | Calibration of High-Density Lipoprotein Cholesterol Values From the Korea National Health and Nutrition Examination Survey Data, 2008 to 2015. Annals of Laboratory Medicine, 2017, 37, 1-8. | 1.2 | 11 |
| 34 | Survey of Clinical Laboratory Practices for 2015 Middle East Respiratory Syndrome Coronavirus Outbreak in the Republic of Korea. Annals of Laboratory Medicine, 2016, 36, 154-161. | 1.2 | 8 |
| 35 | Korean Society for Laboratory Medicine Practice Guidelines for the Molecular Diagnosis of Middle East Respiratory Syndrome During an Outbreak in Korea in 2015. Annals of Laboratory Medicine, 2016, 36, 203-208. | 1.2 | 9 |
| 36 | Influence of Vitamin C and Maltose on the Accuracy of Three Models of Glucose Meters. Annals of Laboratory Medicine, 2016, 36, 271-274. | 1.2 | 30 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Ascorbate Oxidase Minimizes Interference by High-Concentration Ascorbic Acid in Total Cholesterol Assays. Annals of Laboratory Medicine, 2016, 36, 188-190. | 1.2 | 7 |
| 38 | Guidelines for the Laboratory Diagnosis of Middle East Respiratory Syndrome Coronavirus in Korea. Infection and Chemotherapy, 2016, 48, 61. | 1.0 | 11 |
| 39 | Performance Evaluation of the CLINITEK Novus Automated Urine Chemistry Analyzer. Laboratory Medicine Online, 2016, 6, 147. | 0.0 | 1 |
| 40 | Comparison and Validation of 10 Equations Including a Novel Method for Estimation of LDL-cholesterol in a 168,212 Asian Population. Medicine (United States), 2016, 95, e3230. | 0.4 | 17 |
| 41 | Evaluation of an automated urinary iodine measurement using AU5800 analyzer with AutoLab Iodine reagent. Clinical Chemistry and Laboratory Medicine, 2016, 54, e339-e341. | 1.4 | 1 |
| 42 | Characterization of circulating antibodies with affinity to an epitope used in antibody-conjugated magnetic immunoassays from a case of falsely elevated cyclosporine A. Clinica Chimica Acta, 2016, 458, 35-39. | 0.5 | 6 |
| 43 | Urinary N-acetyl-β-D-glucosaminidase, an early marker of diabetic kidney disease, might reflect glucose excursion in patients with type 2 diabetes. Medicine (United States), 2016, 95, e4114. | 0.4 | 41 |
| 44 | Comparison and clinical utility evaluation of four multiple allergen simultaneous tests including two newly introduced fully automated analyzers. Practical Laboratory Medicine, 2016, 4, 50-61. | 0.6 | 11 |
| 45 | Evaluation of bilirubin interference and accuracy of six creatinine assays compared with isotope dilution–liquid chromatography mass spectrometry. Clinical Biochemistry, 2016, 49, 274-281. | 0.8 | 21 |
| 46 | Validation of a liquid chromatography tandem mass spectrometry method to measure oxidized and reduced forms of glutathione in whole blood and verification in a mouse model as an indicator of oxidative stress. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1019, 45-50. | 1.2 | 33 |
| 47 | Evaluation of Random Urine Sodium and Potassium Compensated by Creatinine as Possible Alternative Markers for 24 Hours Urinary Sodium and Potassium Excretion. Annals of Laboratory Medicine, 2015, 35, 238-241. | 1.2 | 13 |
| 48 | Hypertriglyceridemia is a Major Factor Associated With Elevated Levels of Small Dense LDL Cholesterol in Patients With Metabolic Syndrome. Annals of Laboratory Medicine, 2015, 35, 586-594. | 1.2 | 27 |
| 49 | Central obesity is an independent risk factor for microalbuminuria in both the general Korean women and nondiabetic nonhypertensive subpopulation: Association of microalbuminuria and metabolic syndrome from the Korea National Health and Nutrition Examination Survey 2011–2012. Clinica Chimica Acta, 2015, 448, 74-79. | 0.5 | 3 |
| 50 | Association of hemoglobin levels with blood pressure and hypertension in a large population-based study: the Korea National Health and Nutrition Examination Surveys 2008–2011. Clinica Chimica Acta, 2015, 438, 12-18. | 0.5 | 23 |
| 51 | Annual Report on the External Quality Assessment Scheme for Therapeutic Drug Monitoring and Testing for Drugs of Abuse in Korea (2014). Journal of Laboratory Medicine and Quality Assurance, 2015, 37, 12-22. | 0.1 | 2 |
| 52 | Establishing pediatric reference intervals for 13 biochemical analytes derived from normal subjects in a pediatric endocrinology clinic in Korea. Clinical Biochemistry, 2014, 47, 268-271. | 0.8 | 40 |
| 53 | Serum Cholesterol Concentration and Prevalence, Awareness, Treatment, and Control of High Lowâ€Đensity Lipoprotein Cholesterol in the Korea National Health and Nutrition Examination Surveys 2008–2010: Beyond the Tip of the Iceberg. Journal of the American Heart Association, 2014, 3, e000650. | 1.6 | 39 |
| 54 | Differences in clinical chemistry values according to the use of two laxatives for colonoscopy. Clinical Biochemistry, 2014, 47, 1047-1051. | 0.8 | 3 |

Јеонс-Но Кім

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Association of urinary sodium/creatinine ratio and urinary sodium/specific gravity unit ratio with blood pressure and hypertension: KNHANES 2009–2010. Clinica Chimica Acta, 2013, 424, 168-173. | 0.5 | 27 |
| 56 | Detection and genotyping of human papillomavirus by five assays according to cytologic results. Journal of Virological Methods, 2013, 187, 79-84. | 1.0 | 10 |
| 57 | Additive association of vitamin D insufficiency and sarcopenia with low femoral bone mineral density in noninstitutionalized elderly population: the Korea National Health and Nutrition Examination Surveys 2009–2010. Osteoporosis International, 2013, 24, 2789-2799. | 1.3 | 31 |
| 58 | The Asian project for collaborative derivation of reference intervals: (1) strategy and major results of standardized analytes. Clinical Chemistry and Laboratory Medicine, 2013, 51, 1429-42. | 1.4 | 56 |
| 59 | Urinary iodine and sodium status of urban Korean subjects: A pilot study. Clinical Biochemistry, 2012, 45, 596-598. | 0.8 | 18 |
| 60 | Gender-specific reference intervals for serum total bilirubin in healthy Korean adults. Clinical Biochemistry, 2012, 45, 1257-1259. | 0.8 | 8 |
| 61 | Evaluation of revisited fucosylated alpha-fetoprotein (AFP-L3) with an autoanalyzer μTAS in a clinical laboratory. Clinica Chimica Acta, 2012, 413, 170-174. | 0.5 | 12 |
| 62 | The Plasma Small Dense LDL-Cholesterol Calculation Formula Proposed by Srisawasdi et al Is Not Applicable to Koreans Who Are Healthy or Have Metabolic Syndrome. American Journal of Clinical Pathology, 2012, 138, 754-756. | 0.4 | 8 |
| 63 | Editorial Announcement Regarding Title Change of the Korean Journal of Laboratory Medicine to Annals of Laboratory Medicine. Annals of Laboratory Medicine, 2012, 32, 1-2. | 1.2 | 5 |
| 64 | Evaluation of automated serum des-gamma-carboxyprothrombin (DCP) assays for detecting hepatocellular carcinoma. Clinical Biochemistry, 2011, 44, 1464-1468. | 0.8 | 17 |
| 65 | Heterogeneous Spectrum of <i>CFTR</i> Gene Mutations in Korean Patients with Cystic Fibrosis. Annals of Laboratory Medicine, 2011, 31, 219-224. | 1.2 | 14 |
| 66 | Creatinine Determination by Nova CCX Analyzer Harmonized with the Roche Enzymatic Method for Early and Accurate Detection of Renal Dysfunction. Laboratory Medicine Online, 2011, 1, 179. | 0.0 | 0 |
| 67 | Serum neuron-specific enolase level as a biomarker in differential diagnosis of seizure and syncope. Journal of Neurology, 2010, 257, 1708-1712. | 1.8 | 34 |
| 68 | Determination of lamotrigine in human serum by high-performance liquid chromatography–tandem mass spectrometry. Neurological Sciences, 2010, 31, 717-720. | 0.9 | 14 |
| 69 | The L441P Mutation of Cystic Fibrosis Transmembrane conductance Regulator and its Molecular Pathogenic Mechanisms in a Korean Patient with Cystic Fibrosis. Journal of Korean Medical Science, 2010, 25, 166. | 1.1 | 8 |
| 70 | Performance Characteristics of the UniCel DxI 800 Immunoassay for the Maternal Serum Quadruple Test, Including Median Values for Each Week of Gestation, in Korean Women. Annals of Laboratory Medicine, 2010, 30, 126-132. | 1.2 | 8 |
| 71 | Evaluation of three automated enzyme immunoassays for detection of anti-cyclic citrullinated peptide antibodies in qualitative and quantitative aspects. Rheumatology, 2010, 49, 450-457. | 0.9 | 17 |
| 72 | Comparison of 10% coefficient of variation and 99th percentile cutoff of troponin I in serum and heparinized plasma using Access 2 and DxI 800. Clinica Chimica Acta, 2009, 399, 117-118. | 0.5 | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Clinical Performance Evaluation of Four Automated Chemiluminescence Immunoassays for Hepatitis C Virus Antibody Detection. Journal of Clinical Microbiology, 2008, 46, 3919-3923. | 1.8 | 70 |
| 74 | Sources of Variation of Commonly Measured Serum Analytes in 6 Asian Cities and Consideration of Common Reference Intervals. Clinical Chemistry, 2008, 54, 356-365. | 1.5 | 67 |
| 75 | Effects of Increasing Particle Size of Low-Density Lipoprotein on Restenosis After Coronary Stent Implantation. Circulation Journal, 2008, 72, 1059-1064. | 0.7 | 11 |
| 76 | Relationship of low-density lipoprotein particle size to insulin resistance and intima-media thickness in nondiabetic Koreans. Metabolism: Clinical and Experimental, 2006, 55, 1610-1615. | 1.5 | 4 |
| 77 | Report of a Korean Patient with Cystic Fibrosis, Carrying Q98R and Q220X Mutations in the CFTR Gene. Journal of Korean Medical Science, 2006, 21, 563. | 1.1 | 16 |
| 78 | Liquid Heparin Anticoagulant Produces More Negative Bias in the Determination of Ionized Magnesium than Ionized Calcium. Yonsei Medical Journal, 2006, 47, 191. | 0.9 | 9 |
| 79 | Significance of Small Dense Low-Density Lipoprotein as a Risk Factor for Coronary Artery Disease and Acute Coronary Syndrome. Yonsei Medical Journal, 2006, 47, 405. | 0.9 | 38 |
| 80 | Comparison Between a New Low Dose Urea Capsule Test and the Conventional UBiT [®] Tablet Test for the Detection of <i>Helicobacter pylori</i> Infection. Annals of Laboratory Medicine, 2006, 26, 81-85. | 1.2 | 2 |
| 81 | Effect of Long-Term Hormone Therapy on Telomere Length in Postmenopausal Women. Yonsei Medical Journal, 2005, 46, 471. | 0.9 | 99 |
| 82 | Cystic Fibrosis in Korean Children: A Case Report Identified by a Quantitative Pilocarpine Iontophoresis Sweat Test and Genetic Analysis. Journal of Korean Medical Science, 2005, 20, 153. | 1.1 | 27 |
| 83 | Evaluation of Denka-Seiken Turbidimetric High-Sensitivity C-Reactive Protein Assay. Clinical Chemistry and Laboratory Medicine, 2002, 40, 840-5. | 1.4 | 11 |
| 84 | The apolipoprotein(a) size, pentanucleotide repeat, C/T(+93) polymorphisms of apolipoprotein(a) gene, serum lipoprotein(a) concentrations and their relationship in a Korean population. Clinica Chimica Acta, 2001, 314, 113-123. | 0.5 | 6 |
| 85 | Comparison of tear secretion and tear film instability after photorefractive keratectomy and laser in situ keratomileusis. Journal of Cataract and Refractive Surgery, 2000, 26, 1326-1331. | 0.7 | 140 |