

Kang Ho Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8368640/publications.pdf>

Version: 2024-02-01

19
papers

1,272
citations

686830

13
h-index

794141

19
g-index

19
all docs

19
docs citations

19
times ranked

4619
citing authors

#	ARTICLE	IF	CITATIONS
1	Nutrient-sensing nuclear receptors coordinate autophagy. <i>Nature</i> , 2014, 516, 112-115.	13.7	412
2	Mutations in the nuclear bile acid receptor FXR cause progressive familial intrahepatic cholestasis. <i>Nature Communications</i> , 2016, 7, 10713.	5.8	227
3	Assaying Cell Cycle Status Using Flow Cytometry. <i>Current Protocols in Molecular Biology</i> , 2015, 111, 28.6.1-28.6.11.	2.9	174
4	Vitamin D Receptor Activation in Liver Macrophages Ameliorates Hepatic Inflammation, Steatosis, and Insulin Resistance in Mice. <i>Hepatology</i> , 2020, 71, 1559-1574.	3.6	103
5	Hepatic FXR/SHP axis modulates systemic glucose and fatty acid homeostasis in aged mice. <i>Hepatology</i> , 2017, 66, 498-509.	3.6	81
6	Epigenome environment interactions accelerate epigenomic aging and unlock metabolically restricted epigenetic reprogramming in adulthood. <i>Nature Communications</i> , 2020, 11, 2316.	5.8	43
7	Vitamin D Receptor Activation in Liver Macrophages Protects Against Hepatic Endoplasmic Reticulum Stress in Mice. <i>Hepatology</i> , 2020, 71, 1453-1466.	3.6	38
8	Metabolic dysregulation in the <i>Atp7b</i> ^{-/-} Wilson's disease mouse model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 2076-2083.	3.3	35
9	Glucocorticoids Have Opposing Effects on Liver Fibrosis in Hepatic Stellate and Immune Cells. <i>Molecular Endocrinology</i> , 2016, 30, 905-916.	3.7	26
10	STAT1 Dissociates Adipose Tissue Inflammation From Insulin Sensitivity in Obesity. <i>Diabetes</i> , 2020, 69, 2630-2641.	0.3	24
11	Methylsensing Nuclear Receptor Liver Receptor Homolog 1 Regulates Mitochondrial Function in Mouse Hepatocytes. <i>Hepatology</i> , 2020, 71, 1055-1069.	3.6	20
12	Regulation of Liver Energy Balance by the Nuclear Receptors Farnesoid X Receptor and Peroxisome Proliferator Activated Receptor α . <i>Digestive Diseases</i> , 2017, 35, 203-209.	0.8	17
13	Rapid Disruption of Genes Specifically in Livers of Mice Using Multiplex CRISPR/Cas9 Editing. <i>Gastroenterology</i> , 2018, 155, 1967-1970.e6.	0.6	16
14	Constitutive Androstane Receptor Differentially Regulates Bile Acid Homeostasis in Mouse Models of Intrahepatic Cholestasis. <i>Hepatology Communications</i> , 2019, 3, 147-159.	2.0	15
15	Small Heterodimer Partner (NR0B2) Coordinates Nutrient Signaling and the Circadian Clock in Mice. <i>Molecular Endocrinology</i> , 2016, 30, 988-995.	3.7	10
16	Xenobiotic Nuclear Receptor Signaling Determines Molecular Pathogenesis of Progressive Familial Intrahepatic Cholestasis. <i>Endocrinology</i> , 2018, 159, 2435-2446.	1.4	10
17	Ube2i deletion in adipocytes causes lipotrophy in mice. <i>Molecular Metabolism</i> , 2021, 48, 101221.	3.0	9
18	Protective role of cardiac-specific overexpression of caveolin-3 in cirrhotic cardiomyopathy. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, G531-G541.	1.6	6

#	ARTICLE	IF	CITATIONS
19	The bile acid induced hepatokine orosomucoid suppresses adipocyte differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2021, 534, 864-870.	1.0	6