

Hooi Min Lim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8369342/publications.pdf>

Version: 2024-02-01

20
papers

348
citations

1163117

8
h-index

839539

18
g-index

22
all docs

22
docs citations

22
times ranked

715
citing authors

#	ARTICLE	IF	CITATIONS
1	Online health information-seeking behaviour of patients attending a primary care clinic in Malaysia: a cross-sectional study. <i>Family Practice</i> , 2022, 39, 38-45.	1.9	10
2	Factors influencing healthcare seeking in patients with dengue: Systematic review. <i>Tropical Medicine and International Health</i> , 2022, 27, 13-27.	2.3	4
3	Association between online health information-seeking and medication adherence: A systematic review and meta-analysis. <i>Digital Health</i> , 2022, 8, 205520762210977.	1.8	11
4	mHealth adoption among primary care physicians in Malaysia and its associated factors: a cross-sectional study. <i>Family Practice</i> , 2021, 38, 210-217.	1.9	15
5	Relationship of an adherence score with blood pressure control status among patients with hypertension and their determinants: Findings from a nationwide blood pressure screening program. <i>Journal of Clinical Hypertension</i> , 2021, 23, 638-645.	2.0	10
6	An Automated Patient Self-Monitoring System to Reduce Health Care System Burden During the COVID-19 Pandemic in Malaysia: Development and Implementation Study. <i>JMIR Medical Informatics</i> , 2021, 9, e23427.	2.6	20
7	Exosomal microRNAs in the development of essential hypertension and its potential as biomarkers. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021, 320, H1486-H1497.	3.2	17
8	Prioritising topics for developing e-learning resources in healthcare curricula: A comparison between students and educators using a modified Delphi survey. <i>PLoS ONE</i> , 2021, 16, e0253471.	2.5	6
9	Utility and usability of an automated COVID-19 symptom monitoring system (CoSMoS) in primary care during COVID-19 pandemic: A qualitative feasibility study. <i>International Journal of Medical Informatics</i> , 2021, 155, 104567.	3.3	9
10	Performance of the Finnish Diabetes Risk Score (FINDRISC) and Modified Asian FINDRISC (ModAsian) in Primary Care Diabetes, 2020, 14, 494-500.	1.8	12
11	Implementation Strategies for Web-Based Apps for Screening: Scoping Review. <i>Journal of Medical Internet Research</i> , 2020, 22, e15591.	4.3	6
12	Number of blood pressure measurements needed to estimate long-term visit-to-visit systolic blood pressure variability for predicting cardiovascular risk: a 10-year retrospective cohort study in a primary care clinic in Malaysia. <i>BMJ Open</i> , 2019, 9, e025322.	1.9	26
13	Knowledge on the action to be taken and recognition of symptoms of stroke in a community: findings from the May Measurement Month 2017 blood pressure screening Programme in Malaysia. <i>BMC Public Health</i> , 2019, 19, 1602.	2.9	5
14	High prevalence of undiagnosed dysglycaemia in patients with hypertension and the use of the Finnish Diabetes Risk Score (FINDRISC) to improve screening strategy. <i>Journal of Hypertension</i> , 2018, 36, e195.	0.5	0
15	Visit-to-visit SBP variability and cardiovascular disease in a multiethnic primary care setting. <i>Journal of Hypertension</i> , 2017, 35, S50-S56.	0.5	8
16	Long-term Visit-to-Visit Blood Pressure Variability and Renal Function Decline in Patients With Hypertension Over 15 Years. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	38
17	Use of Chronic Kidney Disease to Enhance Prediction of Cardiovascular Risk in Those at Medium Risk. <i>PLoS ONE</i> , 2015, 10, e0141344.	2.5	7
18	Validation of the Framingham general cardiovascular risk score in a multiethnic Asian population: a retrospective cohort study. <i>BMJ Open</i> , 2015, 5, e007324-e007324.	1.9	73

#	ARTICLE	IF	CITATIONS
19	Validation of the pooled cohort risk score in an Asian population – a retrospective cohort study. BMC Cardiovascular Disorders, 2014, 14, 163.	1.7	64
20	Does use of pooled cohort risk score overestimate the use of statin?: a retrospective cohort study in a primary care setting. BMC Family Practice, 2014, 15, 172.	2.9	6