

Kari KlungsÅ,yr

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8369467/publications.pdf>

Version: 2024-02-01

132
papers

7,890
citations

61857

43
h-index

54797

84
g-index

137
all docs

137
docs citations

137
times ranked

10936
citing authors

#	ARTICLE	IF	CITATIONS
1	Stillbirths: rates, risk factors, and acceleration towards 2030. <i>Lancet, The</i> , 2016, 387, 587-603.	6.3	1,220
2	National, regional, and worldwide estimates of stillbirth rates in 2015, with trends from 2000: a systematic analysis. <i>The Lancet Global Health</i> , 2016, 4, e98-e108.	2.9	671
3	Self-selection and bias in a large prospective pregnancy cohort in Norway. <i>Paediatric and Perinatal Epidemiology</i> , 2009, 23, 597-608.	0.8	665
4	Twenty-year trends in the prevalence of Down syndrome and other trisomies in Europe: impact of maternal age and prenatal screening. <i>European Journal of Human Genetics</i> , 2013, 21, 27-33.	1.4	282
5	Abnormally invasive placenta prevalence, risk factors and antenatal suspicion: results from a large population-based pregnancy cohort study in the Nordic countries. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1348-1355.	1.1	249
6	Long term trends in prevalence of neural tube defects in Europe: population based study. <i>BMJ, The</i> , 2015, 351, h5949.	3.0	180
7	Cardiovascular mortality after pre-eclampsia in one child mothers: prospective, population based cohort study. <i>BMJ, The</i> , 2012, 345, e7677-e7677.	3.0	159
8	Adult ADHD and Comorbid Somatic Disease: A Systematic Literature Review. <i>Journal of Attention Disorders</i> , 2018, 22, 203-228.	1.5	148
9	Pre- and Perinatal Risk Factors in Adults with Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2012, 71, 474-481.	0.7	147
10	Attention-Deficit/Hyperactivity Disorder in Offspring of Mothers With Inflammatory and Immune System Diseases. <i>Biological Psychiatry</i> , 2017, 81, 452-459.	0.7	141
11	Variations in rates of severe perineal tears and episiotomies in 20 European countries: a study based on routine national data in EuroPeristat Project. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 746-754.	1.3	138
12	Common psychiatric and metabolic comorbidity of adult attention-deficit/hyperactivity disorder: A population-based cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0204516.	1.1	125
13	The Nordic medical birth registers – a potential goldmine for clinical research. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 132-137.	1.3	113
14	Trends in congenital anomalies in Europe from 1980 to 2012. <i>PLoS ONE</i> , 2018, 13, e0194986.	1.1	106
15	Genetic predisposition to hypertension is associated with preeclampsia in European and Central Asian women. <i>Nature Communications</i> , 2020, 11, 5976.	5.8	102
16	Secular trends in the epidemiology of pre-eclampsia throughout 40 years in Norway: prevalence, risk factors and perinatal survival. <i>Paediatric and Perinatal Epidemiology</i> , 2012, 26, 190-198.	0.8	96
17	Risk of Fetal Death With Preeclampsia. <i>Obstetrics and Gynecology</i> , 2015, 125, 628-635.	1.2	95
18	Epidemiology of hypospadias in Europe: a registry-based study. <i>World Journal of Urology</i> , 2015, 33, 2159-2167.	1.2	88

#	ARTICLE	IF	CITATIONS
19	Validity of the diagnosis of pre-eclampsia in the Medical Birth Registry of Norway. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 943-950.	1.3	82
20	Variations in Multiple Birth Rates and Impact on Perinatal Outcomes in Europe. <i>PLoS ONE</i> , 2016, 11, e0149252.	1.1	79
21	Gender differences in psychiatric comorbidity: a population-based study of 40 000 adults with attention deficit hyperactivity disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 176-186.	2.2	77
22	<i>In Utero</i> Exposure to Maternal Tobacco Smoke and Subsequent Obesity, Hypertension, and Gestational Diabetes Among Women in The MoBa Cohort. <i>Environmental Health Perspectives</i> , 2012, 120, 355-360.	2.8	76
23	Cesarean section trends in the Nordic Countries – a comparative analysis with the Robson classification. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 607-616.	1.3	70
24	Congenital anomalies associated with trisomy 18 or trisomy 13: A registry-based study in 16 european countries, 2000–2011. <i>American Journal of Medical Genetics, Part A</i> , 2015, 167, 3062-3069.	0.7	68
25	Use of asthma medication during pregnancy and risk of specific congenital anomalies: A European case-malformed control study. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 1496-1502.e7.	1.5	67
26	Selective serotonin reuptake inhibitor antidepressant use in first trimester pregnancy and risk of specific congenital anomalies: a European register-based study. <i>European Journal of Epidemiology</i> , 2015, 30, 1187-1198.	2.5	67
27	Preconception Cardiovascular Risk Factor Differences Between Gestational Hypertension and Preeclampsia. <i>Hypertension</i> , 2016, 67, 1173-1180.	1.3	67
28	Declines in stillbirth and neonatal mortality rates in Europe between 2004 and 2010: results from the Euro-Peristat project. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 609-615.	2.0	66
29	Metformin exposure in first trimester of pregnancy and risk of all or specific congenital anomalies: exploratory case-control study. <i>BMJ: British Medical Journal</i> , 2018, 361, k2477.	2.4	62
30	Perfluoroalkyl Substances During Pregnancy and Validated Preeclampsia Among Nulliparous Women in the Norwegian Mother and Child Cohort Study. <i>American Journal of Epidemiology</i> , 2014, 179, 824-833.	1.6	60
31	Associations of adherence to the New Nordic Diet with risk of preeclampsia and preterm delivery in the Norwegian Mother and Child Cohort Study (MoBa). <i>European Journal of Epidemiology</i> , 2014, 29, 753-765.	2.5	59
32	Lamotrigine use in pregnancy and risk of orofacial cleft and other congenital anomalies. <i>Neurology</i> , 2016, 86, 1716-1725.	1.5	59
33	Validity of Pre-eclampsia Registration in the Medical Birth Registry of Norway for Women Participating in the Norwegian Mother and Child Cohort Study, 1999–2010. <i>Paediatric and Perinatal Epidemiology</i> , 2014, 28, 362-371.	0.8	57
34	Prevalence of microcephaly in Europe: population based study. <i>BMJ, The</i> , 2016, 354, i4721.	3.0	57
35	Healthcare databases in Europe for studying medicine use and safety during pregnancy. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 586-594.	0.9	55
36	Elective cesarean section or not? Maternal age and risk of adverse outcomes at term: a population-based registry study of low-risk primiparous women. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 230.	0.9	53

#	ARTICLE	IF	CITATIONS
37	Trends in prescription drug use during pregnancy and postpartum in Norway, 2005 to 2015. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 995-1004.	0.9	53
38	Duration of pregnancy, even at term, predicts long-term risk of coronary heart disease and stroke mortality in women: a population-based study. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 518.e1-518.e8.	0.7	49
39	Variations in very preterm birth rates in 30 high-income countries: are valid international comparisons possible using routine data?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 785-794.	1.1	49
40	Gestational diabetes mellitus and interpregnancy weight change: A population-based cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002367.	3.9	48
41	Associations between attention-deficit/hyperactivity disorder and autoimmune diseases are modified by sex: a population-based cross-sectional study. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 663-675.	2.8	48
42	Heart Failure in Women With Hypertensive Disorders of Pregnancy. <i>Hypertension</i> , 2020, 76, 1506-1513.	1.3	48
43	Pregnancy-Related Risk Factors Are Associated With a Significant Burden of Treated Hypertension Within 10 Years of Delivery: Findings From a Population-Based Norwegian Cohort. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	47
44	Beta-Blocker Use in Pregnancy and Risk of Specific Congenital Anomalies: A European Case-Malformed Control Study. <i>Drug Safety</i> , 2018, 41, 415-427.	1.4	46
45	Placental abruption and long-term maternal cardiovascular disease mortality: a population-based registry study in Norway and Sweden. <i>European Journal of Epidemiology</i> , 2016, 31, 501-511.	2.5	45
46	Socioeconomic inequalities in stillbirth rates in Europe: measuring the gap using routine data from the Euro-Peristat Project. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 15.	0.9	42
47	Selective Serotonin Reuptake Inhibitor (SSRI) Antidepressants in Pregnancy and Congenital Anomalies: Analysis of Linked Databases in Wales, Norway and Funen, Denmark. <i>PLoS ONE</i> , 2016, 11, e0165122.	1.1	42
48	Registration of Down syndrome in the Medical Birth Registry of Norway: Validity and time trends. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 824-830.	1.3	41
49	Patterns of Psychiatric Comorbidity and Genetic Correlations Provide New Insights Into Differences Between Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorder. <i>Biological Psychiatry</i> , 2019, 86, 587-598.	0.7	41
50	Male to female ratios in autism spectrum disorders by age, intellectual disability and attention-deficit/hyperactivity disorder. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 635-646.	2.2	41
51	Varying gestational age patterns in cesarean delivery: an international comparison. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 321.	0.9	40
52	Pre-pregnant body mass index, gestational weight gain and the risk of operative delivery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 809-815.	1.3	39
53	Recent Decrease in the Prevalence of Congenital Heart Defects in Europe. <i>Journal of Pediatrics</i> , 2013, 162, 108-113.e2.	0.9	39
54	Can the Apgar Score be Used for International Comparisons of Newborn Health?. <i>Paediatric and Perinatal Epidemiology</i> , 2017, 31, 338-345.	0.8	38

#	ARTICLE	IF	CITATIONS
55	Reduced Fertility After Cesarean Delivery. <i>Obstetrics and Gynecology</i> , 2007, 110, 1256-1263.	1.2	36
56	Birth outcomes among offspring of adult cancer survivors: A population-based study. <i>International Journal of Cancer</i> , 2013, 133, n/a-n/a.	2.3	36
57	Perinatal mortality by gestational week and size at birth in singleton pregnancies at and beyond term: a nationwide population-based cohort study. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 172.	0.9	36
58	International versus national growth charts for identifying small and large-for-gestational age newborns: A population-based study in 15 European countries. <i>Lancet Regional Health - Europe</i> , The, 2021, 8, 100167.	3.0	36
59	Maternal and paternal contribution to intergenerational recurrence of breech delivery: population based cohort study. <i>BMJ: British Medical Journal</i> , 2008, 336, 872-876.	2.4	35
60	Quantifying the burden of stillbirths before 28 weeks of completed gestational age in high-income countries: a population-based study of 19 European countries. <i>Lancet, The</i> , 2018, 392, 1639-1646.	6.3	35
61	COVID-19 in pregnancy characteristics and outcomes of pregnant women admitted to hospital because of SARS-CoV-2 infection in the Nordic countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1611-1619.	1.3	34
62	Antiepileptic drug prescribing before, during and after pregnancy: a study in seven European regions. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 1144-1154.	0.9	33
63	Epidemiology of achondroplasia: A population-based study in Europe. <i>American Journal of Medical Genetics, Part A</i> , 2019, 179, 1791-1798.	0.7	33
64	Risk of congenital anomalies after exposure to asthma medication in the first trimester of pregnancy – a cohort linkage study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1609-1618.	1.1	32
65	Emergency peripartum hysterectomy: results from the prospective Nordic Obstetric Surveillance Study (<sc>NOSS</sc>). <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 745-754.	1.3	29
66	Maternal age and emergency operative deliveries at term: a population-based registry study among low-risk primiparous women. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 1642-1651.	1.1	29
67	Maternal age and risk of cesarean section in women with induced labor at term – A Nordic register-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 283-289.	1.3	29
68	Improving Information on Maternal Medication Use by Linking Prescription Data to Congenital Anomaly Registers: A EUROmediCAT Study. <i>Drug Safety</i> , 2015, 38, 1083-1093.	1.4	26
69	How do late terminations of pregnancy affect comparisons of stillbirth rates in Europe? Analyses of aggregated routine data from the EuroPeristat Project. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 226-234.	1.1	26
70	Epidemiology of septo-optic dysplasia with focus on prevalence and maternal age – A EUROCAT study. <i>European Journal of Medical Genetics</i> , 2018, 61, 483-488.	0.7	26
71	Mode of first delivery and severe maternal complications in the subsequent pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 1053-1062.	1.3	25
72	Gastroschisis in Europe – A Case-Control Study of Medication and Maternal Illness during Pregnancy as Risk Factors. <i>Paediatric and Perinatal Epidemiology</i> , 2017, 31, 549-559.	0.8	25

#	ARTICLE	IF	CITATIONS
73	Asthma medication prescribing before, during and after pregnancy: a study in seven European regions. <i>BMJ Open</i> , 2016, 6, e009237.	0.8	24
74	Increased risk of peripartum perinatal mortality in unplanned births outside an institution: a retrospective population-based study. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 210.e1-210.e12.	0.7	24
75	International variations in the gestational age distribution of births: an ecological study in 34 high-income countries. <i>European Journal of Public Health</i> , 2018, 28, 303-309.	0.1	23
76	Epidemiology of Dandy-Walker Malformation in Europe: A EUROCAT Population-Based Registry Study. <i>Neuroepidemiology</i> , 2019, 53, 169-179.	1.1	23
77	Cancer risk in individuals with major birth defects: large Nordic population based case-control study among children, adolescents, and adults. <i>BMJ</i> , The, 2020, 371, m4060.	3.0	23
78	Using Robson's Ten-Group Classification System for comparing caesarean section rates in Europe: an analysis of routine data from the EuroPeristat study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1444-1453.	1.1	23
79	Prescribing of Antidiabetic Medicines before, during and after Pregnancy: A Study in Seven European Regions. <i>PLoS ONE</i> , 2016, 11, e0155737.	1.1	21
80	Association of Women's Reproductive History With Long-term Mortality and Effect of Socioeconomic Factors. <i>Obstetrics and Gynecology</i> , 2015, 126, 1181-1187.	1.2	20
81	The five-year survival of children with Down syndrome in Norway 1994-2009 differed by associated congenital heart defects and extracardiac malformations. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018, 107, 845-853.	0.7	20
82	Maternal age and elective cesarean section in a low-risk population. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 816-823.	1.3	19
83	Epidemiology of limb reduction defects as registered in the Medical Birth Registry of Norway, 1970-2016: Population based study. <i>PLoS ONE</i> , 2019, 14, e0219930.	1.1	19
84	Prior Adverse Pregnancy Outcome and the Risk of Stillbirth. <i>Obstetrics and Gynecology</i> , 2009, 114, 1259-1270.	1.2	18
85	Preeclampsia in pregnancy and later use of antihypertensive drugs. <i>European Journal of Epidemiology</i> , 2015, 30, 501-508.	2.5	18
86	Ten-Year Survival of Children With Congenital Anomalies: A European Cohort Study. <i>Pediatrics</i> , 2022, 149, .	1.0	18
87	Folic acid supplements and risk for oral clefts in the newborn: a population-based study. <i>British Journal of Nutrition</i> , 2015, 114, 1456-1463.	1.2	17
88	EUROmediCAT signal detection: an evaluation of selected congenital anomaly-medication associations. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 1094-1109.	1.1	17
89	Congenital anomalies and the severity of impairments for cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2017, 59, 1174-1180.	1.1	17
90	Neonatal outcome of singleton term breech deliveries in Norway from 1991 to 2011. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 997-1004.	1.3	16

#	ARTICLE	IF	CITATIONS
91	Infants' length at birth: an independent effect on perinatal mortality. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000, 79, 459-464.	1.3	15
92	Maternal use of folic acid and multivitamin supplements and infant risk of birth defects in Norway, 1999–2013. <i>British Journal of Nutrition</i> , 2020, 124, 316-329.	1.2	14
93	Risk of eclampsia or HELLP-syndrome by institution availability and place of delivery – A population-based cohort study. <i>Pregnancy Hypertension</i> , 2018, 14, 1-8.	0.6	13
94	Epidemiology of Pierre-Robin sequence in Europe: A population-based EUROCAT study. <i>Paediatric and Perinatal Epidemiology</i> , 2021, 35, 530-539.	0.8	13
95	Familial co-aggregation of attention-deficit/hyperactivity disorder and autoimmune diseases: a cohort study based on Swedish population-wide registers. <i>International Journal of Epidemiology</i> , 2022, 51, 898-909.	0.9	12
96	Signal Detection in EUROmedICAT: Identification and Evaluation of Medication–Congenital Anomaly Associations and Use of VigiBase as a Complementary Source of Reference. <i>Drug Safety</i> , 2021, 44, 765-785.	1.4	11
97	Intergenerational birth weight associations by mother's birth order – The mechanisms behind the paradox: A population-based cohort study. <i>Early Human Development</i> , 2009, 85, 577-581.	0.8	10
98	EUROmedICAT signal detection: a systematic method for identifying potential teratogenic medication. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 1110-1122.	1.1	10
99	Maternal use of folic acid supplements and infant risk of neural tube defects in Norway 1999–2013. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 619-626.	1.2	10
100	Sex differences in parent–offspring recurrence of attention-deficit/hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 1010-1018.	3.1	10
101	Families with a perinatal death: is there an association between the loss and the birthweight of surviving siblings?. <i>Paediatric and Perinatal Epidemiology</i> , 2002, 16, 23-32.	0.8	9
102	Chronic Hypertension in Women after Perinatal Exposure to Preeclampsia, Being Born Small for Gestational Age or Preterm. <i>Paediatric and Perinatal Epidemiology</i> , 2017, 31, 89-98.	0.8	9
103	Preterm births and use of medication in early adulthood: a population-based registry study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 742-751.	0.9	9
104	Maternal Smoking Status in Successive Pregnancies and Risk of Having a Small for Gestational Age Infant. <i>Paediatric and Perinatal Epidemiology</i> , 2017, 31, 21-28.	0.8	9
105	Infants' length at birth: an independent effect on perinatal mortality. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000, 79, 459-464.	1.3	8
106	EUROmedICAT Recommendations for European Pharmacovigilance concerning safety of medication use in pregnancy. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 3-7.	0.9	8
107	Long-term mortality in mothers with perinatal losses and risk modification by surviving children and attained education: a population-based cohort study. <i>BMJ Open</i> , 2016, 6, e012894.	0.8	8
108	Attention-deficit/hyperactivity disorder and smoking habits in pregnant women. <i>PLoS ONE</i> , 2020, 15, e0234561.	1.1	8

#	ARTICLE	IF	CITATIONS
109	Survival of children with rare structural congenital anomalies: a multi-registry cohort study. <i>Orphanet Journal of Rare Diseases</i> , 2022, 17, 142.	1.2	8
110	Mothers' and fathers' birth characteristics and perinatal mortality in their offspring: a population-based cohort study. <i>Paediatric and Perinatal Epidemiology</i> , 2010, 24, 282-292.	0.8	7
111	Does caesarean delivery in the first pregnancy increase the risk for adverse outcome in the second? A registry-based cohort study on first and second singleton births in Norway. <i>BMJ Open</i> , 2020, 10, e037717.	0.8	7
112	Clustering Longitudinal Blood Pressure Trajectories to Examine Heterogeneity in Outcomes Among Preeclampsia Cases and Controls. <i>Hypertension</i> , 2021, 77, 2034-2044.	1.3	7
113	Clarity and consistency in stillbirth reporting in Europe: why is it so hard to get this right?. <i>European Journal of Public Health</i> , 2022, 32, 200-206.	0.1	7
114	The limitations of some European healthcare databases for monitoring the effectiveness of pregnancy prevention programmes as risk minimisation measures. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 513-520.	0.8	6
115	Outcomes of pregnancies following a birth with major birth defects: A population based study. <i>Early Human Development</i> , 2008, 84, 651-657.	0.8	5
116	National Rates of Uterine Rupture are not Associated with Rates of Previous Caesarean Delivery: Results from the Nordic Obstetric Surveillance Study. <i>Paediatric and Perinatal Epidemiology</i> , 2017, 31, 176-182.	0.8	4
117	A Family Based Study of Carbon Monoxide and Nitric Oxide Signalling Genes and Preeclampsia. <i>Paediatric and Perinatal Epidemiology</i> , 2018, 32, 1-12.	0.8	4
118	Can "Early Programming" Be Partly Explained by Smoking? Results from a Prospective, Population-Based Cohort Study. <i>Paediatric and Perinatal Epidemiology</i> , 2015, 29, 50-59.	0.8	3
119	Can oxytocin augmentation modify the risk of epidural analgesia by maternal age in cesarean sections?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 872-879.	1.3	3
120	Sex of the first-born and obstetric complications in the subsequent birth. A study of 2.3 million second births from Denmark, Finland, Norway, and Sweden. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1381-1386.	1.3	3
121	Association of sweetened carbonated beverage consumption during pregnancy and ADHD symptoms in the offspring: a study from the Norwegian Mother, Father and Child Cohort Study (MoBa). <i>European Journal of Nutrition</i> , 2022, 61, 2153-2166.	1.8	3
122	Association between pregravid physical activity and family history of stroke and risk of stillbirth: population-based cohort study. <i>BMJ Open</i> , 2017, 7, e017034.	0.8	2
123	Selective fertility " the examples of perinatal death and preeclampsia. <i>Norsk Epidemiologi</i> , 2009, 17, .	0.2	2
124	Cesarean delivery in Norwegian nulliparous women with singleton cephalic term births, 1967-2020: a population-based study. <i>BMC Pregnancy and Childbirth</i> , 2022, 22, 419.	0.9	2
125	[77-OR]. <i>Pregnancy Hypertension</i> , 2015, 5, 41.	0.6	1
126	Increased Risk of Peripartum Perinatal Mortality in Unplanned Births Outside an Institution: A Retrospective Population-Based Study. <i>Obstetrical and Gynecological Survey</i> , 2018, 73, 8-11.	0.2	1

#	ARTICLE	IF	CITATIONS
127	[130-POS]. Pregnancy Hypertension, 2015, 5, 68-69.	0.6	0
128	[145-POS]. Pregnancy Hypertension, 2015, 5, 75.	0.6	0
129	Reply. American Journal of Obstetrics and Gynecology, 2017, 217, 495-496.	0.7	0
130	Re: Antiepileptika og medfødte misdannelser. Tidsskrift for Den Norske Lægeforening, 2014, 134, 1543-1544.	0.2	0
131	Medfødte misdannelser med basis i Medisinsk fødselsregister; tidstrender og mulige sammenhenger. Norsk Epidemiologi, 2017, 27, .	0.2	0
132	Do Genetic Variants Modify the Effect of Smoking on Risk of Preeclampsia in Pregnancy?. American Journal of Perinatology, 2024, 41, 044-052.	0.6	0