

C J Ho

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8369754/c-j-ho-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

3,104
citations

28
h-index

53
g-index

97
ext. papers

3,435
ext. citations

4.3
avg, IF

5.64
L-index

#	Paper	IF	Citations
96	Conjugate Heat Transfer Analysis of PCM Suspensions in a Circular Tube under External Cooling Convection: Wall Conduction Effects. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 2034	2.6	2
95	Transient Heat Transfer Between Two Horizontal Pipelines in a Heat Tracing Enclosure. <i>Energies</i> , 2019 , 12, 1440	3.1	1
94	Experimental study of cooling characteristics of water-based alumina nanofluid in a minichannel heat sink. <i>Case Studies in Thermal Engineering</i> , 2019 , 14, 100418	5.6	19
93	Experimental study of cooling performance of water-based alumina nanofluid in a minichannel heat sink with MEPCM layer embedded in its ceiling. <i>International Communications in Heat and Mass Transfer</i> , 2019 , 103, 1-6	5.8	30
92	Transient cooling characteristics of Al ₂ O ₃ -water nanofluid flow in a microchannel subject to a sudden-pulsed heat flux. <i>International Journal of Mechanical Sciences</i> , 2019 , 151, 95-105	5.5	18
91	Experimental study of transient thermal characteristics of nanofluid in a minichannel heat sink with MEPCM layer in its ceiling. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 133, 1041-1051	4.9	15
90	Contribution of hybrid Al ₂ O ₃ -water nanofluid and PCM suspension to augment thermal performance of coolant in a minichannel heat sink. <i>International Journal of Heat and Mass Transfer</i> , 2018 , 122, 651-659	4.9	29
89	Thermal and hydrodynamic characteristics of divergent rectangular minichannel heat sinks. <i>International Journal of Heat and Mass Transfer</i> , 2018 , 122, 264-274	4.9	23
88	Microencapsulated n-eicosane PCM suspensions: Thermophysical properties measurement and modeling. <i>International Journal of Heat and Mass Transfer</i> , 2018 , 125, 792-800	4.9	23
87	Comparative study on thermal performance of MEPCM suspensions in parallel and divergent minichannel heat sinks. <i>International Communications in Heat and Mass Transfer</i> , 2018 , 94, 96-105	5.8	14
86	A combined numerical and experimental study on the forced convection of Al ₂ O ₃ -water nanofluid in a circular tube. <i>International Journal of Heat and Mass Transfer</i> , 2018 , 120, 66-75	4.9	22
85	Experiments on laminar cooling characteristics of a phase change nanofluid flow through an iso-flux heated circular tube. <i>International Journal of Heat and Mass Transfer</i> , 2018 , 118, 1307-1315	4.9	17
84	Enhancing convective heat transfer for laminar flow in a tube by inserting a concentric inner tube and controlling concurrent flows: a numerical assessment. <i>International Communications in Heat and Mass Transfer</i> , 2018 , 99, 26-36	5.8	3
83	Cooling performance of Al ₂ O ₃ -water nanofluid flow in a minichannel with thermal buoyancy and wall conduction effects. <i>Case Studies in Thermal Engineering</i> , 2018 , 12, 833-842	5.6	6
82	Thermal and electrical performance of a PV module integrated with double layers of water-saturated MEPCM. <i>Applied Thermal Engineering</i> , 2017 , 123, 1120-1133	5.8	11
81	An experimental study of forced convection effectiveness of Al ₂ O ₃ -water nanofluid flowing in circular tubes. <i>International Communications in Heat and Mass Transfer</i> , 2017 , 83, 23-29	5.8	14
80	Cooling performance of MEPCM suspensions for heat dissipation intensification in a minichannel heat sink. <i>International Journal of Heat and Mass Transfer</i> , 2017 , 115, 43-49	4.9	29

79	Thermal Performance of a Vertical U-Shaped Thermosyphon Containing a Phase-Change Material Suspension Fluid. <i>Energies</i> , 2017 , 10, 974	3.1	6
78	Numerical simulation of the heat transfer characteristics of a U-shaped thermosyphon containing a PCM suspension. <i>Applied Thermal Engineering</i> , 2016 , 108, 1076-1085	5.8	1
77	Experimental and numerical study on transient thermal energy storage of microencapsulated phase change material particles in an enclosure. <i>International Journal of Heat and Mass Transfer</i> , 2016 , 94, 191-198	4.9	10
76	Thermal and electrical performances of a water-surface floating PV integrated with double water-saturated MEPCM layers. <i>Applied Thermal Engineering</i> , 2016 , 94, 122-132	5.8	26
75	The effects of geometric parameters on the thermal performance of a rectangular natural circulation loop containing PCM suspensions. <i>Numerical Heat Transfer; Part A: Applications</i> , 2016 , 70, 1313-1329	2.3	9
74	Laminar forced convection effectiveness of Al ₂ O ₃ /water nanofluid flow in a circular tube at various operation temperatures: Effects of temperature-dependent properties. <i>International Journal of Heat and Mass Transfer</i> , 2016 , 100, 464-481	4.9	14
73	Dynamic response of a thermally activated paraffin actuator. <i>International Journal of Heat and Mass Transfer</i> , 2016 , 103, 894-899	4.9	6
72	A thermal circuit model consistent with integral energy balance for internal forced convection in a circular tube. <i>International Journal of Heat and Mass Transfer</i> , 2015 , 87, 409-417	4.9	4
71	Melting processes of phase change materials in an enclosure with a free-moving ceiling: An experimental and numerical study. <i>International Journal of Heat and Mass Transfer</i> , 2015 , 86, 780-786	4.9	9
70	Simulation on melting processes in a vertical rectangular enclosure with a free-moving ceiling. <i>International Journal of Heat and Mass Transfer</i> , 2015 , 83, 222-228	4.9	4
69	Thermal and electrical performance of a water-surface floating PV integrated with a water-saturated MEPCM layer. <i>Energy Conversion and Management</i> , 2015 , 89, 862-872	10.6	62
68	Thermal performance of an innovative curtain-wall-integrated solar heater. <i>Energy and Buildings</i> , 2014 , 77, 416-424	7	9
67	Experiment on thermal performance of water-based suspensions of Al ₂ O ₃ nanoparticles and MEPCM particles in a minichannel heat sink. <i>International Journal of Heat and Mass Transfer</i> , 2014 , 69, 276-284	4.9	52
66	Correlations of heat transfer effectiveness in a minichannel heat sink with water-based suspensions of Al ₂ O ₃ nanoparticles and/or MEPCM particles. <i>International Journal of Heat and Mass Transfer</i> , 2014 , 69, 293-299	4.9	75
65	Buoyancy-driven flow of nanofluids in a cavity considering the LudwigBoret effect and sedimentation: Numerical study and experimental validation. <i>International Journal of Heat and Mass Transfer</i> , 2014 , 77, 684-694	4.9	49
64	Application of a water-saturated MEPCM-PV for reducing winter chilling damage on aqua farms. <i>Solar Energy</i> , 2014 , 108, 135-145	6.8	13
63	Thermal performance of Al ₂ O ₃ /water nanofluid in a natural circulation loop with a mini-channel heat sink and heat source. <i>Energy Conversion and Management</i> , 2014 , 87, 848-858	10.6	57
62	Turbulent forced convection effectiveness of alumina/water nanofluid in a circular tube with elevated inlet fluid temperatures: An experimental study. <i>International Communications in Heat and Mass Transfer</i> , 2014 , 57, 247-253	5.8	19

61	Rayleigh-Bénard convection of Al ₂ O ₃ /water nanofluids in a cavity considering sedimentation, thermophoresis, and Brownian motion. <i>International Communications in Heat and Mass Transfer</i> , 2014 , 57, 22-26	5.8	33
60	Thermal energy storage characteristics in an enclosure packed with MEPCM particles: An experimental and numerical study. <i>International Journal of Heat and Mass Transfer</i> , 2014 , 73, 88-96	4.9	24
59	Thermal performance of water-based suspensions of phase change nanocapsules in a natural circulation loop with a mini-channel heat sink and heat source. <i>Applied Thermal Engineering</i> , 2014 , 64, 376-384	5.8	20
58	Experimental study on cooling performance of minichannel heat sink using water-based MEPCM particles. <i>International Communications in Heat and Mass Transfer</i> , 2013 , 48, 67-72	5.8	36
57	Performance assessment of a BIPV integrated with a layer of water-saturated MEPCM. <i>Energy and Buildings</i> , 2013 , 67, 322-333	7	33
56	An experimental study on melting heat transfer of paraffin dispersed with Al ₂ O ₃ nanoparticles in a vertical enclosure. <i>International Journal of Heat and Mass Transfer</i> , 2013 , 62, 2-8	4.9	118
55	An experimental study on thermal performance of Al ₂ O ₃ /water nanofluid in a minichannel heat sink. <i>Applied Thermal Engineering</i> , 2013 , 50, 516-522	5.8	146
54	Numerical Investigation of the Thermal Management Performance of MEPCM Modules for PV Applications. <i>Energies</i> , 2013 , 6, 3922-3936	3.1	24
53	Thermal and Electrical Performance of a PV Module Integrated With Microencapsulated Phase Change Material 2013 ,		2
52	Forced convection performance of a MEPCM suspension through an iso-flux heated circular tube: an experimental study. <i>Heat and Mass Transfer</i> , 2012 , 48, 487-496	2.2	14
51	Thermal and electrical performance of a BIPV integrated with a microencapsulated phase change material layer. <i>Energy and Buildings</i> , 2012 , 50, 331-338	7	68
50	Numerical study on magneto-convection of cold water in an open cavity with variable fluid properties. <i>International Journal of Heat and Fluid Flow</i> , 2011 , 32, 932-942	2.4	14
49	On laminar convective cooling performance of hybrid water-based suspensions of Al ₂ O ₃ nanoparticles and MEPCM particles in a circular tube. <i>International Journal of Heat and Mass Transfer</i> , 2011 , 54, 2397-2407	4.9	47
48	Buoyancy- and Thermocapillary-Induced Convection of Cold Water in an Open Enclosure with Variable Fluid Properties. <i>Numerical Heat Transfer; Part A: Applications</i> , 2010 , 58, 457-474	2.3	13
47	An experimental investigation of forced convective cooling performance of a microchannel heat sink with Al ₂ O ₃ /water nanofluid. <i>Applied Thermal Engineering</i> , 2010 , 30, 96-103	5.8	290
46	Preparation and properties of hybrid water-based suspension of Al ₂ O ₃ nanoparticles and MEPCM particles as functional forced convection fluid. <i>International Communications in Heat and Mass Transfer</i> , 2010 , 37, 490-494	5.8	123
45	Preparation and thermophysical properties of nanoparticle-in-paraffin emulsion as phase change material. <i>International Communications in Heat and Mass Transfer</i> , 2009 , 36, 467-470	5.8	269
44	Thermal Performance of an Indoor Oblong LED Lighting Prototype Incorporating Heat Pipes. <i>Journal of Asian Architecture and Building Engineering</i> , 2009 , 8, 585-592	1	

43	Numerical simulation of natural convection of nanofluid in a square enclosure: Effects due to uncertainties of viscosity and thermal conductivity. <i>International Journal of Heat and Mass Transfer</i> , 2008 , 51, 4506-4516	4.9	410
42	Conjugate heat transfer simulation of a rectangular natural circulation loop. <i>Heat and Mass Transfer</i> , 2008 , 45, 167-175	2.2	7
41	Effect of Temperature Dependent Properties on Natural Convection of Water Near its Density Maximum in Enclosures. <i>Numerical Heat Transfer; Part A: Applications</i> , 2007 , 53, 507-523	2.3	20
40	Effect on Natural Convection Heat Transfer of Nanofluid in an Enclosure Due to Uncertainties of Viscosity and Thermal Conductivity 2007 , 833		5
39	A continuum model for transport phenomena in convective flow of solid-liquid phase change material suspensions. <i>Applied Mathematical Modelling</i> , 2005 , 29, 805-817	4.5	33
38	HEAT TRANSFER OF SOLID-LIQUID PHASE-CHANGE MATERIAL SUSPENSIONS IN CIRCULAR PIPES: EFFECTS OF WALL CONDUCTION. <i>Numerical Heat Transfer; Part A: Applications</i> , 2004 , 45, 171-190	2.3	5
37	Experiments on thermal characteristics of a natural circulation loop with latent heat energy storage under cyclic pulsed heat load. <i>Heat and Mass Transfer</i> , 2002 , 39, 11-17	2.2	6
36	Visualization and Prediction of Natural Convection of Water Near Its Density Maximum in a Tall Rectangular Enclosure at High Rayleigh Numbers. <i>Journal of Heat Transfer</i> , 2001 , 123, 84-95	1.8	15
35	Transition to oscillatory natural convection of water near its density maximum in a tall enclosure. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2001 , 11, 626-641	4.5	9
34	On cooling behavior of a vertical plate in a phase change material/water composite enclosure under pulsating heat load. <i>Heat and Mass Transfer</i> , 1999 , 34, 509-515	2.2	2
33	Transition to oscillatory natural convection of cold water in a vertical annulus. <i>International Journal of Heat and Mass Transfer</i> , 1998 , 41, 1559-1572	4.9	9
32	SIMULATION OF NATURAL CONVECTION IN A VERTICAL ENCLOSURE BY USING A NEW INCOMPRESSIBLE FLOW FORMULATION-SEUDO-VORTICITY-VELOCITY FORMULATION. <i>Numerical Heat Transfer; Part A: Applications</i> , 1997 , 31, 881-896	2.3	17
31	Heat transfer characteristics of a rectangular natural circulation loop containing water near its density extreme. <i>International Journal of Heat and Mass Transfer</i> , 1997 , 40, 3553-3558	4.9	16
30	Thermal protection characteristics of a vertical rectangular cell filled with PCM/air layer. <i>Heat and Mass Transfer</i> , 1996 , 31, 191-198	2.2	12
29	NUMERICAL SIMULATION OF THREE-DIMENSIONAL INCOMPRESSIBLE FLOW BY A NEW FORMULATION. <i>International Journal for Numerical Methods in Fluids</i> , 1996 , 23, 1073-1084	1.9	7
28	Numerical simulation of heat penetration through a vertical rectangular phase change material/air composite cell. <i>International Journal of Heat and Mass Transfer</i> , 1996 , 39, 1785-1795	4.9	25
27	Thermal protection characteristics of a vertical rectangular cell filled with PCM/air layer. <i>Heat and Mass Transfer</i> , 1996 , 31, 191-198	2.2	
26	A study of natural convection heat transfer in a vertical rectangular enclosure with two-dimensional discrete heating: Effect of aspect ratio. <i>International Journal of Heat and Mass Transfer</i> , 1994 , 37, 917-925	4.9	55

25	A simulation for multiple moving boundaries during melting inside an enclosure imposed with cyclic wall temperature. <i>International Journal of Heat and Mass Transfer</i> , 1994 , 37, 2505-2516	4.9	10
24	Natural convection between two horizontal cylinders inside a circular enclosure subjected to external convection. <i>International Journal of Heat and Fluid Flow</i> , 1994 , 15, 299-306	2.4	14
23	Mixed convective heating of a moving plate in a parallel duct. <i>Journal of Thermophysics and Heat Transfer</i> , 1993 , 7, 751-754	1.3	1
22	Natural Convection Between Two Horizontal Cylinders in an Adiabatic Circular Enclosure. <i>Journal of Heat Transfer</i> , 1993 , 115, 158-165	1.8	34
21	Periodic melting within a square enclosure with an oscillatory surface temperature. <i>International Journal of Heat and Mass Transfer</i> , 1993 , 36, 725-733	4.9	22
20	An investigation of transient mixed convection heat transfer of cold water in a tall vertical annulus with a heated rotating inner cylinder. <i>International Journal of Heat and Mass Transfer</i> , 1993 , 36, 2847-2859	4.9	9
19	Conjugate natural-convection- conduction heat transfer in enclosures divided by horizontal fins. <i>International Journal of Heat and Fluid Flow</i> , 1993 , 14, 177-184	2.4	5
18	The melting process of ice from a vertical wall with time-periodic temperature perturbation inside a rectangular enclosure. <i>International Journal of Heat and Mass Transfer</i> , 1993 , 36, 3171-3186	4.9	17
17	Laminar Mixed Convection of Cold Water in a Vertical Annulus With a Heated Rotating Inner Cylinder. <i>Journal of Heat Transfer</i> , 1992 , 114, 418-424	1.8	9
16	Natural convection in a horizontal annulus partially filled with cold water. <i>International Journal of Heat and Mass Transfer</i> , 1991 , 34, 1371-1382	4.9	5
15	Analysis of buoyancy-aided convection heat transfer from a horizontal cylinder in a vertical duct at low Reynolds number. <i>Heat and Mass Transfer</i> , 1990 , 25, 337-343		19
14	On simulation of transient thermal convection of two-fluid layers in a horizontal circular enclosure. <i>International Journal of Heat and Fluid Flow</i> , 1990 , 11, 355-361	2.4	1
13	Natural Convection of Cold Water in a Vertical Annulus With Constant Heat Flux on the Inner Wall. <i>Journal of Heat Transfer</i> , 1990 , 112, 117-123	1.8	37
12	AN EXPERIMENTAL STUDY OF THERMAL-CONVECTION HEAT TRANSFER IN A HORIZONTAL CONCENTRIC ANNULUS PARTIALLY FILLED WITH WATER. <i>Experimental Heat Transfer</i> , 1990 , 3, 289-299	2.4	1
11	Thermal convection heat transfer of air/water layers enclosed in horizontal annuli with mixed boundary conditions. <i>Heat and Mass Transfer</i> , 1989 , 24, 211-224		15
10	A numerical study of natural convection in concentric and eccentric horizontal cylindrical annuli with mixed boundary conditions. <i>International Journal of Heat and Fluid Flow</i> , 1989 , 10, 40-47	2.4	47
9	Laminar natural convection of cold water enclosed in a horizontal annulus with mixed boundary conditions. <i>International Journal of Heat and Mass Transfer</i> , 1988 , 31, 2113-2121	4.9	5
8	Natural Convection Heat Transfer of Cold Water Within an Eccentric Horizontal Cylindrical Annulus. <i>Journal of Heat Transfer</i> , 1988 , 110, 894-900	1.8	25

7	Conjugate natural convection heat transfer in an air-filled rectangular cavity. <i>International Communications in Heat and Mass Transfer</i> , 1987 , 14, 91-100	5.8	35
6	Numerical simulation of melting of ice around a horizontal cylinder. <i>International Journal of Heat and Mass Transfer</i> , 1986 , 29, 1359-1369	4.9	31
5	Outward Melting in a Cylindrical Annulus. <i>Journal of Energy Resources Technology, Transactions of the ASME</i> , 1986 , 108, 240-245	2.6	5
4	Inward solid-liquid phase-change heat transfer in a rectangular cavity with conducting vertical walls. <i>International Journal of Heat and Mass Transfer</i> , 1984 , 27, 1055-1065	4.9	42
3	Heat transfer during inward melting in a horizontal tube. <i>International Journal of Heat and Mass Transfer</i> , 1984 , 27, 705-716	4.9	62
2	Experimental Study of Solidification Heat Transfer in an Open Rectangular Cavity. <i>Journal of Heat Transfer</i> , 1983 , 105, 671-673	1.8	8
1	Flow visualization during solid-liquid phase change heat transfer II. Melting in a rectangular cavity. <i>International Communications in Heat and Mass Transfer</i> , 1983 , 10, 183-190	5.8	17