

Changrong Zhou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8369984/publications.pdf>

Version: 2024-02-01

107
papers

2,038
citations

218677

26
h-index

289244

40
g-index

107
all docs

107
docs citations

107
times ranked

1222
citing authors

#	ARTICLE	IF	CITATIONS
1	Giant strain with ultra-low hysteresis by tailoring relaxor temperature and PNRs dynamic in BNT-based lead-free piezoelectric ceramics. <i>Ceramics International</i> , 2022, 48, 13125-13133.	4.8	15
2	Enhanced energy storage density of antiferroelectric AgNbO ₃ -based ceramics by Bi/Ta modification at A/B sites. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 3081-3090.	2.2	4
3	Incipient piezoelectricity boosts large strain with excellent thermal stability in (Bi _{0.5} Na _{0.5})TiO ₃ -based ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 6121-6130.	2.2	7
4	Enhanced Visible Photocatalytic Hydrogen Evolution of KN-Based Semiconducting Ferroelectrics via Band-Gap Engineering and High-Field Poling. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 8916-8930.	8.0	18
5	Enhanced field-induced-strain by maximizing reversible domain switching contribution via eliminating negative strain in (Na _{0.5} Bi _{0.5})TiO ₃ -based ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 6802.	2.2	3
6	Visible-light photocatalytic hydrogen production in a narrow-bandgap semiconducting La/Ni-modified KNbO ₃ ferroelectric and further enhancement via high-field poling. <i>Journal of Materials Chemistry A</i> , 2022, 10, 7238-7250.	10.3	18
7	Giant electric field-induced strain with low hysteresis in Bi _{0.5} Na _{0.5} TiO _{3-x} Sr _{0.7} Ca _{0.3} TiO ₃ lead-free piezoceramics. <i>Applied Physics A: Materials Science and Processing</i> , 2022, 128, 1.	2.3	3
8	Achieving Ultrahigh Photocurrent Density of Mg/Mn-Modified KNbO ₃ Ferroelectric Semiconductors by Bandgap Engineering and Polarization Maintenance. <i>Chemistry of Materials</i> , 2022, 34, 4274-4285.	6.7	15
9	Large electrostrictive coefficient with optimized Electro-Strain in BNT-based ceramics with ergodic state. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2022, 283, 115828.	3.5	5
10	Probing the in-time piezoelectric responses and depolarization behaviors related to ferroelectric-relaxor transition in BiFeO ₃ –BaTiO ₃ ceramics by in-situ process. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 1197-1203.	2.2	8
11	Regulating the Structural, Transmittance, Ferroelectric, and Energy Storage Properties of K _{0.5} Na _{0.5} NbO ₃ Ceramics Using Sr(Yb _{0.5} Nb _{0.5})O ₃ . <i>Journal of Electronic Materials</i> , 2021, 50, 968-977.	2.2	14
12	Crystal structures and electrical properties of Sr/Fe-modified KNbO ₃ ferroelectric semiconductors with narrow bandgap. <i>Journal of the American Ceramic Society</i> , 2021, 104, 2181-2190.	3.8	10
13	Significantly enhanced energy harvesting based on Ba(Ti,Sn)O ₃ and P(VDF-CTFE) composite by piezoelectric and triboelectric hybrid. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 2422-2431.	2.2	2
14	Semiconducting tailoring and electrical properties of A-site Co substituted Bi _{0.5} Na _{0.5} TiO _{3-δ} ferroelectric ceramics. <i>Materials Chemistry and Physics</i> , 2021, 260, 124100.	4.0	9
15	Bi _{0.5} Na _{0.5} TiO ₃ –Sr _{0.85} Bi _{0.15} TiO ₃ ceramics with high energy storage properties and extremely fast discharge speed via regulating relaxation temperature. <i>Ceramics International</i> , 2021, 47, 11294-11303.	4.8	27
16	High piezoelectric properties of 0.82(Bi _{0.5} Na _{0.5})TiO ₃ –0.18(Bi _{0.5} K _{0.5})TiO ₃ lead-free ceramics modified by (Mn ^{1/3} Nb ^{2/3}) ⁴⁺ complex ions. <i>Bulletin of Materials Science</i> , 2021, 44, 1.	1.7	2
17	Enhancement of the up-conversion luminescence performance of Ho ³⁺ -doped 0.825K _{0.5} Na _{0.5} NbO ₃ -0.175Sr(Yb _{0.5} Nb _{0.5})O ₃ transparent ceramics by polarization. <i>Bulletin of Materials Science</i> , 2021, 44, 1.	1.7	11
18	Improvement of dielectric properties and energy storage performance in sandwich-structured P(VDF-CTFE) composites with low content of GO nanosheets. <i>Nanotechnology</i> , 2021, 32, 425702.	2.6	7

#	ARTICLE	IF	CITATIONS
19	Nonergodic \leftrightarrow ergodic relaxor transition and enhanced piezoelectric properties in B-site complex ions substitution $0.93\text{Bi}0.5\text{Na}0.5\text{TiO}3\hat{=}0.07\text{BaTiO}3$ ceramics. Journal of Materials Science: Materials in Electronics, 2021, 32, 24308-24319.	2.2	4
20	Relaxor ferroelectric $\text{Bi}0.5\text{Na}0.5\text{TiO}3\hat{=}0.5\text{Sr}0.7\text{Nd}0.2\text{TiO}3$ ceramics with high energy storage density and excellent stability under a low electric field. Journal of Physics and Chemistry of Solids, 2021, 157, 110209.	4.0	15
21	A new strategy to realize high energy storage properties and ultrafast discharge speed in $\text{Sr}0.7\text{Bi}0.2\text{TiO}3$ -based relaxor ferroelectric ceramic. Journal of Alloys and Compounds, 2021, 883, 160855.	5.5	26
22	High-field polarization boosting visible-light photocatalytic H_2 evolution of narrow-bandgap semiconducting $(1-x)\text{KNbO}3\hat{=}x\text{Ba}(\text{Ni}1/2\text{Nb}1/2)\text{O}3$ ferroelectric ceramics. New Journal of Chemistry, 2021, 45, 20296-20308.	2.8	1
23	Ultrahigh Energy Storage Density and Efficiency in $\text{Bi}_{0.5-x}\text{Na}_{0.5+x}\text{TiO}_3$ -Based Ceramics via the Domain and Bandgap Engineering. ACS Applied Materials & Interfaces, 2021, 13, 51218-51229.	8.0	83
24	Phase Transition, Large Strain and Energy Storage in Ferroelectric $(\text{Bi}0.5\text{Na}0.5)\text{TiO}3$ - $\text{BaTiO}3$ Ceramics Tailored by $(\text{Mg}1/3\text{Nb}2/3)4+$ Complex Ions. Journal of Electronic Materials, 2020, 49, 1131-1141.	2.2	13
25	Impedance Spectroscopy and Photovoltaic Effect of Oxygen Defect Engineering on $\text{KNbO}3$ Ferroelectric Semiconductors. Journal of Electronic Materials, 2020, 49, 6165-6174.	2.2	10
26	Effects of $\text{CaHfO}3$ on the electrical properties of $\text{Bi}0.49\text{Na}0.49\text{Ca}0.02\text{TiO}3$ ferroelectric ceramics. Journal of Materials Science: Materials in Electronics, 2020, 31, 16209-16219.	2.2	1
27	Optical and electrical properties of ferroelectric $\text{Bi}0.5\text{Na}0.5\text{TiO}3$ - $\text{NiTiO}3$ semiconductor ceramics. Materials Science in Semiconductor Processing, 2020, 115, 105089.	4.0	21
28	Tailoring the Structure, Energy Storage, Strain, and Dielectric Properties of $\text{Bi}0.5(\text{Na}0.82\text{K}0.18)0.5\text{TiO}3$ Ceramics by $(\text{Fe}1/4\text{Sc}1/4\text{Nb}1/2)4+$ Multiple Complex Ions. Frontiers in Materials, 2020, 7, .	2.4	3
29	Optical and electrical properties of ferroelectric $\text{Ba} \text{Bi}0.5-0.5\text{Ag}0.05-0.5\text{Na}0.45\text{Ti}1-\text{Ni}0.5\text{Nb}0.5\text{O}3$ semiconductor ceramics. Materials Letters, 2020, 268, 127627.	2.6	5
30	Photocurrent and dielectric/ferroelectric properties of $\text{KNbO}3\hat{=}0.5\text{BaFeO}3$ ferroelectric semiconductors. Ceramics International, 2020, 46, 14567-14572.	4.8	26
31	Ultrahigh piezoelectricity in lead-free piezoceramics by synergistic design. Nano Energy, 2020, 76, 104944.	16.0	99
32	High energy storage efficiency and high electrostrictive coefficients in $\text{BNT}\hat{=}0.5\text{BS}\hat{=}0.5\text{BT}$ ferroelectric ceramics. Journal of Materials Science: Materials in Electronics, 2020, 31, 5546-5553.	2.2	22
33	Influence of trace lithium addition on the structure and properties of $\text{K}0.5\text{Na}0.5\text{NbO}3$ -based single crystals. Journal of Materials Science: Materials in Electronics, 2020, 31, 4857-4866.	2.2	6
34	Complex impedance spectroscopy of perovskite microwave dielectric ceramics with high dielectric constant. Journal of the American Ceramic Society, 2019, 102, 1852-1865.	3.8	23
35	Electrical microstructures of $\text{CaTiO}3$ - $\text{Bi}0.5\text{Na}0.5\text{TiO}3$ microwave ceramics with high permittivity (μm_{max}) T_j $\text{ETQq}1$ 1.0784314 rgBT / Cue	5.5	12
36	The effect of artificial stress on structure, electrical and mechanical properties of $\text{Sr}2+$ doped $\text{BNT}\hat{=}0.5\text{BT}$ lead-free piezoceramics. Journal of Materials Science: Materials in Electronics, 2019, 30, 21398-21405.	2.2	6

#	ARTICLE	IF	CITATIONS
37	Low electric field-induced strain and large improvement in energy density of (Lu _{0.5} Nb _{0.5}) ₄₊ complex-ions doped BNT $\hat{=}$ BT ceramics. Applied Physics A: Materials Science and Processing, 2019, 125, 1.	2.3	31
38	An intermediate metastable ferroelectric state induced giant functional responses in Bi _{0.5} Na _{0.5} TiO ₃ ceramics. Journal of Materials Chemistry C, 2019, 7, 8255-8260.	5.5	9
39	Concurrent anomalies in electric field-temperature dependence of direct/converse piezoelectric response in Bi _{0.5} Na _{0.5} TiO ₃ -BaTiO ₃ . Journal of Alloys and Compounds, 2019, 793, 9-15.	5.5	0
40	The Modification of (Nd _{0.5} Ta _{0.5}) ₄₊ Complex-Ions on Structure and Electrical Properties of Bi _{0.5} Na _{0.5} TiO ₃ -BaTiO ₃ Ceramics. Materials Research, 2019, 22, .	1.3	4
41	Enhanced electrical properties in donor $\hat{=}$ acceptor co-doped Ba(Ti _{0.92} Sn _{0.08})O ₃ ceramics. Journal of Materials Science: Materials in Electronics, 2019, 30, 8712-8720.	2.2	2
42	Dielectric behaviors and relaxor characteristics in Bi _{0.5} Na _{0.5} TiO ₃ -BaTiO ₃ ceramics. Journal of Advanced Dielectrics, 2019, 09, 1950038.	2.4	4
43	Microwave Dielectric Properties of Na ₅ RE(MoO ₄) ₄ (RE $\hat{=}$ La, Gd, Dy, Er) Ceramics with a Low Sintering Temperature. Journal of Electronic Materials, 2019, 48, 656-661.	2.2	5
44	Temperature-driven phase transitions and enhanced piezoelectric responses in Ba(Ti _{0.92} Sn _{0.08})O ₃ lead-free ceramic. Ceramics International, 2019, 45, 4461-4466.	4.8	5
45	The evolution of phase structure, dielectric, strain, and energy storage density of complex-ions (Sr _{1/3} Nb _{2/3}) ₄₊ doped 0.82Bi _{0.5} Na _{0.5} TiO ₃ -0.18Bi _{0.5} K _{0.5} TiO ₃ ceramics. Journal of Physics and Chemistry of Solids, 2019, 126, 287-293.	4.0	21
46	Unusual dynamic polarization response and scaling behaviors in Bi _{1/2} Na _{1/2} TiO ₃ ceramics. Materials Research Bulletin, 2019, 109, 134-140.	5.2	6
47	Enhanced piezoelectric properties by reducing leakage current in Co modified 0.7BiFeO ₃ -0.3BaTiO ₃ ceramics. Ceramics International, 2018, 44, 8955-8962.	4.8	42
48	Dual relaxation behaviors and large electrostrictive properties of Bi _{0.5} Na _{0.5} TiO ₃ $\hat{=}$ Sr _{0.85} Bi _{0.1} TiO ₃ ceramics. Journal of Materials Science, 2018, 53, 8844-8854.	3.7	27
49	Comparative studies on structure, dielectric, strain and energy storage properties of (Bi _{0.5} Na _{0.5}) _{0.94} Ba _{0.06} Ti _{0.965} (Mg _{1/3} Nb _{2/3}) _{0.035} O ₃ lead-free ceramics prepared by traditional and two-step sintering method. Journal of Materials Science: Materials in Electronics, 2018, 29, 5349-5355.	2.2	7
50	Simultaneously enhanced piezoelectric properties and depolarization temperature in calcium doped BiFeO ₃ -BaTiO ₃ ceramics. Journal of Alloys and Compounds, 2018, 748, 758-765.	5.5	23
51	Enhanced piezoelectric response and high-temperature sensitivity by site-selected doping of BiFeO ₃ -BaTiO ₃ ceramics. Journal of the European Ceramic Society, 2018, 38, 1356-1366.	5.7	65
52	Microwave dielectric properties of (1-x) BiVO ₄ $\hat{=}$ xLn _{2/3} MoO ₄ (Ln=Er, Sm, Nd, la) ceramics with low sintering temperatures. Journal of Electroceramics, 2018, 40, 99-106.	2.0	2
53	Ferroelectric $\hat{=}$ quasiferroelectric $\hat{=}$ ergodic relaxor transition and multifunctional electrical properties in Bi _{0.5} Na _{0.5} TiO ₃ -based ceramics. Journal of the American Ceramic Society, 2018, 101, 1554-1565.	3.8	51
54	Microwave dielectric properties of Bi(Sc _{1/3} Mo _{2/3})O ₄ ceramics for LTCC applications. Journal of Materials Science: Materials in Electronics, 2018, 29, 1817-1822.	2.2	10

#	ARTICLE	IF	CITATIONS
55	Microwave dielectric properties of Sr _{0.7} Ce _{0.2} TiO ₃ â€“Sr(Mg _{1/3} Nb _{2/3})O ₃ ceramics. Journal of Materials Science: Materials in Electronics, 2018, 29, 2668-2675.	2.2	3
56	Excellent optical, dielectric, and ferroelectric properties of Sr(In _{0.5} Nb _{0.5})O ₃ modified K _{0.5} Na _{0.5} NbO ₃ lead-free transparent ceramics. Journal of Materials Science: Materials in Electronics, 2018, 29, 19123-19129.	2.2	15
57	High energy storage and temperature stable dielectrics properties of lead-free BiScO ₃ â€“(BaTiO ₃) _x (Bi _{0.5} Na _{0.5})TiO ₃ ceramics. IET Nanodielectrics, 2018, 1, 143-148.	4.1	2
58	Enhanced real-time high temperature piezoelectric responses and ferroelectric scaling behaviors of MgO-doped 0.7BiFeO ₃ -0.3BaTiO ₃ ceramics. Ceramics International, 2018, 44, 14439-14445.	4.8	24
59	Effects of thermal and electrical histories on structure and dielectric behaviors of (Li _{0.5} Nd _{0.5}) ²⁺ -modified (Bi _{0.5} Na _{0.5})TiO ₃ -BaTiO ₃ ceramics. Journal of Materiomics, 2017, 3, 121-129.	5.7	9
60	Microstructures and microwave dielectric properties of (Ba _{1-x} Sr _x) ₄ (Sm _{0.4} Nd _{0.6}) _{28/3} Ti ₁₈ O ₅₄ solid solutions. Journal of Advanced Ceramics, 2017, 6, 50-58.	17.4	16
61	Enhanced piezoelectricity and high-temperature sensitivity of Zn-modified BF-BT ceramics by in situ and ex situ measuring. Ceramics International, 2017, 43, 3734-3740.	4.8	31
62	Observation of multiple dielectric relaxations in BaTiO ₃ -Bi(Li _{1/3} Ti _{2/3})O ₃ ceramics. Applied Physics A: Materials Science and Processing, 2017, 123, 1.	2.3	4
63	Effect of domains configuration on crystal structure in ferroelectric ceramics as revealed by XRD and dielectric spectrum. Bulletin of Materials Science, 2017, 40, 1159-1163.	1.7	0
64	Effects of Bi ³⁺ substitution on microwave dielectric properties of (Ce _{1-x} Bi _x) _{0.2} Sr _{0.7} TiO ₃ ceramics. Journal of Materials Science: Materials in Electronics, 2017, 28, 9941-9949.	2.2	4
65	A new insight into structural complexity in ferroelectric ceramics. Journal of Advanced Ceramics, 2017, 6, 262-268.	17.4	6
66	Enhanced energy storage properties of Bi _{0.5} Li _{0.5} TiO ₃ modified Sr _{0.1} Bi _{0.45} Na _{0.45} TiO ₃ based ceramics. Journal of Advanced Ceramics, 2016, 5, 219-224.	17.4	6
67	High piezoelectricity associated with crossover from nonergodicity to ergodicity in modified Bi _{0.5} Na _{0.5} TiO ₃ relaxor ferroelectrics. Journal of Electroceramics, 2016, 37, 23-28.	2.0	2
68	Low-Temperature Sintering and Microwave Dielectric Properties of Bi _{0.9} Ln _{0.05} Li _{0.05} V _{0.9} Mo _{0.1} O ₄ (Ln=Sm, Nd and La) Ceramics. Journal of Electronic Materials, 2016, 45, 4302-4308.	2.2	2
69	Effect of poling on polarization alignment, dielectric behavior, and piezoelectricity development in polycrystalline BiFeO ₃ â€“(BaTiO ₃) _x ceramics. Physica Status Solidi (A) Applications and Materials Science, 2016, 213, 52-59.	1.8	15
70	Tailoring antiferroelectricity with high energy-storage properties in Bi _{0.5} Na _{0.5} TiO ₃ â€“(BaTiO ₃) _x ceramics by modulating Bi/Na ratio. Journal of Materials Science: Materials in Electronics, 2016, 27, 10810-10815.	2.2	34
71	Normal-to-relaxor ferroelectric phase transition and electrical properties in Nb-modified 0.72BiFeO ₃ -0.28BaTiO ₃ ceramics. Journal of Electroceramics, 2016, 36, 1-7.	2.0	28
72	High Piezoelectric Response in (Li _{0.5} Sm _{0.5}) ²⁺ -Modified 0.93Bi _{0.5} Na _{0.5} TiO ₃ -0.07BaTiO ₃ Near the Nonergodicâ€“Ergodic Relaxor Transition. Journal of Electronic Materials, 2016, 45, 2967-2973.	2.2	6

#	ARTICLE	IF	CITATIONS
73	Energy storage properties and electrical behavior of lead-free $(1-x) \text{Ba}_{0.04}\text{Bi}_{0.48}\text{Na}_{0.48}\text{TiO}_3-x\text{SrZrO}_3$ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 3948-3956.	2.2	40
74	Electrical Properties of $\text{Sr}_{1-x}\text{Bi}_x\text{B}_{1-x}\text{Fe}_{0.6}\text{Sn}_{0.4}\text{TiO}_3$ Thermistor Ceramics. <i>International Journal of Applied Ceramic Technology</i> , 2015, 12, E235.		
75	Unique high temperature polarization stability state in $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ - BaTiO_3 system at the morphotropic phase boundary. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 1785-1788.	1.8	0
76	Effect of Reoriented Nanodomains on Crystal Structure and Piezoelectric Properties of Polycrystalline Ferroelectric Ceramics. <i>Journal of Electronic Materials</i> , 2015, 44, 3843-3848.	2.2	3
77	Correlation between temperature-dependent permittivity dispersion and depolarization behaviours in Zr^{4+} -modified BiFeO_3 - BaTiO_3 piezoelectric ceramics. <i>Bulletin of Materials Science</i> , 2015, 38, 1737-1741.	1.7	3
78	Microstructures and Microwave Dielectric Properties of Low-Temperature Fired $\text{Ca}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ - $\text{Li}_{0.5}\text{Sm}_{0.5}\text{TiO}_3$ Ceramics with Bi_2O_3 - $2\text{B}_2\text{O}_3$ Addition. <i>Journal of Electronic Materials</i> , 2015, 44, 263-270.	2.2	7
79	Microstructures and energy storage properties of Mn-doped $0.97\text{Bi}_{0.47}\text{Na}_{0.47}\text{Ba}_{0.06}\text{TiO}_3-x\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$ lead-free antiferroelectric ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 8793-8797.	2.2	15
80	Unusual relaxor-normal ferroelectric crossover in Cu-doped BiFeO_3 - BaTiO_3 ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 3610-3614.	2.2	5
81	Temperature stability of sodium-doped BiFeO_3 - BaTiO_3 piezoelectric ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 9336-9341.	2.2	15
82	Effect of Excess Li^{+} on Microwave Dielectric Properties of $\text{Ca}_{0.16}\text{Sr}_{0.04}\text{Li}_{0.4}\text{Nd}_{0.4}\text{TiO}_3$ Ceramics. <i>International Journal of Applied Ceramic Technology</i> , 2015, 12, E55.	2.1	4
83	Microstructures and dielectric properties of $(1-x)\text{SrTiO}_3-x\text{Ca}_{0.61}\text{Nd}_{0.26}\text{TiO}_3$ ceramic system at microwave frequencies. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 128-133.	2.2	13
84	Effect of sintering temperature on structure and dielectric behavior of $0.95(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.97}(\text{Li}_{0.5}\text{Nd}_{0.5})_{0.03}\text{TiO}_3-x\text{BaTiO}_3$ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2014, 25, 4983-4991.	2.2	3
85	Origin of high piezoelectric activity in perovskite ferroelectric ceramics. <i>Applied Physics Letters</i> , 2014, 104, .	3.3	27
86	The effect of composite $(\text{Li}_{0.5}\text{Nd}_{0.5})_{2+}$ ions substitution on microstructure, dielectric behavior and electrical properties of $0.95\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3-x\text{BaTiO}_3$ ceramics. <i>Ceramics International</i> , 2014, 40, 10431-10439.	4.8	7
87	Piezoelectric and ferroelectric properties of Ga modified BiFeO_3 - BaTiO_3 lead-free ceramics with high Curie temperature. <i>Journal of Materials Science: Materials in Electronics</i> , 2014, 25, 196-201.	2.2	33
88	Microstructures and electrical properties of $\text{Sr}_{0.6}\text{Bi}_{0.4}\text{Fe}_{0.6}\text{Sn}_{0.4}\text{TiO}_3-x\text{BaCo}_{0.02}\text{Co}_{0.04}\text{Bi}_{0.94}\text{O}_3$ thick-film thermistors with low room-temperature resistivity. <i>Journal of Materials Science: Materials in Electronics</i> , 2014, 25, 3967-3976.	2.2	1
89	Silver Co-fired $\text{Li}_{2}\text{ZnTi}_{3}\text{O}_{8}$ Microwave Dielectric Ceramics with LZB Glass Additive and TiO_2 Dopant. <i>International Journal of Applied Ceramic Technology</i> , 2013, 10, 492-501.	2.1	40
90	Effect of sintering temperature on microstructure and piezoelectric properties of Pb-free BiFeO_3 - BaTiO_3 ceramics in the composition range of large BiFeO_3 concentrations. <i>Journal of Electroceramics</i> , 2013, 31, 15-20.	2.0	9

#	ARTICLE	IF	CITATIONS
91	Structural, ferroelectric and piezoelectric properties of Mn-modified BiFeO ₃ –BaTiO ₃ high-temperature ceramics. Journal of Materials Science: Materials in Electronics, 2013, 24, 3952-3957.	2.2	32
92	Effects of CuO doping on the structure and properties lead-free KNN-LS piezoelectric ceramics. Journal of Materials Science: Materials in Electronics, 2013, 24, 2469-2472.	2.2	16
93	Effect of Zr ⁴⁺ substitution on thermal stability and electrical properties of high temperature BiFe _{0.99} Al _{0.01} O ₃ –BaTi _{1-x} Zr _x O ₃ ceramics. Journal of Alloys and Compounds, 2013, 567, 110-114.	5.5	29
94	Microstructure, dielectric and piezoelectric properties of lead-free Bi _{0.5} Na _{0.5} TiO ₃ –Bi _{0.5} K _{0.5} TiO ₃ –BiMnO ₃ ceramics. Bulletin of Materials Science, 2013, 36, 265-270.	1.7	8
95	Effects of Sintering Temperature on Structure and Properties of 0.997(KNN-LS-BF)-0.003V ₂ O ₅ Lead-Free Piezoelectric Ceramics. Journal of Electronic Materials, 2013, 42, 458-462.	2.2	3
96	Structure, electrical properties of Bi(Fe, Co)O ₃ –BaTiO ₃ piezoelectric ceramics with improved Curie temperature. Physica B: Condensed Matter, 2013, 410, 13-16.	2.7	24
97	Lead-free (Li, Na, K)(Nb, Sb)O ₃ piezoelectric ceramics: effect of Bi(Ni _{0.5} Ti _{0.5})O ₃ modification and sintering temperature on microstructure and electrical properties. Journal of Materials Science, 2013, 48, 2997-3002.	3.7	7
98	Piezoelectric properties and temperature stabilities of Mn- and Cu-modified BiFeO ₃ –BaTiO ₃ high temperature ceramics. Journal of the European Ceramic Society, 2013, 33, 1177-1183.	5.7	160
99	Dielectric, ferroelectric and piezoelectric properties of La-substituted BiFeO ₃ –BaTiO ₃ ceramics. Ceramics International, 2013, 39, 4307-4311.	4.8	74
100	Remarkably High-Temperature Stability of Bi _{1-x} Fe _x Al _x Solid Solution with Near-Zero Temperature Coefficient of Piezoelectric Properties. Journal of the American Ceramic Society, 2013, 96, 2252-2256.	3.8	56
101	Dielectric, Ferroelectric, and Piezoelectric Properties of Bi _{1-x/2} Ni _{x/2} Ti _{1/2} O ₃ –BiFeO ₃ –BaTiO ₃ Ceramics with High Curie Temperature. Journal of the American Ceramic Society, 2012, 95, 3889-3893.	3.8	89
102	Microstructural and electrical properties of Na _{1/2} Bi _{1/2} TiO ₃ –(Na _{1/4} Bi _{3/4})(Mg _{1/4} Ti _{3/4})O ₃ piezoelectric ceramics. Journal of Alloys and Compounds, 2012, 542, 17-21.	5.5	7
103	Remarkably high-temperature stable piezoelectric properties of Bi(Mg _{0.5} Ti _{0.5})O ₃ modified BiFeO ₃ –BaTiO ₃ ceramics. Applied Physics Letters, 2012, 101, 032901.	3.3	100
104	Dielectric and piezoelectric properties of YMnO ₃ modified Bi _{0.5} Na _{0.5} TiO ₃ lead-free piezoelectric ceramics. Journal of Materials Science: Materials in Electronics, 2010, 21, 364-367.	2.2	11
105	Dielectric and piezoelectric properties of bismuth-containing complex perovskite solid solution of Bi _{1/2} Na _{1/2} TiO ₃ –Bi(Mg _{2/3} Nb _{1/3})O ₃ . Journal of Materials Science, 2008, 43, 1016-1019.	3.7	49
106	Dielectric and piezoelectric properties of Bi _{0.5} Na _{0.5} TiO ₃ –BaNb ₂ O ₆ lead-free piezoelectric ceramics. Journal of Materials Science: Materials in Electronics, 2008, 19, 29-32.	2.2	27
107	Effect of B-site substitution of complex ions on dielectric and piezoelectric properties in (Bi _{1/2} Na _{1/2})TiO ₃ piezoelectric ceramics. Materials Chemistry and Physics, 2008, 108, 413-416.	4.0	41