
Claudinei Eduardo Biazoli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8370041/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Differences in brain activity between fast and slow responses on psychomotor vigilance task: an fNIRS study. Brain Imaging and Behavior, 2022, 16, 1563-1574.	1.1	2
2	Differences in perceived durations between plausible biological and non-biological stimuli. Experimental Brain Research, 2021, 239, 161-173.	0.7	1
3	Inferring the heritability of large-scale functional networks with a multivariate ACE modeling approach. Network Neuroscience, 2021, 5, 527-548.	1.4	Ο
4	Closed-loop neurostimulation for affective symptoms and disorders: An overview. Biological Psychology, 2021, 161, 108081.	1.1	12
5	Longâ€ŧerm stability of the cortical volumetric profile and the functional human connectome throughout childhood and adolescence. European Journal of Neuroscience, 2021, 54, 6187-6201.	1.2	10
6	Subject-independent decoding of affective states using functional near-infrared spectroscopy. PLoS ONE, 2021, 16, e0244840.	1.1	6
7	Socioeconomic status in children is associated with spontaneous activity in right superior temporal gyrus. Brain Imaging and Behavior, 2020, 14, 961-970.	1.1	7
8	Network analysis of neuropsychiatry disorders. , 2020, , 397-408.		1
9	Embodied concepts, allostasis, and the origin of emotions Developmental Psychology, 2020, 56, 841-842.	1.2	0
10	Beyond the target area: an integrative view of tDCS-induced motor cortex modulation in patients and athletes. Journal of NeuroEngineering and Rehabilitation, 2019, 16, 141.	2.4	89
11	Association Between Fractional Amplitude of Low-Frequency Spontaneous Fluctuation and Degree Centrality in Children and Adolescents. Brain Connectivity, 2019, 9, 379-387.	0.8	6
12	Commute Time as a Method to Explore Brain Functional Connectomes. Brain Connectivity, 2019, 9, 155-161.	0.8	0
13	Associations between children's family environment, spontaneous brain oscillations, and emotional and behavioral problems. European Child and Adolescent Psychiatry, 2019, 28, 835-845.	2.8	9
14	Identifying individuals using fNIRS-based cortical connectomes. Biomedical Optics Express, 2019, 10, 2889.	1.5	19
15	Association between abnormal brain functional connectivity in children and psychopathology: A study based on graph theory and machine learning. World Journal of Biological Psychiatry, 2018, 19, 119-129.	1.3	13
16	Low frequency fluctuation of brain spontaneous activity and obsessive-compulsive symptoms in a large school-age sample. Journal of Psychiatric Research, 2018, 96, 224-230.	1.5	7
17	Resting-Awake EEG Amplitude Modulation can Predict Performance of an fNIRS-Based Neurofeedback Task. , 2018, , .		4
18	Predicting affective valence using cortical hemodynamic signals. Scientific Reports, 2018, 8, 5406.	1.6	14

#	Article	IF	CITATIONS
19	Functional near-infrared spectroscopy-based affective neurofeedback: feedback effect, illiteracy phenomena, and whole-connectivity profiles. Neurophotonics, 2018, 5, 1.	1.7	20
20	The relevance of feature selection methods to the classification of obsessive-compulsive disorder based on volumetric measures. Journal of Affective Disorders, 2017, 222, 49-56.	2.0	15
21	Commentary: Functional connectome fingerprint: identifying individuals using patterns of brain connectivity. Frontiers in Human Neuroscience, 2017, 11, 47.	1.0	16
22	Imaging Brain Function with Functional Near-Infrared Spectroscopy in Unconstrained Environments. Frontiers in Human Neuroscience, 2017, 11, 258.	1.0	141
23	Commentary: A test-retest dataset for assessing long-term reliability of brain morphology and resting-state brain activity. Frontiers in Neuroscience, 2017, 11, 85.	1.4	5
24	Non-neuronal evoked and spontaneous hemodynamic changes in the anterior temporal region of the human head may lead to misinterpretations of functional near-infrared spectroscopy signals. Neurophotonics, 2017, 5, 1.	1.7	48
25	Connectome hubs at resting state in children and adolescents: Reproducibility and psychopathological correlation. Developmental Cognitive Neuroscience, 2016, 20, 2-11.	1.9	13
26	Influence of emotional stimulus valence on inhibitory control in adults with and without ADHD. Experimental Brain Research, 2016, 234, 3213-3223.	0.7	2
27	Temporal stability of network centrality in control and default mode networks: Specific associations with externalizing psychopathology in children and adolescents. Human Brain Mapping, 2015, 36, 4926-4937.	1.9	25
28	Motor Readiness Increases Brain Connectivity Between Default-Mode Network and Motor Cortex: Impact on Sampling Resting Periods from fMRI Event-Related Studies. Brain Connectivity, 2015, 5, 631-640.	0.8	13
29	Abnormal Functional Resting-State Networks in ADHD: Graph Theory and Pattern Recognition Analysis of fMRI Data. BioMed Research International, 2014, 2014, 1-10.	0.9	80
30	Application of Partial Directed Coherence to the Analysis of Resting-State EEG-fMRI Data. Brain Connectivity, 2013, 3, 563-568.	0.8	15
31	Nonlinear estimation of neural processing time from BOLD signal with application to decisionâ€making. Human Brain Mapping, 2012, 33, 334-348.	1.9	Ο
32	The supragenual nucleus: A putative relay station for ascending vestibular signs to head direction cells. Brain Research, 2006, 1094, 138-148.	1.1	50