
Gerhard Walzl

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8371838/publications.pdf Version: 2024-02-01



CEDHADD WAIZE

| # | Article | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1 | A blood RNA signature for tuberculosis disease risk: a prospective cohort study. Lancet, The, 2016, 387, 2312-2322. | 6.3 | 678 |
| 2 | Immunological biomarkers of tuberculosis. Nature Reviews Immunology, 2011, 11, 343-354. | 10.6 | 455 |
| 3 | Biomarkers and diagnostics for tuberculosis: progress, needs, and translation into practice. Lancet, The, 2010, 375, 1920-1937. | 6.3 | 404 |
| 4 | Distinct, Specific IL-17- and IL-22-Producing CD4+ T Cell Subsets Contribute to the Human Anti-Mycobacterial Immune Response. Journal of Immunology, 2008, 180, 1962-1970. | 0.4 | 378 |
| 5 | Genital Inflammation and the Risk of HIV Acquisition in Women. Clinical Infectious Diseases, 2015, 61, 260-269. | 2.9 | 354 |
| 6 | Human gene expression profiles of susceptibility and resistance in tuberculosis. Genes and Immunity, 2011, 12, 15-22. | 2.2 | 288 |
| 7 | Tuberculosis: progress and advances in development of new drugs, treatment regimens, and host-directed therapies. Lancet Infectious Diseases, The, 2018, 18, e183-e198. | 4.6 | 281 |
| 8 | Persisting positron emission tomography lesion activity and Mycobacterium tuberculosis mRNA after tuberculosis cure. Nature Medicine, 2016, 22, 1094-1100. | 15.2 | 247 |
| 9 | Tuberculosis: advances and challenges in development of new diagnostics and biomarkers. Lancet Infectious Diseases, The, 2018, 18, e199-e210. | 4.6 | 244 |
| 10 | Distinct Phases of Blood Gene Expression Pattern Through Tuberculosis Treatment Reflect Modulation of the Humoral Immune Response. Journal of Infectious Diseases, 2013, 207, 18-29. | 1.9 | 218 |
| 11 | Four-Gene Pan-African Blood Signature Predicts Progression to Tuberculosis. American Journal of Respiratory and Critical Care Medicine, 2018, 197, 1198-1208. | 2.5 | 217 |
| 12 | Plasma cytokine levels during acute HIV-1 infection predict HIV disease progression. Aids, 2010, 24, 819-831. | 1.0 | 195 |
| 13 | Biomarkers of Inflammation, Immunosuppression and Stress Are Revealed by Metabolomic Profiling of Tuberculosis Patients. PLoS ONE, 2012, 7, e40221. | 1.1 | 195 |
| 14 | A multi-cohort study of the immune factors associated with M. tuberculosis infection outcomes. Nature, 2018, 560, 644-648. | 13.7 | 184 |
| 15 | Defining genital tract cytokine signatures of sexually transmitted infections and bacterial vaginosis in women at high risk of HIV infection: a cross-sectional study. Sexually Transmitted Infections, 2014, 90, 580-587. | 0.8 | 173 |
| 16 | Symptomatic Vaginal Discharge Is a Poor Predictor of Sexually Transmitted Infections and Genital Tract Inflammation in High-Risk Women in South Africa. Journal of Infectious Diseases, 2012, 206, 6-14. | 1.9 | 171 |
| 17 | Characterization of progressive HIV-associated tuberculosis using 2-deoxy-2-[18F]fluoro-D-glucose positron emission and computed tomography. Nature Medicine, 2016, 22, 1090-1093. | 15.2 | 166 |
| 18 | Host blood RNA signatures predict the outcome of tuberculosis treatment. Tuberculosis, 2017, 107, 48-58. | 0.8 | 156 |

| # | Article | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 19 | Host markers in Quantiferon supernatants differentiate active TB from latent TB infection: preliminary report. BMC Pulmonary Medicine, 2009, 9, 21. | 0.8 | 150 |
| 20 | Increased Frequency of Myeloid-derived Suppressor Cells during Active Tuberculosis and after Recent <i>Mycobacterium tuberculosis</i> Infection Suppresses T-Cell Function. American Journal of Respiratory and Critical Care Medicine, 2013, 188, 724-732. | 2.5 | 149 |
| 21 | Immunogenicity of Novel DosR Regulon-Encoded Candidate Antigens of <i>Mycobacterium tuberculosis</i> in Three High-Burden Populations in Africa. Vaccine Journal, 2009, 16, 1203-1212. | 3.2 | 148 |
| 22 | An Evaluation of Commercial Fluorescent Bead-Based Luminex Cytokine Assays. PLoS ONE, 2008, 3, e2535. | 1.1 | 137 |
| 23 | Beyond the IFN-Â horizon: biomarkers for immunodiagnosis of infection with Mycobacterium tuberculosis. European Respiratory Journal, 2014, 43, 1472-1486. | 3.1 | 135 |
| 24 | Overexpression of heat-shock proteins reduces survival of Mycobacterium tuberculosis in the chronic phase of infection. Nature Medicine, 2001, 7, 732-737. | 15.2 | 134 |
| 25 | Diagnostic performance of a seven-marker serum protein biosignature for the diagnosis of active TB disease in African primary healthcare clinic attendees with signs and symptoms suggestive of TB. Thorax, 2016, 71, 785-794. | 2.7 | 134 |
| 26 | Hypercytokinaemia accompanies HIV-tuberculosis immune reconstitution inflammatory syndrome. European Respiratory Journal, 2011, 37, 1248-1259. | 3.1 | 130 |
| 27 | Metabolite changes in blood predict the onset of tuberculosis. Nature Communications, 2018, 9, 5208. | 5.8 | 129 |
| 28 | Influenza Virus Lung Infection Protects from Respiratory Syncytial Virus–Induced Immunopathology. Journal of Experimental Medicine, 2000, 192, 1317-1326. | 4.2 | 127 |
| 29 | Optimization and Interpretation of Serial QuantiFERON Testing to Measure Acquisition of <i>Mycobacterium tuberculosis</i> Infection. American Journal of Respiratory and Critical Care Medicine, 2017, 196, 638-648. | 2.5 | 124 |
| 30 | Delaying BCG vaccination from birth to 10 weeks of age may result in an enhanced memory CD4 T cell response. Vaccine, 2009, 27, 5488-5495. | 1.7 | 117 |
| 31 | Corticosteroids in the Treatment of Tuberculous Pleurisy. Chest, 1996, 110, 333-338. | 0.4 | 116 |
| 32 | Immunosuppression during Active Tuberculosis Is Characterized by Decreased Interferonâ€Ĵ³ Production and CD25 Expression with Elevated Forkhead Box P3, Transforming Growth Factor–β, and Interleukinâ€4 mRNA Levels. Journal of Infectious Diseases, 2007, 195, 870-878. | 1.9 | 113 |
| 33 | Safety and Immunogenicity of the Recombinant Mycobacterium bovis BCG Vaccine VPM1002 in HIV-Unexposed Newborn Infants in South Africa. Vaccine Journal, 2017, 24, . | 3.2 | 112 |
| 34 | Role of CCL5 (RANTES) in Viral Lung Disease. Journal of Virology, 2006, 80, 8151-8157. | 1.5 | 106 |
| 35 | Inhibition of T1/St2 during Respiratory Syncytial Virus Infection Prevents T Helper Cell Type 2 (Th2)- but Not Th1-Driven Immunopathology. Journal of Experimental Medicine, 2001, 193, 785-792. | 4.2 | 104 |
| 36 | A Critical Role for OX40 in T Cell–mediated Immunopathology during Lung Viral Infection. Journal of Experimental Medicine, 2003, 198, 1237-1242. | 4.2 | 103 |

| # | Article | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Direct comparison of the diagnostic yield of ultrasound-assisted Abrams and Tru-Cut needle biopsies for pleural tuberculosis. Thorax, 2010, 65, 857-862. | 2.7 | 103 |
| 38 | Differential cytokine secretion and early treatment response in patients with pulmonary tuberculosis. Clinical and Experimental Immunology, 2009, 156, 69-77. | 1.1 | 97 |
| 39 | Molecular Bacterial Load Assay, a Culture-Free Biomarker for Rapid and Accurate Quantification of Sputum Mycobacterium tuberculosis Bacillary Load during Treatment. Journal of Clinical Microbiology, 2011, 49, 3905-3911. | 1.8 | 97 |
| 40 | Assessment of Validity of a Blood-Based 3-Gene Signature Score for Progression and Diagnosis of Tuberculosis, Disease Severity, and Treatment Response. JAMA Network Open, 2018, 1, e183779. | 2.8 | 96 |
| 41 | Biomarker discovery in heterogeneous tissue samples -taking the in-silico deconfounding approach. BMC Bioinformatics, 2010, 11, 27. | 1.2 | 95 |
| 42 | Plasma cytokines and chemokines differentiate between active disease and non-active tuberculosis infection. Journal of Infection, 2013, 66, 357-365. | 1.7 | 95 |
| 43 | Mucosal Delivery of a Respiratory Syncytial Virus CTL Peptide with Enterotoxin-Based Adjuvants Elicits Protective, Immunopathogenic, and Immunoregulatory Antiviral CD8+ T Cell Responses. Journal of Immunology, 2001, 166, 1106-1113. | 0.4 | 94 |
| 44 | RISK6, a 6-gene transcriptomic signature of TB disease risk, diagnosis and treatment response. Scientific Reports, 2020, 10, 8629. | 1.6 | 90 |
| 45 | Acquired immunodeficiencies and tuberculosis: focus on <scp>HIV</scp> / <scp>AIDS</scp> and diabetes mellitus. Immunological Reviews, 2015, 264, 121-137. | 2.8 | 87 |
| 46 | S100A8/A9 regulates CD11b expression and neutrophil recruitment during chronic tuberculosis. Journal of Clinical Investigation, 2020, 130, 3098-3112. | 3.9 | 85 |
| 47 | Biomarker-guided tuberculosis preventive therapy (CORTIS): a randomised controlled trial. Lancet Infectious Diseases, The, 2021, 21, 354-365. | 4.6 | 84 |
| 48 | Effect of Standard Tuberculosis Treatment on Plasma Cytokine Levels in Patients with Active Pulmonary Tuberculosis. PLoS ONE, 2012, 7, e36886. | 1.1 | 81 |
| 49 | Identification of novel host biomarkers in plasma as candidates for the immunodiagnosis of tuberculosis disease and monitoring of tuberculosis treatment response. Oncotarget, 2016, 7, 57581-57592. | 0.8 | 81 |
| 50 | Vitamin D receptor gene polymorphisms and sputum conversion time in pulmonary tuberculosis patients. Tuberculosis, 2007, 87, 295-302. | 0.8 | 80 |
| 51 | Well-quantified tuberculosis exposure is a reliable surrogate measure of tuberculosis infection. International Journal of Tuberculosis and Lung Disease, 2012, 16, 1033-1039. | 0.6 | 78 |
| 52 | Decreased Expression of miR-21, miR-26a, miR-29a, and miR-142-3p in CD4+ T Cells and Peripheral Blood from Tuberculosis Patients. PLoS ONE, 2013, 8, e61609. | 1.1 | 73 |
| 53 | Discovery and validation of a prognostic proteomic signature for tuberculosis progression: A prospective cohort study. PLoS Medicine, 2019, 16, e1002781. | 3.9 | 72 |
| 54 | Highly discordant T cell responses in individuals with recent exposure to household tuberculosis. Thorax, 2009, 64, 840-846. | 2.7 | 71 |

| # | Article | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Predominance of interleukin-22 over interleukin-17 at the site of disease in human tuberculosis. Tuberculosis, 2011, 91, 587-593. | 0.8 | 71 |
| 56 | Epigenetics and Proteomics Join Transcriptomics in the Quest for Tuberculosis Biomarkers. MBio, 2015, 6, e01187-15. | 1.8 | 70 |
| 57 | Immune markers measured before treatment predict outcome of intensive phase tuberculosis therapy. Clinical and Experimental Immunology, 2006, 146, 243-252. | 1.1 | 68 |
| 58 | PD-1 Expression on Mycobacterium tuberculosis-Specific CD4 T Cells Is Associated With Bacterial Load in Human Tuberculosis. Frontiers in Immunology, 2018, 9, 1995. | 2.2 | 68 |
| 59 | Genital Tract Inflammation During Early HIV-1 Infection Predicts Higher Plasma Viral Load Set Point in Women. Journal of Infectious Diseases, 2012, 205, 194-203. | 1.9 | 67 |
| 60 | Evaluation of Adapted Whole-Blood Interferon-γ Release Assays for the Diagnosis of Pleural Tuberculosis. Respiration, 2008, 76, 131-138. | 1.2 | 66 |
| 61 | Short-Term Reproducibility of a Commercial Interferon Gamma Release Assay. Vaccine Journal, 2009, 16, 1170-1175. | 3.2 | 66 |
| 62 | Differential gene expression of activating Fcl ³ receptor classifies active tuberculosis regardless of human immunodeficiency virus status or ethnicity. Clinical Microbiology and Infection, 2014, 20, O230-O238. | 2.8 | 65 |
| 63 | Higher human CD4 T cell response to novel Mycobacterium tuberculosis latency associated antigens Rv2660 and Rv2659 in latent infection compared with tuberculosis disease. Vaccine, 2010, 29, 51-57. | 1.7 | 64 |
| 64 | A metabolic biosignature of early response to anti-tuberculosis treatment. BMC Infectious Diseases, 2014, 14, 53. | 1.3 | 64 |
| 65 | Potential of novel Mycobacterium tuberculosis infection phase-dependent antigens in the diagnosis of TB disease in a high burden setting. BMC Infectious Diseases, 2012, 12, 10. | 1.3 | 63 |
| 66 | Changes in leucocyte and lymphocyte subsets during tuberculosis treatment; prominence of CD3dimCD56+ natural killer T cells in fast treatment responders. Clinical and Experimental Immunology, 2006, 145, 252-260. | 1.1 | 62 |
| 67 | Immune parameters as markers of tuberculosis extent of disease and early prediction of anti-tuberculosis chemotherapy response. Journal of Infection, 2008, 56, 340-347. | 1.7 | 62 |
| 68 | The BCG replacement vaccine VPM1002: from drawing board to clinical trial. Expert Review of Vaccines, 2014, 13, 619-630. | 2.0 | 62 |
| 69 | The microbiome and tuberculosis: state of the art, potential applications, and defining the clinical research agenda. Lancet Respiratory Medicine,the, 2019, 7, 892-906. | 5.2 | 62 |
| 70 | Utility of Host Markers Detected in Quantiferon Supernatants for the Diagnosis of Tuberculosis in Children in a High-Burden Setting. PLoS ONE, 2013, 8, e64226. | 1.1 | 61 |
| 71 | Correlates for disease progression and prognosis during concurrent HIV/TB infection. International Journal of Infectious Diseases, 2007, 11, 289-299. | 1.5 | 58 |
| 72 | Biomarkers for TB treatment response: Challenges and future strategies. Journal of Infection, 2008, 57, 103-109. | 1.7 | 57 |

| # | Article | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Diabetes Mellitus Among Pulmonary Tuberculosis Patients From 4 Tuberculosis-endemic Countries: The TANDEM Study. Clinical Infectious Diseases, 2020, 70, 780-788. | 2.9 | 57 |
| 74 | Tuberculosis assays: past, present and future. Expert Review of Anti-Infective Therapy, 2011, 9, 457-469. | 2.0 | 56 |
| 75 | The effect of vitamin A and zinc supplementation on treatment outcomes in pulmonary tuberculosis: a randomized controlled trial. American Journal of Clinical Nutrition, 2011, 93, 93-100. | 2.2 | 56 |
| 76 | Host biomarkers detected in saliva show promise as markers for the diagnosis of pulmonary tuberculosis disease and monitoring of the response to tuberculosis treatment. Cytokine, 2016, 81, 50-56. | 1.4 | 56 |
| 77 | Profiling persistent tubercule bacilli from patient sputa during therapy predicts early drug efficacy. BMC Medicine, 2016, 14, 68. | 2.3 | 55 |
| 78 | High-throughput Identification of DNA-Encoded IgG Ligands that Distinguish Active and Latent <i>Mycobacterium tuberculosis</i> Infections. ACS Chemical Biology, 2017, 12, 234-243. | 1.6 | 55 |
| 79 | Differential cytokine/chemokines and KL-6 profiles in patients with different forms of tuberculosis. Cytokine, 2009, 47, 132-136. | 1.4 | 54 |
| 80 | Baseline Predictors of Sputum Culture Conversion in Pulmonary Tuberculosis: Importance of Cavities, Smoking, Time to Detection and W-Beijing Genotype. PLoS ONE, 2012, 7, e29588. | 1.1 | 52 |
| 81 | Host Immune Response to Tuberculous Meningitis. Clinical Infectious Diseases, 2015, 60, 177-187. | 2.9 | 52 |
| 82 | Potential of Host Markers Produced by Infection Phase-Dependent Antigen-Stimulated Cells for the Diagnosis of Tuberculosis in a Highly Endemic Area. PLoS ONE, 2012, 7, e38501. | 1.1 | 50 |
| 83 | Multi-center evaluation of a user-friendly lateral flow assay to determine IP-10 and CCL4 levels in blood of TB and non-TB cases in Africa. Clinical Biochemistry, 2016, 49, 22-31. | 0.8 | 49 |
| 84 | Analysis of Host Responses to Mycobacterium tuberculosis Antigens in a Multi-Site Study of Subjects with Different TB and HIV Infection States in Sub-Saharan Africa. PLoS ONE, 2013, 8, e74080. | 1.1 | 48 |
| 85 | The gut microbiome in tuberculosis susceptibility and treatment response: guilty or not guilty?. Cellular and Molecular Life Sciences, 2020, 77, 1497-1509. | 2.4 | 48 |
| 86 | Differential Expression of Host Biomarkers in Saliva and Serum Samples from Individuals with Suspected Pulmonary Tuberculosis. Mediators of Inflammation, 2013, 2013, 1-10. | 1.4 | 47 |
| 87 | Safety and efficacy of BCG re-vaccination in relation to COVID-19 morbidity in healthcare workers: A double-blind, randomised, controlled, phase 3 trial. EClinicalMedicine, 2022, 48, 101414. | 3.2 | 47 |
| 88 | OX40 Ligation on Activated T Cells Enhances the Control of <i>Cryptococcus neoformans</i> and Reduces Pulmonary Eosinophilia. Journal of Immunology, 2003, 170, 6125-6132. | 0.4 | 46 |
| 89 | Optimizing the Detection of Recent Tuberculosis Infection in Children in a High Tuberculosis–HIV Burden Setting. American Journal of Respiratory and Critical Care Medicine, 2015, 191, 820-830. | 2.5 | 46 |
| 90 | Detection of Tuberculosis Recurrence, Diagnosis and Treatment Response by a Blood Transcriptomic Risk Signature in HIV-Infected Persons on Antiretroviral Therapy. Frontiers in Microbiology, 2019, 10, 1441. | 1.5 | 46 |

| # | Article | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Safety and immunogenicity of the adjunct therapeutic vaccine ID93â€^+â€^GLA-SE in adults who have completed treatment for tuberculosis: a randomised, double-blind, placebo-controlled, phase 2a trial. Lancet Respiratory Medicine,the, 2021, 9, 373-386. | 5.2 | 46 |
| 92 | Diagnostic Accuracy of the Cepheid 3-gene Host Response Fingerstick Blood Test in a Prospective, Multi-site Study: Interim Results. Clinical Infectious Diseases, 2022, 74, 2136-2141. | 2.9 | 46 |
| 93 | Serologic diagnosis of tuberculosis by combining Ig classes against selected mycobacterial targets. Journal of Infection, 2014, 69, 581-589. | 1.7 | 45 |
| 94 | Higher SARS-CoV-2 seroprevalence in workers with lower socioeconomic status in Cape Town, South Africa. PLoS ONE, 2021, 16, e0247852. | 1.1 | 45 |
| 95 | Diagnostic Potential of Novel Salivary Host Biomarkers as Candidates for the Immunological Diagnosis of Tuberculosis Disease and Monitoring of Tuberculosis Treatment Response. PLoS ONE, 2016, 11, e0160546. | 1.1 | 45 |
| 96 | Suppressor of cytokine signaling-3 is affected in T-cells from tuberculosisTB patients. Clinical Microbiology and Infection, 2011, 17, 1323-1331. | 2.8 | 44 |
| 97 | Detecting Tuberculosis Infection in HIV-infected Children. Pediatric Infectious Disease Journal, 2013, 32, e111-e118. | 1.1 | 44 |
| 98 | Africa-wide evaluation of host biomarkers in QuantiFERON supernatants for the diagnosis of pulmonary tuberculosis. Scientific Reports, 2018, 8, 2675. | 1.6 | 44 |
| 99 | Complement Component C1q as Serum Biomarker to Detect Active Tuberculosis. Frontiers in Immunology, 2018, 9, 2427. | 2.2 | 43 |
| 100 | The influence of different helminth infection phenotypes on immune responses against HIV in co-infected adults in South Africa. BMC Infectious Diseases, 2011, 11, 273. | 1.3 | 42 |
| 101 | Exploring Alternative Biomaterials for Diagnosis of Pulmonary Tuberculosis in HIV-Negative Patients by Use of the GeneXpert MTB/RIF Assay. Journal of Clinical Microbiology, 2013, 51, 4161-4166. | 1.8 | 42 |
| 102 | Distinct Cytokine Patterns in Semen Influence Local HIV Shedding and HIV Target Cell Activation. Journal of Infectious Diseases, 2014, 209, 1174-1184. | 1.9 | 42 |
| 103 | A Serum Circulating miRNA Signature for Short-Term Risk of Progression to Active Tuberculosis Among Household Contacts. Frontiers in Immunology, 2018, 9, 661. | 2.2 | 42 |
| 104 | Acute helminth infection enhances early macrophage mediated control of mycobacterial infection. Mucosal Immunology, 2013, 6, 931-941. | 2.7 | 41 |
| 105 | Immunometabolic Signatures Predict Risk of Progression to Active Tuberculosis and Disease Outcome. Frontiers in Immunology, 2019, 10, 527. | 2.2 | 40 |
| 106 | Challenges and perspectives for improved management of HIV/Mycobacterium tuberculosis co-infection. European Respiratory Journal, 2010, 36, 1242-1247. | 3.1 | 39 |
| 107 | Guidance for Studies Evaluating the Accuracy of Biomarker-Based Nonsputum Tests to Diagnose Tuberculosis. Journal of Infectious Diseases, 2019, 220, S108-S115. | 1.9 | 38 |
| 108 | Pleural Tuberculosis in Patients with Early HIV Infection Is Associated with Increased TNF-Alpha Expression and Necrosis in Granulomas. PLoS ONE, 2009, 4, e4228. | 1.1 | 37 |

| # | Article | IF | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Patients with Concurrent Tuberculosis and Diabetes Have a Pro-Atherogenic Plasma Lipid Profile. EBioMedicine, 2018, 32, 192-200. | 2.7 | 36 |
| 110 | Differential Expression of Interleukin-4 (IL-4) and IL-4δ2 mRNA, but Not Transforming Growth Factor Beta (TGF-β), TGF-βRII, Foxp3, Gamma Interferon, T-bet, or GATA-3 mRNA, in Patients with Fast and Slow Responses to Antituberculosis Treatment. Vaccine Journal, 2008, 15, 1165-1170. | 3.2 | 35 |
| 111 | Bacterial Loads Measured by the Xpert MTB/RIF Assay as Markers of Culture Conversion and Bacteriological Cure in Pulmonary TB. PLoS ONE, 2016, 11, e0160062. | 1.1 | 35 |
| 112 | BDNF Val66Met and DRD2 Taq1A polymorphisms interact to influence PTSD symptom severity: A preliminary investigation in a South African population. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 40, 273-280. | 2.5 | 34 |
| 113 | Excessive Cytolytic Responses Predict Tuberculosis Relapse After Apparently Successful Treatment. Journal of Infectious Diseases, 2016, 213, 485-495. | 1.9 | 34 |
| 114 | Validation of a host blood transcriptomic biomarker for pulmonary tuberculosis in people living with HIV: a prospective diagnostic and prognostic accuracy study. The Lancet Global Health, 2021, 9, e841-e853. | 2.9 | 34 |
| 115 | Detection and treatment of subclinical tuberculosis. Tuberculosis, 2012, 92, 447-452. | 0.8 | 33 |
| 116 | Use of lateral flow assays to determine IP-10 and CCL4 levels in pleural effusions and whole blood for TB diagnosis. Tuberculosis, 2016, 96, 31-36. | 0.8 | 33 |
| 117 | Clinical Immunology and Multiplex Biomarkers of Human Tuberculosis. Cold Spring Harbor Perspectives in Medicine, 2015, 5, a018515-a018515. | 2.9 | 32 |
| 118 | Safety and Immunogenicity of Newborn MVA85A Vaccination and Selective, Delayed Bacille Calmette-Guerin for Infants of Human Immunodeficiency Virus-Infected Mothers: A Phase 2 Randomized, Controlled Trial. Clinical Infectious Diseases, 2018, 66, 554-563. | 2.9 | 32 |
| 119 | Human Monocytic Suppressive Cells Promote Replication of Mycobacterium tuberculosis and Alter Stability of in vitro Generated Granulomas. Frontiers in Immunology, 2018, 9, 2417. | 2.2 | 32 |
| 120 | Oxidized low-density lipoprotein (oxLDL) supports Mycobacterium tuberculosis survival in macrophages by inducing lysosomal dysfunction. PLoS Pathogens, 2019, 15, e1007724. | 2.1 | 32 |
| 121 | Safety and immunogenicity of VPM1002 versus BCG in South African newborn babies: a randomised, phase 2 non-inferiority double-blind controlled trial. Lancet Infectious Diseases, The, 2022, 22, 1472-1483. | 4.6 | 32 |
| 122 | Host Cytokine Responses Induced after Overnight Stimulation with Novel M. tuberculosis Infection Phase-Dependent Antigens Show Promise as Diagnostic Candidates for TB Disease. PLoS ONE, 2014, 9, e102584. | 1.1 | 30 |
| 123 | Impact of HIV co-infection on plasma level of cytokines and chemokines of pulmonary tuberculosis patients. BMC Infectious Diseases, 2014, 14, 125. | 1.3 | 30 |
| 124 | Combination of gene expression patterns in whole blood discriminate between tuberculosis infection states. BMC Infectious Diseases, 2014, 14, 257. | 1.3 | 30 |
| 125 | Medroxyprogesterone Acetate Alters Mycobacterium Bovis BCG-Induced Cytokine Production in Peripheral Blood Mononuclear Cells of Contraceptive Users. PLoS ONE, 2011, 6, e24639. | 1.1 | 30 |
| 126 | Tuberculous Meningitis: Pathogenesis, Immune Responses, Diagnostic Challenges, and the Potential of Biomarker-Based Approaches. Journal of Clinical Microbiology, 2021, 59, . | 1.8 | 29 |

| # | Article | IF | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | Effect of Ascaris Lumbricoides specific IgE on tuberculin skin test responses in children in a high-burden setting: a cross-sectional community-based study. BMC Infectious Diseases, 2012, 12, 211. | 1.3 | 28 |
| 128 | The Contraceptive Depot Medroxyprogesterone Acetate Impairs Mycobacterial Control and Inhibits Cytokine Secretion in Mice Infected with Mycobacterium tuberculosis. Infection and Immunity, 2013, 81, 1234-1244. | 1.0 | 28 |
| 129 | Evaluation of cytokine responses against novel Mtb antigens as diagnostic markers for TB disease. Journal of Infection, 2016, 73, 219-230. | 1.7 | 28 |
| 130 | Cardiovascular risk and endothelial function in people living with HIV/AIDS: design of the multi-site, longitudinal EndoAfrica study in the Western Cape Province of South Africa. BMC Infectious Diseases, 2017, 17, 41. | 1.3 | 28 |
| 131 | Considerations for biomarker-targeted intervention strategies for tuberculosis disease prevention. Tuberculosis, 2018, 109, 61-68. | 0.8 | 28 |
| 132 | Changes in the kinetics of intracellular IFN-Î ³ production in TB patients during treatment. Clinical Immunology, 2007, 124, 336-344. | 1.4 | 27 |
| 133 | A Broad Profile of Co-Dominant Epitopes Shapes the Peripheral Mycobacterium tuberculosis Specific CD8+ T-Cell Immune Response in South African Patients with Active Tuberculosis. PLoS ONE, 2013, 8, e58309. | 1.1 | 27 |
| 134 | Sputum is a surrogate for bronchoalveolar lavage for monitoring Mycobacterium tuberculosis transcriptional profiles in TB patients. Tuberculosis, 2016, 100, 89-94. | 0.8 | 27 |
| 135 | Phenotypically resembling myeloid derived suppressor cells are increased in children with HIV and exposed/infected with <i>Mycobacterium tuberculosis</i> . European Journal of Immunology, 2017, 47, 107-118. | 1.6 | 27 |
| 136 | Quantitative 18F-FDG PET-CT scan characteristics correlate with tuberculosis treatment response. EJNMMI Research, 2020, 10, 8. | 1.1 | 27 |
| 137 | Heparin-Binding Hemagglutinin Induces IFN-γ ⁺ IL-2 ⁺ IL-17 ⁺ Multifunctional CD4 ⁺ T Cells during Latent but Not Active Tuberculosis Disease. Vaccine Journal, 2012, 19, 746-751. | 3.2 | 26 |
| 138 | A Blueprint to Address Research Gaps in the Development of Biomarkers for Pediatric Tuberculosis: Table 1 Clinical Infectious Diseases, 2015, 61, S164-S172. | 2.9 | 26 |
| 139 | Impact of Intermediate Hyperglycemia and Diabetes on Immune Dysfunction in Tuberculosis. Clinical Infectious Diseases, 2021, 72, 69-78. | 2.9 | 26 |
| 140 | Therapies for tuberculosis and AIDS: myeloid-derived suppressor cells in focus. Journal of Clinical Investigation, 2020, 130, 2789-2799. | 3.9 | 26 |
| 141 | Phenotypic analysis of peripheral B cell populations during Mycobacterium tuberculosis infection and disease. Journal of Inflammation, 2016, 13, 23. | 1.5 | 25 |
| 142 | GPR183 Regulates Interferons, Autophagy, and Bacterial Growth During Mycobacterium tuberculosis Infection and Is Associated With TB Disease Severity. Frontiers in Immunology, 2020, 11, 601534. | 2.2 | 25 |
| 143 | Fourteen-day PET/CT imaging to monitor drug combination activity in treated individuals with tuberculosis. Science Translational Medicine, 2021, 13, . | 5.8 | 25 |
| 144 | Prior Exposure to Live Mycobacterium bovis BCG Decreases Cryptococcus neoformans -Induced Lung Eosinophilia in a Gamma Interferon-Dependent Manner. Infection and Immunity, 2003, 71, 3384-3391. | 1.0 | 24 |

| # | Article | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | Distinct serum biosignatures are associated with different tuberculosis treatment outcomes. Tuberculosis, 2019, 118, 101859. | 0.8 | 24 |
| 146 | Prospective evaluation of host biomarkers other than interferon gamma in QuantiFERON Plus supernatants as candidates for the diagnosis of tuberculosis in symptomatic individuals. Journal of Infection, 2019, 79, 228-235. | 1.7 | 24 |
| 147 | Potential of Host Serum Protein Biomarkers in the Diagnosis of Tuberculous Meningitis in Children. Frontiers in Pediatrics, 2019, 7, 376. | 0.9 | 24 |
| 148 | Application of Cerebrospinal Fluid Host Protein Biosignatures in the Diagnosis of Tuberculous Meningitis in Children from a High Burden Setting. Mediators of Inflammation, 2019, 2019, 1-11. | 1.4 | 24 |
| 149 | The Functional Response of B Cells to Antigenic Stimulation: A Preliminary Report of Latent Tuberculosis. PLoS ONE, 2016, 11, e0152710. | 1.1 | 24 |
| 150 | Urinary metabolite markers characterizing tuberculosis treatment failure. Metabolomics, 2017, 13, 1. | 1.4 | 23 |
| 151 | Heat-killed Mycobacterium tuberculosis prime-boost vaccination induces myeloid-derived suppressor cells with spleen dendritic cell–killing capability. JCI Insight, 2019, 4, . | 2.3 | 23 |
| 152 | Immunogenicity of BCG in HIV-exposed and non-exposed infants following routine birth or delayed vaccination. International Journal of Tuberculosis and Lung Disease, 2015, 19, 454-462. | 0.6 | 22 |
| 153 | Translational Potential of Therapeutics Targeting Regulatory Myeloid Cells in Tuberculosis. Frontiers in Cellular and Infection Microbiology, 2018, 8, 332. | 1.8 | 22 |
| 154 | An observational study identifying highly tuberculosis-exposed, HIV-1-positive but persistently TB, tuberculin and IGRA negative persons with M. tuberculosis specific antibodies in Cape Town, South Africa. EBioMedicine, 2020, 61, 103053. | 2.7 | 22 |
| 155 | Validation and Optimization of Host Immunological Bio-Signatures for a Point-of-Care Test for TB Disease. Frontiers in Immunology, 2021, 12, 607827. | 2.2 | 22 |
| 156 | Using biomarkers to predict TB treatment duration (Predict TB): a prospective, randomized, noninferiority, treatment shortening clinical trial. Gates Open Research, 2017, 1, 9. | 2.0 | 22 |
| 157 | Detection of a combination of serum IgG and IgA antibodies against selected mycobacterial targets provides promising diagnostic signatures for active TB. Oncotarget, 2017, 8, 37525-37537. | 0.8 | 21 |
| 158 | Suitability of saliva for Tuberculosis diagnosis: comparing with serum. BMC Infectious Diseases, 2017, 17, 600. | 1.3 | 21 |
| 159 | Investigating Non-sterilizing Cure in TB Patients at the End of Successful Anti-TB Therapy. Frontiers in Cellular and Infection Microbiology, 2020, 10, 443. | 1.8 | 21 |
| 160 | A Plasma 5-Marker Host Biosignature Identifies Tuberculosis in High and Low Endemic Countries. Frontiers in Immunology, 2021, 12, 608846. | 2.2 | 21 |
| 161 | Evaluation of Host Serum Protein Biomarkers of Tuberculosis in sub-Saharan Africa. Frontiers in Immunology, 2021, 12, 639174. | 2.2 | 21 |
| 162 | Successful TB treatment induces B-cells expressing FASL and IL5RA mRNA. Oncotarget, 2017, 8, 2037-2043. | 0.8 | 21 |

| # | Article | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 163 | Rapid diagnosis of tuberculosis using ex vivo host biomarkers in sputum. European Respiratory Journal, 2014, 44, 254-257. | 3.1 | 20 |
| 164 | Frequency of Mycobacterium tuberculosis-specific CD8+ T-cells in the course of anti-tuberculosis treatment. International Journal of Infectious Diseases, 2015, 32, 23-29. | 1.5 | 20 |
| 165 | Evaluation of a radiological severity score to predict treatment outcome in adults with pulmonary tuberculosis. International Journal of Tuberculosis and Lung Disease, 2015, 19, 1354-1360. | 0.6 | 20 |
| 166 | Moving toward Tuberculosis Elimination. Critical Issues for Research in Diagnostics and Therapeutics for Tuberculosis Infection. American Journal of Respiratory and Critical Care Medicine, 2019, 199, 564-571. | 2.5 | 20 |
| 167 | Antimicrobial resistance in tuberculosis: an international perspective. Expert Review of Anti-Infective Therapy, 2006, 4, 759-766. | 2.0 | 19 |
| 168 | Serodiagnostic markers for the prediction of the outcome of intensive phase tuberculosis therapy. Tuberculosis, 2013, 93, 239-245. | 0.8 | 19 |
| 169 | Modern lineages of <i>Mycobacterium tuberculosis</i> in Addis Ababa, Ethiopia: implications for the tuberculosis control programe. African Health Sciences, 2013, 12, 339-44. | 0.3 | 19 |
| 170 | Accuracy of diabetes screening methods used for people with tuberculosis, Indonesia, Peru, Romania, South Africa. Bulletin of the World Health Organization, 2018, 96, 738-749. | 1.5 | 19 |
| 171 | Expression and production of the SERPING1-encoded endogenous complement regulator C1-inhibitor in multiple cohorts of tuberculosis patients. Molecular Immunology, 2020, 120, 187-195. | 1.0 | 19 |
| 172 | T cell-tropic HIV efficiently infects alveolar macrophages through contact with infected CD4+ T cells. Scientific Reports, 2021, 11, 3890. | 1.6 | 19 |
| 173 | A Subgroup of LatentlyMycobacterium tuberculosisInfected Individuals Is Characterized by Consistently Elevated IgA Responses to Several Mycobacterial Antigens. Mediators of Inflammation, 2015, 2015, 1-10. | 1.4 | 18 |
| 174 | Caveolin-1 Controls Vesicular TLR2 Expression, p38 Signaling and T Cell Suppression in BCG Infected Murine Monocytic Myeloid-Derived Suppressor Cells. Frontiers in Immunology, 2019, 10, 2826. | 2.2 | 18 |
| 175 | Immune Profiling Enables Stratification of Patients With Active Tuberculosis Disease or <i>Mycobacteriu m tuberculosis</i> Infection. Clinical Infectious Diseases, 2021, 73, e3398-e3408. | 2.9 | 18 |
| 176 | Myeloid-Derived Suppressor Cells as Target of Phosphodiesterase-5 Inhibitors in Host-Directed Therapeutics for Tuberculosis. Frontiers in Immunology, 2020, 11, 451. | 2.2 | 18 |
| 177 | Recall of intestinal helminthiasis by HIV-infected South Africans and avoidance of possible misinterpretation of egg excretion in worm/HIV co-infection analyses. BMC Infectious Diseases, 2006, 6, 88. | 1.3 | 17 |
| 178 | Time-Dependent Changes in Urinary Metabolome Before and After Intensive Phase Tuberculosis Therapy: A Pharmacometabolomics Study. OMICS A Journal of Integrative Biology, 2019, 23, 560-572. | 1.0 | 17 |
| 179 | Mycobacterium tuberculosis and myeloid-derived suppressor cells: Insights into caveolin rich lipid rafts. EBioMedicine, 2020, 53, 102670. | 2.7 | 17 |
| 180 | Bifunctional T-Cell-Derived Cytokines for the Diagnosis of Tuberculosis and Treatment Monitoring. Respiration, 2014, 88, 251-261. | 1.2 | 16 |

| # | Article | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 181 | B cells as multi-functional players during Mycobacterium tuberculosis infection and disease. Tuberculosis, 2016, 97, 118-125. | 0.8 | 16 |
| 182 | Bâ€cells with a FasL expressing regulatory phenotype are induced following successful antiâ€ŧuberculosis treatment. Immunity, Inflammation and Disease, 2017, 5, 57-67. | 1.3 | 16 |
| 183 | Predicting tuberculosis treatment outcome using metabolomics. Biomarkers in Medicine, 2017, 11, 1057-1067. | 0.6 | 16 |
| 184 | A semi-automatic technique to quantify complex tuberculous lung lesions on 18F-fluorodeoxyglucose positron emission tomography/computerised tomography images. EJNMMI Research, 2018, 8, 55. | 1.1 | 16 |
| 185 | Diabetes screen during tuberculosis contact investigations highlights opportunity for new diabetes diagnosis and reveals metabolic differences between ethnic groups. Tuberculosis, 2018, 113, 10-18. | 0.8 | 16 |
| 186 | Host urine immunological biomarkers as potential candidates for the diagnosis of tuberculosis. International Journal of Infectious Diseases, 2020, 99, 473-481. | 1.5 | 16 |
| 187 | Radiological and functional evidence of the bronchial spread of tuberculosis: an observational analysis. Lancet Microbe, The, 2021, 2, e518-e526. | 3.4 | 16 |
| 188 | Disease characteristics and treatment of patients with diabetes mellitus attending government health services in Indonesia, Peru, Romania and South Africa. Tropical Medicine and International Health, 2018, 23, 1118-1128. | 1.0 | 15 |
| 189 | Longitudinal Dynamics of a Blood Transcriptomic Signature of Tuberculosis. American Journal of Respiratory and Critical Care Medicine, 2021, 204, 1463-1472. | 2.5 | 15 |
| 190 | Prospective multicentre head-to-head validation of host blood transcriptomic biomarkers for pulmonary tuberculosis by real-time PCR. Communications Medicine, 2022, 2, . | 1.9 | 15 |
| 191 | Mycobacterium bovis BCG infection severely delays Trichuris muris expulsion and co-infection suppresses immune responsiveness to both pathogens. BMC Microbiology, 2014, 14, 9. | 1.3 | 13 |
| 192 | The Effect of Deworming on Tests of Tuberculosis Infection in Children With Recent Tuberculosis Exposure. Pediatric Infectious Disease Journal, 2016, 35, 622-627. | 1.1 | 13 |
| 193 | Monocytic myeloid-derived suppressor cells reflect tuberculosis severity and are influenced by cyclooxygenase-2 inhibitors. Journal of Leukocyte Biology, 2021, 110, 177-186. | 1.5 | 13 |
| 194 | Helminth-M. Tb Co-Infection. Advances in Experimental Medicine and Biology, 2014, 828, 49-74. | 0.8 | 13 |
| 195 | Development of a diagnostic gene expression assay for tuberculosis and its use under field conditions in African buffaloes (Syncerus caffer). Veterinary Immunology and Immunopathology, 2012, 148, 337-342. | 0.5 | 12 |
| 196 | Diagnostic Accuracy of Early Secretory Antigenic Target-6–Free Interferon-gamma Release Assay Compared to QuantiFERON-TB Gold In-tube. Clinical Infectious Diseases, 2019, 69, 1724-1730. | 2.9 | 12 |
| 197 | Visualizing the dynamics of tuberculosis pathology using molecular imaging. Journal of Clinical Investigation, 2021, 131, . | 3.9 | 12 |
| 198 | Plasma Level of IL-4 Differs in Patients Infected with Different Modern Lineages of <i>M. tuberculosis</i> . Journal of Tropical Medicine, 2012, 2012, 1-6. | 0.6 | 11 |

| # | Article | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 199 | Serum cytokine levels associated with myocardial injury in systemic lupus erythematosus. Rheumatology, 2021, 60, 2010-2021. | 0.9 | 11 |
| 200 | Targeting of myeloid-derived suppressor cells by all-trans retinoic acid as host-directed therapy for human tuberculosis. Cellular Immunology, 2021, 364, 104359. | 1.4 | 11 |
| 201 | TB Epidemiology and Human Genetics. Novartis Foundation Symposium, 0, , 17-41. | 1.2 | 11 |
| 202 | TB: a partnership for the benefit of research and community. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2005, 99, 15-19. | 0.7 | 10 |
| 203 | High levels of intracellular IL-4 are expressed in circulating apoptotic T cells in patients with tuberculosis and in community controls. Tuberculosis, 2008, 88, 21-30. | 0.8 | 9 |
| 204 | QuantiFERON-TB performance enhanced by novel Mycobacterium tuberculosis-specific antigens. European Respiratory Journal, 2016, 47, 660-664. | 3.1 | 9 |
| 205 | Elucidation of a Human Urine Metabolite as a Seryl-Leucine Glycopeptide and as a Biomarker of Effective Anti-Tuberculosis Therapy. ACS Infectious Diseases, 2019, 5, 353-364. | 1.8 | 9 |
| 206 | Proliferative capacity and cytokine production by cells of HIV-infected and uninfected adults with different helminth infection phenotypes in South Africa. BMC Infectious Diseases, 2014, 14, 499. | 1.3 | 8 |
| 207 | Candidate Biomarkers to Distinguish Spinal Tuberculosis From Mechanical Back Pain in a Tuberculosis Endemic Setting. Frontiers in Immunology, 2021, 12, 768040. | 2.2 | 8 |
| 208 | Changes in Host Immune–Endocrine Relationships during Tuberculosis Treatment in Patients with Cured and Failed Treatment Outcomes. Frontiers in Immunology, 2017, 8, 690. | 2.2 | 7 |
| 209 | Inflammatory Determinants of Differential Tuberculosis Risk in Pre-Adolescent Children and Young Adults. Frontiers in Immunology, 2021, 12, 639965. | 2.2 | 7 |
| 210 | Evaluation of autophagy mediators in myeloid-derived suppressor cells during human tuberculosis. Cellular Immunology, 2021, 369, 104426. | 1.4 | 7 |
| 211 | The potential of imaging tools as correlates of infection and disease for new TB vaccine development. Seminars in Immunology, 2018, 39, 73-80. | 2.7 | 7 |
| 212 | Clinical predictors of pulmonary tuberculosis among South African adults with HIV. EClinicalMedicine, 2022, 45, 101328. | 3.2 | 7 |
| 213 | Sputum lipoarabinomannan (LAM) as a biomarker to determine sputum mycobacterial load: exploratory and model-based analyses of integrated data from four cohorts. BMC Infectious Diseases, 2022, 22, 327. | 1.3 | 7 |
| 214 | The level of the endoplasmic reticulum stress chaperone protein, binding immunoglobulin protein (BiP), decreases following successful tuberculosis treatment. International Journal of Infectious Diseases, 2019, 81, 198-202. | 1.5 | 6 |
| 215 | The Peripheral Blood Transcriptome Is Correlated With PET Measures of Lung Inflammation During Successful Tuberculosis Treatment. Frontiers in Immunology, 2020, 11, 596173. | 2.2 | 6 |
| 216 | Dysregulation of the Immune Environment in the Airways During HIV Infection. Frontiers in Immunology, 2021, 12, 707355. | 2.2 | 6 |

| # | Article | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 217 | Concurrent evaluation of cytokines improves the accuracy of antibodies against Mycobacterium tuberculosis antigens in the diagnosis of active tuberculosis. Tuberculosis, 2022, 133, 102169. | 0.8 | 6 |
| 218 | Screening diabetes mellitus patients for pulmonary tuberculosis: a multisite study in Indonesia, Peru, Romania and South Africa. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2021, 115, 634-643. | 0.7 | 5 |
| 219 | Identification of novel salivary candidate protein biomarkers for tuberculosis diagnosis: A preliminary biomarker discovery study. Tuberculosis, 2021, 130, 102118. | 0.8 | 5 |
| 220 | Transcriptional profiles predict treatment outcome in patients with tuberculosis and diabetes at diagnosis and at two weeks after initiation of anti-tuberculosis treatment. EBioMedicine, 2022, 82, 104173. | 2.7 | 5 |
| 221 | Evaluation of Potential Antigen-specific Host Biomarkers in QuantiFERON Supernatants as Candidates for the Diagnosis of Ocular Tuberculosis. Ocular Immunology and Inflammation, 2021, 29, 1480-1488. | 1.0 | 4 |
| 222 | Identification of Potential Biomarkers in Peripheral Blood Supernatants of South African Patients with Syphilitic and Herpetic Uveitis. Ocular Immunology and Inflammation, 2021, 29, 299-307. | 1.0 | 4 |
| 223 | Serum and cerebrospinal fluid host proteins indicate stroke in children with tuberculous meningitis. PLoS ONE, 2021, 16, e0250944. | 1.1 | 4 |
| 224 | Chronological Metabolic Response to Intensive Phase TB Therapy in Patients with Cured and Failed Treatment Outcomes. ACS Infectious Diseases, 2021, 7, 1859-1869. | 1.8 | 4 |
| 225 | Mycobacterium tuberculosis-stimulated whole blood culture to detect host biosignatures for tuberculosis treatment response. Tuberculosis, 2021, 128, 102082. | 0.8 | 4 |
| 226 | CCL1 and IL-2Ra differentiate Tuberculosis disease from latent infection Irrespective of HIV infection in low TB burden countries. Journal of Infection, 2021, 83, 433-443. | 1.7 | 4 |
| 227 | Targeted Gene Expression Profiling of Human Myeloid Cells From Blood and Lung Compartments of Patients With Tuberculosis and Other Lung Diseases. Frontiers in Immunology, 2022, 13, 839747. | 2.2 | 4 |
| 228 | Immunometabolism of Myeloid-Derived Suppressor Cells: Implications for Mycobacterium tuberculosis Infection and Insights from Tumor Biology. International Journal of Molecular Sciences, 2022, 23, 3512. | 1.8 | 3 |
| 229 | Evaluation of a transcriptomic signature of tuberculosis risk in combination with an interferon gamma release assay: A diagnostic test accuracy study. EClinicalMedicine, 2022, 47, 101396. | 3.2 | 3 |
| 230 | Biomarkers to predict FDG PET/CT activity after the standard duration of treatment for spinal tuberculosis: An exploratory study. Tuberculosis, 2021, 129, 102107. | 0.8 | 2 |
| 231 | The effect of host factors on discriminatory performance of a transcriptomic signature of tuberculosis risk. EBioMedicine, 2022, 77, 103886. | 2.7 | 2 |
| 232 | Evaluation of host biomarkers for monitoring treatment response in spinal tuberculosis: A 12-month cohort study. Cytokine, 2022, 157, 155944. | 1.4 | 2 |
| 233 | Reply to Davies et al Journal of Infectious Diseases, 2007, 196, 649-650. | 1.9 | 1 |
| 234 | Diagnostic Challenge of Tuberculosis Heterogeneity. Seminars in Respiratory and Critical Care Medicine, 2018, 39, 286-296. | 0.8 | 1 |

| # | Article | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 235 | Biosignatures: The answer to Tuberculosis diagnosis in children?. EBioMedicine, 2020, 60, 102977. | 2.7 | 1 |
| 236 | Has the bubble burst for transcriptomics in tuberculosis diagnosis?. Lancet Infectious Diseases, The, 2021, 21, 301-302. | 4.6 | 1 |
| 237 | Inhaled particulate matter affects immune responsiveness of human lung phagocytes to mycobacteria. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2021, 321, L566-L575. | 1.3 | 1 |
| 238 | Transmission Of Tuberculosis Among illicit drug use Linkages (TOTAL): A cross-sectional observational study protocol using respondent driven sampling. PLoS ONE, 2022, 17, e0262440. | 1.1 | 1 |
| 239 | Validation of host cerebrospinal fluid protein biomarkers for early diagnosis of tuberculous meningitis in children: a replication and new biosignature discovery study. Biomarkers, 2022, 27, 549-561. | 0.9 | 1 |
| 240 | Localization of EccA3 at the growing pole in Mycobacterium smegmatis. BMC Microbiology, 2022, 22, 140. | 1.3 | 1 |
| 241 | POLICY-DRIVEN INTERVENTIONS: TUBERCULOSIS. BMJ Global Health, 2017, 2, A4.1-A4. | 2.0 | 0 |
| 242 | Re. Pediatric Infectious Disease Journal, 2017, 36, 241-242. | 1.1 | 0 |
| 243 | Antibody and Host Inflammatory Biomarker Combinations as Diagnostic Tools for TB Disease. American Journal of Clinical Pathology, 2018, 150, S126-S127. | 0.4 | 0 |
| 244 | Modulation of Immune Responses to Virus Infection in the Lung. , 2003, , . | | 0 |
| 245 | Cytokines in Pulmonary Tuberculosis. , 2011, , 123-137. | | 0 |
| 246 | Predicting TB treatment outcomes using baseline risk and treatment response markers: developing the PredictTB early treatment completion criteria. Gates Open Research, 0, 4, 157. | 2.0 | 0 |