

Harri Lipsanen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8371996/publications.pdf>

Version: 2024-02-01

403
papers

8,264
citations

61857

43
h-index

74018

75
g-index

408
all docs

408
docs citations

408
times ranked

9549
citing authors

#	ARTICLE	IF	CITATIONS
1	Nonlinear Optics with 2D Layered Materials. <i>Advanced Materials</i> , 2018, 30, e1705963.	11.1	485
2	Production and processing of graphene and related materials. <i>2D Materials</i> , 2020, 7, 022001.	2.0	333
3	Polarization and Thickness Dependent Absorption Properties of Black Phosphorus: New Saturable Absorber for Ultrafast Pulse Generation. <i>Scientific Reports</i> , 2015, 5, 15899.	1.6	268
4	Ultra-strong nonlinear optical processes and trigonal warping in MoS ₂ layers. <i>Nature Communications</i> , 2017, 8, 893.	5.8	177
5	Luminescence from excited states in strain-induced In _x Ga _{1-x} As quantum dots. <i>Physical Review B</i> , 1995, 51, 13868-13871.	1.1	174
6	Aluminum oxide from trimethylaluminum and water by atomic layer deposition: The temperature dependence of residual stress, elastic modulus, hardness and adhesion. <i>Thin Solid Films</i> , 2014, 552, 124-135.	0.8	155
7	Crystal-structure-dependent photoluminescence from InP nanowires. <i>Nanotechnology</i> , 2006, 17, 1580-1583.	1.3	152
8	A single-pixel wireless contact lens display. <i>Journal of Micromechanics and Microengineering</i> , 2011, 21, 125014.	1.5	121
9	Rapid visualization of grain boundaries in monolayer MoS ₂ by multiphoton microscopy. <i>Nature Communications</i> , 2017, 8, 15714.	5.8	120
10	Carrier relaxation dynamics in quantum dots: Scattering mechanisms and state-filling effects. <i>Physical Review B</i> , 1997, 55, 4473-4476.	1.1	119
11	Dispersion engineering of photonic crystal waveguides with ring-shaped holes. <i>Optics Express</i> , 2007, 15, 8323.	1.7	112
12	Properties of AlN grown by plasma enhanced atomic layer deposition. <i>Applied Surface Science</i> , 2011, 257, 7827-7830.	3.1	112
13	Ultra-high on-chip optical gain in erbium-based hybrid slot waveguides. <i>Nature Communications</i> , 2019, 10, 432.	5.8	100
14	Zeeman Effect in Parabolic Quantum Dots. <i>Physical Review Letters</i> , 1996, 77, 342-345.	2.9	99
15	Investigation of Second- and Third-Harmonic Generation in Few-Layer Gallium Selenide by Multiphoton Microscopy. <i>Scientific Reports</i> , 2015, 5, 10334.	1.6	98
16	A MoSe ₂ /WSe ₂ Heterojunction-Based Photodetector at Telecommunication Wavelengths. <i>Advanced Functional Materials</i> , 2018, 28, 1804388.	7.8	95
17	Selective growth of InGaAs on nanoscale InP islands. <i>Applied Physics Letters</i> , 1994, 65, 1662-1664.	1.5	93
18	Optical harmonic generation in monolayer group-VI transition metal dichalcogenides. <i>Physical Review B</i> , 2018, 98, .	1.1	92

#	ARTICLE	IF	CITATIONS
19	Catalyst-free growth of In(As)P nanowires on silicon. Applied Physics Letters, 2006, 89, 063119.	1.5	91
20	Tunable Graphene-GaSe Dual Heterojunction Device. Advanced Materials, 2016, 28, 1845-1852.	11.1	90
21	Strain-induced quantum dots by self-organized stressors. Applied Physics Letters, 1995, 66, 2364-2366.	1.5	88
22	Black phosphorus polycarbonate polymer composite for pulsed fibre lasers. Applied Materials Today, 2016, 4, 17-23.	2.3	87
23	Observation of defect complexes containing Ga vacancies in GaAsN. Applied Physics Letters, 2003, 82, 40-42.	1.5	84
24	High photoresponsivity and broadband photodetection with a band-engineered $WSe_2/SnSe_2$ heterostructure. Nanoscale, 2019, 11, 3240-3247.	2.8	84
25	Rapid Large-Area Multiphoton Microscopy for Characterization of Graphene. ACS Nano, 2013, 7, 8441-8446.	7.3	81
26	Direct observation of confined acoustic phonon polarization branches in free-standing semiconductor nanowires. Nature Communications, 2016, 7, 13400.	5.8	71
27	Self-organized InP islands on (100) GaAs by metalorganic vapor phase epitaxy. Applied Physics Letters, 1995, 67, 3768-3770.	1.5	70
28	High Quality GaAs Nanowires Grown on Glass Substrates. Nano Letters, 2012, 12, 1912-1918.	4.5	70
29	Rapid and Large-Area Characterization of Exfoliated Black Phosphorus Using Third-Harmonic Generation Microscopy. Journal of Physical Chemistry Letters, 2017, 8, 1343-1350.	2.1	68
30	Temperature dependence of carrier relaxation in strain-induced quantum dots. Physical Review B, 1998, 58, R15993-R15996.	1.1	66
31	Thermal and plasma enhanced atomic layer deposition of SiO ₂ using commercial silicon precursors. Thin Solid Films, 2014, 558, 93-98.	0.8	66
32	Second-Harmonic Generation Imaging of Semiconductor Nanowires with Focused Vector Beams. Nano Letters, 2015, 15, 1564-1569.	4.5	66
33	Self-organized InAs islands on (100) InP by metalorganic vapor-phase epitaxy. Surface Science, 1997, 376, 60-68.	0.8	65
34	Review Article: Recommended reading list of early publications on atomic layer deposition—Outcome of the “Virtual Project on the History of ALD”, Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2017, 35, .	0.9	65
35	Second and third harmonic generation in few-layer gallium telluride characterized by multiphoton microscopy. Applied Physics Letters, 2016, 108, .	1.5	58
36	Graphene-enhanced Raman imaging of TiO ₂ nanoparticles. Nanotechnology, 2012, 23, 465703.	1.3	56

#	ARTICLE	IF	CITATIONS
37	High nitrogen composition GaAsN by atmospheric pressure metalorganic vapor-phase epitaxy. <i>Journal of Crystal Growth</i> , 2000, 221, 456-460.	0.7	53
38	Nanowire network-based multifunctional all-optical logic gates. <i>Science Advances</i> , 2018, 4, eaar7954.	4.7	51
39	Superhydrophobic Antireflection Coating on Glass Using Grass-like Alumina and Fluoropolymer. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 49957-49962.	4.0	51
40	Noncovalent attachment of pyro-pheophorbidea to a carbon nanotube. <i>Chemical Communications</i> , 2007, , 519-521.	2.2	50
41	Solubility of Boron, Carbon, and Nitrogen in Transition Metals: Getting Insight into Trends from First-Principles Calculations. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 3263-3268.	2.1	50
42	Single-photon sources with quantum dots in III-V nanowires. <i>Nanophotonics</i> , 2019, 8, 747-769.	2.9	47
43	Photovoltaic properties of GaAsP core-shell nanowires on Si(001) substrate. <i>Nanotechnology</i> , 2012, 23, 265402.	1.3	45
44	Doping and carrier transport in Ga _{1-3x} In _{3x} N _x As _{1-x} alloys. <i>Physical Review B</i> , 2001, 64, .	1.1	43
45	Enhanced luminescence from catalyst-free grown InP nanowires. <i>Applied Physics Letters</i> , 2007, 90, 033101.	1.5	43
46	GaAs surface passivation by plasma-enhanced atomic-layer-deposited aluminum nitride. <i>Applied Surface Science</i> , 2010, 256, 7434-7437.	3.1	43
47	Crystal quality of two-dimensional gallium telluride and gallium selenide using Raman fingerprint. <i>AIP Advances</i> , 2017, 7, .	0.6	43
48	Synthesis of ZnO tetrapods for flexible and transparent UV sensors. <i>Nanotechnology</i> , 2012, 23, 095502.	1.3	40
49	Control of the morphology of InGaN/GaN quantum wells grown by metalorganic chemical vapor deposition. <i>Journal of Crystal Growth</i> , 2007, 300, 324-329.	0.7	38
50	Mechanistic investigation of ZnO nanowire growth. <i>Applied Physics Letters</i> , 2009, 95, 183114.	1.5	38
51	Aluminum oxide/titanium dioxide nanolaminates grown by atomic layer deposition: Growth and mechanical properties. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2017, 35, .	0.9	38
52	Effect of substrate orientation on the catalyst-free growth of InP nanowires. <i>Nanotechnology</i> , 2007, 18, 155301.	1.3	37
53	Self-Assembled Porphyrins on Modified Zinc Oxide Nanorods: Development of Model Systems for Inorganic/Organic Semiconductor Interface Studies. <i>Journal of Physical Chemistry C</i> , 2012, 116, 2336-2343.	1.5	37
54	Synchrotron radiation x-ray topography and defect selective etching analysis of threading dislocations in GaN. <i>Journal of Applied Physics</i> , 2014, 116, 083504.	1.1	37

#	ARTICLE	IF	CITATIONS
55	Transformation of Self-Assembled InAs/InP Quantum Dots into Quantum Rings without Capping. Nano Letters, 2005, 5, 1541-1543.	4.5	36
56	Magneto-optical properties of strain-induced $\text{In}_x\text{Ga}_{1-x}\text{As}$ parabolic quantum dots. Physical Review B, 1998, 57, 9763-9769.	1.1	35
57	Capillary-driven self-assembly of microchips on oleophilic/oleophobic patterned surface using adhesive droplet in ambient air. Applied Physics Letters, 2011, 99, 034104.	1.5	34
58	Graphene actively Q-switched lasers. 2D Materials, 2017, 4, 025095.	2.0	34
59	Effects of few-particle interaction on the atomic-like levels of a single strain-induced quantum dot. Physical Review B, 2000, 62, 1592-1595.	1.1	33
60	Electrical measurement of internal quantum efficiency and extraction efficiency of III-N light-emitting diodes. Applied Physics Letters, 2012, 101, .	1.5	33
61	Enhanced optical properties of in situ passivated near-surface $\text{Al}_x\text{Ga}_{1-x}\text{As}/\text{GaAs}$ quantum wells. Applied Physics Letters, 1996, 68, 2216-2218.	1.5	32
62	Photo-thermal chemical vapor deposition of graphene on copper. Carbon, 2013, 62, 43-50.	5.4	32
63	Influence of plasma chemistry on impurity incorporation in AlN prepared by plasma enhanced atomic layer deposition. Journal Physics D: Applied Physics, 2013, 46, 505502.	1.3	32
64	Corrosion protection of steel with multilayer coatings: Improving the sealing properties of physical vapor deposition CrN coatings with $\text{Al}_2\text{O}_3/\text{TiO}_2$ atomic layer deposition nanolaminates. Thin Solid Films, 2017, 627, 59-68.	0.8	32
65	Strong surface passivation of GaAs nanowires with ultrathin InP and GaP capping layers. Applied Physics Letters, 2014, 105, .	1.5	31
66	Review of fabrication methods of large-area transparent graphene electrodes for industry. Frontiers of Optoelectronics, 2020, 13, 91-113.	1.9	31
67	Interference effects in photoreflectance of epitaxial layers grown on semi-insulating substrates. Applied Physics Letters, 1993, 63, 2863-2865.	1.5	30
68	Growth of GaInAsSb using tertiarybutylarsine as arsenic source. Journal of Crystal Growth, 1994, 145, 492-497.	0.7	30
69	A physics-based model of gate-tunable metal-graphene contact resistance benchmarked against experimental data. 2D Materials, 2015, 2, 025006.	2.0	30
70	Young's Modulus of Wurtzite and Zinc Blende InP Nanowires. Nano Letters, 2017, 17, 3441-3446.	4.5	30
71	Trends in Carbon, Oxygen, and Nitrogen Core in the X-ray Absorption Spectroscopy of Carbon Nanomaterials: A Guide for the Perplexed. Journal of Physical Chemistry C, 2021, 125, 973-988.	1.5	30
72	Pauli-blocking imaging of single strain-induced semiconductor quantum dots. Applied Physics Letters, 1999, 74, 3200-3202.	1.5	29

#	ARTICLE	IF	CITATIONS
73	Protective capping and surface passivation of III-V nanowires by atomic layer deposition. AIP Advances, 2016, 6, .	0.6	29
74	Direct transfer of wafer-scale graphene films. 2D Materials, 2017, 4, 035004.	2.0	29
75	Demonstration of longitudinally polarized optical needles. Optics Express, 2018, 26, 27572.	1.7	29
76	Low Temperature Growth GaAs on Ge. Japanese Journal of Applied Physics, 2005, 44, 7777-7784.	0.8	28
77	X-ray reflectivity characterization of atomic layer deposition Al ₂ O ₃ /TiO ₂ nanolaminates with ultrathin bilayers. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2014, 32, .	0.9	28
78	Properties, applications and fabrication of photonic crystals with ring-shaped holes in silicon-on-insulator. Photonics and Nanostructures - Fundamentals and Applications, 2008, 6, 42-46.	1.0	27
79	Thermal conductivity of amorphous Al ₂ O ₃ /TiO ₂ nanolaminates deposited by atomic layer deposition. Nanotechnology, 2016, 27, 445704.	1.3	27
80	Atomic Layer Engineering of Er-Ion Distribution in Highly Doped Er:Al ₂ O ₃ for Photoluminescence Enhancement. ACS Photonics, 2016, 3, 2040-2048.	3.2	27
81	High performance complementary WS ₂ devices with hybrid Gr/Ni contacts. Nanoscale, 2020, 12, 21280-21290.	2.8	27
82	GaN quantum well structures for 1.55 μ m emission on GaAs by atmospheric pressure metalorganic vapor phase epitaxy. Journal of Crystal Growth, 2002, 234, 631-636.	0.7	26
83	Impurity breakdown and terahertz luminescence in n-GaN epilayers under external electric field. Journal of Applied Physics, 2009, 106, 123523.	1.1	26
84	Nonlinear microscopy using cylindrical vector beams: Applications to three-dimensional imaging of nanostructures. Optics Express, 2017, 25, 12463.	1.7	26
85	High-speed InGaAsP/InP multiple-quantum-well laser. IEEE Photonics Technology Letters, 1992, 4, 673-675.	1.3	25
86	Room-temperature observation of impurity states in bulk GaAs by photoreflectance. Journal of Applied Physics, 1989, 65, 2556-2557.	1.1	24
87	Slow light propagation in photonic crystal waveguides with ring-shaped holes. Journal of Optics, 2007, 9, S415-S418.	1.5	24
88	Enhanced electroluminescence in 405nm InGaN/GaN LEDs by optimized electron blocking layer. Journal of Crystal Growth, 2008, 310, 5154-5157.	0.7	24
89	Surface-tension driven self-assembly of microchips on hydrophobic receptor sites with water using forced wetting. Applied Physics Letters, 2012, 101, 114105.	1.5	24
90	Impact of ALD grown passivation layers on silicon nitride based integrated optic devices for very-near-infrared wavelengths. Optics Express, 2014, 22, 5684.	1.7	24

#	ARTICLE	IF	CITATIONS
91	Direct Growth of Light-Emitting III-V Nanowires on Flexible Plastic Substrates. ACS Nano, 2020, 14, 7484-7491.	7.3	24
92	Passivation of GaAs surface by ultrathin epitaxial GaN layer. Journal of Crystal Growth, 2004, 272, 621-626.	0.7	23
93	Effect of growth conditions on electrical properties of Mg-doped p-GaN. Journal of Crystal Growth, 2007, 298, 811-814.	0.7	23
94	The effect of InGaN/GaN MQW hydrogen treatment and threading dislocation optimization on GaN LED efficiency. Journal of Crystal Growth, 2007, 298, 740-743.	0.7	23
95	Aluminum-Induced Photoluminescence Red Shifts in Core-Shell GaAs/Al _x Ga _{1-x} As Nanowires. Nano Letters, 2013, 13, 3581-3588.	4.5	23
96	Tailorable second-harmonic generation from an individual nanowire using spatially phase-shaped beams. Laser and Photonics Reviews, 2017, 11, 1600175.	4.4	23
97	Photoresponse of Graphene-Gated Graphene-GaSe Heterojunction Devices. ACS Applied Nano Materials, 2018, 1, 3895-3902.	2.4	23
98	Enhanced Tunneling in a Hybrid of Single-Walled Carbon Nanotubes and Graphene. ACS Nano, 2019, 13, 11522-11529.	7.3	23
99	Morphology optimization of MOCVD-grown GaN nucleation layers by the multistep technique. Journal of Crystal Growth, 2006, 292, 26-32.	0.7	22
100	Metal Contacts on InN: Proposal for Schottky Contact. Japanese Journal of Applied Physics, 2006, 45, 36-39.	0.8	22
101	High-quality crystallinity controlled ALD TiO ₂ for waveguiding applications. Optics Letters, 2013, 38, 3980.	1.7	22
102	Structural and chemical analysis of annealed plasma-enhanced atomic layer deposition aluminum nitride films. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2016, 34, .	0.9	22
103	Experimental investigation towards a periodically pumped single-photon source. Physical Review B, 2006, 74, .	1.1	21
104	Generation of terahertz radiation in ordered arrays of GaAs nanowires. Applied Physics Letters, 2015, 106, .	1.5	21
105	Growth of high-quality GaSb by metalorganic vapor phase epitaxy. Journal of Electronic Materials, 1995, 24, 1691-1696.	1.0	20
106	Atomic layer deposition of ytterbium oxide using β -diketonate and ozone precursors. Applied Surface Science, 2009, 256, 847-851.	3.1	20
107	High-k GaAs metal insulator semiconductor capacitors passivated by ex-situ plasma-enhanced atomic layer deposited AlN for Fermi-level unpinning. Applied Physics Letters, 2012, 100, .	1.5	20
108	Large-area analysis of dislocations in ammonothermal GaN by synchrotron radiation X-ray topography. Applied Physics Express, 2014, 7, 091003.	1.1	20

#	ARTICLE	IF	CITATIONS
109	Erbium-doped hybrid waveguide amplifiers with net optical gain on a fully industrial 300 mm silicon nitride photonic platform. <i>Optics Express</i> , 2020, 28, 27919.	1.7	20
110	Ultra-Thin Silicon Nitride X-Ray Windows. <i>IEEE Transactions on Nuclear Science</i> , 2013, 60, 1311-1314.	1.2	19
111	Effect of growth temperature on the epitaxial growth of ZnO on GaN by ALD. <i>Journal of Crystal Growth</i> , 2014, 398, 18-22.	0.7	19
112	Atomic layer deposition of AlN from AlCl ₃ using NH ₃ and Ar/NH ₃ plasma. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2018, 36, .	0.9	19
113	Electron-Hole Correlation in Quantum Dots under a High Magnetic Field (up to 45 T). <i>Physical Review Letters</i> , 1999, 83, 4832-4835.	2.9	18
114	Self-assembled GaIn(N)As quantum dots: Enhanced luminescence at 1.3 μm. <i>Applied Physics Letters</i> , 2001, 79, 3932-3934.	1.5	18
115	Multistep method for threading dislocation density reduction in MOCVD grown GaN epilayers. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2006, 203, R76-R78.	0.8	18
116	Passivation of GaAs surface by atomic-layer-deposited titanium nitride. <i>Applied Surface Science</i> , 2008, 254, 5385-5389.	3.1	18
117	Surface-Tension-Driven Self-Alignment of Microchips on Black-Silicon-Based Hybrid Template in Ambient Air. <i>Journal of Microelectromechanical Systems</i> , 2013, 22, 739-746.	1.7	18
118	Effect of Surface Wear on Corrosion Protection of Steel by CrN Coatings Sealed with Atomic Layer Deposition. <i>ACS Omega</i> , 2018, 3, 1791-1800.	1.6	18
119	InAs-Nanowire-Based Broadband Ultrafast Optical Switch. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 4429-4436.	2.1	18
120	Applied electromagnetic optics simulations for nanophotonics. <i>Journal of Applied Physics</i> , 2021, 129, .	1.1	18
121	Photoreflectance study of photovoltage effects in GaAs diode structures. <i>Applied Physics Letters</i> , 1992, 60, 2110-2112.	1.5	17
122	Metalorganic vapor phase epitaxial growth of AlGaSb and AlGaAsSb using all-organometallic sources. <i>Journal of Crystal Growth</i> , 1996, 169, 417-423.	0.7	17
123	Red luminescence from strain-induced GaInP quantum dots. <i>Applied Physics Letters</i> , 1996, 69, 3393-3395.	1.5	17
124	Mechanical nanomanipulation of single strain-induced semiconductor quantum dots. <i>Applied Physics Letters</i> , 1999, 75, 358-360.	1.5	17
125	Low-height sharp edged patterns for capillary self-alignment assisted hybrid microassembly. <i>Journal of Micro-Bio Robotics</i> , 2014, 9, 1-10.	2.1	17
126	Aluminum Nitride Transition Layer for Power Electronics Applications Grown by Plasma-Enhanced Atomic Layer Deposition. <i>Materials</i> , 2019, 12, 406.	1.3	17

#	ARTICLE	IF	CITATIONS
127	Mechanical and optical properties of as-grown and thermally annealed titanium dioxide from titanium tetrachloride and water by atomic layer deposition. <i>Thin Solid Films</i> , 2021, 732, 138758.	0.8	17
128	Single-step chemical vapour deposition of anti-pyramid MoS ₂ /WS ₂ vertical heterostructures. <i>Nanoscale</i> , 2021, 13, 4537-4542.	2.8	17
129	Genetic algorithm using independent component analysis in x-ray reflectivity curve fitting of periodic layer structures. <i>Journal Physics D: Applied Physics</i> , 2007, 40, 6000-6004.	1.3	16
130	Nonlinear fitness "space" structure adaptation and principal component analysis in genetic algorithms: an application to x-ray reflectivity analysis. <i>Journal Physics D: Applied Physics</i> , 2007, 40, 215-218.	1.3	16
131	Nanowire encapsulation with polymer for electrical isolation and enhanced optical properties. <i>Nano Research</i> , 2017, 10, 2657-2666.	5.8	16
132	Influence of plasma parameters on the properties of ultrathin Al ₂ O ₃ films prepared by plasma enhanced atomic layer deposition below 100 Å°C for moisture barrier applications. <i>Japanese Journal of Applied Physics</i> , 2018, 57, 125502.	0.8	16
133	Fabrication and photoluminescence of quantum dots induced by strain of self-organized stressors. <i>Solid-State Electronics</i> , 1996, 40, 601-604.	0.8	15
134	Void shape control in GaN re-grown on hexagonally patterned mask-less GaN. <i>Journal of Crystal Growth</i> , 2011, 315, 188-191.	0.7	15
135	Improved SERS Intensity from Silver-Coated Black Silicon by Tuning Surface Plasmons. <i>Advanced Materials Interfaces</i> , 2014, 1, 1300008.	1.9	15
136	Performance and Properties of Ultra-Thin Silicon Nitride X-ray Windows. <i>IEEE Transactions on Nuclear Science</i> , 2014, 61, 695-699.	1.2	15
137	Scaling of graphene field-effect transistors supported on hexagonal boron nitride: radio-frequency stability as a limiting factor. <i>Nanotechnology</i> , 2017, 28, 485203.	1.3	15
138	Ultrafast Relaxation Dynamics in Strain-Induced Quantum Dots. <i>Physica Status Solidi (B): Basic Research</i> , 1997, 204, 251-254.	0.7	14
139	Synchrotron X-ray topography study of defects in indium antimonide P-I-N structures grown by metal organic vapour phase epitaxy. <i>Journal of Materials Science: Materials in Electronics</i> , 2005, 16, 449-453.	1.1	14
140	Analysis of threading dislocations in void shape controlled GaN re-grown on hexagonally patterned mask-less GaN. <i>Journal of Crystal Growth</i> , 2012, 344, 59-64.	0.7	14
141	Broadband laser polarization control with aligned carbon nanotubes. <i>Nanoscale</i> , 2015, 7, 11199-11205.	2.8	14
142	All-Graphene Three-Terminal-Junction Field-Effect Devices as Rectifiers and Inverters. <i>ACS Nano</i> , 2015, 9, 5666-5674.	7.3	14
143	Slot waveguide ring resonators coated by an atomic layer deposited organic/inorganic nanolaminate. <i>Optics Express</i> , 2015, 23, 26940.	1.7	14
144	Spontaneous and stimulated emission in InAsSb-based LED heterostructures. <i>Infrared Physics and Technology</i> , 2017, 85, 246-250.	1.3	14

#	ARTICLE	IF	CITATIONS
145	All-parylene flexible wafer-scale graphene thin film transistor. <i>Applied Surface Science</i> , 2021, 551, 149410.	3.1	14
146	Multilayer MoTe ₂ Field-Effect Transistor at High Temperatures. <i>Advanced Materials Interfaces</i> , 2021, 8, 2100950.	1.9	14
147	MOVPE growth and characterization of InAlGaN films and InGaN/InAlGaN MQW structures. <i>Journal of Crystal Growth</i> , 2008, 310, 1777-1780.	0.7	13
148	InGaN-based 405 nm near-ultraviolet light emitting diodes on pillar patterned sapphire substrates. <i>CrystEngComm</i> , 2010, 12, 3152.	1.3	13
149	Growth temperature dependence of the electrical and structural properties of epitaxial graphene on SiC(0001). <i>Physica Status Solidi (B): Basic Research</i> , 2011, 248, 1908-1914.	0.7	13
150	Nonlinear behavior of three-terminal graphene junctions at room temperature. <i>Nanotechnology</i> , 2012, 23, 115201.	1.3	13
151	Ferromagnetic (Ga,Mn)As nanowires grown by Mn-assisted molecular beam epitaxy. <i>Journal of Applied Physics</i> , 2013, 113, .	1.1	13
152	Defect structure of a free standing GaN wafer grown by the ammonothermal method. <i>Journal of Crystal Growth</i> , 2014, 406, 72-77.	0.7	13
153	Wafer-scale self-organized InP nanopillars with controlled orientation for photovoltaic devices. <i>Nanotechnology</i> , 2015, 26, 415304.	1.3	13
154	Nanotribological, nanomechanical and interfacial characterization of atomic layer deposited TiO ₂ on a silicon substrate. <i>Wear</i> , 2015, 342-343, 270-278.	1.5	13
155	Comparison of absorption simulation in semiconductor nanowire and nanocone arrays with the Fourier modal method, the finite element method, and the finite-difference time-domain method. <i>Nano Express</i> , 2020, 1, 030034.	1.2	13
156	Comparison of epitaxial thin layer GaN and InP passivations on InGaAs ⁺ GaAs near-surface quantum wells. <i>Applied Physics Letters</i> , 2006, 88, 221112.	1.5	12
157	Fitness function and nonunique solutions in x-ray reflectivity curve fitting: crosserror between surface roughness and mass density. <i>Journal Physics D: Applied Physics</i> , 2007, 40, 4259-4263.	1.3	12
158	Plasma etch characteristics of aluminum nitride mask layers grown by low-temperature plasma enhanced atomic layer deposition in SF ₆ based plasmas. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2012, 30, .	0.9	12
159	Stress distribution of GaN layer grown on micro-pillar patterned GaN templates. <i>Applied Physics Letters</i> , 2013, 103, .	1.5	12
160	Photo-induced electron transfer at nanostructured semiconductor-zinc porphyrin interface. <i>Chemical Physics Letters</i> , 2014, 592, 47-51.	1.2	12
161	Substitutionality of nitrogen atoms and formation of nitrogen complexes and point defects in GaPN alloys. <i>Journal Physics D: Applied Physics</i> , 2014, 47, 075106.	1.3	12
162	Pyrolytic carbon coated black silicon. <i>Scientific Reports</i> , 2016, 6, 25922.	1.6	12

#	ARTICLE	IF	CITATIONS
163	Active synchronization and modulation of fiber lasers with a graphene electro-optic modulator. Optics Letters, 2018, 43, 3497.	1.7	12
164	Identifying threading dislocation types in ammonothermally grown bulk GaN by confocal Raman 3-D imaging of volumetric stress distribution. Journal of Crystal Growth, 2018, 499, 47-54.	0.7	12
165	Structural and optical properties of GaInNAs/GaAs quantum structures. Journal of Physics Condensed Matter, 2004, 16, S3009-S3026.	0.7	11
166	GaAs Medipix2 hybrid pixel detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2008, 591, 174-177.	0.7	11
167	Influence of substrate temperature on the shape of GaAs nanowires grown by Au-assisted MOVPE. Journal of Crystal Growth, 2010, 312, 1676-1682.	0.7	11
168	Patterning of sapphire/GaN substrates. Physica Status Solidi C: Current Topics in Solid State Physics, 2011, 8, 1509-1512.	0.8	11
169	Growth and characterization of GaP layers on silicon substrates by metal-organic vapour phase epitaxy. Physica Status Solidi C: Current Topics in Solid State Physics, 2012, 9, 1607-1609.	0.8	11
170	Formation of (Ga,Mn)As nanowires and study of their magnetic properties. Semiconductors, 2012, 46, 179-183.	0.2	11
171	InAs nanowires on black silicon and low-temperature growth of self-catalyzed rectangular InAs NWs. Scientific Reports, 2018, 8, 6410.	1.6	11
172	Giant All-Optical Modulation of Second-Harmonic Generation Mediated by Dark Excitons. ACS Photonics, 2021, 8, 2320-2328.	3.2	11
173	Influence of surface passivation on electric properties of individual GaAs nanowires studied by current-voltage AFM measurements. Lithuanian Journal of Physics, 2016, 56, .	0.1	11
174	Misfit dislocations in GaAsN/GaAs interface. Journal of Materials Science: Materials in Electronics, 2003, 14, 267-270.	1.1	10
175	Catalyst-free fabrication of InP and InP(N) nanowires by metalorganic vapor phase epitaxy. Journal of Crystal Growth, 2007, 298, 640-643.	0.7	10
176	Self-assembled InAs island formation on GaAs (110) by metalorganic vapor phase epitaxy. Applied Surface Science, 2008, 254, 2072-2076.	3.1	10
177	Reduced photoluminescence from InGaN/GaN multiple quantum well structures following 40MeV iodine ion irradiation. Physica B: Condensed Matter, 2009, 404, 4925-4928.	1.3	10
178	Synchrotron topography and X-ray diffraction study of GaInP layers grown on GaAs/Ge. Journal of Crystal Growth, 2009, 311, 4619-4627.	0.7	10
179	Temperature Dependence of Current-Voltage Characteristics of $\text{Au}^{\delta}\text{Ga}_{0.51}\text{In}_{0.49}\text{P}$ Schottky Barrier Diodes. AIP Conference Proceedings, 2011, , .	0.3	10
180	Inhomogeneous Barrier Height Analysis of (Ni/Au)-InAlGaN/GaN Schottky Barrier Diode. Japanese Journal of Applied Physics, 2011, 50, 030201.	0.8	10

#	ARTICLE	IF	CITATIONS
181	Structural study of GaP layers on misoriented silicon (001) substrates by transverse scan analysis. Journal of Applied Physics, 2012, 111, .	1.1	10
182	Enhancement of near-UV GaN LED light extraction efficiency by GaN/sapphire template patterning. Semiconductor Science and Technology, 2012, 27, 082002.	1.0	10
183	Strain-compensated GaPN/GaP heterostructure on (001) silicon substrates for intermediate band solar cells. Journal Physics D: Applied Physics, 2013, 46, 165103.	1.3	10
184	Comparison of mechanical properties and composition of magnetron sputter and plasma enhanced atomic layer deposition aluminum nitride films. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2018, 36, .	0.9	10
185	Geometry Tailoring of Emission from Semiconductor Nanowires and Nanocones. Photonics, 2020, 7, 23.	0.9	10
186	Nonlinear optical absorption properties of InP nanowires and applications as a saturable absorber. Photonics Research, 2020, 8, 1035.	3.4	10
187	Probing Electronic States in Monolayer Semiconductors through Static and Transient Third-Harmonic Spectroscopies. Advanced Materials, 2022, 34, e2107104.	11.1	10
188	Tunable Quantum Tunneling through a Graphene/Bi ₂ Se ₃ Heterointerface for the Hybrid Photodetection Mechanism. ACS Applied Materials & Interfaces, 2021, 13, 58927-58935.	4.0	10
189	Carrier Relaxation in (GaIn)As Quantum Dots. Physica Status Solidi A, 1997, 164, 421-425.	1.7	9
190	Optical waveguides on polysilicon-on-insulator. Journal of Materials Science: Materials in Electronics, 2003, 14, 417-420.	1.1	9
191	Comparison of ammonia plasma and AlN passivation by plasma-enhanced atomic layer deposition. Journal of Applied Physics, 2012, 111, .	1.1	9
192	Fabrication of Dual-Type Nanowire Arrays on a Single Substrate. Nano Letters, 2015, 15, 1679-1683.	4.5	9
193	A technique for large-area position-controlled growth of GaAs nanowire arrays. Nanotechnology, 2016, 27, 135601.	1.3	9
194	I _V curve hysteresis induced by gate-free charging of GaAs nanowires' surface oxide. Applied Physics Letters, 2017, 111, 132104.	1.5	9
195	Thermal conductivity suppression in GaAs-AlAs core-shell nanowire arrays. Nanoscale, 2019, 11, 20507-20513.	2.8	9
196	Maskless selective growth of InGaAs/InP quantum wires on (100) GaAs. Applied Physics Letters, 1997, 70, 2828-2830.	1.5	8
197	Tailoring of Energy Levels in Strain-Induced Quantum Dots. Japanese Journal of Applied Physics, 1999, 38, 1081-1084.	0.8	8
198	InGaAs/InP Quantum Dots Induced by Self-Organized InAs Stressor-Islands. Japanese Journal of Applied Physics, 2005, 44, L518-L520.	0.8	8

#	ARTICLE	IF	CITATIONS
199	InAs pixel matrix detectors fabricated by diffusion of Zn in a metal-organic vapour-phase epitaxy reactor. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2006, 563, 24-26.	0.7	8
200	Novel method for error limit determination in x-ray reflectivity analysis. Journal Physics D: Applied Physics, 2008, 41, 115302.	1.3	8
201	Tunneling Explanation for the Temperature Dependence of Current–Voltage Characteristics of Pt/InN Schottky Barrier Diodes. Japanese Journal of Applied Physics, 2009, 48, 070201.	0.8	8
202	Improvements and problems of Bridgman–Stockbarger method for fabrication of TlBr single crystal detectors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 607, 126-128.	0.7	8
203	An investigation of structural properties of GaN films grown on patterned sapphire substrates by MOVPE. Physica B: Condensed Matter, 2009, 404, 4911-4915.	1.3	8
204	GaAs nanowires grown on Al-doped ZnO buffer layer. Journal of Applied Physics, 2013, 114, .	1.1	8
205	Processing and characterization of epitaxial GaAs radiation detectors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2015, 796, 51-55.	0.7	8
206	New Approach for Thickness Determination of Solution-Deposited Graphene Thin Films. ACS Omega, 2017, 2, 2630-2638.	1.6	8
207	Nonlinear Optics: Nonlinear Optics with 2D Layered Materials (Adv. Mater. 24(2018)). Advanced Materials, 2018, 30, 1870172.	11.1	8
208	Engineering the Dipole Orientation and Symmetry Breaking with Mixed-Dimensional Heterostructures. Advanced Science, 2022, 9, e2200082.	5.6	8
209	X-ray diffraction analysis of superlattices grown on misoriented substrates. Journal of Crystal Growth, 1991, 114, 569-572.	0.7	7
210	Recombination processes in strain-induced InGaAs quantum dots. Nuovo Cimento Della Societa Italiana Di Fisica D - Condensed Matter, Atomic, Molecular and Chemical Physics, Biophysics, 1995, 17, 1699-1703.	0.4	7
211	Strain-induced quantum dot superlattice. Physica E: Low-Dimensional Systems and Nanostructures, 1998, 2, 19-22.	1.3	7
212	Carrier capture processes in strain-induced $\text{In}_x\text{Ga}_{1-x}\text{As}/\text{GaAs}$ quantum dot structures. Physical Review B, 2000, 62, 13588-13594.	1.1	7
213	Wavelength extension of $\text{GaInAs}/\text{GaIn(N)As}$ quantum dot structures grown on GaAs. Journal of Crystal Growth, 2003, 248, 339-342.	0.7	7
214	Accuracy in x-ray reflectivity analysis. Journal Physics D: Applied Physics, 2007, 40, 7497-7501.	1.3	7
215	Cascaded exciton emission of an individual strain-induced quantum dot. Applied Physics Letters, 2009, 95, 083122.	1.5	7
216	Characterization of TlBr for X-ray and γ -ray detector applications. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 607, 129-131.	0.7	7

#	ARTICLE	IF	CITATIONS
217	Synchrotron radiation X-ray topography and X-ray diffraction of homoepitaxial GaN grown on ammonothermal GaN. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2012, 9, 1630-1632.	0.8	7
218	Highly tunable local gate controlled complementary graphene device performing as inverter and voltage controlled resistor. <i>Nanotechnology</i> , 2013, 24, 395202.	1.3	7
219	Detection of high-resolution Raman spectra in short oligonucleotides. <i>JETP Letters</i> , 2014, 99, 373-377.	0.4	7
220	Synthesis and properties of ultra-long InP nanowires on glass. <i>Nanotechnology</i> , 2016, 27, 505606.	1.3	7
221	Tribological properties of thin films made by atomic layer deposition sliding against silicon. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2018, 36, .	0.9	7
222	Transfer and patterning of chemical vapor deposited graphene by a multifunctional polymer film. <i>Applied Physics Letters</i> , 2018, 112, .	1.5	7
223	Low-Temperature Plasma-Enhanced Atomic Layer Deposition of SiO ₂ Using Carbon Dioxide. <i>Nanoscale Research Letters</i> , 2019, 14, 55.	3.1	7
224	GaAs surface passivation for InAs/GaAs quantum dot based nanophotonic devices. <i>Nanotechnology</i> , 2021, 32, 130001.	1.3	7
225	Synchrotron X-ray topographic study of strain in silicon wafers with integrated circuits. <i>Nuovo Cimento Della Societa Italiana Di Fisica D - Condensed Matter, Atomic, Molecular and Chemical Physics, Biophysics</i> , 1997, 19, 181-184.	0.4	6
226	Hydride vapour phase epitaxy for nanostructures. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 1998, 51, 238-241.	1.7	6
227	Effect Of Inp Passivation On Carrier Recombination in In _x Ga _{1-x} As/GaAs Surface Quantum Wells. <i>Japanese Journal of Applied Physics</i> , 1999, 38, 1133-1134.	0.8	6
228	Longitudinal Stark Effect in Parabolic Quantum Dots. <i>Japanese Journal of Applied Physics</i> , 2001, 40, 2002-2005.	0.8	6
229	Photoluminescence study of strain-induced GaInNAs/GaAs quantum dots. <i>Journal of Materials Science: Materials in Electronics</i> , 2003, 14, 357-360.	1.1	6
230	Modified self-assembly of InAs islands acting as stressors for strain-induced InGaAs(P)/InP quantum dots. <i>Nanotechnology</i> , 2005, 16, 1630-1635.	1.3	6
231	Nitrogen content of GaAsN quantum wells by in situ monitoring during MOVPE growth. <i>Journal of Crystal Growth</i> , 2006, 290, 345-349.	0.7	6
232	Characterization of photonic crystal waveguides using Fabry-Perot resonances. <i>Journal of Optics</i> , 2006, 8, S502-S506.	1.5	6
233	GaAs surface passivation by ultra-thin epitaxial GaP layer and surface As-P exchange. <i>Applied Surface Science</i> , 2007, 253, 6232-6235.	3.1	6
234	Growth and surface passivation of near-surface InGaAs quantum wells on GaAs (110). <i>Journal of Crystal Growth</i> , 2007, 309, 18-24.	0.7	6

#	ARTICLE	IF	CITATIONS
235	ATOMIC LAYER DEPOSITION HfO_2 FILM USED AS BUFFER LAYER OF THE $\text{Pt}/(\text{Bi}_{0.95}\text{Nd}_{0.05})(\text{Fe}_{0.95}\text{Mn}_{0.05})\text{O}_3/\text{HfO}_2/\text{Si}$ CAPACITORS FOR FeFET APPLICATION. <i>Journal of Advanced Dielectrics</i> , 2011, 01, 369-377.		
236	Nanolaminate structures fabricated by ALD for reducing propagation losses and enhancing the third-order optical nonlinearities. <i>Proceedings of SPIE</i> , 2014, , .	0.8	6
237	Measurement of Nanowire Optical Modes Using Cross-Polarization Microscopy. <i>Scientific Reports</i> , 2017, 7, 17790.	1.6	6
238	New method for MBE growth of GaAs nanowires on silicon using colloidal Au nanoparticles. <i>Nanotechnology</i> , 2018, 29, 045602.	1.3	6
239	Low-Power Continuous-Wave Second Harmonic Generation in Semiconductor Nanowires. <i>Laser and Photonics Reviews</i> , 2018, 12, 1800126.	4.4	6
240	Deterministic Modification of CVD Grown Monolayer MoS_2 with Optical Pulses. <i>Advanced Materials Interfaces</i> , 2021, 8, 2002119.	1.9	6
241	In(Ga)As quantum dots on Ge substrate. <i>Journal of Materials Science: Materials in Electronics</i> , 2003, 14, 349-352.	1.1	5
242	Morphology of ultra-thin cubic GaN layers on GaAs(1 0 0) grown by MOVPE with DMHy as nitrogen source. <i>Applied Surface Science</i> , 2004, 222, 286-292.	3.1	5
243	Tensile-strained GaAsN quantum dots on InP. <i>Applied Physics Letters</i> , 2007, 90, 172110.	1.5	5
244	Comparison of and as carrier gas in MOVPE growth of InGaAsN quantum wells. <i>Journal of Crystal Growth</i> , 2007, 298, 536-539.	0.7	5
245	Efficient light coupling into a photonic crystal waveguide with flatband slow mode. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2008, 6, 127-133.	1.0	5
246	Amorphous silicon optical waveguides and Bragg mirrors. , 2008, , .		5
247	Evaluation of critical thickness of GaP _{0.98} N _{0.02} layer on GaP substrate by synchrotron X-ray diffraction topography. <i>Thin Solid Films</i> , 2013, 534, 680-684.	0.8	5
248	Stress distribution in GaN nanopillars using confocal Raman mapping technique. <i>Applied Physics Letters</i> , 2014, 104, 151906.	1.5	5
249	Resonant features of the terahertz generation in semiconductor nanowires. <i>Semiconductors</i> , 2016, 50, 1561-1565.	0.2	5
250	Optical characterization of directly deposited graphene on a dielectric substrate. <i>Optics Express</i> , 2016, 24, 2965.	1.7	5
251	TEM study of defect structure of GaN epitaxial films grown on GaN/Al ₂ O ₃ substrates with buried column pattern. <i>Journal of Crystal Growth</i> , 2016, 445, 30-36.	0.7	5
252	Electroluminescence of InAs/InAs(Sb)/InAsSbP LED heterostructures in the temperature range 4.2–300 K. <i>Semiconductors</i> , 2017, 51, 239-244.	0.2	5

#	ARTICLE	IF	CITATIONS
253	Wide-band "black silicon"™ with atomic layer deposited NbN. <i>Nanotechnology</i> , 2018, 29, 335303.	1.3	5
254	Growth of GaAs nanowire-graphite nanoplatelet hybrid structures. <i>CrystEngComm</i> , 2019, 21, 6165-6172.	1.3	5
255	Ultrafast carrier dynamics and nonlinear optical response of InAsP nanowires. <i>Photonics Research</i> , 2021, 9, 1811.	3.4	5
256	Femtosecond Mode-Locked Yb:KYW Laser Based on InP Nanowire Saturable Absorber. <i>IEEE Photonics Technology Letters</i> , 2022, 34, 247-250.	1.3	5
257	Growth and Optical Properties of Strain-induced Quantum Dots. <i>Physica Scripta</i> , 1999, T79, 20.	1.2	4
258	Self-assembled In(Ga) As islands on Ge substrate. <i>Journal of Crystal Growth</i> , 2004, 272, 221-226.	0.7	4
259	Synchrotron X-ray topography study of defects in epitaxial GaAs on high-quality Ge. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2006, 563, 62-65.	0.7	4
260	Reduction of threading dislocation density in Al _{0.12} Ga _{0.88} N epilayers by a multistep technique. <i>Journal of Crystal Growth</i> , 2007, 298, 276-280.	0.7	4
261	In-situ optical reflectance and synchrotron X-ray topography study of defects in epitaxial dilute GaAsN on GaAs. <i>Journal of Materials Science: Materials in Electronics</i> , 2008, 19, 137-142.	1.1	4
262	Characterization of InGaN/GaN and AlGaN/GaN superlattices by X-ray diffraction and X-ray reflectivity measurements. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2010, 7, 1790-1793.	0.8	4
263	TlBr purification and single crystal growth for the detector applications. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011, 633, S72-S74.	0.7	4
264	MOCVD growth and characterization of near-surface InGaN/GaN single quantum wells for non-radiative coupling of optical excitations. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2012, 9, 1667-1669.	0.8	4
265	Effects of Zn doping on GaAs nanowires. , 2014, , .		4
266	Yield and leakage currents of large area lattice matched InP/InGaAs heterostructures. <i>Journal of Applied Physics</i> , 2014, 116, .	1.1	4
267	Exceptionally strong and robust millimeter-scale graphene-alumina composite membranes. <i>Nanotechnology</i> , 2014, 25, 355701.	1.3	4
268	Properties of atomic-layer-deposited ultra-thin AlN films on GaAs surfaces. <i>Applied Surface Science</i> , 2014, 314, 570-574.	3.1	4
269	Lifetimes of the Vibrational States of DNA Molecules in Functionalized Complexes of Semiconductor Quantum Dots. <i>Technical Physics Letters</i> , 2018, 44, 70-72.	0.2	4
270	Optical Properties of Bulk Gallium Oxide Grown from the Melt. <i>Reviews on Advanced Materials Science</i> , 2018, 57, 97-103.	1.4	4

#	ARTICLE	IF	CITATIONS
271	Hybrid GaAs nanowire-polymer device on glass: Al-doped ZnO (AZO) as transparent conductive oxide for nanowire based photovoltaic applications. <i>Journal of Crystal Growth</i> , 2020, 548, 125840.	0.7	4
272	Effect of crystal structure on the Young's modulus of GaP nanowires. <i>Nanotechnology</i> , 2021, 32, 385706.	1.3	4
273	Optical amplification by surface-plasmon-resonant Au grating substrates: Monolayer MoS ₂ with 170-fold second harmonic generation and 3-fold (off-resonance) Raman scattering. <i>Superlattices and Microstructures</i> , 2021, 160, 107077.	1.4	4
274	Enhanced terahertz emission from mushroom-shaped InAs nanowire network induced by linear and nonlinear optical effects. <i>Nanotechnology</i> , 2022, 33, 085207.	1.3	4
275	Direct GaAs Nanowire Growth and Monolithic Light-Emitting Diode Fabrication on Flexible Plastic Substrates. <i>Advanced Photonics Research</i> , 2022, 3, .	1.7	4
276	Inducing Strong Light-Matter Coupling and Optical Anisotropy in Monolayer MoS ₂ with High Refractive Index Nanowire. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 31140-31147.	4.0	4
277	Synchrotron section topographic study of defects in InP substrates and quaternary laser structures. <i>Journal of Crystal Growth</i> , 1989, 96, 881-887.	0.7	3
278	Photoluminescence of buried InGaAs grown on nanoscale InP islands by MOVPE. <i>Journal of Crystal Growth</i> , 1994, 145, 988-989.	0.7	3
279	Optical spectroscopy of bragg confined transitions in a superlattice with multiquantum barriers. <i>Solid State Communications</i> , 1995, 93, 525-528.	0.9	3
280	Fabrication of GaInAs quantum disks using self-organized InP islands as a mask in wet chemical etching. <i>Applied Physics Letters</i> , 1996, 69, 4029-4031.	1.5	3
281	Influence of Coulomb and Exchange Interaction on Quantum Dot Magnetoluminescence up to B = 45 T. <i>Physica Status Solidi A</i> , 2000, 178, 263-268.	1.7	3
282	Effect of post-growth laser treatment on optical properties of Ga(In)NAs quantum wells. <i>IEE Proceedings: Optoelectronics</i> , 2003, 150, 68.	0.8	3
283	GaN/GaAs(100) superlattices grown by metalorganic vapor phase epitaxy using dimethylhydrazine precursor. <i>Journal of Crystal Growth</i> , 2004, 270, 346-350.	0.7	3
284	Evolution of Self-Assembled InAs/InP Islands into Quantum Rings. <i>Japanese Journal of Applied Physics</i> , 2005, 44, L1323-L1325.	0.8	3
285	Ge/GaAs heterostructure matrix detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2006, 563, 17-20.	0.7	3
286	In situ determination of nitrogen content in InGaAsN quantum wells. <i>Journal of Applied Physics</i> , 2006, 100, 013509.	1.1	3
287	In situ determination of InGaAs and GaAsN composition in multiquantum-well structures. <i>Journal of Applied Physics</i> , 2007, 101, 033533.	1.1	3
288	Temperature Dependence Of Current-Voltage Characteristics Of Pt-InN Schottky Barrier Diodes. <i>AIP Conference Proceedings</i> , 2010, , .	0.3	3

#	ARTICLE	IF	CITATIONS
289	Emission of terahertz radiation from GaN under impact ionization of donors in an electric field. Bulletin of the Russian Academy of Sciences: Physics, 2010, 74, 86-88.	0.1	3
290	Building molecular surface gradients with electron beam lithography. Journal of Micromechanics and Microengineering, 2011, 21, 054025.	1.5	3
291	Characterization of InGaAs/GaNAs strain-compensated quantum dot solar cells. Physica Status Solidi C: Current Topics in Solid State Physics, 2012, 9, 972-974.	0.8	3
292	Temperature dependence of droop onset in optically pumped intrinsic InGaAs/InP heterostructures. Applied Physics Letters, 2013, 102, .	1.5	3
293	High-resolution Raman scattering in oligonucleotides. Physics of the Solid State, 2014, 56, 1273-1275.	0.2	3
294	High-resolution Raman scattering in oligonucleotides. Technical Physics Letters, 2014, 40, 340-342.	0.2	3
295	Observation of linear I-V curves on vertical GaAs nanowires with atomic force microscope. Journal of Physics: Conference Series, 2015, 661, 012031.	0.3	3
296	Optical limiting in solutions of InP and GaAs nanowires and hybrid systems based on such nanocrystals. Technical Physics Letters, 2015, 41, 120-123.	0.2	3
297	Growth and properties of self-catalyzed (In,Mn)As nanowires. Physica Status Solidi - Rapid Research Letters, 2016, 10, 554-557.	1.2	3
298	Direct measurement of elastic modulus of InP nanowires with Scanning Probe Microscopy in PeakForce QNM mode. Journal of Physics: Conference Series, 2016, 769, 012029.	0.3	3
299	Probing the longitudinal electric field of Bessel beams using second-harmonic generation from nano-objects. Journal of Optics (United Kingdom), 2017, 19, 084011.	1.0	3
300	Nonlinear imaging of nanostructures using beams with binary phase modulation. Optics Express, 2017, 25, 10441.	1.7	3
301	Tailoring the longitudinal electric fields of high-order laser beams and their direct verification in three dimensions. Optics Communications, 2020, 459, 124894.	1.0	3
302	Management of light and scattering in InP NWs by dielectric polymer shell. Nanotechnology, 2020, 31, 384003.	1.3	3
303	Direct comparison of second and third harmonic generation in mono- and few-layer MX ₂ (M=Mo,W); Tj ETQq1 1 0.784314 rgBT /Overlo	0.8	3
304	Grass-like alumina coated window harnesses the full omnidirectional potential of black silicon photodiodes. Applied Optics, 2021, 60, 10415.	0.9	3
305	Thermoelectric Characteristics of InAs Nanowire Networks Directly Grown on Flexible Plastic Substrates. ACS Applied Energy Materials, 0, , .	2.5	3
306	Praseodymium Dioxide Doping of In _{1-x} Ga _x As _y P _{1-y} Epilayer Grown with Liquid Phase Epitaxy. Materials Research Society Symposia Proceedings, 1993, 301, 27.	0.1	2

#	ARTICLE	IF	CITATIONS
307	Modeling, fabrication, and characterization of 1.43-um InGaAsP/InP separate confinement heterostructure multiple quantum-well lasers. <i>Optical Engineering</i> , 1995, 34, 2527.	0.5	2
308	Effects of electron-hole correlation in quantum dots under high magnetic field (up to 45 T). <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2000, 7, 346-349.	1.3	2
309	Photonic crystal slabs with ring-shaped holes in a triangular lattice. , 0, , .		2
310	Highly Tunable Emission from Strain-Induced InGaAsP/InP Quantum Dots. <i>Japanese Journal of Applied Physics</i> , 2005, 44, L976-L978.	0.8	2
311	Carrier dynamics in strain-induced InGaAsP/InP quantum dots. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2006, 32, 179-182.	1.3	2
312	Effect of surface states on carrier dynamics in InGaAsP/InP stressor quantum dots. <i>Nanotechnology</i> , 2006, 17, 2181-2186.	1.3	2
313	Forward Bias Capacitance-Voltage Measurements on Semiconductors Using Co-Planar Ohmic and Schottky Contacts in a Cylindrical Geometry. <i>Journal of Nano Research</i> , 2010, 12, 45-54.	0.8	2
314	GaAs Nanowire and Crystallite Growth on Amorphous Substrate from Metalorganic Precursors. <i>Japanese Journal of Applied Physics</i> , 2010, 49, 020213.	0.8	2
315	Electrical properties of CVD-graphene FETs. , 2011, , .		2
316	X-ray diffraction study of GaN grown on patterned substrates. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2011, 8, 1524-1527.	0.8	2
317	Growth of CVD graphene on copper by rapid thermal processing. <i>Materials Research Society Symposia Proceedings</i> , 2012, 1451, 27-32.	0.1	2
318	Fabrication of GaN structures with embedded network of voids using pillar patterned GaN templates. <i>Journal of Crystal Growth</i> , 2013, 370, 42-45.	0.7	2
319	Analysis of Dislocations Generated during Metal-Organic Vapor Phase Epitaxy of GaN on Patterned Templates. <i>Japanese Journal of Applied Physics</i> , 2013, 52, 01AF01.	0.8	2
320	Resonant raman scattering in complexes of nc-Si/SiO ₂ quantum dots and oligonucleotides. <i>Technical Physics Letters</i> , 2014, 40, 1035-1037.	0.2	2
321	Functionalization of nc-Si/SiO ₂ semiconductor quantum dots by oligonucleotides. <i>Semiconductors</i> , 2014, 48, 1485-1489.	0.2	2
322	Electrical detection of picosecond acoustic pulses in vertical transport devices with nanowires. <i>Applied Physics Letters</i> , 2014, 104, 062102.	1.5	2
323	Synchrotron X-ray diffraction topography study of bonding-induced strain in silicon-on-insulator wafers. <i>Thin Solid Films</i> , 2016, 603, 435-440.	0.8	2
324	Versatile Water-Based Transfer of Large-Area Graphene Films onto Flexible Substrates. <i>MRS Advances</i> , 2017, 2, 3749-3754.	0.5	2

#	ARTICLE	IF	CITATIONS
325	MBE growth of nanowires using colloidal Ag nanoparticles. Journal of Physics: Conference Series, 2017, 864, 012010.	0.3	2
326	Site-specific growth of oriented ZnO nanocrystal arrays. Beilstein Journal of Nanotechnology, 2019, 10, 274-280.	1.5	2
327	Fabrication-friendly polarization-sensitive plasmonic grating for optimal surface-enhanced Raman spectroscopy. Journal of the European Optical Society-Rapid Publications, 2020, 16, .	0.9	2
328	Nanowire Oligomer Waveguide Modes towards Reduced Lasing Threshold. Materials, 2020, 13, 5510.	1.3	2
329	Experimental Study and Simulation of the Spectral Characteristics of LED Heterostructures with an InAs Active Region. Technical Physics Letters, 2020, 46, 150-153.	0.2	2
330	Metalorganic vapor phase epitaxy of wurtzite InP nanowires on GaN. Applied Physics Letters, 2020, 116, 093101.	1.5	2
331	Symmetry Reduction in FEM Optics Modeling of Single and Periodic Nanostructures. Symmetry, 2021, 13, 752.	1.1	2
332	Title is missing!. Chinese Optics Letters, 2019, 17, 062301.	1.3	2
333	Ultrafast carrier dynamics in GaAs nanowires. Lithuanian Journal of Physics, 2014, 54, 41-45.	0.1	2
334	Tuning of Emission Wavelength of CaS:Eu by Addition of Oxygen Using Atomic Layer Deposition. Materials, 2021, 14, 5966.	1.3	2
335	WITio: A MATLAB data evaluation toolbox to script broader insights into big data from WITec microscopes. SoftwareX, 2022, 18, 101009.	1.2	2
336	Fabrication of nanostructures using MBE and MOVPE. Physica Scripta, 1994, T54, 241-243.	1.2	1
337	Optical properties of self-organized InGaAs/InP dots. , 0, , .		1
338	Growth of GaAs on polycrystalline silicon-on-insulator. Journal of Materials Science: Materials in Electronics, 2003, 14, 403-405.	1.1	1
339	The morphology of an InP wetting layer on GaAs. Applied Surface Science, 2004, 229, 333-337.	3.1	1
340	Synchrotron X-ray topographic study of dislocations and stacking faults in InAs. Journal of Crystal Growth, 2005, 283, 320-327.	0.7	1
341	High-index-contrast Optical Waveguides on Silicon. AIP Conference Proceedings, 2005, , .	0.3	1
342	Synchrotron X-ray topography and electrical characterization of epitaxial GaAs p-n structures. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2008, 591, 192-195.	0.7	1

#	ARTICLE	IF	CITATIONS
343	Recent progress towards acoustically mediated carrier injection into individual nanostructures for single photon generation. Proceedings of SPIE, 2010, , .	0.8	1
344	Temperature Dependence Of Current-Voltage Characteristics Of Au ⁺ p-GaAsN Schottky Barrier Diodes, With Small N Content. , 2011, , .		1
345	Enhanced 1.3 Åµm luminescence from InGaAs self-assembled quantum dots with a GaAsN strain-compensating layer. Semiconductor Science and Technology, 2011, 26, 085029.	1.0	1
346	Effect of atomic-layer-deposited AlN on near-surface InGaAs/GaAs structures. Physica Status Solidi C: Current Topics in Solid State Physics, 2012, 9, 1560-1562.	0.8	1
347	New method of determining the young TM s Modulus of (Ga,Mn)As nanowhiskers with a scanning electron microscope. Physics of the Solid State, 2013, 55, 2229-2233.	0.2	1
348	Fabrication of large-area plasmonic nanostructures for surface enhanced fluorescence. , 2013, , .		1
349	Radiation detectors fabricated on high-purity GaAs epitaxial materials. Journal of Instrumentation, 2014, 9, C12024-C12024.	0.5	1
350	The effect of resonant Mie absorption under THz radiation emission in semiconductor nanowires. Optics and Spectroscopy (English Translation of Optika I Spektroskopiya), 2015, 119, 754-758.	0.2	1
351	Surface passivation of GaAs nanowires by the atomic layer deposition of AlN. Semiconductors, 2016, 50, 1619-1621.	0.2	1
352	Efficient terahertz generation by ordered arrays of GaAs nanowires. , 2016, , .		1
353	Lithography-free shell-substrate isolation for core [–] shell GaAs nanowires. Nanotechnology, 2016, 27, 275603.	1.3	1
354	Enhancement of the photoluminescence in Er-doped Al ₂ O ₃ fabricated by atomic layer deposition. , 2016, , .		1
355	Low temperature and high quality atomic layer deposition HfO ₂ coatings. , 2017, , .		1
356	Optically excited THz generation from ordered arrays of GaAs nanowires. Procedia Engineering, 2017, 201, 100-104.	1.2	1
357	Absorption modeling with FMM, FEM and FDT. , 2019, , .		1
358	Photodegradation of surface passivated GaAs nanowires. Journal of Physics: Conference Series, 2020, 1461, 012002.	0.3	1
359	Graphene/Bi ₂ Se ₃ Heterojunction Phototransistor Using Photogating Effect Modulated by Tunable Tunneling Resistance. , 2021, , .		1
360	Spectral characteristics of mid-infrared light-emitting diodes based on InAs(Sb,P). Scientific and Technical Journal of Information Technologies, Mechanics and Optics, 2016, , 76-84.	0.1	1

#	ARTICLE	IF	CITATIONS
361	Nanowire-assisted microcavity in a photonic crystal waveguide and the enabled high-efficiency optical frequency conversions. <i>Photonics Research</i> , 2020, 8, 1734.	3.4	1
362	InSb Nanowire Direct Growth on Plastic for Monolithic Flexible Device Fabrication. <i>ACS Applied Electronic Materials</i> , 2022, 4, 539-545.	2.0	1
363	Enhanced luminescence of near-surface quantum wells passivated in situ by InP. , 0, , .		0
364	Study of GaAs/AlGaAs and InGaAs/InP quantum well structures using low-field transverse electroreflectance. , 1990, 1286, 300.		0
365	Photoreflectance studies of InGaAs/InP superlattices. , 1990, 1286, 238.		0
366	Growth and characterization of a GaAs/AlAs superlattice with variable layer thicknesses. <i>Journal of Electronic Materials</i> , 1994, 23, 465-470.	1.0	0
367	Synchrotron X-ray topographic analysis of the impact of processing steps on the fabrication of AlGaAs/InGaAs p-HEMT's. <i>IEEE Transactions on Electron Devices</i> , 1996, 43, 1085-1091.	1.6	0
368	Effect of InP passivation on carrier recombination in In/sub x/Ga/sub 1-x/As/GaAs surface quantum wells. , 0, , .		0
369	Vacancy-type defects in GaAsN grown by metalorganic vapor phase epitaxy. , 0, , .		0
370	Growth of self-assembled GaIn(N)As quantum dots by atmospheric pressure metalorganic vapor phase epitaxy. , 0, , .		0
371	Modulation of GaAs(100) surface morphology by ultra-thin MOVPE grown InP layers. <i>AIP Conference Proceedings</i> , 2005, , .	0.3	0
372	Comparison of Ge and GaAs Substrates for Metalorganic Vapor Phase Epitaxy of GaIn(N)As Quantum Wells. <i>Japanese Journal of Applied Physics</i> , 2005, 44, L1475-L1477.	0.8	0
373	Simultaneous determination of indium and nitrogen contents of InGaAsN quantum wells by optical in situ monitoring. <i>Applied Physics Letters</i> , 2006, 89, 231919.	1.5	0
374	Nine-fold photoluminescence enhancement using photonic crystals with graphite lattice. <i>Indium Phosphide and Related Materials Conference (IPRM), IEEE International Conference on</i> , 2007, , .	0.0	0
375	Study of composition control and capping of MOVPE grown InGaN/InxAl _y Ga _{1-x-y} N MQW structures. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008, 5, 3020-3022.	0.8	0
376	Carrier Dynamics in Strain Induced Quantum Dots Modeled by Rate Equations and Gaussian Excitation Beam Distribution. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 5499-5502.	0.8	0
377	Slow-light photonic crystal waveguides with ring-shaped holes on silicon-on-insulator. <i>Proceedings of SPIE</i> , 2008, , .	0.8	0
378	FABRICATION AND OPTICAL PROPERTIES OF METAL-COATED NON-CLOSE-PACKED COLLOIDAL CRYSTALS. <i>Journal of Nonlinear Optical Physics and Materials</i> , 2009, 18, 633-640.	1.1	0

#	ARTICLE	IF	CITATIONS
379	Terahertz emission from GaN epilayers at lateral electric field. , 2010, , .		0
380	Nd-doped Bismuth Titanate based ferroelectric field effect transistor: Design, fabrication, and optimization. , 2011, , .		0
381	Carriers transport in GaAs nanowires. , 2013, , .		0
382	Strong two-photon excitation fluorescence from GaAs and InP nanowires on glass substrate. , 2013, , .		0
383	Third-harmonic and multiphoton excitation fluorescence microscopy of single and few layer graphene. , 2013, , .		0
384	(Invited) Self-Assembled Monolayers of Porphyrin Derivatives on Semiconductor Surfaces: Photoinduced Reactions at the Interface. ECS Meeting Abstracts, 2013, , .	0.0	0
385	Leakage currents of large area InP/InGaAs heterostructures. Materials Research Society Symposia Proceedings, 2014, 1635, 75-81.	0.1	0
386	Reflectance measurements of triangular lattice GaAs nanowire arrays. , 2014, , .		0
387	Integration of atomic layer deposited nanolaminates on silicon waveguides (Conference) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5		0
388	Atomic layer deposition of highly doped Er:Al ₂ O ₃ and Tm:Al ₂ O ₃ for silicon-based waveguide amplifiers (Conference Presentation). , 2016, , .		0
389	Fast dynamics of photoexcited electron-hole plasma in GaAs nanowires. , 2017, , .		0
390	Ultrafast Dynamics of Photoinduced Electron-Hole Plasma in Semiconductor Nanowires. Semiconductors, 2018, 52, 19-23.	0.2	0
391	Coherent Electron Transport in Metamaterials of Integrated Semiconductor Quantum Dots and Biomolecules for Medical Imaging Applications. , 2018, , .		0
392	Determination of Young's Modulus of Wurtzite III-V Nanowires by the Methods of Scanning Probe Microscopy. Journal of Surface Investigation, 2019, 13, 53-55.	0.1	0
393	Light-emitting InAs nanowires grown by MOVPE directly on flexible plastic substrates. , 2019, , .		0
394	Optical Modification of Monolayer MoS ₂ : Deterministic Modification of CVD Grown Monolayer MoS ₂ with Optical Pulses (Adv. Mater. Interfaces 10/2021). Advanced Materials Interfaces, 2021, 8, 2170056.	1.9	0
395	Substrate-patterning techniques for nitride growth. SPIE Newsroom, 2010, , .	0.1	0
396	A novel all-vapor phase fabrication process for ytterbium-doped fibers with atomic layer deposition method. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
397	Observing grain boundaries in monolayer molybdenum disulphide by multiphoton microscopy. , 2015, , .		0
398	Nonlinear microscopy of nano-objects using excitation beam profiles with engineered phase jumps. , 2016, , .		0
399	Detection of Raman Scattering Spectra of High Spectral Resolution in Short Oligonucleotides: Compared with the Full-Length DNA Spectra. Herald of the Bauman Moscow State Technical University, Series Natural Sciences, 2017, , .	0.2	0
400	Comparison of FMM, FEM and FDTD for Absorption Modeling of Nanostructured Solar Cells and Photodetectors. , 2019, , .		0
401	Enhanced optical properties of InP nanowires by conformal polymer coating. , 2019, , .		0
402	Surface potential response from GaP nanowires synthesized with mixed crystal phases. Journal of Physics: Conference Series, 2019, 1400, 044018.	0.3	0
403	Designing outcoupling of light from nanostructured emitter in stratified medium with parasitic absorption. Journal of Applied Physics, 2022, 131, 223104.	1.1	0