Byeong-Keuk Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8374685/publications.pdf

Version: 2024-02-01

287 papers 6,708 citations

35 h-index 72 g-index

292 all docs 292 does citations

times ranked

292

5433 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | A New Strategy for Discontinuation of Dual Antiplatelet Therapy. Journal of the American College of Cardiology, 2012, 60, 1340-1348. | 2.8 | 592 |
| 2 | Effect of Intravascular Ultrasound–Guided vs Angiography-Guided Everolimus-Eluting Stent Implantation. JAMA - Journal of the American Medical Association, 2015, 314, 2155. | 7.4 | 418 |
| 3 | Mortality in patients treated with extended duration dual antiplatelet therapy after drug-eluting stent implantation: a pairwise and Bayesian network meta-analysis of randomised trials. Lancet, The, 2015, 385, 2371-2382. | 13.7 | 345 |
| 4 | Effect of Ticagrelor Monotherapy vs Ticagrelor With Aspirin on Major Bleeding and Cardiovascular Events in Patients With Acute Coronary Syndrome. JAMA - Journal of the American Medical Association, 2020, 323, 2407. | 7.4 | 326 |
| 5 | Efficacy and Safety of Dual Antiplatelet Therapy After Complex PCI. Journal of the American College of Cardiology, 2016, 68, 1851-1864. | 2.8 | 319 |
| 6 | Clinical Impact of Intravascular Ultrasound–Guided Chronic Total Occlusion Intervention With Zotarolimus-Eluting Versus Biolimus-Eluting Stent Implantation. Circulation: Cardiovascular Interventions, 2015, 8, e002592. | 3.9 | 218 |
| 7 | Short- Versus Long-Term DualÂAntiplateletÂTherapy After Drug-ElutingÂStent Implantation. Journal of the American College of Cardiology, 2015, 65, 1092-1102. | 2.8 | 163 |
| 8 | Impact of contrast-induced acute kidney injury with transient or persistent renal dysfunction on long-term outcomes of patients with acute myocardial infarction undergoing percutaneous coronary intervention. Heart, 2011, 97, 1753-1757. | 2.9 | 156 |
| 9 | Randomized Comparison of Clinical Outcomes Between Intravascular Ultrasound and Angiography-Guided Drug-Eluting Stent Implantation for Long Coronary Artery Stenoses. JACC: Cardiovascular Interventions, 2013, 6, 369-376. | 2.9 | 154 |
| 10 | Effect of Intravascular Ultrasound–Guided Drug-Eluting Stent Implantation. JACC: Cardiovascular Interventions, 2020, 13, 62-71. | 2.9 | 151 |
| 11 | P2Y12 inhibitor monotherapy or dual antiplatelet therapy after coronary revascularisation: individual patient level meta-analysis of randomised controlled trials. BMJ, The, 2021, 373, n1332. | 6.0 | 144 |
| 12 | Three, six, or twelve months of dual antiplatelet therapy after DES implantation in patients with or without acute coronary syndromes: an individual patient data pairwise and network meta-analysis of six randomized trials and 11 473 patients. European Heart Journal, 2017, 38, ehw627. | 2.2 | 138 |
| 13 | Incidences, Predictors, and Clinical Outcomes of Acute and Late Stent Malapposition Detected by Optical Coherence Tomography After Drug-Eluting Stent Implantation. Circulation: Cardiovascular Interventions, 2014, 7, 88-96. | 3.9 | 128 |
| 14 | Bleeding-Related Deaths in Relation to the Duration of Dual-Antiplatelet Therapy After Coronary Stenting. Journal of the American College of Cardiology, 2017, 69, 2011-2022. | 2.8 | 109 |
| 15 | 6-Month Versus 12-Month Dual-Antiplatelet Therapy FollowingÂLongÂEverolimus-Eluting StentÂlmplantation. JACC: Cardiovascular Interventions, 2016, 9, 1438-1446. | 2.9 | 108 |
| 16 | Effects of Intravascular Ultrasound–GuidedÂVersus Angiography-Guided New-Generation Drug-Eluting Stent Implantation. JACC: Cardiovascular Interventions, 2016, 9, 2232-2239. | 2.9 | 82 |
| 17 | Optical Coherence Tomographic Observation of In-Stent Neoatherosclerosis in Lesions With More Than 50% Neointimal Area Stenosis After Second-Generation Drug-Eluting Stent Implantation. Circulation: Cardiovascular Interventions, 2015, 8, e001878. | 3.9 | 72 |
| 18 | Quantitative and Qualitative Changes in DES-Related Neointimal Tissue Based on Serial OCT. JACC: Cardiovascular Imaging, 2012, 5, 1147-1155. | 5.3 | 64 |

| # | Article | IF | CITATIONS |
|----|---|-------------------|-------------|
| 19 | Usefulness of Intravascular Ultrasound Guidance in Percutaneous Coronary Intervention With Second-Generation Drug-Eluting Stents for Chronic Total Occlusions (from the Multicenter) Tj ETQq1 1 0.784314 | r gB T/Ove | rbock 10 Tf |
| 20 | Optical coherence tomography derived cut-off value of uncovered stent struts to predict adverse clinical outcomes after drug-eluting stent implantation. International Journal of Cardiovascular Imaging, 2013, 29, 1255-1263. | 1.5 | 55 |
| 21 | Comparison of Early Strut Coverage Between Zotarolimus- and Everolimus-Eluting Stents Using Optical Coherence Tomography. American Journal of Cardiology, 2013, 111, 1-5. | 1.6 | 54 |
| 22 | Short-Term Versus Long-Term Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation in Elderly Patients. JACC: Cardiovascular Interventions, 2018, 11, 435-443. | 2.9 | 54 |
| 23 | Renal Denervation in Asia. Hypertension, 2020, 75, 590-602. | 2.7 | 50 |
| 24 | Short term versus long term dual antiplatelet therapy after implantation of drug eluting stent in patients with or without diabetes: systematic review and meta-analysis of individual participant data from randomised trials. BMJ, The, 2016, 355, i5483. | 6.0 | 48 |
| 25 | 1-Month Dual-Antiplatelet Therapy Followed by Aspirin Monotherapy AfterÂPolymer-Free Drug-Coated StentÂlmplantation. JACC: Cardiovascular Interventions, 2021, 14, 1801-1811. | 2.9 | 47 |
| 26 | Optical coherence tomography-based evaluation of in-stent neoatherosclerosis in lesions with more than 50% neointimal cross-sectional area stenosis. EuroIntervention, 2013, 9, 945-951. | 3.2 | 47 |
| 27 | Long-Term Outcomes of Neointimal Hyperplasia Without Neoatherosclerosis After Drug-Eluting Stent Implantation. JACC: Cardiovascular Imaging, 2014, 7, 788-795. | 5.3 | 46 |
| 28 | Outcomes of Spot Stenting Versus Long Stenting After Intentional Subintimal Approach for Long Chronic Total Occlusions of the Femoropopliteal Artery. JACC: Cardiovascular Interventions, 2015, 8, 472-480. | 2.9 | 46 |
| 29 | Assessing Computational Fractional Flow Reserve From Optical Coherence Tomography in Patients With Intermediate Coronary Stenosis in the Left Anterior Descending Artery. Circulation: Cardiovascular Interventions, $2016, 9, .$ | 3.9 | 43 |
| 30 | Effect of Coronary CTA on ChronicÂTotalÂOcclusion Percutaneous CoronaryÂIntervention. JACC: Cardiovascular Imaging, 2021, 14, 1993-2004. | 5.3 | 41 |
| 31 | Anti-Inflammatory Effect for Atherosclerosis Progression by Sodium-Glucose Cotransporter 2 (SGLT-2) Inhibitor in a Normoglycemic Rabbit Model. Korean Circulation Journal, 2020, 50, 443. | 1.9 | 40 |
| 32 | Safety of six-month dual antiplatelet therapy after second-generation drug-eluting stent implantation: OPTIMA-C Randomised Clinical Trial and OCT Substudy. EuroIntervention, 2018, 13, 1923-1930. | 3.2 | 40 |
| 33 | Early repolarization pattern predicts cardiac death and fatal arrhythmia in patients with vasospastic angina. International Journal of Cardiology, 2013, 167, 1181-1187. | 1.7 | 39 |
| 34 | Incidence and natural history of coronary artery aneurysm developing after drug-eluting stent implantation. American Heart Journal, 2010, 160, 987-994. | 2.7 | 38 |
| 35 | Prediction of Contrastâ€Induced Nephropathy With Persistent Renal Dysfunction and Adverse Longâ€term Outcomes in Patients With Acute Myocardial Infarction Using the Mehran Risk Score. Clinical Cardiology, 2013, 36, 46-53. | 1.8 | 38 |
| 36 | Early Strut Coverage in Patients Receiving Drug-Eluting Stents and its Implications for Dual Antiplatelet Therapy. JACC: Cardiovascular Imaging, 2018, 11, 1810-1819. | 5.3 | 38 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Improved 3-Year Cardiac Survival After IVUS–Guided Long DES Implantation. JACC: Cardiovascular Interventions, 2022, 15, 208-216. | 2.9 | 38 |
| 38 | Association Between Timing of Extracorporeal Membrane Oxygenation and Clinical Outcomes in Refractory Cardiogenic Shock. JACC: Cardiovascular Interventions, 2021, 14, 1109-1119. | 2.9 | 35 |
| 39 | Long-Term Clinical Outcomes and Optimal Stent Strategy in Left Main Coronary Bifurcation Stenting. JACC: Cardiovascular Interventions, 2018, 11, 1247-1258. | 2.9 | 34 |
| 40 | Impact of renin-angiotensin system inhibitors on long-term clinical outcomes in patients with acute myocardial infarction treated with successful percutaneous coronary intervention with drug-eluting stents: Comparison between STEMI and NSTEMI. Atherosclerosis, 2019, 280, 166-173. | 0.8 | 34 |
| 41 | Optical coherence tomography analysis of strut coverage in biolimus- and sirolimus-eluting stents: 3-Month and 12-month serial follow-up. International Journal of Cardiology, 2013, 168, 4617-4623. | 1.7 | 32 |
| 42 | Favorable effect of optimal lipid-lowering therapy on neointimal tissue characteristics after drug-eluting stent implantation: Qualitative optical coherence tomographic analysis. Atherosclerosis, 2015, 242, 553-559. | 0.8 | 32 |
| 43 | Comparison of Optical Coherence Tomographic Assessment between First- and Second-Generation Drug-Eluting Stents. Yonsei Medical Journal, 2012, 53, 524. | 2.2 | 31 |
| 44 | The Relationship Between Post-Stent Strut Apposition and Follow-Up Strut Coverage Assessed by a Contour Plot Optical Coherence Tomography Analysis. JACC: Cardiovascular Interventions, 2014, 7, 641-651. | 2.9 | 31 |
| 45 | Incidence, clinical presentation, and predictors of early neoatherosclerosis after drug-eluting stent implantation. American Heart Journal, 2015, 170, 591-597. | 2.7 | 28 |
| 46 | Statin and clinical outcomes of primary prevention in individuals aged >75†years: The SCOPE-75 study. Atherosclerosis, 2019, 284, 31-36. | 0.8 | 27 |
| 47 | Optimal Strategy for Antiplatelet Therapy After Endovascular Revascularization for Lower Extremity Peripheral Artery Disease. JACC: Cardiovascular Interventions, 2019, 12, 2359-2370. | 2.9 | 27 |
| 48 | Optical coherence tomography findings of very late stent thrombosis after drug-eluting stent implantation. International Journal of Cardiovascular Imaging, 2012, 28, 715-723. | 1.5 | 26 |
| 49 | Randomized evaluation of ticagrelor monotherapy after 3-month dual-antiplatelet therapy in patients with acute coronary syndrome treated with new-generation sirolimus-eluting stents: TICO trial rationale and design. American Heart Journal, 2019, 212, 45-52. | 2.7 | 26 |
| 50 | Editor's Choice – Impact of Endovascular Pedal Artery Revascularisation on Wound Healing in Patients With Critical Limb Ischaemia. European Journal of Vascular and Endovascular Surgery, 2019, 58, 854-863. | 1.5 | 25 |
| 51 | Evaluation of Neointimal Morphology of Lesions With or Without In-Stent Restenosis: An Optical Coherence Tomography Study. Clinical Cardiology, 2011, 34, 633-639. | 1.8 | 23 |
| 52 | Metabolic syndrome does not impact longâ€term survival in patients with acute myocardial infarction after successful percutaneous coronary intervention with drugâ€eluting stents. Catheterization and Cardiovascular Interventions, 2014, 83, 713-720. | 1.7 | 23 |
| 53 | Longâ€Term Clinical Outcomes and Stent Thrombosis of Sirolimusâ€Eluting Versus Bare Metal Stents in Patients with Endâ€Stage Renal Disease: Results of Korean Multicenter Angioplasty Team (KOMATE) Registry. Journal of Interventional Cardiology, 2009, 22, 411-419. | 1.2 | 22 |
| 54 | Elevated serum cystatin C level is an independent predictor of contrast-induced nephropathy and adverse outcomes in patients with peripheral artery disease undergoing endovascular therapy. Journal of Vascular Surgery, 2015, 61, 1223-1230. | 1.1 | 22 |

| # | Article | IF | Citations |
|----|--|------------------------|-----------------|
| 55 | Transient New-Onset Atrial Fibrillation Is Associated With Poor Clinical Outcomes in Patients With Acute Myocardial Infarction. Circulation Journal, 2016, 80, 1615-1623. | 1.6 | 22 |
| 56 | The Use Pattern and Clinical Impact of New Antiplatelet Agents Including Prasugrel and Ticagrelor on 30-day Outcomes after Acute Myocardial Infarction in Korea: Korean Health Insurance Review and Assessment Data. Korean Circulation Journal, 2017, 47, 888. | 1.9 | 22 |
| 57 | Role of Intravascular Ultrasoundâ€Guided Percutaneous Coronary Intervention in Optimizing Outcomes in Acute Myocardial Infarction. Journal of the American Heart Association, 2022, 11, e023481. | 3.7 | 22 |
| 58 | Estudio aleatorizado de comparación de la cobertura de los struts de los stents tras la intervención coronaria percutánea guiada por angiografÃa y la guiada por tomografÃa de coherencia óptica. Revista Espanola De Cardiologia, 2015, 68, 190-197. | 1.2 | 21 |
| 59 | Randomised comparison of strut coverage between Nobori biolimus-eluting and sirolimus-eluting stents: an optical coherence tomography analysis. EuroIntervention, 2014, 9, 1389-1397. | 3.2 | 21 |
| 60 | Qualitative assessment of neointimal tissue after drug-eluting stent implantation: Comparison between follow-up optical coherence tomography and intravascular ultrasound. American Heart Journal, 2011, 161, 367-372. | 2.7 | 20 |
| 61 | Usefulness of Intraprocedural Coronary Computed Tomographic Angiography During Intervention for Chronic Total Coronary Occlusion. American Journal of Cardiology, 2016, 117, 1868-1876. | 1.6 | 20 |
| 62 | Characteristics of Earlier Versus Delayed Presentation of Very Late Drugâ€Eluting Stent Thrombosis: An Optical Coherence Tomographic Study. Journal of the American Heart Association, 2017, 6, . | 3.7 | 20 |
| 63 | Optical coherence tomographic comparison of neointimal coverage between sirolimus- and resolute zotarolimus-eluting stents at 9Âmonths after stent implantation. International Journal of Cardiovascular Imaging, 2012, 28, 1281-1287. | 1.5 | 19 |
| 64 | Efficacy of Drug-Eluting Stents for Treating In-Stent Restenosis of Drug-Eluting Stents (from the) Tj ETQq0 0 0 0 | gBT ₁ /Over | lock 10 Tf 50 3 |
| 65 | Predictores de eventos cardiovasculares adversos mayores en la ecocardiografÃa intravascular tras el implante de stents liberadores de everolimus en lesiones coronarias largas. Revista Espanola De Cardiologia, 2017, 70, 88-95. | 1.2 | 19 |
| 66 | Optical coherence tomography-based machine learning for predicting fractional flow reserve in intermediate coronary stenosis: a feasibility study. Scientific Reports, 2020, 10, 20421. | 3.3 | 19 |
| 67 | Shortâ€versus longâ€term Dual Antiplatelet therapy after drugâ€eluting stent implantation in women versus men: A sexâ€specific patientâ€level pooledâ€analysis of six randomized trials. Catheterization and Cardiovascular Interventions, 2017, 89, 178-189. | 1.7 | 18 |
| 68 | Immediate and late outcomes of endovascular therapy for lower extremity arteries in Buerger disease. Journal of Vascular Surgery, 2018, 67, 1769-1777. | 1.1 | 18 |
| 69 | Comparison Between Beta-Blockers with Angiotensin-Converting Enzyme Inhibitors and Beta-Blockers with Angiotensin II Type I Receptor Blockers in ST-Segment Elevation Myocardial Infarction After Successful Percutaneous Coronary Intervention with Drug-Eluting Stents. Cardiovascular Drugs and Therapy. 2019. 33. 55-67. | 2.6 | 18 |
| 70 | Long-term outcomes after renal denervation in an Asian population: results from the Global SYMPLICITY Registry in South Korea (GSR Korea). Hypertension Research, 2021, 44, 1099-1104. | 2.7 | 18 |
| 71 | Usefulness of Intravascular Ultrasound to Predict Outcomes in Short-Length Lesions Treated With Drug-Eluting Stents. American Journal of Cardiology, 2013, 112, 642-646. | 1.6 | 17 |
| 72 | 2020 Asian Pacific Society of Cardiology Consensus Recommendations on the Use of P2Y12 Receptor Antagonists in the Asia-Pacific Region. European Cardiology Review, 2021, 16, e02. | 2,2 | 17 |

| # | Article | lF | Citations |
|----|--|-----|-----------|
| 73 | Ticagrelor Monotherapy Versus Ticagrelor With Aspirin in Acute Coronary Syndrome Patients With a High Risk of Ischemic Events. Circulation: Cardiovascular Interventions, 2021, 14, e010812. | 3.9 | 17 |
| 74 | Efficacy of Early Intensive Rosuvastatin Therapy in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention (ROSEMARY Study). American Journal of Cardiology, 2014, 114, 29-35. | 1.6 | 16 |
| 75 | 3D OCT Versus FFR for Jailed Side-Branch Ostial Stenoses. JACC: Cardiovascular Imaging, 2014, 7, 204-205. | 5.3 | 16 |
| 76 | Serial Randomized Comparison of Strut Coverage of Everolimus- and First-Generation Sirolimus-Eluting Stents. Canadian Journal of Cardiology, 2015, 31, 723-730. | 1.7 | 16 |
| 77 | Impact of peripheral artery disease on early and late outcomes of transcatheter aortic valve implantation in patients with severe aortic valve stenosis. International Journal of Cardiology, 2018, 255, 206-211. | 1.7 | 16 |
| 78 | Impact of stent generation on 2â€year clinical outcomes in STâ€segment elevation myocardial infarction patients with multivessel disease who underwent culpritâ€only or multivessel percutaneous coronary intervention. Catheterization and Cardiovascular Interventions, 2020, 95, E40-E55. | 1.7 | 16 |
| 79 | Effects of prediabetes on long-term clinical outcomes of patients with acute myocardial infarction who underwent PCI using new-generation drug-eluting stents. Diabetes Research and Clinical Practice, 2020, 160, 107994. | 2.8 | 16 |
| 80 | Ticagrelor Monotherapy Versus Ticagrelor With Aspirin in Patients WithÂST-Segment Elevation MyocardialÂInfarction. JACC: Cardiovascular Interventions, 2021, 14, 431-440. | 2.9 | 16 |
| 81 | Optical coherence tomography-based evaluation of malapposed strut coverage after drug-eluting stent implantation. International Journal of Cardiovascular Imaging, 2012, 28, 1887-1894. | 1.5 | 15 |
| 82 | Impact of Statin Treatment on Strut Coverage after Drug-Eluting Stent Implantation. Yonsei Medical Journal, 2015, 56, 45. | 2.2 | 15 |
| 83 | Risk Factors for Restenosis after Drug-coated Balloon Angioplasty for Complex Femoropopliteal Arterial Occlusive Disease. Annals of Vascular Surgery, 2019, 55, 45-54. | 0.9 | 15 |
| 84 | One-year clinical outcomes between biodegradable-polymer-coated biolimus-eluting stent and durable-polymer-coated drug-eluting stents in STEMI patients with multivessel coronary artery disease undergoing culprit-only or multivessel PCI. Atherosclerosis, 2019, 284, 102-109. | 0.8 | 15 |
| 85 | Longâ€Term Clinical Outcomes of Late Stent Malapposition Detected by Optical Coherence Tomography After Drugâ€Eluting Stent Implantation. Journal of the American Heart Association, 2019, 8, e011817. | 3.7 | 15 |
| 86 | Aortic Remodeling and Clinical Outcomes in Type B Aortic Dissection According to the Timing of Thoracic Endovascular Aortic Repair. Annals of Vascular Surgery, 2020, 67, 322-331. | 0.9 | 15 |
| 87 | Major determinants for the uncovered stent struts on optical coherence tomography after drug-eluting stent implantation. International Journal of Cardiovascular Imaging, 2012, 28, 705-714. | 1.5 | 14 |
| 88 | Association between Fibrinogen and Carotid Atherosclerosis According to Smoking Status in a Korean Male Population. Yonsei Medical Journal, 2015, 56, 921. | 2.2 | 14 |
| 89 | Impact of National Health Checkup Service on Hard Atherosclerotic Cardiovascular Disease Events and All-Cause Mortality in the General Population. American Journal of Cardiology, 2017, 120, 1804-1812. | 1.6 | 14 |
| 90 | Clinical outcomes of dual antiplatelet therapy after implantation of drug-eluting stents in patients with different cardiovascular risk factors. Clinical Research in Cardiology, 2017, 106, 165-173. | 3.3 | 14 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 91 | Optimal duration of DAPT after second-generation drug-eluting stent in acute coronary syndrome. PLoS ONE, 2018, 13, e0207386. | 2.5 | 14 |
| 92 | Long-Term Efficacy of Extended Dual Antiplatelet Therapy After Left Main Coronary Artery Bifurcation Stenting. American Journal of Cardiology, 2020, 125, 320-327. | 1.6 | 14 |
| 93 | Assessing Neointimal Coverage After DES Implantation by 3D OCT. JACC: Cardiovascular Imaging, 2012, 5, 852-853. | 5.3 | 13 |
| 94 | Correlations between Coronary Plaque Tissue Composition Assessed by Virtual Histology and Blood Levels of Biomarkers for Coronary Artery Disease. Yonsei Medical Journal, 2012, 53, 508. | 2.2 | 13 |
| 95 | Eccentric morphology of jailed side-branch ostium after stent crossover in coronary bifurcation lesions: A three-dimensional optical coherence tomographic analysis. Journal of Cardiology, 2015, 65, 305-310. | 1.9 | 13 |
| 96 | Effect of High-Dose Statin Therapy on Drug-Eluting Stent Strut Coverage. Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 35, 2460-2467. | 2.4 | 13 |
| 97 | Predictors of poor clinical outcomes after successful chronic total occlusion intervention with drug-eluting stents. Coronary Artery Disease, 2017, 28, 381-386. | 0.7 | 13 |
| 98 | Different Neointimal Pattern in Early vs. Late In-Stent Restenosis and Clinical Outcomes After Drug-Coated Balloon Angioplasty ― An Optical Coherence Tomography Study ―. Circulation Journal, 2018, 82, 2745-2752. | 1.6 | 13 |
| 99 | Efficacy of coronary imaging on bifurcation intervention. Cardiovascular Intervention and Therapeutics, 2021, 36, 54-66. | 2.3 | 13 |
| 100 | Effects of stent generation on clinical outcomes after acute myocardial infarction compared between prediabetes and diabetes patients. Scientific Reports, 2021, 11, 9364. | 3.3 | 13 |
| 101 | Outcomes of stent optimisation in intravascular ultrasound-guided interventions for long lesions or chronic total occlusions. EuroIntervention, 2020, 16, e480-e488. | 3.2 | 13 |
| 102 | Clinical outcome of successful percutaneous coronary intervention for chronic total occlusion: results from the multicenter Korean Chronic Total Occlusion (K-CTO) registry. Journal of Invasive Cardiology, 2014, 26, 255-9. | 0.4 | 13 |
| 103 | Platelet Function and Genotype after DES Implantation in East Asian Patients: Rationale and Characteristics of the PTRG-DES Consortium. Yonsei Medical Journal, 2022, 63, 413. | 2.2 | 13 |
| 104 | Temporal course of neointimal hyperplasia following drug-eluting stent implantation: a serial follow-up optical coherence tomography analysis. International Journal of Cardiovascular Imaging, 2014, 30, 1003-1011. | 1.5 | 12 |
| 105 | Optical coherence tomographyâ€based predictors for creatine kinaseâ€myocardial band elevation after elective percutaneous coronary intervention for inâ€stent restenosis. Catheterization and Cardiovascular Interventions, 2015, 85, 564-572. | 1.7 | 12 |
| 106 | Randomized comparison of acute stent malapposition between platinum–chromium versus cobalt–chromium everolimus-eluting stents. International Journal of Cardiovascular Imaging, 2015, 31, 269-277. | 1.5 | 12 |
| 107 | Association Between Duration of Dual Antiplatelet Therapy and Angiographic Multivessel Disease on Outcomes in Patients Treated With Newer-Generation Drug-Eluting Stents. Circulation: Cardiovascular Interventions, 2016, 9, . | 3.9 | 12 |
| 108 | Attainment of low-density lipoprotein cholesterol goal after endovascular treatment is associated with reduced cardiovascular events in patients with peripheral arterial disease. Journal of Vascular Surgery, 2016, 63, 756-763. | 1.1 | 12 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Synergistic protective effects of a statin and an angiotensin receptor blocker for initiation and progression of atherosclerosis. PLoS ONE, 2019, 14, e0215604. | 2.5 | 12 |
| 110 | Twoâ€year outcomes of statin therapy in patients with acute myocardial infarction with or without dyslipidemia after percutaneous coronary intervention in the era of newâ€generation drugâ€eluting stents within Korean population: Data from the Korea Acute Myocardial Infarction Registry. Catheterization and Cardiovascular Interventions, 2019, 93, 1264-1275. | 1.7 | 12 |
| 111 | Outcomes of stents covering the deep femoral artery origin. EuroIntervention, 2014, 10, 632-639. | 3.2 | 12 |
| 112 | Ticagrelor Monotherapy After 3-Month Dual Antiplatelet Therapy in Acute Coronary Syndrome by High Bleeding Risk: The Subanalysis From the TICO Trial. Korean Circulation Journal, 2022, 52, 324. | 1.9 | 12 |
| 113 | Prospective and Systematic Analysis of Unexpected Requests for Non-Cardiac Surgery or Other Invasive Procedures during the First Year after Drug-Eluting Stent Implantation. Yonsei Medical Journal, 2014, 55, 345. | 2.2 | 11 |
| 114 | Mechanisms of Postintervention and Nine-Month Luminal Enlargement After Treatment of Drug-Eluting In-Stent Restenosis With a Drug-Eluting Balloon. American Journal of Cardiology, 2014, 113, 1468-1473. | 1.6 | 11 |
| 115 | Relationship between endothelial vasomotor function and strut coverage after implantation of drug-eluting stent assessed by optical coherence tomography. International Journal of Cardiovascular Imaging, 2014, 30, 263-270. | 1.5 | 11 |
| 116 | Limitations of coronary computed tomographic angiography for delineating the lumen and vessel contours of coronary arteries in patients with stable angina. European Heart Journal Cardiovascular Imaging, 2015, 16, 1358-1365. | 1.2 | 11 |
| 117 | Association between body mass index and clinical outcomes after new-generation drug-eluting stent implantation: Korean multi-center registry data. Atherosclerosis, 2018, 277, 155-162. | 0.8 | 11 |
| 118 | Severe Acute Stent Malapposition After Drugâ€Eluting Stent Implantation: Effects on Longâ€Term Clinical Outcomes. Journal of the American Heart Association, 2019, 8, e012800. | 3.7 | 11 |
| 119 | Factors Related to Major Bleeding After Ticagrelor Therapy: Results from the TICO Trial. Journal of the American Heart Association, 2021, 10, e019630. | 3.7 | 11 |
| 120 | Impact of Intravascular Ultrasound–Guided Optimal Stent Expansion on 3-Year Hard Clinical Outcomes. Circulation: Cardiovascular Interventions, 2021, 14, e011124. | 3.9 | 11 |
| 121 | Risk-Benefit of 1-Year DAPT After DES Implantation in Patients Stratified by Bleeding and Ischemic Risk. Journal of the American College of Cardiology, 2021, 78, 1968-1986. | 2.8 | 11 |
| 122 | Comparisons of the Effects of Stent Eccentricity on the Neointimal Hyperplasia between Sirolimus-Eluting Stent versus Paclitaxel-Eluting Stent. Yonsei Medical Journal, 2010, 51, 823. | 2.2 | 10 |
| 123 | Relationship between Stent Malapposition and Incomplete Neointimal Coverage after Drugâ€Eluting Stent Implantation. Journal of Interventional Cardiology, 2012, 25, 270-277. | 1.2 | 10 |
| 124 | Outcomes of the single-stent versus kissing-stents technique in asymmetric complex aortoiliac bifurcation lesions. Journal of Vascular Surgery, 2015, 62, 68-74. | 1.1 | 10 |
| 125 | Increased Risk of Cardiovascular Events in Stroke Patients Who had Not Undergone Evaluation for Coronary Artery Disease. Yonsei Medical Journal, 2017, 58, 114. | 2.2 | 10 |
| 126 | Effect of ticagrelor monotherapy on mortality after percutaneous coronary intervention: a systematic review and meta-analysis of randomized trials including 26 143 patients. European Heart Journal - Cardiovascular Pharmacotherapy, 2022, 8, 48-55. | 3.0 | 10 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Clinical Implications of Poststent Optical Coherence Tomographic Findings. JACC: Cardiovascular Imaging, 2022, 15, 126-137. | 5.3 | 10 |
| 128 | Coronary Artery Aneurysm after Second-Generation Drug-Eluting Stent Implantation. Yonsei Medical Journal, 2019, 60, 824. | 2.2 | 10 |
| 129 | Is Routine Postdilation During Angiography-Guided Stent Implantation as Good as Intravascular Ultrasound Guidance?: An Analysis Using Data From IVUS-XPL and ULTIMATE. Circulation: Cardiovascular Interventions, 2022, 15, e011366. | 3.9 | 10 |
| 130 | A Randomized Study Assessing the Effects of Pretreatment with Cilostazol on Periprocedural Myonecrosis after Percutaneous Coronary Intervention. Yonsei Medical Journal, 2011, 52, 717. | 2.2 | 9 |
| 131 | Study design and rationale of "Synergistic Effect of Combination Therapy with Cilostazol and ProbUcol on Plaque Stabilization and Lesion REgression (SECURE)" study: a double-blind randomised controlled multicenter clinical trial. Trials, 2011, 12, 10. | 1.6 | 9 |
| 132 | Arterial Occlusive Disease Complicating Radiation Therapy of Cervical Cancer. Yonsei Medical Journal, 2012, 53, 1220. | 2.2 | 9 |
| 133 | Relationship between aspirin/clopidogrel resistance and intra-stent thrombi assessed by follow-up optical coherence tomography after drug-eluting stent implantation. European Heart Journal Cardiovascular Imaging, 2013, 14, 1181-1186. | 1.2 | 9 |
| 134 | Comparison of Early Clinical Outcomes Following Transcatheter Aortic Valve Implantation versus Surgical Aortic Valve Replacement versus Optimal Medical Therapy in Patients Older than 80 Years with Symptomatic Severe Aortic Stenosis. Yonsei Medical Journal, 2013, 54, 596. | 2.2 | 9 |
| 135 | Comparison between drug-coated balloon angioplasty and second-generation drug-eluting stent placement for the treatment of in-stent restenosis after drug-eluting stent implantation. Heart and Vessels, 2016, 31, 1405-1411. | 1.2 | 9 |
| 136 | Patterns of Antiplatelet Therapy During Noncardiac Surgery in Patients With Secondâ€Generation Drugâ€Eluting Stents. Journal of the American Heart Association, 2020, 9, e016218. | 3.7 | 9 |
| 137 | Comparison of Transcatheter Aortic Valve Replacement between Self-Expanding versus Balloon-Expandable Valves in Patients with Small Aortic Annulus. Korean Circulation Journal, 2021, 51, 222. | 1.9 | 9 |
| 138 | Statin Intensity and Clinical Outcome in Patients with Stable Coronary Artery Disease and Very Low LDL-Cholesterol. PLoS ONE, 2016, 11, e0166246. | 2.5 | 9 |
| 139 | Early Effects of Intensive Lipid-Lowering Treatment on Plaque Characteristics Assessed by Virtual Histology Intravascular Ultrasound. Yonsei Medical Journal, 2016, 57, 1087. | 2.2 | 8 |
| 140 | Association between fractional flow reserve and coronary plaque characteristics assessed by optical coherence tomography. Journal of Cardiology, 2016, 68, 342-345. | 1.9 | 8 |
| 141 | Three-Dimensional Optical Coherence Tomographic Analysis of Eccentric Morphology of the Jailed Side-Branch Ostium inÂCoronary Bifurcation Lesions. Canadian Journal of Cardiology, 2016, 32, 234-239. | 1.7 | 8 |
| 142 | High-intensity Statin Treatments in Clinically Stable Patients on Aspirin Monotherapy 12 Months After Drug-eluting Stent Implantation: A Randomized Study. Revista Espanola De Cardiologia (English Ed), 2018, 71, 423-431. | 0.6 | 8 |
| 143 | Early Follow-Up Optical Coherence Tomographic Findings of Significant Drug-Eluting Stent Malapposition. Circulation: Cardiovascular Interventions, 2018, 11, e007192. | 3.9 | 8 |
| 144 | Peripheral artery disease is associated with poor clinical outcome in patients with abdominal aortic aneurysm after endovascular aneurysm repair. International Journal of Cardiology, 2018, 268, 208-213. | 1.7 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Randomized Comparison of Strut Coverage between Ticagrelor and Clopidogrel in Acute Myocardial Infarction at 3-Month Optical Coherence Tomography. Yonsei Medical Journal, 2018, 59, 624. | 2.2 | 8 |
| 146 | Impact of late stent malapposition after drug-eluting stent implantation on long-term clinical outcomes. Atherosclerosis, 2019, 288, 118-123. | 0.8 | 8 |
| 147 | Relation of Preprocedural Hemoglobin Level to Outcomes After Percutaneous Coronary Intervention. American Journal of Cardiology, 2019, 124, 1319-1326. | 1.6 | 8 |
| 148 | One-year clinical outcomes of ticagrelor compared with clopidogrel after percutaneous coronary intervention in patients with acute myocardial infarction: From Korean Health Insurance Review and Assessment Data. Journal of Cardiology, 2019, 73, 191-197. | 1.9 | 8 |
| 149 | Risk Factors for Closure Failure following Percutaneous Transfemoral Transcatheter Aortic Valve Implantation. Annals of Vascular Surgery, 2020, 66, 406-414. | 0.9 | 8 |
| 150 | Ageâ€Dependent Effect of Ticagrelor Monotherapy Versus Ticagrelor With Aspirin on Major Bleeding and Cardiovascular Events: A Post Hoc Analysis of the TICO Randomized Trial. Journal of the American Heart Association, 2021, 10, e022700. | 3.7 | 8 |
| 151 | Impact of the attainment of current recommended low-density lipoprotein cholesterol goal of less than $70\hat{a}$ 6%mg/dl on clinical outcomes in very high-risk patients treated with drug-eluting stents. Coronary Artery Disease, 2010, 21, 182-188. | 0.7 | 7 |
| 152 | Five-year outcomes of sirolimus-eluting versus paclitaxel-eluting stents: A propensity matched study: Clinical evidence of late catch-up?. International Journal of Cardiology, 2011, 152, 302-306. | 1.7 | 7 |
| 153 | Efficacy of Clotinab in Acute Myocardial Infarction Trial-ST Elevation Myocardial Infarction (ECLAT-STEMI). Circulation Journal, 2012, 76, 405-413. | 1.6 | 7 |
| 154 | Comparison of neointimal hyperplasia and peri-stent vascular remodeling after implantation of everolimus-eluting versus sirolimus-eluting stents: intravascular ultrasound results from the EXCELLENT study. International Journal of Cardiovascular Imaging, 2013, 29, 1229-1236. | 1.5 | 7 |
| 155 | Optical Coherence Tomographic Observation of Morphological Features of Neointimal Tissue after Drug-Eluting Stent Implantation. Yonsei Medical Journal, 2014, 55, 944. | 2.2 | 7 |
| 156 | Lack of association between arterial stiffness and genetic variants by genome-wide association scan. Blood Pressure, 2015, 24, 258-261. | 1.5 | 7 |
| 157 | Automated measurement of stent strut coverage in intravascular optical coherence tomography. Journal of the Korean Physical Society, 2015, 66, 558-570. | 0.7 | 7 |
| 158 | Rationale and design: Impact of intravascular ultrasound guidance on long-term clinical outcomes of everolimus-eluting stents in long coronary lesions. Contemporary Clinical Trials, 2015, 40, 90-94. | 1.8 | 7 |
| 159 | Incidence, Predictors, and Clinical Outcomes of New-Onset Diabetes Mellitus after Percutaneous Coronary Intervention with Drug-Eluting Stent. Journal of Korean Medical Science, 2017, 32, 1603. | 2.5 | 7 |
| 160 | Effect of fenofibrate in 1113 patients at low-density lipoprotein cholesterol goal but high triglyceride levels: Real-world results and factors associated with triglyceride reduction. PLoS ONE, 2018, 13, e0205006. | 2.5 | 7 |
| 161 | Patient-Centered Decision-Making of Revascularization Strategy for Left Main or Multivessel Coronary Artery Disease. American Journal of Cardiology, 2018, 122, 2005-2013. | 1.6 | 7 |
| 162 | Favorable neurological outcome after ischemic cerebrovascular events in patients treated with percutaneous left atrial appendage occlusion compared with warfarin. Catheterization and Cardiovascular Interventions, 2019, 94, E23-E29. | 1.7 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|------------------|----------------------|
| 163 | Culprit-only versus multivessel or complete versus incomplete revascularization in patients with non-ST-segment elevation myocardial infarction and multivessel disease who underwent successful percutaneous coronary intervention using newer-generation drug-eluting stents. Atherosclerosis, 2020, 301, 54-64. | 0.8 | 7 |
| 164 | 2020 Asian Pacific Society of Cardiology Consensus Recommendations on Antithrombotic Management for High-risk Chronic Coronary Syndrome. European Cardiology Review, 2021, 16, e26. | 2.2 | 7 |
| 165 | Skin Perfusion Pressure Predicts Early Wound Healing After Endovascular Therapy in Chronic Limb Threatening Ischaemia. European Journal of Vascular and Endovascular Surgery, 2021, 62, 909-917. | 1.5 | 7 |
| 166 | Effect of Wire Jailing at Side Branch in 1-Stent Strategy for Coronary BifurcationÂLesions. JACC: Cardiovascular Interventions, 2022, 15, 443-455. | 2.9 | 7 |
| 167 | Impact of Positive Peri-Stent Vascular Remodeling After Sirolimus-Eluting and Paclitaxel-Eluting Stent Implantation on 5-Year Clinical Outcomes. Circulation Journal, 2012, 76, 1102-1108. | 1.6 | 6 |
| 168 | Serial Changes of Neointimal Tissue after Everolimus-Eluting Stent Implantation in Porcine Coronary Artery: An Optical Coherence Tomography Analysis. BioMed Research International, 2014, 2014, 1-8. | 1.9 | 6 |
| 169 | Percutaneous Coronary Intervention Is More Beneficial Than Optimal Medical Therapy in Elderly Patients with Angina Pectoris. Yonsei Medical Journal, 2016, 57, 382. | 2.2 | 6 |
| 170 | Intravascular Ultrasound Predictors of Major Adverse Cardiovascular Events After Implantation of Everolimus-eluting Stents for Long Coronary Lesions. Revista Espanola De Cardiologia (English Ed), 2017, 70, 88-95. | 0.6 | 6 |
| 171 | Effect of Adjunct Balloon Dilation after Long Everolimus-eluting Stent Deployment on Major Adverse Cardiac Events. Korean Circulation Journal, 2017, 47, 694. | 1.9 | 6 |
| 172 | Which is the worst risk factor for the longâ€term clinical outcome? Comparison of longâ€term clinical outcomes between antecedent hypertension and diabetes mellitus in South Korean acute myocardial infarction patients after stent implantation. Journal of Diabetes, 2020, 12, 119-133. | 1,8 | 6 |
| 173 | Severe acute stent malapposition follow-up: 3-month and 12-month serial quantitative analyses by optical coherence tomography. International Journal of Cardiology, 2020, 299, 81-86. | 1.7 | 6 |
| 174 | Ten-Year Clinical Outcomes of Late-Acquired Stent Malapposition After Coronary Stent Implantation. Arteriosclerosis, Thrombosis, and Vascular Biology, 2020, 40, 288-295. | 2.4 | 6 |
| 175 | Two-Year Clinical Outcomes Between Prediabetic and Diabetic Patients With STEMI and Multivessel Disease Who Underwent Successful PCI Using Drug-Eluting Stents. Angiology, 2021, 72, 50-61. | 1.8 | 6 |
| 176 | Consensus Decisionâ€Making for the Management of Antiplatelet Therapy before Nonâ€Cardiac Surgery in Patients Who Underwent Percutaneous Coronary Intervention With Secondâ€Generation Drugâ€Eluting Stents: A Cohort Study. Journal of the American Heart Association, 2021, 10, e020079. | 3.7 | 6 |
| 177 | Clinical Implications of Thrombocytopenia at Cardiogenic Shock Presentation: Data from a Multicenter Registry. Yonsei Medical Journal, 2020, 61, 851. | 2.2 | 6 |
| 178 | Comparison of clinical outcomes between ACE inhibitor and ARB in AMI patients with dyslipidemia after successful stent implantation. Anatolian Journal of Cardiology, 2019, 23, 86-98. | 0.9 | 6 |
| 179 | Randomized Comparison of Stent Strut Coverage Following Angiography- or Optical Coherence Tomography-guided Percutaneous Coronary Intervention. Revista Espanola De Cardiologia (English Ed) Tj ETQq1 | 1 0. 8843 | 14 5 gBT /Ove |
| 180 | Determinants and Long-Term Outcomes of Percutaneous Coronary Interventions vs. Surgery for Multivessel Disease According to Clinical Presentation. Circulation Journal, 2018, 82, 1092-1100. | 1.6 | 5 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 181 | Two-year clinical outcomes of zotarolimus- and everolimus-eluting durable-polymer-coated stents versus biolimus-eluting biodegradable-polymer-coated stent in patients with acute myocardial infarction with dyslipidemia after percutaneous coronary intervention: data from the KAMIR. Heart and Vessels, 2019, 34, 237-250. | 1.2 | 5 |
| 182 | Bioresorbable Vascular Scaffolds Versus Drug-Eluting Stents for Diffuse Long Coronary Narrowings. American Journal of Cardiology, 2020, 125, 1624-1630. | 1.6 | 5 |
| 183 | Impact of PRECISE-DAPT and DAPT Scores on Dual Antiplatelet Therapy Duration After 2nd Generation Drug-Eluting Stent Implantation. Cardiovascular Drugs and Therapy, 2021, 35, 343-352. | 2.6 | 5 |
| 184 | An Open-label, Single-arm, Multicenter Feasibility Study Evaluating the Safety of Catheter-based Renal Denervation with DENEXâ,,¢ in Patients with Uncontrolled Hypertension on Standard Medical Therapy. Korean Circulation Journal, 2021, 51, 43. | 1.9 | 5 |
| 185 | Optimal Duration for Dual Antiplatelet Therapy After Left Main Coronary Artery Stenting. Circulation Journal, 2020, 85, 59-68. | 1.6 | 5 |
| 186 | Clinical Outcomes of Atherectomy Plus Drug-coated Balloon Versus Drug-coated Balloon Alone in the Treatment of Femoropopliteal Artery Disease. Korean Circulation Journal, 2022, 52, 123. | 1.9 | 5 |
| 187 | 2021 Asian Pacific Society of Cardiology Consensus Recommendations on the Use of P2Y12 Receptor Antagonists in the Asia-Pacific Region: Special Populations. European Cardiology Review, 2021, 16, e43. | 2.2 | 5 |
| 188 | Outcomes of Adjunctive Drug-Coated Versus Uncoated Balloon after Atherectomy in Femoropopliteal Artery Disease. Annals of Vascular Surgery, 2020, 68, 391-399. | 0.9 | 5 |
| 189 | Outcomes between prediabetes and type 2 diabetes mellitus in older adults with acute myocardial infarction in the era of newer-generation drug-eluting stents: a retrospective observational study. BMC Geriatrics, 2021, 21, 653. | 2.7 | 5 |
| 190 | Ticagrelor vs. Clopidogrel in Acute Coronary Syndrome Patients With Chronic Kidney Disease After New-Generation Drug-Eluting Stent Implantation. Frontiers in Cardiovascular Medicine, 2021, 8, 707722. | 2.4 | 5 |
| 191 | Impact of one-month DAPT followed by aspirin monotherapy in patients undergoing percutaneous coronary intervention according to clinical presentation: a post hoc analysis of the randomised One-Month DAPT trial. EuroIntervention, 2022, 18, 471-481. | 3.2 | 5 |
| 192 | Serial Plasma Levels of Angiogenic Factors in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. Korean Circulation Journal, 2012, 42, 464. | 1.9 | 4 |
| 193 | Comparison of Vascular Remodeling in Patients Treated With Sirolimusâ€Versus Zotarolimusâ€Eluting Stent Following Acute Myocardial Infarction. Clinical Cardiology, 2012, 35, 49-54. | 1.8 | 4 |
| 194 | Case of Refractory Hypertension Controlled by Repeated Renal Denervation and Celiac Plexus Block. Hypertension, 2017, 69, 978-984. | 2.7 | 4 |
| 195 | Clinical Implications of Moderate Coronary Stenosis on Coronary Computed Tomography Angiography in Patients with Stable Angina. Yonsei Medical Journal, 2018, 59, 937. | 2.2 | 4 |
| 196 | PRavastatin Versus FluVastatin After Statin Intolerance: The PRUV-Intolerance Study With Propensity Score Matching. American Journal of Medicine, 2019, 132, 1320-1326.e1. | 1.5 | 4 |
| 197 | Comparison of clinical outcomes of two different types of paclitaxel-coated balloons for treatment of patients with coronary in-stent restenosis. Heart and Vessels, 2019, 34, 1420-1428. | 1.2 | 4 |
| 198 | Clinical Outcomes at 2 Years Between Beta-Blockade with ACE Inhibitors or ARBs in Patients with AMI Who Underwent Successful PCI with DES: A Retrospective Analysis of 23,978 Patients in the Korea AMI Registry. American Journal of Cardiovascular Drugs, 2019, 19, 403-414. | 2.2 | 4 |

| # | Article | lF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Long-term outcomes after percutaneous coronary intervention relative to bypass surgery in diabetic patients with multivessel coronary artery disease according to clinical presentation. Coronary Artery Disease, 2020, 31, 174-183. | 0.7 | 4 |
| 200 | Effect of renin-angiotensin system inhibitors on major clinical outcomes in patients with acute myocardial infarction and prediabetes or diabetes after successful implantation of newer-generation drug-eluting stents. Journal of Diabetes and Its Complications, 2020, 34, 107574. | 2.3 | 4 |
| 201 | Effect of statin treatment in patients with acute myocardial infarction with prediabetes and type 2 diabetes mellitus. Medicine (United States), 2021, 100, e24733. | 1.0 | 4 |
| 202 | Acute and one-year clinical outcomes of pre-stenting intravascular ultrasound: a patient-level meta-analysis of randomised clinical trials. EuroIntervention, 2021, 17, 202-211. | 3.2 | 4 |
| 203 | Long-term Clinical Outcomes of Drug-Eluting Stent Malapposition. Korean Circulation Journal, 2020, 50, 880. | 1.9 | 4 |
| 204 | Outcome of early versus delayed invasive strategy in patients with non-ST-segment elevation myocardial infarction and chronic kidney disease not on dialysis. Atherosclerosis, 2022, 344, 60-70. | 0.8 | 4 |
| 205 | Late Stent Thrombosis After Drug-Eluting Stent Implantation: A Rare Case of Accelerated Neo-Atherosclerosis and Early Manifestation of Neointimal Rupture. Korean Circulation Journal, 2011, 41, 409. | 1.9 | 3 |
| 206 | Correlation of angiographic late loss with neointimal coverage of drug-eluting stent struts on follow-up optical coherence tomography. International Journal of Cardiovascular Imaging, 2012, 28, 1289-1297. | 1.5 | 3 |
| 207 | Comparison between Measured and Calculated Length of Side Branch Ostium in Coronary Bifurcation Lesions with Intravascular Ultrasound. Yonsei Medical Journal, 2012, 53, 680. | 2.2 | 3 |
| 208 | Comparison of 3â€ <scp>Y</scp> ear Clinical Outcomes Between Resoluteâ,,¢ Zotarolimus―and Sirolimusâ€ <scp>E</scp> luting Stents for Long Coronary Artery Stenosis. Journal of Interventional Cardiology, 2013, 26, 378-383. | 1.2 | 3 |
| 209 | Dorsal-Plantar Loop Technique Using Chronic Total Occlusion Devices via Anterior Tibial Artery. Yonsei Medical Journal, 2013, 54, 534. | 2.2 | 3 |
| 210 | Nobori-Biolimus-Eluting Stents versus Resolute Zotarolimus-Eluting Stents in Patients Undergoing Coronary Intervention: A Propensity Score Matching. Yonsei Medical Journal, 2017, 58, 290. | 2.2 | 3 |
| 211 | Impact of Vessel Diameter Measured by Preprocedural Computed Tomography Angiography on Immediate and Late Outcomes of Endovascular Therapy for Iliac Artery Diseases. Circulation Journal, 2017, 81, 675-681. | 1.6 | 3 |
| 212 | Incidence, predicting factors, and clinical outcomes of periprocedural myocardial infarction after percutaneous coronary intervention for chronic total occlusion in the era of newâ€generation drugâ€eluting stents. Catheterization and Cardiovascular Interventions, 2018, 92, 477-485. | 1.7 | 3 |
| 213 | Incidence, predictors, and outcomes of distal vessel expansion on followâ€up intravascular ultrasound after recanalization of chronic total occlusions using newâ€generation drugâ€eluting stents: Data from the CTOâ€IVUS randomized trial. Catheterization and Cardiovascular Interventions, 2020, 95, 154-164. | 1.7 | 3 |
| 214 | Optical Coherence Tomography for Coronary Bioresorbable Vascular Scaffold Implantation. Circulation: Cardiovascular Interventions, 2020, 13, e008383. | 3.9 | 3 |
| 215 | Preventive Effect of Pretreatment with Pitavastatin on Contrast-Induced Nephropathy in Patients with Renal Dysfunction Undergoing Coronary Procedure: PRINCIPLE-II Randomized Clinical Trial. Journal of Clinical Medicine, 2020, 9, 3689. | 2.4 | 3 |
| 216 | Different Statin Effects of ST-elevation Versus Non-ST-Elevation Acute Myocardial Infarction After Stent Implantation. American Journal of the Medical Sciences, 2020, 359, 156-167. | 1.1 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Outcomes in prediabetes vs. diabetes in patients with non-ST-segment elevation myocardial infarction undergoing percutaneous intervention. Coronary Artery Disease, 2021, 32, 211-223. | 0.7 | 3 |
| 218 | Comparative effect of statin intensity between prediabetes and type 2 diabetes mellitus after implanting newer-generation drug-eluting stents in Korean acute myocardial infarction patients: a retrospective observational study. BMC Cardiovascular Disorders, 2021, 21, 386. | 1.7 | 3 |
| 219 | Consecutive Jailed- and Kissing-Corsair Technique: Side Branch Protection and Dilation during Stent Implantation. Yonsei Medical Journal, 2019, 60, 1108. | 2.2 | 3 |
| 220 | Impact of Angiotensin II Receptor Blockers on Clinical Outcomes after Percutaneous Coronary Intervention in Patients with Acute Myocardial Infarction Based on Data from the Korean National Health Insurance Database (2005–2014). Korean Circulation Journal, 2020, 50, 984. | 1.9 | 3 |
| 221 | Role of intraprocedural coronary computed tomographic angiography in percutaneous coronary intervention of chronic total occlusion. EuroIntervention, 2016, 11, 1400-1400. | 3.2 | 3 |
| 222 | Neointima characteristics as a prognostic marker for drug-coated balloon angioplasty in patients with in-stent restenosis: an optical coherence tomography study. Coronary Artery Disease, 2020, 31, 694-702. | 0.7 | 3 |
| 223 | Impact of Preprocedural Highâ€Sensitivity Câ€Reactive Protein Levels on Uncovered Stent Struts: An Optical Coherence Tomography Study After Drugâ€Eluting Stent Implantation. Clinical Cardiology, 2011, 34, 97-101. | 1.8 | 2 |
| 224 | Successful Management of a Rare Case of Stent Fracture and Subsequent Migration of the Fractured Stent Segment Into the Ascending Aorta in In-Stent Restenotic Lesions of a Saphenous Vein Graft. Korean Circulation Journal, 2012, 42, 58. | 1.9 | 2 |
| 225 | Successful Prasugrel Rescue Therapy in Clopidogrel Resistant Patients Who Had Recurrent Stent Thrombosis of Drug-Eluting-Stent: The Role of Prasugrel in Clopidogrel Nonresponders. Korean Circulation Journal, 2013, 43, 343. | 1.9 | 2 |
| 226 | Comparison of Full Lesion Coverage versus Spot Drug-Eluting Stent Implantation for Coronary Artery Stenoses. Yonsei Medical Journal, 2014, 55, 584. | 2.2 | 2 |
| 227 | Impact of Coronary Plaque Characteristics on Late Stent Malapposition after Drug-Eluting Stent Implantation. Yonsei Medical Journal, 2015, 56, 1538. | 2.2 | 2 |
| 228 | Coronary Computed Tomographic Angiography Does Not Accurately Predict the Need of Coronary Revascularization in Patients with Stable Angina. Yonsei Medical Journal, 2016, 57, 1079. | 2.2 | 2 |
| 229 | Longâ€Term Clinical Outcomes of a Biodegradable Polymerâ€Based Biolimusâ€Eluting Stent. Journal of Interventional Cardiology, 2016, 29, 162-167. | 1.2 | 2 |
| 230 | The Effect of Sex and Anthropometry on Clinical Outcomes in Patients Undergoing Percutaneous Coronary Intervention for Complex Coronary Lesions. Yonsei Medical Journal, 2017, 58, 296. | 2.2 | 2 |
| 231 | Efficacy and Safety of Guideline-Recommended Risk Score-Directed Dual Antiplatelet Therapy After 2nd-Generation Drug-Eluting Stents. Circulation Journal, 2020, 84, 161-168. | 1.6 | 2 |
| 232 | Prediabetes versus type 2 diabetes mellitus based on pre-percutaneous coronary intervention thrombolysis in myocardial infarction flow grade in patients with ST-segment elevation myocardial infarction after successful newer-generation drug-eluting stent implantation. Diabetes and Vascular Disease Research, 2021, 18, 147916412199150. | 2.0 | 2 |
| 233 | Association between in-stent neointimal characteristics and native coronary artery disease progression. PLoS ONE, 2021, 16, e0247359. | 2.5 | 2 |
| 234 | Impact of preprocedural coronary flow grade on duration of dual antiplatelet therapy in acute myocardial infarction. Scientific Reports, 2021, 11, 11735. | 3.3 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Comparison of two-year clinical outcomes according to glycemic status and renal function in patients with acute myocardial infarction following implantation of new-generation drug-eluting stents. Journal of Diabetes and Its Complications, 2021, 35, 108019. | 2.3 | 2 |
| 236 | Clinical Outcomes of Transcatheter Aortic Valve Implantation for Native Aortic Valves in Patients with Low Coronary Heights. Yonsei Medical Journal, 2021, 62, 209. | 2.2 | 2 |
| 237 | Outcomes of Different Reperfusion Strategies of Multivessel Disease Undergoing Newer-Generation Drug-Eluting Stent Implantation in Patients with Non-ST-Elevation Myocardial Infarction and Chronic Kidney Disease. Journal of Clinical Medicine, 2021, 10, 4629. | 2.4 | 2 |
| 238 | Determinants and Clinical Outcomes of Extended Dual Antiplatelet Therapy over 3 Years after Drug-Eluting Stent Implantation: A Retrospective Analysis. Yonsei Medical Journal, 2020, 61, 597. | 2.2 | 2 |
| 239 | Sex difference after acute myocardial infarction patients with a history of current smoking and long-term clinical outcomes: Results of KAMIR Registry. Cardiology Journal, 2022, 29, 954-965. | 1.2 | 2 |
| 240 | Lipid-Lowering Efficacy and Safety of a New Generic Rosuvastatin in Koreans: an 8-Week Randomized Comparative Study with a Proprietary Rosuvastatin. Journal of Lipid and Atherosclerosis, 2020, 9, 283. | 3.5 | 2 |
| 241 | Clinical Impact of Single and Dual Antiplatelet Therapy Beyond 12 Months on Ischemic Risk in Patients With Acute Myocardial Infarction. Frontiers in Cardiovascular Medicine, 2021, 8, 783344. | 2.4 | 2 |
| 242 | Twoâ€year outcomes between STâ€elevation and nonâ€STâ€elevation myocardial infarction in patients with chronic kidney disease undergoing newerâ€generation drugâ€eluting stent implantation. Catheterization and Cardiovascular Interventions, 2021, , . | 1.7 | 2 |
| 243 | Long-Term Clinical Outcomes Between Biodegradable and Durable Polymer Drug-Eluting Stents: A Nationwide Cohort Study. Frontiers in Cardiovascular Medicine, 2022, 9, 873114. | 2.4 | 2 |
| 244 | Optical Coherence Tomography in Assessing Plaque Characteristics. Current Cardiovascular Imaging Reports, 2010, 3, 197-206. | 0.6 | 1 |
| 245 | Clinical Evidence of Intravascular Ultrasound-Guided Percutaneous Coronary Intervention. , 2018, , 37-47. | | 1 |
| 246 | Impacts of renin–angiotensin system inhibitors on two-year clinical outcomes in diabetic and dyslipidemic acute myocardial infarction patients after a successful percutaneous coronary intervention using newer-generation drug-eluting stents. Medicine (United States), 2020, 99, e21289. | 1.0 | 1 |
| 247 | Beta-Blocker and Renin–Angiotensin System Inhibitor Combination Therapy in Patients with Acute Myocardial Infarction and Prediabetes or Diabetes Who Underwent Successful Implantation of Newer-Generation Drug-Eluting Stents: A Retrospective Observational Registry Study. Journal of Clinical Medicine. 2020. 9, 3447. | 2.4 | 1 |
| 248 | Distal Anchoring Technique in Single Wire System Using Novel Short Track Sliding Balloon Catheter. JACC: Cardiovascular Interventions, 2021, 14, e27-e29. | 2.9 | 1 |
| 249 | Impact of genetic variants on clinical outcome after percutaneous coronary intervention in elderly patients. Aging, 2021, 13, 6506-6524. | 3.1 | 1 |
| 250 | Efficacy of Statin Treatment according to Baseline Renal Function in Korean Patients with Acute Myocardial Infarction Not Requiring Dialysis Undergoing Newer-Generation Drug-Eluting Stent Implantation. Journal of Clinical Medicine, 2021, 10, 3504. | 2.4 | 1 |
| 251 | Comparison of First- and Second-Generation Drug-Eluting Stents in Patients with ST-Segment Elevation Myocardial Infarction Based on Pre-Percutaneous Coronary Intervention Thrombolysis in Myocardial Infarction Flow Grade. Journal of Clinical Medicine, 2021, 10, 367. | 2.4 | 1 |
| 252 | Association between angiographic and intravascular ultrasound optimizations after new-generation drug-eluting stent implantation and clinical outcomes. Coronary Artery Disease, 2021, 32, 541-548. | 0.7 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Comparison of Durable-Polymer- and Biodegradable-Polymer-Based Newer-Generation Drug-Eluting Stents in Patients with Acute Myocardial Infarction and Prediabetes After Successful Percutaneous Coronary Intervention. International Heart Journal, 2020, 61, 673-684. | 1.0 | 1 |
| 254 | Effect of Statin on the Reference Segments after Bare-Metal Stent Implantation. Korean Journal of Internal Medicine, 2010, 25, 353. | 1.7 | 1 |
| 255 | Transcatheter Aortic Valve Replacement with Minimal Contrast Dye in Patients with Renal Insufficiency. Yonsei Medical Journal, 2021, 62, 990. | 2.2 | 1 |
| 256 | Silent plaque rupture in the left main stem assessed by optical coherence tomography. Cardiology Journal, 2020, 27, 316-317. | 1.2 | 1 |
| 257 | ST-segment elevation versus non-ST-segment elevation myocardial infarction in current smokers after newer-generation drug-eluting stent implantation. Medicine (United States), 2021, 100, e28214. | 1.0 | 1 |
| 258 | Impact of New-Onset Persistent Left Bundle Branch Block on Reverse Cardiac Remodeling and Clinical Outcomes After Transcatheter Aortic Valve Replacement. Frontiers in Cardiovascular Medicine, 2022, 9, . | 2.4 | 1 |
| 259 | Computational Fractional Flow Reserve From Coronary Computed Tomography Angiography—Optical Coherence Tomography Fusion Images in Assessing Functionally Significant Coronary Stenosis. Frontiers in Cardiovascular Medicine, 0, 9, . | 2.4 | 1 |
| 260 | Benefit and risk of prolonged dual antiplatelet therapy after drug-eluting stent implantation in patients with chronic kidney disease: A nationwide cohort study. Atherosclerosis, 2022, 352, 69-75. | 0.8 | 1 |
| 261 | Procedural Characteristics of Intravascular Ultrasound–Guided Percutaneous Coronary Intervention and Their Clinical Implications. Journal of the American Heart Association, 2022, 11, . | 3.7 | 1 |
| 262 | A new stent design with multiple radio-opaque markers for protection of side-branch vessels in bifurcation lesions: HJ stents. Cardiovascular Revascularization Medicine, 2011, 12, 323-328. | 0.8 | 0 |
| 263 | Comparison of Threeâ€Year Clinical Outcomes with Nonextended Versus Extended Dual Antiplatelet Therapy Between First―and Secondâ€Generation Drugâ€Eluting Stent Implantation in Patients with Acute Myocardial Infarction: Data from the Infarct Prognosis Study Registry. Journal of Interventional Cardiology, 2012, 25, 245-252. | 1.2 | 0 |
| 264 | Nineâ€Month Angiographic and Intravascular Ultrasound Outcomes After Resolute Zotarolimusâ€Eluting Stent Implantation for the Treatment of Inâ€Stent Restenosis. Journal of Interventional Cardiology, 2013, 26, 543-549. | 1,2 | 0 |
| 265 | Relationship between Angiographic Late Loss and 5-Year Clinical Outcome after Drug-Eluting Stent Implantation. Yonsei Medical Journal, 2013, 54, 41. | 2.2 | 0 |
| 266 | In Vivo Demonstration of Frail Neointimal Tissue Embolization After Angioplasty With a Drug-Coated Balloon Confirmed by Optical Coherence Tomography and Histology. Circulation, 2015, 132, 144-145. | 1.6 | 0 |
| 267 | Ultrasound vs Angiography for Drug-Eluting Stent Implantation—Reply. JAMA - Journal of the American Medical Association, 2016, 315, 2469. | 7.4 | 0 |
| 268 | Successful Treatment of Unprotected Left Main Coronary Bifurcation Lesion Using Minimum Contrast Volume with Intravascular Ultrasound Guidance. Yonsei Medical Journal, 2017, 58, 1066. | 2.2 | 0 |
| 269 | Effects of Coronary Artery Revascularization with a Polymer-Free Biolimus A9–Coated BioFreedom Stent Versus Bypass Surgery before Noncardiac Surgery. Yonsei Medical Journal, 2018, 59, 480. | 2.2 | 0 |
| 270 | Clinical utility of coronary computed tomography angiography in patients diagnosed with high-grade stenosis of the coronary arteries. Coronary Artery Disease, 2019, 30, 511-519. | 0.7 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Comparison of First- and Second-Generation Drug-Eluting Stents in Patients with Acute Myocardial Infarction and Prediabetes Based on the Hemoglobin A1c Level. Journal of Interventional Cardiology, 2020, 2020, 1-11. | 1.2 | 0 |
| 272 | Clinical implication of neointimal burden in inâ€stent restenosis treated with drugâ€coated balloon. Catheterization and Cardiovascular Interventions, 2020, 98, 493-502. | 1.7 | 0 |
| 273 | Effectiveness of Fimasartan and Rosuvastatin Combination Treatment in Hypertensive Patients With Dyslipidemia. Clinical Therapeutics, 2020, 42, 1058-1066.e3. | 2.5 | 0 |
| 274 | Differential Vascular Responses to New-Generation Drug-Eluting Stenting According to Clinical Presentation: Three-Month Optical Coherence Tomographic Study. Angiology, 2021, 72, 381-391. | 1.8 | 0 |
| 275 | ST-elevation versus non-ST-elevation myocardial infarction after combined use of statin with renin–angiotensin system inhibitor: Data from the Korea Acute Myocardial Infarction Registry. Cardiology Journal, 2021, , . | 1.2 | 0 |
| 276 | Impact of genetic variants on major bleeding after percutaneous coronary intervention based on a prospective multicenter registry. Scientific Reports, $2021, 11, 1790$. | 3.3 | 0 |
| 277 | Safety and usefulness of a novel short track sliding balloon catheter. Catheterization and Cardiovascular Interventions, 2021, 98, E548-E554. | 1.7 | 0 |
| 278 | Angiotensin converting enzyme inhibitors versus angiotensin II type 1 receptor blockers in patients with acute myocardial infarction and prediabetes after successful implantation of newer-generation drug-eluting stents. Cardiology Journal, $2021, \ldots $ | 1.2 | 0 |
| 279 | Pre- and Intraprocedure Computed Tomography-Based Assessment of CTO for theÂSuccessful CTO Intervention. , 2019, , 25-41. | | 0 |
| 280 | Monotherapy versus combination therapy of statin and renin–angiotensin system inhibitor in ST-segment elevation myocardial infarction. Cardiology Journal, 2022, 29, 93-104. | 1.2 | 0 |
| 281 | Migrated remnant bioresorbable scaffolds in a left main bifurcation lesion: Insights from optical coherence tomography. Cardiology Journal, 2020, 27, 208-209. | 1.2 | 0 |
| 282 | Successful Culotte Stenting for Unprotected Left Main Trifurcation Disease: Insights from Optical Coherence Tomography. Korean Circulation Journal, 2020, 50, 740. | 1.9 | 0 |
| 283 | The Authors Reply. JACC: Cardiovascular Imaging, 2022, 15, 172-173. | 5.3 | 0 |
| 284 | Association of Timing of Revascularization on Clinical Outcomes of Percutaneous Coronary Intervention Relative to Surgery in Non-ST-Elevation Acute Coronary Syndrome Patients With Multivessel Disease. , 2022, 1, 72. | | 0 |
| 285 | Effects of Hypertension on Two-Year Outcomes According to Glycemic Status in Patients With Acute Myocardial Infarction Receiving Newer-Generation Drug-Eluting Stents. Angiology, 2022, , 000331972210982. | 1.8 | 0 |
| 286 | Prediabetes versus type 2 diabetes in patients with acute myocardial infarction and current smoking. American Journal of the Medical Sciences, 2022, , . | 1.1 | 0 |
| 287 | Successful Endovascular Management of Anastomotic Stenosis of the Left Pulmonary Artery After Double Lung Transplantation. , 0, 1 , . | | 0 |