

Byeong-Keuk Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8374685/publications.pdf>

Version: 2024-02-01

287
papers

6,708
citations

125106

35
h-index

93651

72
g-index

292
all docs

292
docs citations

292
times ranked

5729
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of ticagrelor monotherapy on mortality after percutaneous coronary intervention: a systematic review and meta-analysis of randomized trials including 26,143 patients. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 48-55.	1.4	10
2	Clinical Implications of Poststent Optical Coherence Tomographic Findings. <i>JACC: Cardiovascular Imaging</i> , 2022, 15, 126-137.	2.3	10
3	Monotherapy versus combination therapy of statin and renin-angiotensin system inhibitor in ST-segment elevation myocardial infarction. <i>Cardiology Journal</i> , 2022, 29, 93-104.	0.5	0
4	Sex difference after acute myocardial infarction patients with a history of current smoking and long-term clinical outcomes: Results of KAMIR Registry. <i>Cardiology Journal</i> , 2022, 29, 954-965.	0.5	2
5	Clinical Outcomes of Atherectomy Plus Drug-coated Balloon Versus Drug-coated Balloon Alone in the Treatment of Femoropopliteal Artery Disease. <i>Korean Circulation Journal</i> , 2022, 52, 123.	0.7	5
6	Outcome of early versus delayed invasive strategy in patients with non-ST-segment elevation myocardial infarction and chronic kidney disease not on dialysis. <i>Atherosclerosis</i> , 2022, 344, 60-70.	0.4	4
7	Is Routine Postdilation During Angiography-Guided Stent Implantation as Good as Intravascular Ultrasound Guidance?: An Analysis Using Data From IVUS-XPL and ULTIMATE. <i>Circulation: Cardiovascular Interventions</i> , 2022, 15, e011366.	1.4	10
8	The Authors Reply. <i>JACC: Cardiovascular Imaging</i> , 2022, 15, 172-173.	2.3	0
9	Ticagrelor Monotherapy After 3-Month Dual Antiplatelet Therapy in Acute Coronary Syndrome by High Bleeding Risk: The Subanalysis From the TICO Trial. <i>Korean Circulation Journal</i> , 2022, 52, 324.	0.7	12
10	Improved 3-Year Cardiac Survival After IVUS-Guided Long DES Implantation. <i>JACC: Cardiovascular Interventions</i> , 2022, 15, 208-216.	1.1	38
11	Association of Timing of Revascularization on Clinical Outcomes of Percutaneous Coronary Intervention Relative to Surgery in Non-ST-Elevation Acute Coronary Syndrome Patients With Multivessel Disease. , 2022, 1, 72.		0
12	Effect of Wire Jailing at Side Branch in 1-Stent Strategy for Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2022, 15, 443-455.	1.1	7
13	Role of Intravascular Ultrasound-Guided Percutaneous Coronary Intervention in Optimizing Outcomes in Acute Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2022, 11, e023481.	1.6	22
14	Impact of one-month DAPT followed by aspirin monotherapy in patients undergoing percutaneous coronary intervention according to clinical presentation: a post hoc analysis of the randomised One-Month DAPT trial. <i>EuroIntervention</i> , 2022, 18, 471-481.	1.4	5
15	Platelet Function and Genotype after DES Implantation in East Asian Patients: Rationale and Characteristics of the PTRG-DES Consortium. <i>Yonsei Medical Journal</i> , 2022, 63, 413.	0.9	13
16	Long-Term Clinical Outcomes Between Biodegradable and Durable Polymer Drug-Eluting Stents: A Nationwide Cohort Study. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 873114.	1.1	2
17	Effects of Hypertension on Two-Year Outcomes According to Glycemic Status in Patients With Acute Myocardial Infarction Receiving Newer-Generation Drug-Eluting Stents. <i>Angiology</i> , 2022, , 000331972210982.	0.8	0
18	Prediabetes versus type 2 diabetes in patients with acute myocardial infarction and current smoking. <i>American Journal of the Medical Sciences</i> , 2022, , .	0.4	0

#	ARTICLE	IF	CITATIONS
19	Impact of New-Onset Persistent Left Bundle Branch Block on Reverse Cardiac Remodeling and Clinical Outcomes After Transcatheter Aortic Valve Replacement. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, .	1.1	1
20	Benefit and risk of prolonged dual antiplatelet therapy after drug-eluting stent implantation in patients with chronic kidney disease: A nationwide cohort study. <i>Atherosclerosis</i> , 2022, 352, 69-75.	0.4	1
21	Procedural Characteristics of Intravascular Ultrasound-Guided Percutaneous Coronary Intervention and Their Clinical Implications. <i>Journal of the American Heart Association</i> , 2022, 11, .	1.6	1
22	Impact of PRECISE-DAPT and DAPT Scores on Dual Antiplatelet Therapy Duration After 2nd Generation Drug-Eluting Stent Implantation. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 343-352.	1.3	5
23	Differential Vascular Responses to New-Generation Drug-Eluting Stenting According to Clinical Presentation: Three-Month Optical Coherence Tomographic Study. <i>Angiology</i> , 2021, 72, 381-391.	0.8	0
24	Efficacy of coronary imaging on bifurcation intervention. <i>Cardiovascular Intervention and Therapeutics</i> , 2021, 36, 54-66.	1.2	13
25	Two-Year Clinical Outcomes Between Prediabetic and Diabetic Patients With STEMI and Multivessel Disease Who Underwent Successful PCI Using Drug-Eluting Stents. <i>Angiology</i> , 2021, 72, 50-61.	0.8	6
26	ST-elevation versus non-ST-elevation myocardial infarction after combined use of statin with renin-angiotensin system inhibitor: Data from the Korea Acute Myocardial Infarction Registry. <i>Cardiology Journal</i> , 2021, .	0.5	0
27	Comparison of Transcatheter Aortic Valve Replacement between Self-Expanding versus Balloon-Expandable Valves in Patients with Small Aortic Annulus. <i>Korean Circulation Journal</i> , 2021, 51, 222.	0.7	9
28	Prediabetes versus type 2 diabetes mellitus based on pre-percutaneous coronary intervention thrombolysis in myocardial infarction flow grade in patients with ST-segment elevation myocardial infarction after successful newer-generation drug-eluting stent implantation. <i>Diabetes and Vascular Disease Research</i> , 2021, 18, 147916412199150.	0.9	2
29	Impact of genetic variants on major bleeding after percutaneous coronary intervention based on a prospective multicenter registry. <i>Scientific Reports</i> , 2021, 11, 1790.	1.6	0
30	Distal Anchoring Technique in Single Wire System Using Novel Short Track Sliding Balloon Catheter. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, e27-e29.	1.1	1
31	Ticagrelor Monotherapy Versus Ticagrelor With Aspirin in Patients With ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 431-440.	1.1	16
32	Effect of statin treatment in patients with acute myocardial infarction with prediabetes and type 2 diabetes mellitus. <i>Medicine (United States)</i> , 2021, 100, e24733.	0.4	4
33	2020 Asian Pacific Society of Cardiology Consensus Recommendations on the Use of P2Y12 Receptor Antagonists in the Asia-Pacific Region. <i>European Cardiology Review</i> , 2021, 16, e02.	0.7	17
34	Factors Related to Major Bleeding After Ticagrelor Therapy: Results from the TICO Trial. <i>Journal of the American Heart Association</i> , 2021, 10, e019630.	1.6	11
35	Outcomes in prediabetes vs. diabetes in patients with non-ST-segment elevation myocardial infarction undergoing percutaneous intervention. <i>Coronary Artery Disease</i> , 2021, 32, 211-223.	0.3	3
36	Impact of genetic variants on clinical outcome after percutaneous coronary intervention in elderly patients. <i>Aging</i> , 2021, 13, 6506-6524.	1.4	1

#	ARTICLE	IF	CITATIONS
37	Consensus Decisionâ€Making for the Management of Antiplatelet Therapy before Nonâ€Cardiac Surgery in Patients Who Underwent Percutaneous Coronary Intervention With Secondâ€Generation Drugâ€Eluting Stents: A Cohort Study. <i>Journal of the American Heart Association</i> , 2021, 10, e020079.	1.6	6
38	Effects of stent generation on clinical outcomes after acute myocardial infarction compared between prediabetes and diabetes patients. <i>Scientific Reports</i> , 2021, 11, 9364.	1.6	13
39	Association between in-stent neointimal characteristics and native coronary artery disease progression. <i>PLoS ONE</i> , 2021, 16, e0247359.	1.1	2
40	Association Between Timing of Extracorporeal Membrane Oxygenation and Clinical Outcomes in Refractory Cardiogenic Shock. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1109-1119.	1.1	35
41	2020 Asian Pacific Society of Cardiology Consensus Recommendations on Antithrombotic Management for High-risk Chronic Coronary Syndrome. <i>European Cardiology Review</i> , 2021, 16, e26.	0.7	7
42	P2Y12 inhibitor monotherapy or dual antiplatelet therapy after coronary revascularisation: individual patient level meta-analysis of randomised controlled trials. <i>BMJ, The</i> , 2021, 373, n1332.	3.0	144
43	Long-term outcomes after renal denervation in an Asian population: results from the Global SYMPPLICITY Registry in South Korea (GSR Korea). <i>Hypertension Research</i> , 2021, 44, 1099-1104.	1.5	18
44	Impact of preprocedural coronary flow grade on duration of dual antiplatelet therapy in acute myocardial infarction. <i>Scientific Reports</i> , 2021, 11, 11735.	1.6	2
45	Safety and usefulness of a novel short track sliding balloon catheter. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, E548-E554.	0.7	0
46	Effect of Coronary CTA on Chronicâ€Totalâ€Occlusion Percutaneous Coronaryâ€Intervention. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 1993-2004.	2.3	41
47	Acute and one-year clinical outcomes of pre-stenting intravascular ultrasound: a patient-level meta-analysis of randomised clinical trials. <i>EuroIntervention</i> , 2021, 17, 202-211.	1.4	4
48	Ticagrelor Monotherapy Versus Ticagrelor With Aspirin in Acute Coronary Syndrome Patients With a High Risk of Ischemic Events. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e010812.	1.4	17
49	Comparison of two-year clinical outcomes according to glycemic status and renal function in patients with acute myocardial infarction following implantation of new-generation drug-eluting stents. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 108019.	1.2	2
50	Efficacy of Statin Treatment according to Baseline Renal Function in Korean Patients with Acute Myocardial Infarction Not Requiring Dialysis Undergoing Newer-Generation Drug-Eluting Stent Implantation. <i>Journal of Clinical Medicine</i> , 2021, 10, 3504.	1.0	1
51	Comparative effect of statin intensity between prediabetes and type 2 diabetes mellitus after implanting newer-generation drug-eluting stents in Korean acute myocardial infarction patients: a retrospective observational study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 386.	0.7	3
52	1-Month Dual-Antiplatelet Therapy Followed by Aspirin Monotherapy Afterâ€Polymer-Free Drug-Coated Stentâ€Implantation. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1801-1811.	1.1	47
53	Comparison of First- and Second-Generation Drug-Eluting Stents in Patients with ST-Segment Elevation Myocardial Infarction Based on Pre-Percutaneous Coronary Intervention Thrombolysis in Myocardial Infarction Flow Grade. <i>Journal of Clinical Medicine</i> , 2021, 10, 367.	1.0	1
54	Clinical Outcomes of Transcatheter Aortic Valve Implantation for Native Aortic Valves in Patients with Low Coronary Heights. <i>Yonsei Medical Journal</i> , 2021, 62, 209.	0.9	2

#	ARTICLE	IF	CITATIONS
55	Association between angiographic and intravascular ultrasound optimizations after new-generation drug-eluting stent implantation and clinical outcomes. <i>Coronary Artery Disease</i> , 2021, 32, 541-548.	0.3	1
56	An Open-label, Single-arm, Multicenter Feasibility Study Evaluating the Safety of Catheter-based Renal Denervation with DENEXA [®] in Patients with Uncontrolled Hypertension on Standard Medical Therapy. <i>Korean Circulation Journal</i> , 2021, 51, 43.	0.7	5
57	Transcatheter Aortic Valve Replacement with Minimal Contrast Dye in Patients with Renal Insufficiency. <i>Yonsei Medical Journal</i> , 2021, 62, 990.	0.9	1
58	Angiotensin converting enzyme inhibitors versus angiotensin II type 1 receptor blockers in patients with acute myocardial infarction and prediabetes after successful implantation of newer-generation drug-eluting stents. <i>Cardiology Journal</i> , 2021, , .	0.5	0
59	Impact of Intravascular Ultrasoundâ€“Guided Optimal Stent Expansion on 3-Year Hard Clinical Outcomes. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e011124.	1.4	11
60	Skin Perfusion Pressure Predicts Early Wound Healing After Endovascular Therapy in Chronic Limb Threatening Ischaemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 62, 909-917.	0.8	7
61	Outcomes of Different Reperfusion Strategies of Multivessel Disease Undergoing Newer-Generation Drug-Eluting Stent Implantation in Patients with Non-ST-Elevation Myocardial Infarction and Chronic Kidney Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 4629.	1.0	2
62	Risk-Benefit of 1-Year DAPT After DES Implantation in Patients Stratified by Bleeding and Ischemic Risk. <i>Journal of the American College of Cardiology</i> , 2021, 78, 1968-1986.	1.2	11
63	2021 Asian Pacific Society of Cardiology Consensus Recommendations on the Use of P2Y12 Receptor Antagonists in the Asia-Pacific Region: Special Populations. <i>European Cardiology Review</i> , 2021, 16, e43.	0.7	5
64	Outcomes between prediabetes and type 2 diabetes mellitus in older adults with acute myocardial infarction in the era of newer-generation drug-eluting stents: a retrospective observational study. <i>BMC Geriatrics</i> , 2021, 21, 653.	1.1	5
65	Clinical Impact of Single and Dual Antiplatelet Therapy Beyond 12 Months on Ischemic Risk in Patients With Acute Myocardial Infarction. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 783344.	1.1	2
66	Ticagrelor vs. Clopidogrel in Acute Coronary Syndrome Patients With Chronic Kidney Disease After New-Generation Drug-Eluting Stent Implantation. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 707722.	1.1	5
67	ST-segment elevation versus non-ST-segment elevation myocardial infarction in current smokers after newer-generation drug-eluting stent implantation. <i>Medicine (United States)</i> , 2021, 100, e28214.	0.4	1
68	Twoâ€“year outcomes between STâ€“elevation and nonâ€“STâ€“elevation myocardial infarction in patients with chronic kidney disease undergoing newerâ€“generation drugâ€“eluting stent implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2021, , .	0.7	2
69	Ageâ€“Dependent Effect of Ticagrelor Monotherapy Versus Ticagrelor With Aspirin on Major Bleeding and Cardiovascular Events: A Post Hoc Analysis of the TICO Randomized Trial. <i>Journal of the American Heart Association</i> , 2021, 10, e022700.	1.6	8
70	Which is the worst risk factor for the longâ€“term clinical outcome? Comparison of longâ€“term clinical outcomes between antecedent hypertension and diabetes mellitus in South Korean acute myocardial infarction patients after stent implantation. <i>Journal of Diabetes</i> , 2020, 12, 119-133.	0.8	6
71	Impact of stent generation on 2â€“year clinical outcomes in STâ€“segment elevation myocardial infarction patients with multivessel disease who underwent culpritâ€“only or multivessel percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, E40-E55.	0.7	16
72	Severe acute stent malapposition follow-up: 3-month and 12-month serial quantitative analyses by optical coherence tomography. <i>International Journal of Cardiology</i> , 2020, 299, 81-86.	0.8	6

#	ARTICLE	IF	CITATIONS
73	Long-Term Efficacy of Extended Dual Antiplatelet Therapy After Left Main Coronary Artery Bifurcation Stenting. <i>American Journal of Cardiology</i> , 2020, 125, 320-327.	0.7	14
74	Incidence, predictors, and outcomes of distal vessel expansion on follow-up intravascular ultrasound after recanalization of chronic total occlusions using new-generation drug-eluting stents: Data from the CTO-INUS randomized trial. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 154-164.	0.7	3
75	Optical Coherence Tomography for Coronary Bioresorbable Vascular Scaffold Implantation. <i>Circulation</i> : <i>Cardiovascular Interventions</i> , 2020, 13, e008383.	1.4	3
76	Effects of prediabetes on long-term clinical outcomes of patients with acute myocardial infarction who underwent PCI using new-generation drug-eluting stents. <i>Diabetes Research and Clinical Practice</i> , 2020, 160, 107994.	1.1	16
77	Efficacy and Safety of Guideline-Recommended Risk Score-Directed Dual Antiplatelet Therapy After 2nd-Generation Drug-Eluting Stents. <i>Circulation Journal</i> , 2020, 84, 161-168.	0.7	2
78	Effect of Intravascular Ultrasound-Guided Drug-Eluting Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 62-71.	1.1	151
79	Ten-Year Clinical Outcomes of Late-Acquired Stent Malapposition After Coronary Stent Implantation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 288-295.	1.1	6
80	Long-term outcomes after percutaneous coronary intervention relative to bypass surgery in diabetic patients with multivessel coronary artery disease according to clinical presentation. <i>Coronary Artery Disease</i> , 2020, 31, 174-183.	0.3	4
81	Preventive Effect of Pretreatment with Pitavastatin on Contrast-Induced Nephropathy in Patients with Renal Dysfunction Undergoing Coronary Procedure: PRINCIPLE-II Randomized Clinical Trial. <i>Journal of Clinical Medicine</i> , 2020, 9, 3689.	1.0	3
82	Comparison of First- and Second-Generation Drug-Eluting Stents in Patients with Acute Myocardial Infarction and Prediabetes Based on the Hemoglobin A1c Level. <i>Journal of Interventional Cardiology</i> , 2020, 2020, 1-11.	0.5	0
83	Clinical implication of neointimal burden in in-stent restenosis treated with drug-coated balloon. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 98, 493-502.	0.7	0
84	Impacts of renin-angiotensin system inhibitors on two-year clinical outcomes in diabetic and dyslipidemic acute myocardial infarction patients after a successful percutaneous coronary intervention using newer-generation drug-eluting stents. <i>Medicine (United States)</i> , 2020, 99, e21289.	0.4	1
85	Optical coherence tomography-based machine learning for predicting fractional flow reserve in intermediate coronary stenosis: a feasibility study. <i>Scientific Reports</i> , 2020, 10, 20421.	1.6	19
86	Beta-Blocker and Renin-Angiotensin System Inhibitor Combination Therapy in Patients with Acute Myocardial Infarction and Prediabetes or Diabetes Who Underwent Successful Implantation of Newer-Generation Drug-Eluting Stents: A Retrospective Observational Registry Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 3447.	1.0	1
87	Patterns of Antiplatelet Therapy During Noncardiac Surgery in Patients With Second-Generation Drug-Eluting Stents. <i>Journal of the American Heart Association</i> , 2020, 9, e016218.	1.6	9
88	Effectiveness of Fimasartan and Rosuvastatin Combination Treatment in Hypertensive Patients With Dyslipidemia. <i>Clinical Therapeutics</i> , 2020, 42, 1058-1066.e3.	1.1	0
89	Effect of Ticagrelor Monotherapy vs Ticagrelor With Aspirin on Major Bleeding and Cardiovascular Events in Patients With Acute Coronary Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2407.	3.8	326
90	Effect of renin-angiotensin system inhibitors on major clinical outcomes in patients with acute myocardial infarction and prediabetes or diabetes after successful implantation of newer-generation drug-eluting stents. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107574.	1.2	4

#	ARTICLE	IF	CITATIONS
91	Aortic Remodeling and Clinical Outcomes in Type B Aortic Dissection According to the Timing of Thoracic Endovascular Aortic Repair. <i>Annals of Vascular Surgery</i> , 2020, 67, 322-331.	0.4	15
92	Different Statin Effects of ST-elevation Versus Non-ST-Elevation Acute Myocardial Infarction After Stent Implantation. <i>American Journal of the Medical Sciences</i> , 2020, 359, 156-167.	0.4	3
93	Risk Factors for Closure Failure following Percutaneous Transfemoral Transcatheter Aortic Valve Implantation. <i>Annals of Vascular Surgery</i> , 2020, 66, 406-414.	0.4	8
94	Renal Denervation in Asia. <i>Hypertension</i> , 2020, 75, 590-602.	1.3	50
95	Culprit-only versus multivessel or complete versus incomplete revascularization in patients with non-ST-segment elevation myocardial infarction and multivessel disease who underwent successful percutaneous coronary intervention using newer-generation drug-eluting stents. <i>Atherosclerosis</i> , 2020, 301, 54-64.	0.4	7
96	Bioresorbable Vascular Scaffolds Versus Drug-Eluting Stents for Diffuse Long Coronary Narrowings. <i>American Journal of Cardiology</i> , 2020, 125, 1624-1630.	0.7	5
97	Comparison of Durable-Polymer- and Biodegradable-Polymer-Based Newer-Generation Drug-Eluting Stents in Patients with Acute Myocardial Infarction and Prediabetes After Successful Percutaneous Coronary Intervention. <i>International Heart Journal</i> , 2020, 61, 673-684.	0.5	1
98	Clinical Implications of Thrombocytopenia at Cardiogenic Shock Presentation: Data from a Multicenter Registry. <i>Yonsei Medical Journal</i> , 2020, 61, 851.	0.9	6
99	Anti-Inflammatory Effect for Atherosclerosis Progression by Sodium-Glucose Cotransporter 2 (SGLT-2) Inhibitor in a Normoglycemic Rabbit Model. <i>Korean Circulation Journal</i> , 2020, 50, 443.	0.7	40
100	Impact of Angiotensin II Receptor Blockers on Clinical Outcomes after Percutaneous Coronary Intervention in Patients with Acute Myocardial Infarction Based on Data from the Korean National Health Insurance Database (2005-2014). <i>Korean Circulation Journal</i> , 2020, 50, 984.	0.7	3
101	Outcomes of stent optimisation in intravascular ultrasound-guided interventions for long lesions or chronic total occlusions. <i>EuroIntervention</i> , 2020, 16, e480-e488.	1.4	13
102	Migrated remnant bioresorbable scaffolds in a left main bifurcation lesion: Insights from optical coherence tomography. <i>Cardiology Journal</i> , 2020, 27, 208-209.	0.5	0
103	Silent plaque rupture in the left main stem assessed by optical coherence tomography. <i>Cardiology Journal</i> , 2020, 27, 316-317.	0.5	1
104	Determinants and Clinical Outcomes of Extended Dual Antiplatelet Therapy over 3 Years after Drug-Eluting Stent Implantation: A Retrospective Analysis. <i>Yonsei Medical Journal</i> , 2020, 61, 597.	0.9	2
105	Optimal Duration for Dual Antiplatelet Therapy After Left Main Coronary Artery Stenting. <i>Circulation Journal</i> , 2020, 85, 59-68.	0.7	5
106	Lipid-Lowering Efficacy and Safety of a New Generic Rosuvastatin in Koreans: an 8-Week Randomized Comparative Study with a Proprietary Rosuvastatin. <i>Journal of Lipid and Atherosclerosis</i> , 2020, 9, 283.	1.1	2
107	Long-term Clinical Outcomes of Drug-Eluting Stent Malapposition. <i>Korean Circulation Journal</i> , 2020, 50, 880.	0.7	4
108	Successful Culotte Stenting for Unprotected Left Main Trifurcation Disease: Insights from Optical Coherence Tomography. <i>Korean Circulation Journal</i> , 2020, 50, 740.	0.7	0

#	ARTICLE	IF	CITATIONS
109	Neointima characteristics as a prognostic marker for drug-coated balloon angioplasty in patients with in-stent restenosis: an optical coherence tomography study. <i>Coronary Artery Disease</i> , 2020, 31, 694-702.	0.3	3
110	Outcomes of Adjunctive Drug-Coated Versus Uncoated Balloon after Atherectomy in Femoropopliteal Artery Disease. <i>Annals of Vascular Surgery</i> , 2020, 68, 391-399.	0.4	5
111	Risk Factors for Restenosis after Drug-coated Balloon Angioplasty for Complex Femoropopliteal Arterial Occlusive Disease. <i>Annals of Vascular Surgery</i> , 2019, 55, 45-54.	0.4	15
112	Impact of late stent malapposition after drug-eluting stent implantation on long-term clinical outcomes. <i>Atherosclerosis</i> , 2019, 288, 118-123.	0.4	8
113	Severe Acute Stent Malapposition After Drug-eluting Stent Implantation: Effects on Long-term Clinical Outcomes. <i>Journal of the American Heart Association</i> , 2019, 8, e012800.	1.6	11
114	Editor's Choice " Impact of Endovascular Pedal Artery Revascularisation on Wound Healing in Patients With Critical Limb Ischaemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, 854-863.	0.8	25
115	Relation of Preprocedural Hemoglobin Level to Outcomes After Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2019, 124, 1319-1326.	0.7	8
116	PRavastatin Versus FLUVastatin After Statin Intolerance: The PRUV-Intolerance Study With Propensity Score Matching. <i>American Journal of Medicine</i> , 2019, 132, 1320-1326.e1.	0.6	4
117	Synergistic protective effects of a statin and an angiotensin receptor blocker for initiation and progression of atherosclerosis. <i>PLoS ONE</i> , 2019, 14, e0215604.	1.1	12
118	Comparison of clinical outcomes of two different types of paclitaxel-coated balloons for treatment of patients with coronary in-stent restenosis. <i>Heart and Vessels</i> , 2019, 34, 1420-1428.	0.5	4
119	One-year clinical outcomes between biodegradable-polymer-coated biolimus-eluting stent and durable-polymer-coated drug-eluting stents in STEMI patients with multivessel coronary artery disease undergoing culprit-only or multivessel PCI. <i>Atherosclerosis</i> , 2019, 284, 102-109.	0.4	15
120	Statin and clinical outcomes of primary prevention in individuals aged >75 years: The SCOPE-75 study. <i>Atherosclerosis</i> , 2019, 284, 31-36.	0.4	27
121	Randomized evaluation of ticagrelor monotherapy after 3-month dual-antiplatelet therapy in patients with acute coronary syndrome treated with new-generation sirolimus-eluting stents: TICO trial rationale and design. <i>American Heart Journal</i> , 2019, 212, 45-52.	1.2	26
122	Long-term Clinical Outcomes of Late Stent Malapposition Detected by Optical Coherence Tomography After Drug-eluting Stent Implantation. <i>Journal of the American Heart Association</i> , 2019, 8, e011817.	1.6	15
123	Clinical Outcomes at 2 Years Between Beta-Blockade with ACE Inhibitors or ARBs in Patients with AMI Who Underwent Successful PCI with DES: A Retrospective Analysis of 23,978 Patients in the Korea AMI Registry. <i>American Journal of Cardiovascular Drugs</i> , 2019, 19, 403-414.	1.0	4
124	One-year clinical outcomes of ticagrelor compared with clopidogrel after percutaneous coronary intervention in patients with acute myocardial infarction: From Korean Health Insurance Review and Assessment Data. <i>Journal of Cardiology</i> , 2019, 73, 191-197.	0.8	8
125	Optimal Strategy for Antiplatelet Therapy After Endovascular Revascularization for Lower Extremity Peripheral Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 2359-2370.	1.1	27
126	Clinical utility of coronary computed tomography angiography in patients diagnosed with high-grade stenosis of the coronary arteries. <i>Coronary Artery Disease</i> , 2019, 30, 511-519.	0.3	0

#	ARTICLE	IF	CITATIONS
127	Two-year clinical outcomes of zotarolimus- and everolimus-eluting durable-polymer-coated stents versus biolimus-eluting biodegradable-polymer-coated stent in patients with acute myocardial infarction with dyslipidemia after percutaneous coronary intervention: data from the KAMIR. <i>Heart and Vessels</i> , 2019, 34, 237-250.	0.5	5
128	Two-year outcomes of statin therapy in patients with acute myocardial infarction with or without dyslipidemia after percutaneous coronary intervention in the era of new-generation drug-eluting stents within Korean population: Data from the Korea Acute Myocardial Infarction Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 1264-1275.	0.7	12
129	Comparison Between Beta-Blockers with Angiotensin-Converting Enzyme Inhibitors and Beta-Blockers with Angiotensin II Type I Receptor Blockers in ST-Segment Elevation Myocardial Infarction After Successful Percutaneous Coronary Intervention with Drug-Eluting Stents. <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 55-67.	1.3	18
130	Impact of renin-angiotensin system inhibitors on long-term clinical outcomes in patients with acute myocardial infarction treated with successful percutaneous coronary intervention with drug-eluting stents: Comparison between STEMI and NSTEMI. <i>Atherosclerosis</i> , 2019, 280, 166-173.	0.4	34
131	Favorable neurological outcome after ischemic cerebrovascular events in patients treated with percutaneous left atrial appendage occlusion compared with warfarin. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 94, E23-E29.	0.7	7
132	Consecutive Jailed- and Kissing-Corsair Technique: Side Branch Protection and Dilation during Stent Implantation. <i>Yonsei Medical Journal</i> , 2019, 60, 1108.	0.9	3
133	Coronary Artery Aneurysm after Second-Generation Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2019, 60, 824.	0.9	10
134	Pre- and Intraprocedure Computed Tomography-Based Assessment of CTO for the Successful CTO Intervention. , 2019, , 25-41.		0
135	Comparison of clinical outcomes between ACE inhibitor and ARB in AMI patients with dyslipidemia after successful stent implantation. <i>Anatolian Journal of Cardiology</i> , 2019, 23, 86-98.	0.5	6
136	Impact of peripheral artery disease on early and late outcomes of transcatheter aortic valve implantation in patients with severe aortic valve stenosis. <i>International Journal of Cardiology</i> , 2018, 255, 206-211.	0.8	16
137	Determinants and Long-Term Outcomes of Percutaneous Coronary Interventions vs. Surgery for Multivessel Disease According to Clinical Presentation. <i>Circulation Journal</i> , 2018, 82, 1092-1100.	0.7	5
138	Short-Term Versus Long-Term Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation in Elderly Patients. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 435-443.	1.1	54
139	Early Strut Coverage in Patients Receiving Drug-Eluting Stents and its Implications for Dual Antiplatelet Therapy. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 1810-1819.	2.3	38
140	Incidence, predicting factors, and clinical outcomes of periprocedural myocardial infarction after percutaneous coronary intervention for chronic total occlusion in the era of new-generation drug-eluting stents. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 92, 477-485.	0.7	3
141	High-intensity Statin Treatments in Clinically Stable Patients on Aspirin Monotherapy 12 Months After Drug-eluting Stent Implantation: A Randomized Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018, 71, 423-431.	0.4	8
142	Clinical Evidence of Intravascular Ultrasound-Guided Percutaneous Coronary Intervention. , 2018, , 37-47.		1
143	Immediate and late outcomes of endovascular therapy for lower extremity arteries in Buerger disease. <i>Journal of Vascular Surgery</i> , 2018, 67, 1769-1777.	0.6	18
144	Optimal duration of DAPT after second-generation drug-eluting stent in acute coronary syndrome. <i>PLoS ONE</i> , 2018, 13, e0207386.	1.1	14

#	ARTICLE	IF	CITATIONS
145	Effects of Coronary Artery Revascularization with a Polymer-Free Biolimus A9â€œCoated BioFreedom Stent Versus Bypass Surgery before Noncardiac Surgery. <i>Yonsei Medical Journal</i> , 2018, 59, 480.	0.9	0
146	Early Follow-Up Optical Coherence Tomographic Findings of Significant Drug-Eluting Stent Malapposition. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e007192.	1.4	8
147	Effect of fenofibrate in 1113 patients at low-density lipoprotein cholesterol goal but high triglyceride levels: Real-world results and factors associated with triglyceride reduction. <i>PLoS ONE</i> , 2018, 13, e0205006.	1.1	7
148	Association between body mass index and clinical outcomes after new-generation drug-eluting stent implantation: Korean multi-center registry data. <i>Atherosclerosis</i> , 2018, 277, 155-162.	0.4	11
149	Patient-Centered Decision-Making of Revascularization Strategy for Left Main or Multivessel Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2018, 122, 2005-2013.	0.7	7
150	Clinical Implications of Moderate Coronary Stenosis on Coronary Computed Tomography Angiography in Patients with Stable Angina. <i>Yonsei Medical Journal</i> , 2018, 59, 937.	0.9	4
151	Different Neointimal Pattern in Early vs. Late In-Stent Restenosis and Clinical Outcomes After Drug-Coated Balloon Angioplastyâ€œ• An Optical Coherence Tomography Study â€œ. <i>Circulation Journal</i> , 2018, 82, 2745-2752.	0.7	13
152	Long-Term Clinical Outcomes and Optimal Stent Strategy in Left Main Coronary Bifurcation Stenting. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1247-1258.	1.1	34
153	Peripheral artery disease is associated with poor clinical outcome in patients with abdominal aortic aneurysm after endovascular aneurysm repair. <i>International Journal of Cardiology</i> , 2018, 268, 208-213.	0.8	8
154	Randomized Comparison of Strut Coverage between Ticagrelor and Clopidogrel in Acute Myocardial Infarction at 3-Month Optical Coherence Tomography. <i>Yonsei Medical Journal</i> , 2018, 59, 624.	0.9	8
155	Safety of six-month dual antiplatelet therapy after second-generation drug-eluting stent implantation: OPTIMA-C Randomised Clinical Trial and OCT Substudy. <i>EuroIntervention</i> , 2018, 13, 1923-1930.	1.4	40
156	Intravascular Ultrasound Predictors of Major Adverse Cardiovascular Events After Implantation of Everolimus-eluting Stents for Long Coronary Lesions. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017, 70, 88-95.	0.4	6
157	Predictores de eventos cardiovasculares adversos mayores en la ecocardiografÃa intravascular tras el implante de stents liberadores de everolimus en lesiones coronarias largas. <i>Revista Espanola De Cardiologia</i> , 2017, 70, 88-95.	0.6	19
158	Three, six, or twelve months of dual antiplatelet therapy after DES implantation in patients with or without acute coronary syndromes: an individual patient data pairwise and network meta-analysis of six randomized trials and 11â€œ%473 patients. <i>European Heart Journal</i> , 2017, 38, ehw627.	1.0	138
159	Bleeding-Related Deaths in Relation to the Duration of Dual-Antiplatelet Therapy After Coronary Stenting. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2011-2022.	1.2	109
160	Case of Refractory Hypertension Controlled by Repeated Renal Denervation and Celiac Plexus Block. <i>Hypertension</i> , 2017, 69, 978-984.	1.3	4
161	Characteristics of Earlier Versus Delayed Presentation of Very Late Drugâ€œEluting Stent Thrombosis: An Optical Coherence Tomographic Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	20
162	Impact of National Health Checkup Service on Hard Atherosclerotic Cardiovascular Disease Events and All-Cause Mortality in the General Population. <i>American Journal of Cardiology</i> , 2017, 120, 1804-1812.	0.7	14

#	ARTICLE	IF	CITATIONS
163	Predictors of poor clinical outcomes after successful chronic total occlusion intervention with drug-eluting stents. <i>Coronary Artery Disease</i> , 2017, 28, 381-386.	0.3	13
164	Short-term versus long-term Dual Antiplatelet therapy after drug-eluting stent implantation in women versus men: A sex-specific patient-level pooled analysis of six randomized trials. <i>Catheterization and Cardiovascular Interventions</i> , 2017, 89, 178-189.	0.7	18
165	Clinical outcomes of dual antiplatelet therapy after implantation of drug-eluting stents in patients with different cardiovascular risk factors. <i>Clinical Research in Cardiology</i> , 2017, 106, 165-173.	1.5	14
166	Incidence, Predictors, and Clinical Outcomes of New-Onset Diabetes Mellitus after Percutaneous Coronary Intervention with Drug-Eluting Stent. <i>Journal of Korean Medical Science</i> , 2017, 32, 1603.	1.1	7
167	The Use Pattern and Clinical Impact of New Antiplatelet Agents Including Prasugrel and Ticagrelor on 30-day Outcomes after Acute Myocardial Infarction in Korea: Korean Health Insurance Review and Assessment Data. <i>Korean Circulation Journal</i> , 2017, 47, 888.	0.7	22
168	Effect of Adjunct Balloon Dilation after Long Everolimus-eluting Stent Deployment on Major Adverse Cardiac Events. <i>Korean Circulation Journal</i> , 2017, 47, 694.	0.7	6
169	Increased Risk of Cardiovascular Events in Stroke Patients Who had Not Undergone Evaluation for Coronary Artery Disease. <i>Yonsei Medical Journal</i> , 2017, 58, 114.	0.9	10
170	Successful Treatment of Unprotected Left Main Coronary Bifurcation Lesion Using Minimum Contrast Volume with Intravascular Ultrasound Guidance. <i>Yonsei Medical Journal</i> , 2017, 58, 1066.	0.9	0
171	The Effect of Sex and Anthropometry on Clinical Outcomes in Patients Undergoing Percutaneous Coronary Intervention for Complex Coronary Lesions. <i>Yonsei Medical Journal</i> , 2017, 58, 296.	0.9	2
172	Nobori-Biolimus-Eluting Stents versus Resolute Zotarolimus-Eluting Stents in Patients Undergoing Coronary Intervention: A Propensity Score Matching. <i>Yonsei Medical Journal</i> , 2017, 58, 290.	0.9	3
173	Impact of Vessel Diameter Measured by Preprocedural Computed Tomography Angiography on Immediate and Late Outcomes of Endovascular Therapy for Iliac Artery Diseases. <i>Circulation Journal</i> , 2017, 81, 675-681.	0.7	3
174	Percutaneous Coronary Intervention Is More Beneficial Than Optimal Medical Therapy in Elderly Patients with Angina Pectoris. <i>Yonsei Medical Journal</i> , 2016, 57, 382.	0.9	6
175	Coronary Computed Tomographic Angiography Does Not Accurately Predict the Need of Coronary Revascularization in Patients with Stable Angina. <i>Yonsei Medical Journal</i> , 2016, 57, 1079.	0.9	2
176	Early Effects of Intensive Lipid-Lowering Treatment on Plaque Characteristics Assessed by Virtual Histology Intravascular Ultrasound. <i>Yonsei Medical Journal</i> , 2016, 57, 1087.	0.9	8
177	Long-Term Clinical Outcomes of a Biodegradable Polymer-Based Biolimus-Eluting Stent. <i>Journal of Interventional Cardiology</i> , 2016, 29, 162-167.	0.5	2
178	Efficacy and Safety of Dual Antiplatelet Therapy After Complex PCI. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1851-1864.	1.2	319
179	Assessing Computational Fractional Flow Reserve From Optical Coherence Tomography in Patients With Intermediate Coronary Stenosis in the Left Anterior Descending Artery. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .	1.4	43
180	Association Between Duration of Dual Antiplatelet Therapy and Angiographic Multivessel Disease on Outcomes in Patients Treated With Newer-Generation Drug-Eluting Stents. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .	1.4	12

#	ARTICLE	IF	CITATIONS
181	Transient New-Onset Atrial Fibrillation Is Associated With Poor Clinical Outcomes in Patients With Acute Myocardial Infarction. <i>Circulation Journal</i> , 2016, 80, 1615-1623.	0.7	22
182	Effects of Intravascular Ultrasoundâ€“Guided Versus Angiography-Guided New-Generation Drug-Eluting Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 2232-2239.	1.1	82
183	Short term versus long term dual antiplatelet therapy after implantation of drug eluting stent in patients with or without diabetes: systematic review and meta-analysis of individual participant data from randomised trials. <i>BMJ, The</i> , 2016, 355, i5483.	3.0	48
184	Usefulness of Intraprocedural Coronary Computed Tomographic Angiography During Intervention for Chronic Total Coronary Occlusion. <i>American Journal of Cardiology</i> , 2016, 117, 1868-1876.	0.7	20
185	6-Month Versus 12-Month Dual-Antiplatelet Therapy Following Long Everolimus-Eluting Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1438-1446.	1.1	108
186	Ultrasound vs Angiography for Drug-Eluting Stent Implantationâ€”Reply. <i>JAMA - Journal of the American Medical Association</i> , 2016, 315, 2469.	3.8	0
187	Attainment of low-density lipoprotein cholesterol goal after endovascular treatment is associated with reduced cardiovascular events in patients with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2016, 63, 756-763.	0.6	12
188	Association between fractional flow reserve and coronary plaque characteristics assessed by optical coherence tomography. <i>Journal of Cardiology</i> , 2016, 68, 342-345.	0.8	8
189	Three-Dimensional Optical Coherence Tomographic Analysis of Eccentric Morphology of the Jailed Side-Branch Ostium in Coronary Bifurcation Lesions. <i>Canadian Journal of Cardiology</i> , 2016, 32, 234-239.	0.8	8
190	Comparison between drug-coated balloon angioplasty and second-generation drug-eluting stent placement for the treatment of in-stent restenosis after drug-eluting stent implantation. <i>Heart and Vessels</i> , 2016, 31, 1405-1411.	0.5	9
191	Statin Intensity and Clinical Outcome in Patients with Stable Coronary Artery Disease and Very Low LDL-Cholesterol. <i>PLoS ONE</i> , 2016, 11, e0166246.	1.1	9
192	Role of intraprocedural coronary computed tomographic angiography in percutaneous coronary intervention of chronic total occlusion. <i>EuroIntervention</i> , 2016, 11, 1400-1400.	1.4	3
193	Optical coherence tomographyâ€“based predictors for creatine kinaseâ€“myocardial band elevation after elective percutaneous coronary intervention for inâ€“stent restenosis. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 85, 564-572.	0.7	12
194	Impact of Coronary Plaque Characteristics on Late Stent Malapposition after Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2015, 56, 1538.	0.9	2
195	Impact of Statin Treatment on Strut Coverage after Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2015, 56, 45.	0.9	15
196	Association between Fibrinogen and Carotid Atherosclerosis According to Smoking Status in a Korean Male Population. <i>Yonsei Medical Journal</i> , 2015, 56, 921.	0.9	14
197	Limitations of coronary computed tomographic angiography for delineating the lumen and vessel contours of coronary arteries in patients with stable angina. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 1358-1365.	0.5	11
198	Optical Coherence Tomographic Observation of In-Stent Neointimal Area Stenosis in Lesions With More Than 50% Neointimal Area Stenosis After Second-Generation Drug-Eluting Stent Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, e001878.	1.4	72

#	ARTICLE	IF	CITATIONS
199	Eccentric morphology of jailed side-branch ostium after stent crossover in coronary bifurcation lesions: A three-dimensional optical coherence tomographic analysis. <i>Journal of Cardiology</i> , 2015, 65, 305-310.	0.8	13
200	Elevated serum cystatin C level is an independent predictor of contrast-induced nephropathy and adverse outcomes in patients with peripheral artery disease undergoing endovascular therapy. <i>Journal of Vascular Surgery</i> , 2015, 61, 1223-1230.	0.6	22
201	Randomized comparison of acute stent malapposition between platinum-chromium versus cobalt-chromium everolimus-eluting stents. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 269-277.	0.7	12
202	Randomized Comparison of Stent Strut Coverage Following Angiography- or Optical Coherence Tomography-guided Percutaneous Coronary Intervention. <i>Revista Espanola De Cardiologia (English Ed)</i> Tj ETQq0 0 0.rgBT /Overlock 10 T		
203	In Vivo Demonstration of Frail Neointimal Tissue Embolization After Angioplasty With a Drug-Coated Balloon Confirmed by Optical Coherence Tomography and Histology. <i>Circulation</i> , 2015, 132, 144-145.	1.6	0
204	Outcomes of the single-stent versus kissing-stents technique in asymmetric complex aortoiliac bifurcation lesions. <i>Journal of Vascular Surgery</i> , 2015, 62, 68-74.	0.6	10
205	Lack of association between arterial stiffness and genetic variants by genome-wide association scan. <i>Blood Pressure</i> , 2015, 24, 258-261.	0.7	7
206	Incidence, clinical presentation, and predictors of early neoatherosclerosis after drug-eluting stent implantation. <i>American Heart Journal</i> , 2015, 170, 591-597.	1.2	28
207	Outcomes of Spot Stenting Versus Long Stenting After Intentional Subintimal Approach for Long Chronic Total Occlusions of the Femoropopliteal Artery. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 472-480.	1.1	46
208	Estudio aleatorizado de comparaci3n de la cobertura de los struts de los stents tras la intervenci3n coronaria percut3nea guiada por angiograf3a y la guiada por tomograf3a de coherencia 3ptica. <i>Revista Espanola De Cardiologia</i> , 2015, 68, 190-197.	0.6	21
209	Automated measurement of stent strut coverage in intravascular optical coherence tomography. <i>Journal of the Korean Physical Society</i> , 2015, 66, 558-570.	0.3	7
210	Mortality in patients treated with extended duration dual antiplatelet therapy after drug-eluting stent implantation: a pairwise and Bayesian network meta-analysis of randomised trials. <i>Lancet, The</i> , 2015, 385, 2371-2382.	6.3	345
211	Short- Versus Long-Term Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation. <i>Journal of the American College of Cardiology</i> , 2015, 65, 1092-1102.	1.2	163
212	Clinical Impact of Intravascular Ultrasound-Guided Chronic Total Occlusion Intervention With Zotarolimus-Eluting Versus Biolimus-Eluting Stent Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, e002592.	1.4	218
213	Effect of High-Dose Statin Therapy on Drug-Eluting Stent Strut Coverage. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2460-2467.	1.1	13
214	Favorable effect of optimal lipid-lowering therapy on neointimal tissue characteristics after drug-eluting stent implantation: Qualitative optical coherence tomographic analysis. <i>Atherosclerosis</i> , 2015, 242, 553-559.	0.4	32
215	Serial Randomized Comparison of Strut Coverage of Everolimus- and First-Generation Sirolimus-Eluting Stents. <i>Canadian Journal of Cardiology</i> , 2015, 31, 723-730.	0.8	16
216	Effect of Intravascular Ultrasound-Guided vs Angiography-Guided Everolimus-Eluting Stent Implantation. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 2155.	3.8	418

#	ARTICLE	IF	CITATIONS
217	Rationale and design: Impact of intravascular ultrasound guidance on long-term clinical outcomes of everolimus-eluting stents in long coronary lesions. <i>Contemporary Clinical Trials</i> , 2015, 40, 90-94.	0.8	7
218	Comparison of Full Lesion Coverage versus Spot Drug-Eluting Stent Implantation for Coronary Artery Stenoses. <i>Yonsei Medical Journal</i> , 2014, 55, 584.	0.9	2
219	Prospective and Systematic Analysis of Unexpected Requests for Non-Cardiac Surgery or Other Invasive Procedures during the First Year after Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2014, 55, 345.	0.9	11
220	Optical Coherence Tomographic Observation of Morphological Features of Neointimal Tissue after Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2014, 55, 944.	0.9	7
221	Serial Changes of Neointimal Tissue after Everolimus-Eluting Stent Implantation in Porcine Coronary Artery: An Optical Coherence Tomography Analysis. <i>BioMed Research International</i> , 2014, 2014, 1-8.	0.9	6
222	Metabolic syndrome does not impact long-term survival in patients with acute myocardial infarction after successful percutaneous coronary intervention with drug-eluting stents. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, 713-720.	0.7	23
223	Incidences, Predictors, and Clinical Outcomes of Acute and Late Stent Malapposition Detected by Optical Coherence Tomography After Drug-Eluting Stent Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2014, 7, 88-96.	1.4	128
224	The Relationship Between Post-Stent Strut Apposition and Follow-Up Strut Coverage Assessed by a Contour Plot Optical Coherence Tomography Analysis. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 641-651.	1.1	31
225	Efficacy of Early Intensive Rosuvastatin Therapy in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention (ROSEMARY Study). <i>American Journal of Cardiology</i> , 2014, 114, 29-35.	0.7	16
226	Mechanisms of Postintervention and Nine-Month Luminal Enlargement After Treatment of Drug-Eluting In-Stent Restenosis With a Drug-Eluting Balloon. <i>American Journal of Cardiology</i> , 2014, 113, 1468-1473.	0.7	11
227	Relationship between endothelial vasomotor function and strut coverage after implantation of drug-eluting stent assessed by optical coherence tomography. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 263-270.	0.7	11
228	Long-Term Outcomes of Neointimal Hyperplasia Without Neoatherosclerosis After Drug-Eluting Stent Implantation. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 788-795.	2.3	46
229	Temporal course of neointimal hyperplasia following drug-eluting stent implantation: a serial follow-up optical coherence tomography analysis. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 1003-1011.	0.7	12
230	3D OCT Versus FFR for Jailed Side-Branch Ostial Stenoses. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 204-205.	2.3	16
231	Usefulness of Intravascular Ultrasound Guidance in Percutaneous Coronary Intervention With Second-Generation Drug-Eluting Stents for Chronic Total Occlusions (from the Multicenter) <i>Tj ETQq1 1 0.784314 rgrBT /Overlock 10 Tj 5</i>	0.7	10
232	Outcomes of stents covering the deep femoral artery origin. <i>EuroIntervention</i> , 2014, 10, 632-639.	1.4	12
233	Randomised comparison of strut coverage between Nobori biolimus-eluting and sirolimus-eluting stents: an optical coherence tomography analysis. <i>EuroIntervention</i> , 2014, 9, 1389-1397.	1.4	21
234	Clinical outcome of successful percutaneous coronary intervention for chronic total occlusion: results from the multicenter Korean Chronic Total Occlusion (K-CTO) registry. <i>Journal of Invasive Cardiology</i> , 2014, 26, 255-9.	0.4	13

#	ARTICLE	IF	CITATIONS
235	Usefulness of Intravascular Ultrasound to Predict Outcomes in Short-Length Lesions Treated With Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2013, 112, 642-646.	0.7	17
236	Optical coherence tomography derived cut-off value of uncovered stent struts to predict adverse clinical outcomes after drug-eluting stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1255-1263.	0.7	55
237	Comparison of neointimal hyperplasia and peri-stent vascular remodeling after implantation of everolimus-eluting versus sirolimus-eluting stents: intravascular ultrasound results from the EXCELLENT study. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1229-1236.	0.7	7
238	Comparison of 3-Year Clinical Outcomes Between Resolute [®] Zotarolimus [®] and Sirolimus [®] Eluting Stents for Long Coronary Artery Stenosis. <i>Journal of Interventional Cardiology</i> , 2013, 26, 378-383.	0.5	3
239	Prediction of Contrast-Induced Nephropathy With Persistent Renal Dysfunction and Adverse Long-term Outcomes in Patients With Acute Myocardial Infarction Using the Mehran Risk Score. <i>Clinical Cardiology</i> , 2013, 36, 46-53.	0.7	38
240	Optical coherence tomography analysis of strut coverage in biolimus- and sirolimus-eluting stents: 3-Month and 12-month serial follow-up. <i>International Journal of Cardiology</i> , 2013, 168, 4617-4623.	0.8	32
241	Early repolarization pattern predicts cardiac death and fatal arrhythmia in patients with vasospastic angina. <i>International Journal of Cardiology</i> , 2013, 167, 1181-1187.	0.8	39
242	Randomized Comparison of Clinical Outcomes Between Intravascular Ultrasound and Angiography-Guided Drug-Eluting Stent Implantation for Long Coronary Artery Stenoses. <i>JACC: Cardiovascular Interventions</i> , 2013, 6, 369-376.	1.1	154
243	Comparison of Early Strut Coverage Between Zotarolimus- and Everolimus-Eluting Stents Using Optical Coherence Tomography. <i>American Journal of Cardiology</i> , 2013, 111, 1-5.	0.7	54
244	Relationship between aspirin/clopidogrel resistance and intra-stent thrombi assessed by follow-up optical coherence tomography after drug-eluting stent implantation. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 1181-1186.	0.5	9
245	Nine-Month Angiographic and Intravascular Ultrasound Outcomes After Resolute Zotarolimus-Eluting Stent Implantation for the Treatment of In-Stent Restenosis. <i>Journal of Interventional Cardiology</i> , 2013, 26, 543-549.	0.5	0
246	Comparison of Early Clinical Outcomes Following Transcatheter Aortic Valve Implantation versus Surgical Aortic Valve Replacement versus Optimal Medical Therapy in Patients Older than 80 Years with Symptomatic Severe Aortic Stenosis. <i>Yonsei Medical Journal</i> , 2013, 54, 596.	0.9	9
247	Relationship between Angiographic Late Loss and 5-Year Clinical Outcome after Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2013, 54, 41.	0.9	0
248	Successful Prasugrel Rescue Therapy in Clopidogrel Resistant Patients Who Had Recurrent Stent Thrombosis of Drug-Eluting-Stent: The Role of Prasugrel in Clopidogrel Nonresponders. <i>Korean Circulation Journal</i> , 2013, 43, 343.	0.7	2
249	Dorsal-Plantar Loop Technique Using Chronic Total Occlusion Devices via Anterior Tibial Artery. <i>Yonsei Medical Journal</i> , 2013, 54, 534.	0.9	3
250	Optical coherence tomography-based evaluation of in-stent neointimal hyperplasia in lesions with more than 50% neointimal cross-sectional area stenosis. <i>EuroIntervention</i> , 2013, 9, 945-951.	1.4	47
251	Efficacy of Clotinab in Acute Myocardial Infarction Trial-ST Elevation Myocardial Infarction (ECLAT-STEMI). <i>Circulation Journal</i> , 2012, 76, 405-413.	0.7	7
252	Impact of Positive Peri-Stent Vascular Remodeling After Sirolimus-Eluting and Paclitaxel-Eluting Stent Implantation on 5-Year Clinical Outcomes. <i>Circulation Journal</i> , 2012, 76, 1102-1108.	0.7	6

#	ARTICLE	IF	CITATIONS
253	A New Strategy for Discontinuation of Dual Antiplatelet Therapy. <i>Journal of the American College of Cardiology</i> , 2012, 60, 1340-1348.	1.2	592
254	Optical coherence tomographic comparison of neointimal coverage between sirolimus- and zotarolimus-eluting stents at 9 months after stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1281-1287.	0.7	19
255	Correlation of angiographic late loss with neointimal coverage of drug-eluting stent struts on follow-up optical coherence tomography. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1289-1297.	0.7	3
256	Optical coherence tomography-based evaluation of malapposed strut coverage after drug-eluting stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1887-1894.	0.7	15
257	Assessing Neointimal Coverage After DES Implantation by 3D OCT. <i>JACC: Cardiovascular Imaging</i> , 2012, 5, 852-853.	2.3	13
258	Quantitative and Qualitative Changes in DES-Related Neointimal Tissue Based on Serial OCT. <i>JACC: Cardiovascular Imaging</i> , 2012, 5, 1147-1155.	2.3	64
259	Serial Plasma Levels of Angiogenic Factors in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2012, 42, 464.	0.7	4
260	Comparison between Measured and Calculated Length of Side Branch Ostium in Coronary Bifurcation Lesions with Intravascular Ultrasound. <i>Yonsei Medical Journal</i> , 2012, 53, 680.	0.9	3
261	Arterial Occlusive Disease Complicating Radiation Therapy of Cervical Cancer. <i>Yonsei Medical Journal</i> , 2012, 53, 1220.	0.9	9
262	Successful Management of a Rare Case of Stent Fracture and Subsequent Migration of the Fractured Stent Segment Into the Ascending Aorta in In-Stent Restenotic Lesions of a Saphenous Vein Graft. <i>Korean Circulation Journal</i> , 2012, 42, 58.	0.7	2
263	Correlations between Coronary Plaque Tissue Composition Assessed by Virtual Histology and Blood Levels of Biomarkers for Coronary Artery Disease. <i>Yonsei Medical Journal</i> , 2012, 53, 508.	0.9	13
264	Comparison of Optical Coherence Tomographic Assessment between First- and Second-Generation Drug-Eluting Stents. <i>Yonsei Medical Journal</i> , 2012, 53, 524.	0.9	31
265	Comparison of Vascular Remodeling in Patients Treated With Sirolimus Versus Zotarolimus Eluting Stent Following Acute Myocardial Infarction. <i>Clinical Cardiology</i> , 2012, 35, 49-54.	0.7	4
266	Major determinants for the uncovered stent struts on optical coherence tomography after drug-eluting stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 705-714.	0.7	14
267	Optical coherence tomography findings of very late stent thrombosis after drug-eluting stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 715-723.	0.7	26
268	Relationship between Stent Malapposition and Incomplete Neointimal Coverage after Drug-Eluting Stent Implantation. <i>Journal of Interventional Cardiology</i> , 2012, 25, 270-277.	0.5	10
269	Comparison of Three-Year Clinical Outcomes with Nonextended Versus Extended Dual Antiplatelet Therapy Between First- and Second-Generation Drug-Eluting Stent Implantation in Patients with Acute Myocardial Infarction: Data from the Infarct Prognosis Study Registry. <i>Journal of Interventional Cardiology</i> , 2012, 25, 245-252.	0.5	0
270	Efficacy of Drug-Eluting Stents for Treating In-Stent Restenosis of Drug-Eluting Stents (from the Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 6	0.7	19

#	ARTICLE	IF	CITATIONS
271	Qualitative assessment of neointimal tissue after drug-eluting stent implantation: Comparison between follow-up optical coherence tomography and intravascular ultrasound. <i>American Heart Journal</i> , 2011, 161, 367-372.	1.2	20
272	Five-year outcomes of sirolimus-eluting versus paclitaxel-eluting stents: A propensity matched study: Clinical evidence of late catch-up?. <i>International Journal of Cardiology</i> , 2011, 152, 302-306.	0.8	7
273	Late Stent Thrombosis After Drug-Eluting Stent Implantation: A Rare Case of Accelerated Neo-Atherosclerosis and Early Manifestation of Neointimal Rupture. <i>Korean Circulation Journal</i> , 2011, 41, 409.	0.7	3
274	A Randomized Study Assessing the Effects of Pretreatment with Cilostazol on Periprocedural Myonecrosis after Percutaneous Coronary Intervention. <i>Yonsei Medical Journal</i> , 2011, 52, 717.	0.9	9
275	A new stent design with multiple radio-opaque markers for protection of side-branch vessels in bifurcation lesions: HJ stents. <i>Cardiovascular Revascularization Medicine</i> , 2011, 12, 323-328.	0.3	0
276	Impact of Preprocedural High-Sensitivity C-Reactive Protein Levels on Uncovered Stent Struts: An Optical Coherence Tomography Study After Drug-Eluting Stent Implantation. <i>Clinical Cardiology</i> , 2011, 34, 97-101.	0.7	2
277	Evaluation of Neointimal Morphology of Lesions With or Without In-Stent Restenosis: An Optical Coherence Tomography Study. <i>Clinical Cardiology</i> , 2011, 34, 633-639.	0.7	23
278	Study design and rationale of "Synergistic Effect of Combination Therapy with Cilostazol and Probucol on Plaque Stabilization and Lesion Regression (SECURE)" study: a double-blind randomised controlled multicenter clinical trial. <i>Trials</i> , 2011, 12, 10.	0.7	9
279	Impact of contrast-induced acute kidney injury with transient or persistent renal dysfunction on long-term outcomes of patients with acute myocardial infarction undergoing percutaneous coronary intervention. <i>Heart</i> , 2011, 97, 1753-1757.	1.2	156
280	Impact of the attainment of current recommended low-density lipoprotein cholesterol goal of less than 70 mg/dl on clinical outcomes in very high-risk patients treated with drug-eluting stents. <i>Coronary Artery Disease</i> , 2010, 21, 182-188.	0.3	7
281	Optical Coherence Tomography in Assessing Plaque Characteristics. <i>Current Cardiovascular Imaging Reports</i> , 2010, 3, 197-206.	0.4	1
282	Comparisons of the Effects of Stent Eccentricity on the Neointimal Hyperplasia between Sirolimus-Eluting Stent versus Paclitaxel-Eluting Stent. <i>Yonsei Medical Journal</i> , 2010, 51, 823.	0.9	10
283	Incidence and natural history of coronary artery aneurysm developing after drug-eluting stent implantation. <i>American Heart Journal</i> , 2010, 160, 987-994.	1.2	38
284	Effect of Statin on the Reference Segments after Bare-Metal Stent Implantation. <i>Korean Journal of Internal Medicine</i> , 2010, 25, 353.	0.7	1
285	Long-Term Clinical Outcomes and Stent Thrombosis of Sirolimus-Eluting Versus Bare Metal Stents in Patients with End-Stage Renal Disease: Results of Korean Multicenter Angioplasty Team (KOMATE) Registry. <i>Journal of Interventional Cardiology</i> , 2009, 22, 411-419.	0.5	22
286	Successful Endovascular Management of Anastomotic Stenosis of the Left Pulmonary Artery After Double Lung Transplantation. , 0, 1, .		0
287	Computational Fractional Flow Reserve From Coronary Computed Tomography Angiography—Optical Coherence Tomography Fusion Images in Assessing Functionally Significant Coronary Stenosis. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	1