Humberto Nicolini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8375168/publications.pdf

Version: 2024-02-01

114418 186209 4,549 105 28 63 citations h-index g-index papers 111 111 111 8514 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360, .	6.0	1,085
2	Geographic Patterns of Genome Admixture in Latin American Mestizos. PLoS Genetics, 2008, 4, e1000037.	1.5	377
3	A Patient with a Resistant Major Depression Disorder Treated with Deep Brain Stimulation in the Inferior Thalamic Peduncle. Neurosurgery, 2005, 57, 585-593.	0.6	282
4	Partitioning the Heritability of Tourette Syndrome and Obsessive Compulsive Disorder Reveals Differences in Genetic Architecture. PLoS Genetics, 2013, 9, e1003864.	1.5	241
5	Neurocognitive Endophenotypes for Bipolar Disorder Identified in Multiplex Multigenerational Families. Archives of General Psychiatry, 2010, 67, 168.	13.8	182
6	Cross-Disorder Genome-Wide Analyses Suggest a Complex Genetic Relationship Between Tourette's Syndrome and OCD. American Journal of Psychiatry, 2015, 172, 82-93.	4.0	117
7	Increased prevalence of the seven-repeat variant of the dopamine D4 receptor gene in patients with obsessive-compulsive disorder with tics. Neuroscience Letters, 1997, 231, 1-4.	1.0	116
8	Comorbidity in obsessive–compulsive disorder (OCD): A report from the International College of Obsessive–Compulsive Spectrum Disorders (ICOCS). Comprehensive Psychiatry, 2014, 55, 1513-1519.	1.5	105
9	A Rare Functional Noncoding Variant at the GWAS-Implicated MIR137/MIR2682 Locus Might Confer Risk to Schizophrenia and Bipolar Disorder. American Journal of Human Genetics, 2014, 95, 744-753.	2.6	91
10	Overview of genetics and obsessive–compulsive disorder. Psychiatry Research, 2009, 170, 7-14.	1.7	87
11	Contributions of common genetic variants to risk of schizophrenia among individuals of African and Latino ancestry. Molecular Psychiatry, 2020, 25, 2455-2467.	4.1	82
12	Randomized Controlled Pilot Study of Quetiapine in the Treatment of Adolescent Conduct Disorder. Journal of Child and Adolescent Psychopharmacology, 2008, 18, 140-156.	0.7	70
13	Additional evidence that genetic variation of MAO-A gene supports a gender subtype in obsessive-compulsive disorder. American Journal of Medical Genetics Part A, 2001, 105, 279-282.	2.4	68
14	PRELIMINARY STUDY IN PATIENTS WITH OBSESSIVE-COMPULSIVE DISORDER TREATED WITH ELECTRICAL STIMULATION IN THE INFERIOR THALAMIC PEDUNCLE. Operative Neurosurgery, 2009, 65, ons203-ons209.	0.4	68
15	The genomic psychiatry cohort: Partners in discovery. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2013, 162, 306-312.	1.1	66
16	Association study of the serotonin transporter gene polymorphism in obsessive–compulsive disorder. International Journal of Neuropsychopharmacology, 2001, 4, 269-72.	1.0	64
17	Pharmacological treatment strategies in obsessive compulsive disorder: A cross-sectional view in nine international OCD centers. Journal of Psychopharmacology, 2014, 28, 596-602.	2.0	55
18	The influence of age at onset and duration of illness on long-term outcome in patients with obsessive-compulsive disorder: A report from the International College of Obsessive Compulsive Spectrum Disorders (ICOCS). European Neuropsychopharmacology, 2013, 23, 865-871.	0.3	53

#	Article	IF	CITATIONS
19	A family-based association study of the 5-HT-1Dβ receptor gene in obsessive–compulsive disorder. International Journal of Neuropsychopharmacology, 2004, 7, 49-53.	1.0	51
20	Childhood, adolescent and adult age at onset and related clinical correlates in obsessive–compulsive disorder: a report from the International College of Obsessive–Compulsive Spectrum Disorders (ICOCS). International Journal of Psychiatry in Clinical Practice, 2016, 20, 210-217.	1.2	50
21	Contribution of Rare Copy Number Variants toÂBipolar Disorder Risk Is Limited to Schizoaffective Cases. Biological Psychiatry, 2019, 86, 110-119.	0.7	45
22	The role of brainâ€derived neurotrophic factor (BDNF) Val66Met genetic polymorphism in bipolar disorder: a case–control study, comorbidities, and metaâ€analysis of 16,786 subjects. Bipolar Disorders, 2015, 17, 27-38.	1.1	43
23	Association Study of MAO-A and DRD4 Genes in Schizophrenic Patients with Aggressive Behavior. Neuropsychobiology, 2007, 55, 171-175.	0.9	37
24	Validity of the Spanish version of the Personal and Social Performance scale in schizophrenia. Schizophrenia Research, 2009, 112, 181-186.	1.1	36
25	Association study between the dopamine receptor D4 gene and obsessive-compulsive disorder. European Neuropsychopharmacology, 2007, 17, 406-409.	0.3	32
26	Influence of Culture in Obsessive-compulsive Disorder and Its Treatment. Current Psychiatry Reviews, 2018, 13, 285-292.	0.9	32
27	A Schizophrenia Gene Locus on Chromosome 17q21 in a New Set of Families of Mexican and Central American Ancestry: Evidence From the NIMH Genetics of Schizophrenia in Latino Populations Study. American Journal of Psychiatry, 2009, 166, 442-449.	4.0	31
28	Association of 5HTR1A gene variants with suicidal behavior: Case-control study and updated meta-analysis. Journal of Psychiatric Research, 2013, 47, 1665-1672.	1.5	30
29	Abnormal white matter integrity in antipsychotic-na \tilde{A} -ve first-episode psychosis patients assessed by a DTI principal component analysis. Schizophrenia Research, 2015, 162, 14-21.	1.1	30
30	Prevalence of suicide attempt and clinical characteristics of suicide attempters with obsessive-compulsive disorder: a report from the International College of Obsessive-Compulsive Spectrum Disorders (ICOCS). CNS Spectrums, 2018, 23, 59-66.	0.7	30
31	Sex differences on spontaneous alternation in prepubertal rats: implications for an animal model of obsessive-compulsive disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2004, 28, 687-692.	2.5	29
32	Amoxapine as an Atypical Antipsychotic: A Comparative Study Vs Risperidone. Neuropsychopharmacology, 2005, 30, 2236-2244.	2.8	28
33	Genetic Structure Analysis of Three Hispanic Populations from Costa Rica, Mexico, and the Southwestern United States Using Y-Chromosome STR Markers and mtDNA Sequences. Human Biology, 2006, 78, 551-563.	0.4	28
34	Neuropsychiatric genetics in developing countries: Current challenges. World Journal of Psychiatry, 2014, 4, 69.	1.3	27
35	Monoamine Oxidase A and B Gene Polymorphisms and Negative and Positive Symptoms in Schizophrenia., 2012, 2012, 1-5.		25
36	Replication of genomeâ€wide association study (<scp>GWAS</scp>) susceptibility loci in a Latino bipolar disorder cohort. Bipolar Disorders, 2016, 18, 520-527.	1.1	25

#	Article	IF	CITATIONS
37	Effect of an Acute Intranasal Aerosol Dose of PH94B on Social and Performance Anxiety in Women With Social Anxiety Disorder. American Journal of Psychiatry, 2014, 171, 675-682.	4.0	24
38	Severity of Obsessive-Compulsive Symptoms is Related to Self-Directedness Character Trait in Obsessive-Compulsive Disorder. CNS Spectrums, 2004, 9, 607-612.	0.7	23
39	Substance use disorder comorbidity with schizophrenia in families of Mexican and Central American Ancestry. Schizophrenia Research, 2010, 120, 87-94.	1.1	23
40	Genome-Wide Methylome Analyses Reveal Novel Epigenetic Regulation Patterns in Schizophrenia and Bipolar Disorder. BioMed Research International, 2015, 2015, 1-15.	0.9	22
41	No association between catechol-o-methyltransferase Val108/158Met polymorphism and schizophrenia or its clinical symptomatology in a Mexican population. Molecular Biology Reports, 2013, 40, 2053-2058.	1.0	21
42	Identification of circadian gene variants in bipolar disorder in Latino populations. Journal of Affective Disorders, 2015, 186, 367-375.	2.0	21
43	Age differences in an animal model of obsessive–compulsive disorder: participation of dopamine. Pharmacology Biochemistry and Behavior, 2004, 78, 661-666.	1.3	20
44	Family-Based Association Study between the Monoamine Oxidase A Gene and Obesity: Implications for Psychopharmacogenetic Studies. Neuropsychobiology, 2004, 49, 126-129.	0.9	20
45	Suggestive evidence for association between Lâ€type voltageâ€gated calcium channel (CACNA1C) gene haplotypes and bipolar disorder in Latinos: a familyâ€based association study. Bipolar Disorders, 2013, 15, 206-214.	1.1	20
46	Minimum effective doses of haloperidol for the treatment of first psychotic episode: a comparative study with risperidone and olanzapine. International Journal of Neuropsychopharmacology, 2003, 6, 403-408.	1.0	19
47	Survey on schizophrenia treatment in Mexico: perception and antipsychotic prescription patterns. BMC Psychiatry, 2004, 4, 12.	1.1	19
48	Amoxapine shows atypical antipsychotic effects in patients with schizophrenia: results from a prospective open-label study. Schizophrenia Research, 2003, 59, 35-39.	1,1	18
49	Distribution of the Val108/158Met polymorphism of the COMT gene in healthy Mexican population. Gene, 2013, 526, 454-458.	1.0	18
50	Cigarette smoking in patients with obsessive compulsive disorder: a report from the International College of Obsessive Compulsive Spectrum Disorders (ICOCS). CNS Spectrums, 2015, 20, 469-473.	0.7	18
51	Mental Health Impact of the COVID-19 Pandemic on Mexican Population: A Systematic Review. International Journal of Environmental Research and Public Health, 2022, 19, 6953.	1.2	18
52	Presence of the Mediterranean PKU mutation IVS10 in Latin America. Human Molecular Genetics, 1993, 2, 1289-1290.	1.4	17
53	The P50 auditory evoked potential in violent and non-violent patients with schizophrenia. Schizophrenia Research, 2007, 97, 128-136.	1.1	17
54	Association study between BDNF gene variants and Mexican patients with obsessive–compulsive disorder. European Neuropsychopharmacology, 2013, 23, 1600-1605.	0.3	17

#	Article	IF	CITATIONS
55	Frequency of Delirium in a Neurological Emergency Room. Journal of Neuropsychiatry and Clinical Neurosciences, 2006, 18, 108-112.	0.9	14
56	A genomeâ€wide linkage scan of bipolar disorder in Latino families identifies susceptibility loci at 8q24 and 14q32. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2014, 165, 479-491.	1.1	14
57	Association between obesity and the brain-derived neurotrophic factor gene polymorphism Val66Met in individuals with bipolar disorder in Mexican population. Neuropsychiatric Disease and Treatment, 2016, Volume 12, 1843-1848.	1.0	14
58	Contextual and Cultural Perspectives on Neurorights: Reflections Toward an International Consensus. AJOB Neuroscience, 2023, 14, 360-368.	0.6	14
59	Cannabis smoking increases the risk of suicide ideation and suicide attempt in young individuals of 11–21 years: A systematic review and meta-analysis. Journal of Psychiatric Research, 2022, 153, 90-98.	1.5	14
60	The Mexican first-episode psychotic study: clinical characteristics and premorbid adjustment. Schizophrenia Research, 2002, 53, 161-163.	1.1	13
61	Association between <i>APOE</i> polymorphisms and lipid profile in Mexican Amerindian population. Molecular Genetics & Denomic Medicine, 2019, 7, e958.	0.6	13
62	Geneâ€level genomeâ€wide association analysis of suicide attempt, a preliminary study in a psychiatric Mexican population. Molecular Genetics & Enomic Medicine, 2019, 7, e983.	0.6	13
63	Association between BDNF Val66Met polymorphism and generalized anxiety disorder and clinical characteristics in a Mexican population. Medicine (United States), 2019, 98, e14838.	0.4	13
64	Study on genes of the serotonergic system and suicidal behavior: protocol for a case–control study in Mexican population. BMC Psychiatry, 2014, 14, 29.	1.1	12
65	Understanding the Genetic Basis of Obsessive-Compulsive Disorder. CNS Spectrums, 1999, 4, 32-34,47-48.	0.7	11
66	Diagnosis of Schizophrenia in Latino Populations. Journal of Nervous and Mental Disease, 2009, 197, 530-535.	0.5	11
67	Dopamine D4 Receptor (DRD4) Gene Polymorphism in the First Psychotic Episode. Archives of Medical Research, 2001, 32, 35-38.	1.5	10
68	Genetic association analysis of <i>>5â€HTR2A</i> gene variants in eating disorders in a Mexican population. Brain and Behavior, 2019, 9, e01286.	1.0	10
69	Lifetime bipolar disorder comorbidity and related clinical characteristics in patients with primary obsessive compulsive disorder: a report from the International College of Obsessive–Compulsive Spectrum Disorders (ICOCS). CNS Spectrums, 2020, 25, 419-425.	0.7	10
70	Interaction of FTO rs9939609 and the native American-origin ABCA1 p.Arg230Cys with circulating leptin levels in Mexican adolescents diagnosed with eating disorders: Preliminary results. Psychiatry Research, 2020, 291, 113270.	1.7	9
71	Epigenome-Wide Analysis Reveals DNA Methylation Alteration in ZFP57 and Its Target RASGFR2 in a Mexican Population Cohort with Autism. Children, 2022, 9, 462.	0.6	9
72	The role of gender in a large international OCD sample: A Report from the International College of Obsessive-Compulsive Spectrum Disorders (ICOCS) Network. Comprehensive Psychiatry, 2022, 116, 152315.	1.5	9

#	Article	IF	Citations
73	Association between Polymorphisms of the DRD2 and ANKK1 Genes and Suicide Attempt: A Preliminary Case-Control Study in a Mexican Population. Neuropsychobiology, 2017, 76, 193-198.	0.9	8
74	Orexin-A up-regulates dopamine D2 receptor and mRNA in the nucleus accumbens Shell. Molecular Biology Reports, 2020, 47, 9689-9697.	1.0	8
75	The Identification of Admixture Patterns Could Refine Pharmacogenetic Counseling: Analysis of a Population-Based Sample in Mexico. Frontiers in Pharmacology, 2020, 11, 324.	1.6	8
76	Association and Genetic Expression between Genes Involved in HPA Axis and Suicide Behavior: A Systematic Review. Genes, 2021, 12, 1608.	1.0	8
77	Differential effects on neurodevelopment of <i><scp>FTO</scp></i> variants in obesity and bipolar disorder suggested by in silico prediction of functional impact: An analysis in Mexican population. Brain and Behavior, 2019, 9, e01249.	1.0	7
78	Early processing (N170) of infant faces in mothers of children with autism spectrum disorder and its association with maternal sensitivity. Autism Research, 2019, 12, 744-758.	2.1	7
79	Orexin-A promotes EEG changes but fails to induce anxiety in rats. Behavioural Brain Research, 2019, 361, 26-31.	1.2	7
80	Psychiatric Comorbidity in Mexican Adolescents with a Diagnosis of Eating Disorders Its Relationship with the Body Mass Index. International Journal of Environmental Research and Public Health, 2021, 18, 3900.	1,2	7
81	Knowledge, Emotions and Stressors in Front-Line Healthcare Workers during the COVID-19 Outbreak in Mexico. International Journal of Environmental Research and Public Health, 2021, 18, 5622.	1.2	7
82	Prevalence and correlates of current suicide risk in an international sample of OCD adults: A report from the International College of Obsessive-Compulsive Spectrum Disorders (ICOCS) network and Obsessive Compulsive and Related Disorders Network (OCRN) of the European College of Neuropsychopharmacology. Journal of Psychiatric Research, 2021, 140, 357-363.	1.5	7
83	Meet Our Board Members. CNS Spectrums, 2013, 18, 55-57.	0.7	6
84	Abuse and Withdrawal of Panic Treatment Drugs. Psychiatric Annals, 1990, 20, 525-528.	0.1	6
85	Professional attitudes toward the use of neuromodulatory technologies in Mexico: Insight for neuroethical considerations of cultural diversity. CNS Spectrums, 2022, 27, 255-257.	0.7	5
86	Lack of Association of Apolipoprotein E Polymorphism in Obsessive-Compulsive Disorder. CNS Spectrums, 2001, 6, 978-979, 992.	0.7	4
87	"Gestaltomics― Systems Biology Schemes for the Study of Neuropsychiatric Diseases. Frontiers in Physiology, 2017, 8, 286.	1.3	4
88	Association between mitochondrial DNA and cognitive impairment in schizophrenia: study protocol for a Mexican population. Neuropsychiatric Disease and Treatment, 2019, Volume 15, 1717-1722.	1.0	4
89	Individuals Diagnosed with Binge-Eating Disorder Have DNA Hypomethylated Sites in Genes of the Metabolic System: A Pilot Study. Nutrients, 2021, 13, 1413.	1.7	4
90	Exploratory Analysis of Rare and Novel Variants in Mexican Patients Diagnosed with Schizophrenia and Dementia. Revista De Investigacion Clinica, 2019, 71, 246-254.	0.2	4

#	Article	IF	CITATIONS
91	Genome-wide association study of psychiatric and substance use comorbidity in Mexican individuals. Scientific Reports, 2021, 11, 6771.	1.6	3
92	Cannabis Use in People With Obsessive-Compulsive Symptomatology: Results From a Mexican Epidemiological Sample. Frontiers in Psychiatry, 2021, 12, 664228.	1.3	3
93	Years of Schooling Could Reduce Epigenetic Aging: A Study of a Mexican Cohort. Genes, 2021, 12, 1408.	1.0	3
94	Possible Association of Cholesterol as a Biomarker in Suicide Behavior. Biomedicines, 2021, 9, 1559.	1.4	3
95	Genome-wide association study of suicide attempt in a Mexican population: a study protocol. BMJ Open, 2019, 9, e025335.	0.8	2
96	Fineâ€mapping scan of bipolar disorder susceptibility loci in Latino pedigrees. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2019, 180, 213-222.	1.1	2
97	Association of MGAT4C with major neurocognitive disorder in the Mexican population. Gene, 2021, 778, 145484.	1.0	2
98	Association of FAAH p.Pro129Thr and COMT p.Ala72Ser with schizophrenia and comorbid substance use through next-generation sequencing: an exploratory analysis. Revista Brasileira De Psiquiatria, 2021, , .	0.9	2
99	Association Study among Comethylation Modules, Genetic Polymorphisms and Clinical Features in Mexican Teenagers with Eating Disorders: Preliminary Results. Nutrients, 2021, 13, 3210.	1.7	1
100	Serotonin transporter gene polymorphisms & obsessive-compulsive disorder. Indian Journal of Medical Research, 2010, 132, 663-6.	0.4	1
101	Genome-Wide Analysis of Disordered Eating Behavior in the Mexican Population. Nutrients, 2022, 14, 394.	1.7	1
102	Weak Hand Grip Strength Is Associated with Alexithymia in Outpatients in a Mexican Population. Brain Sciences, 2022, 12, 576.	1.1	1
103	Clozapine Long-Term Treatment Might Reduce Epigenetic Age Through Hypomethylation of Longevity Regulatory Pathways Genes. Frontiers in Psychiatry, 2022, 13, .	1.3	1
104	Association between Short Hours of Sleep and Overweight/Obesity in Mexican Adolescent Population: A School-Based Cross-Sectional Study. Healthcare (Switzerland), 2021, 9, 939.	1.0	0
105	Perspectivas futuras da genética psiquiátrica. Revista Brasileira De Psiquiatria, 1999, 21, 02-02.	0.9	0