

# Tea Lund Laursen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8375191/publications.pdf>

Version: 2024-02-01

22  
papers

355  
citations

933264

10  
h-index

794469

19  
g-index

22  
all docs

22  
docs citations

22  
times ranked

584  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Prevalence of Wilson's Disease: An Update. <i>Hepatology</i> , 2020, 71, 722-732.	3.6	103
2	Time-dependent improvement of liver inflammation, fibrosis and metabolic liver function after successful direct-acting antiviral therapy of chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , 2020, 27, 28-35.	1.0	36
3	The soluble mannose receptor (sMR) is elevated in alcoholic liver disease and associated with disease severity, portal hypertension, and mortality in cirrhosis patients. <i>PLoS ONE</i> , 2017, 12, e0189345.	1.1	32
4	Soluble CD163 and mannose receptor associate with chronic hepatitis B activity and fibrosis and decline with treatment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 484-491.	1.4	27
5	Cytotoxic T lymphocytes and natural killer cells display impaired cytotoxic functions and reduced activation in patients with alcoholic hepatitis. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, G269-G276.	1.6	25
6	Rapid and persistent decline in soluble CD163 with successful direct-acting antiviral therapy and associations with chronic hepatitis C histology. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 986-993.	0.6	23
7	Circulating mannan-binding lectin, M $\alpha$ 2, H $\alpha$ ficolin and collectin-1 levels in patients with acute liver failure. <i>Liver International</i> , 2015, 35, 756-763.	1.9	20
8	Macrophage Activation Markers, Soluble CD163 and Mannose Receptor, in Liver Fibrosis. <i>Frontiers in Medicine</i> , 2020, 7, 615599.	1.2	19
9	The damage-associated molecular pattern HMGB1 is elevated in human alcoholic hepatitis, but does not seem to be a primary driver of inflammation. <i>Apmis</i> , 2016, 124, 741-747.	0.9	15
10	The soluble mannose receptor is released from the liver in cirrhotic patients, but is not associated with bacterial translocation. <i>Liver International</i> , 2017, 37, 569-575.	1.9	12
11	Macrophage markers and innate immunity in cirrhosis. <i>Journal of Hepatology</i> , 2020, 73, 1586-1588.	1.8	8
12	Low Interleukin-22 Binding Protein Is Associated With High Mortality in Alcoholic Hepatitis and Modulates Interleukin-22 Receptor Expression. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00197.	1.3	8
13	High hepatic macrophage activation and low liver function in stable Wilson patients - a Danish cross-sectional study. <i>Orphanet Journal of Rare Diseases</i> , 2018, 13, 169.	1.2	7
14	Altered balance between collagen formation and degradation after successful direct-acting antiviral therapy of chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , 2021, 28, 236-244.	1.0	7
15	Cognitive impairment in stable Wilson disease across phenotype. <i>Metabolic Brain Disease</i> , 2021, 36, 2173-2177.	1.4	4
16	Highly Increased Levels of Inter- $\gamma$ -inhibitor Heavy Chain 4 (ITI4) in Autoimmune Cholestatic Liver Diseases. <i>Journal of Clinical and Translational Hepatology</i> , 2022, 10, 796-802.	0.7	3
17	Early normalization of reduced urea synthesis capacity after direct-acting antiviral therapy in hepatitis C cirrhosis. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, G151-G156.	1.6	2
18	The presence of interferon affects the progression of non-alcoholic fatty liver disease. <i>Genes and Immunity</i> , 2022, 23, 157-165.	2.2	2

#	ARTICLE	IF	CITATIONS
19	Early loss of T lymphocyte 4-1BB receptor expression is associated with higher short-term mortality in alcoholic hepatitis. PLoS ONE, 2021, 16, e0255574.	1.1	1
20	The galactose elimination capacity test to monitor liver disease course in patients with Wilson's disease. Scandinavian Journal of Gastroenterology, 2022, , 1-6.	0.6	1
21	Wet Biomarker-Based Assessment of Steatosis, Inflammation, and Fibrosis in NAFLD. Current Hepatology Reports, 2017, 16, 308-316.	0.4	0
22	Clinical Progression of Metabolic-Associated Fatty Liver Disease Is Rare in a Danish Tertiary Liver Center. Journal of Clinical Medicine, 2022, 11, 2271.	1.0	0