
Mi-Hua Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8375508/publications.pdf Version: 2024-02-01



MI-HIIA LIII

#	Article	IF	CITATIONS
1	Curcumin Enhanced Cholesterol Efflux by Upregulating ABCA1 Expression Through AMPK-SIRT1-LXRα Signaling in THP-1 Macrophage-Derived Foam Cells. DNA and Cell Biology, 2015, 34, 561-572.	1.9	72
2	Resveratrol Protects PC12 Cells from High Glucose-Induced Neurotoxicity Via PI3K/Akt/FoxO3a Pathway. Cellular and Molecular Neurobiology, 2015, 35, 513-522.	3.3	53
3	Resveratrol inhibits doxorubicin-induced cardiotoxicity via sirtuin 1 activation in H9c2 cardiomyocytes. Experimental and Therapeutic Medicine, 2016, 12, 1113-1118.	1.8	45
4	Role of PCSK9 in lipid metabolism and atherosclerosis. Biomedicine and Pharmacotherapy, 2018, 104, 36-44.	5.6	42
5	Resveratrol protects cardiomyocytes from doxorubicin-induced apoptosis through the AMPK/P53 pathway. Molecular Medicine Reports, 2016, 13, 1281-1286.	2.4	39
6	Curcumin mediates reversion of HGF-induced epithelial-mesenchymal transition via inhibition of c-Met expression in DU145 cells. Oncology Letters, 2016, 11, 1499-1505.	1.8	37
7	Hydrogen sulfide protects H9c2 cardiac cells against doxorubicin-induced cytotoxicity through the PI3K/Akt/FoxO3a pathway. International Journal of Molecular Medicine, 2016, 37, 1661-1668.	4.0	30
8	Molecular mechanisms of autophagy in cardiac ischemia/reperfusion injury (Review). Molecular Medicine Reports, 2018, 18, 675-683.	2.4	28
9	Fibroblast growth factor-21 alleviates hypoxia/reoxygenation injury in H9c2 cardiomyocytes by promoting autophagic flux. International Journal of Molecular Medicine, 2019, 43, 1321-1330.	4.0	24
10	FGF-21 alleviates diabetes-associated vascular complications: Inhibiting NF-κB/NLRP3 inflammasome-mediated inflammation?. International Journal of Cardiology, 2015, 185, 320-321.	1.7	20
11	Hydrogen sulfide attenuates doxorubicin-induced cardiotoxicity by inhibiting reactive oxygen species-activated extracellular signal-regulated kinase 1/2 in H9c2 cardiac myocytes. Molecular Medicine Reports, 2015, 12, 6841-6848.	2.4	11
12	Resveratrol induces apoptosis through modulation of the Akt/FoxO3a/Bim pathway in HepG2 cells. Molecular Medicine Reports, 2016, 13, 1689-1694.	2.4	11
13	Upregulation of peroxiredoxin III in doxorubicin-induced cytotoxicity and the FoxO3a-dependent expression in H9c2 cardiac cells. Experimental and Therapeutic Medicine, 2015, 10, 1515-1520.	1.8	6
14	Hydrogen sulfide attenuates doxorubicin-induced cardiotoxicity by inhibiting the expression of peroxiredoxin III in H9c2 cells. Molecular Medicine Reports, 2016, 13, 367-372.	2.4	5
15	Hydrogen sulfide attenuates doxorubicin-induced cardiotoxicity by inhibiting calreticulin expression in H9c2 cells. Molecular Medicine Reports, 2015, 12, 5197-5202.	2.4	4
16	Antihyperlipidemic therapies targeting PCSK9: Novel therapeutic agents for lowering low-density lipoprotein cholesterol. International Journal of Cardiology, 2015, 195, 212-214.	1.7	4
17	Vascular protection with fibroblast growth factor 21 in diabetes: Its potential beyond glucose and lipid control. International Journal of Cardiology, 2015, 199, 403-404.	1.7	2
18	Statin and ezetimibe combination therapy: New therapeutic options for lowering Low-Density Lipoprotein Cholesterol. International Journal of Cardiology, 2017, 247, 49.	1.7	0