

Mi-Hua Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8375508/publications.pdf>

Version: 2024-02-01

18
papers

433
citations

840776

11
h-index

888059

17
g-index

18
all docs

18
docs citations

18
times ranked

921
citing authors

#	ARTICLE	IF	CITATIONS
1	Fibroblast growth factor-21 alleviates hypoxia/reoxygenation injury in H9c2 cardiomyocytes by promoting autophagic flux. <i>International Journal of Molecular Medicine</i> , 2019, 43, 1321-1330.	4.0	24
2	Molecular mechanisms of autophagy in cardiac ischemia/reperfusion injury (Review). <i>Molecular Medicine Reports</i> , 2018, 18, 675-683.	2.4	28
3	Role of PCSK9 in lipid metabolism and atherosclerosis. <i>Biomedicine and Pharmacotherapy</i> , 2018, 104, 36-44.	5.6	42
4	Statin and ezetimibe combination therapy: New therapeutic options for lowering Low-Density Lipoprotein Cholesterol. <i>International Journal of Cardiology</i> , 2017, 247, 49.	1.7	0
5	Resveratrol induces apoptosis through modulation of the Akt/FoxO3a/Bim pathway in HepG2 cells. <i>Molecular Medicine Reports</i> , 2016, 13, 1689-1694.	2.4	11
6	Hydrogen sulfide attenuates doxorubicin-induced cardiotoxicity by inhibiting the expression of peroxiredoxin III in H9c2 cells. <i>Molecular Medicine Reports</i> , 2016, 13, 367-372.	2.4	5
7	Resveratrol protects cardiomyocytes from doxorubicin-induced apoptosis through the AMPK/P53 pathway. <i>Molecular Medicine Reports</i> , 2016, 13, 1281-1286.	2.4	39
8	Resveratrol inhibits doxorubicin-induced cardiotoxicity via sirtuin 1 activation in H9c2 cardiomyocytes. <i>Experimental and Therapeutic Medicine</i> , 2016, 12, 1113-1118.	1.8	45
9	Hydrogen sulfide protects H9c2 cardiac cells against doxorubicin-induced cytotoxicity through the PI3K/Akt/FoxO3a pathway. <i>International Journal of Molecular Medicine</i> , 2016, 37, 1661-1668.	4.0	30
10	Curcumin mediates reversion of HGF-induced epithelial-mesenchymal transition via inhibition of c-Met expression in DU145 cells. <i>Oncology Letters</i> , 2016, 11, 1499-1505.	1.8	37
11	Upregulation of peroxiredoxin III in doxorubicin-induced cytotoxicity and the FoxO3a-dependent expression in H9c2 cardiac cells. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 1515-1520.	1.8	6
12	Hydrogen sulfide attenuates doxorubicin-induced cardiotoxicity by inhibiting reactive oxygen species-activated extracellular signal-regulated kinase 1/2 in H9c2 cardiac myocytes. <i>Molecular Medicine Reports</i> , 2015, 12, 6841-6848.	2.4	11
13	Hydrogen sulfide attenuates doxorubicin-induced cardiotoxicity by inhibiting calreticulin expression in H9c2 cells. <i>Molecular Medicine Reports</i> , 2015, 12, 5197-5202.	2.4	4
14	Vascular protection with fibroblast growth factor 21 in diabetes: Its potential beyond glucose and lipid control. <i>International Journal of Cardiology</i> , 2015, 199, 403-404.	1.7	2
15	Antihyperlipidemic therapies targeting PCSK9: Novel therapeutic agents for lowering low-density lipoprotein cholesterol. <i>International Journal of Cardiology</i> , 2015, 195, 212-214.	1.7	4
16	Curcumin Enhanced Cholesterol Efflux by Upregulating ABCA1 Expression Through AMPK-SIRT1-LXR β Signaling in THP-1 Macrophage-Derived Foam Cells. <i>DNA and Cell Biology</i> , 2015, 34, 561-572.	1.9	72
17	FGF-21 alleviates diabetes-associated vascular complications: Inhibiting NF- κ B/NLRP3 inflammasome-mediated inflammation?. <i>International Journal of Cardiology</i> , 2015, 185, 320-321.	1.7	20
18	Resveratrol Protects PC12 Cells from High Glucose-Induced Neurotoxicity Via PI3K/Akt/FoxO3a Pathway. <i>Cellular and Molecular Neurobiology</i> , 2015, 35, 513-522.	3.3	53