

Cristina Alcacer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8379019/publications.pdf>

Version: 2024-02-01

11
papers

1,177
citations

1039406

9
h-index

1372195

10
g-index

11
all docs

11
docs citations

11
times ranked

1725
citing authors

#	ARTICLE	IF	CITATIONS
1	Pathophysiology of L-dopa-induced motor and non-motor complications in Parkinson's disease. <i>Progress in Neurobiology</i> , 2015, 132, 96-168.	2.8	379
2	Cell type-specific plasticity of striatal projection neurons in parkinsonism and L-DOPA-induced dyskinesia. <i>Nature Communications</i> , 2014, 5, 5316.	5.8	245
3	L-DOPA activates ERK signaling and phosphorylates histone H3 in the striatonigral medium spiny neurons of hemiparkinsonian mice. <i>Journal of Neurochemistry</i> , 2009, 108, 621-633.	2.1	164
4	Chemogenetic stimulation of striatal projection neurons modulates responses to Parkinson's disease therapy. <i>Journal of Clinical Investigation</i> , 2017, 127, 720-734.	3.9	100
5	Gαolf Mutation Allows Parsing the Role of cAMP-Dependent and Extracellular Signal-Regulated Kinase-Dependent Signaling in L-3,4-Dihydroxyphenylalanine-Induced Dyskinesia. <i>Journal of Neuroscience</i> , 2012, 32, 5900-5910.	1.7	78
6	Mechanisms of Dopamine D1 Receptor-Mediated ERK1/2 Activation in the Parkinsonian Striatum and Their Modulation by Metabotropic Glutamate Receptor Type 5. <i>Journal of Neuroscience</i> , 2014, 34, 4728-4740.	1.7	76
7	Convulsant Doses of a Dopamine D1 Receptor Agonist Result in Erk-Dependent Increases in Zif268 and Arc/Arg3.1 Expression in Mouse Dentate Gyrus. <i>PLoS ONE</i> , 2011, 6, e19415.	1.1	63
8	Gene Expression Analyses Identify Narp Contribution in the Development of L-DOPA-Induced Dyskinesia. <i>Journal of Neuroscience</i> , 2015, 35, 96-111.	1.7	39
9	Extracellular signal-regulated kinase activation is required for consolidation and reconsolidation of memory at an early stage of ontogenesis. <i>European Journal of Neuroscience</i> , 2009, 30, 1923-1930.	1.2	26
10	Mitogen- and stress-activated protein kinase 1 is required for specific signaling responses in dopamine-denervated mouse striatum, but is not necessary for L-DOPA-induced dyskinesia. <i>Neuroscience Letters</i> , 2014, 583, 76-80.	1.0	7
11	Signaling Mechanisms in L-DOPA-Induced Dyskinesia. <i>Innovations in Cognitive Neuroscience</i> , 2016, , 155-185.	0.3	0