Alain Bernard Labrique

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8379345/publications.pdf

Version: 2024-02-01

240 papers

9,463 citations

45 h-index 82 g-index

262 all docs 262 docs citations

times ranked

262

12105 citing authors

#	Article	IF	CITATIONS
1	mHealth innovations as health system strengthening tools: 12 common applications and a visual framework. Global Health, Science and Practice, 2013, 1, 160-171.	1.7	447
2	Guidelines for reporting of health interventions using mobile phones: mobile health (mHealth) evidence reporting and assessment (mERA) checklist. BMJ, The, 2016, 352, i1174.	6.0	434
3	Hepatitis E virus infection. Nature Reviews Disease Primers, 2017, 3, 17086.	30.5	386
4	Population risk factors for severe disease and mortality in COVID-19: A global systematic review and meta-analysis. PLoS ONE, 2021, 16, e0247461.	2.5	368
5	Evidence on feasibility and effective use of <scp>mH</scp> ealth strategies by frontline health workers in developing countries: systematic review. Tropical Medicine and International Health, 2015, 20, 1003-1014.	2.3	362
6	Urinary tract infections in pregnancy in a rural population of Bangladesh: population-based prevalence, risk factors, etiology, and antibiotic resistance. BMC Pregnancy and Childbirth, 2020, 20, 1.	2.4	353
7	Digital health: a path to validation. Npj Digital Medicine, 2019, 2, 38.	10.9	262
8	The use of mobile phone data to inform analysis of COVID-19 pandemic epidemiology. Nature Communications, 2020, 11, 4961.	12.8	246
9	Building trust while influencing online COVID-19 content in the social media world. The Lancet Digital Health, 2020, 2, e277-e278.	12.3	228
10	Best practices in scaling digital health in low and middle income countries. Globalization and Health, 2018, 14, 103.	4.9	182
11	The Lancet Commission on diagnostics: transforming access to diagnostics. Lancet, The, 2021, 398, 1997-2050.	13.7	149
12	Global Preparedness Against COVID-19: We Must Leverage the Power of Digital Health. JMIR Public Health and Surveillance, 2020, 6, e18980.	2.6	146
13	Host Immune Status and Response to Hepatitis E Virus Infection. Clinical Microbiology Reviews, 2014, 27, 139-165.	13.6	125
14	Effects of Vitamin A or Beta Carotene Supplementation on Pregnancy-Related Mortality and Infant Mortality in Rural Bangladesh. JAMA - Journal of the American Medical Association, 2011, 305, 1986-95.	7.4	122
15	Newborn Vitamin A Supplementation Reduced Infant Mortality in Rural Bangladesh. Pediatrics, 2008, 122, e242-e250.	2.1	121
16	Pregnancy and Lactation Hinder Growth and Nutritional Status of Adolescent Girls in Rural Bangladesh. Journal of Nutrition, 2008, 138, 1505-1511.	2.9	117
17	Effect of Maternal Multiple Micronutrient vs Iron–Folic Acid Supplementation on Infant Mortality and Adverse Birth Outcomes in Rural Bangladesh. JAMA - Journal of the American Medical Association, 2014, 312, 2649.	7.4	115
18	Effect of fortified complementary food supplementation on child growth in rural Bangladesh: a cluster-randomized trial. International Journal of Epidemiology, 2015, 44, 1862-1876.	1.9	112

#	Article	IF	CITATIONS
19	H_pe for mHealth: More "y―or "o―on the horizon?. International Journal of Medical Informatics, 2013, 82, 467-469.	3.3	108
20	Prioritizing integrated mHealth strategies for universal health coverage. Science, 2014, 345, 1284-1287.	12.6	107
21	Use of mobile phones for improving vaccination coverage among children living in rural hard-to-reach areas and urban streets of Bangladesh. Vaccine, 2016, 34, 276-283.	3.8	104
22	Hepatitis E, a Vaccine-Preventable Cause of Maternal Deaths. Emerging Infectious Diseases, 2012, 18, 1401-1404.	4.3	102
23	A systematic review of the epidemiology of hepatitis E virus in Africa. BMC Infectious Diseases, 2014, 14, 308.	2.9	102
24	Understanding the Role of mHealth and Other Media Interventions for Behavior Change to Enhance Child Survival and Development in Low- and Middle-Income Countries: An Evidence Review. Journal of Health Communication, 2014, 19, 164-189.	2.4	102
25	Mobile Phone Surveys for Collecting Population-Level Estimates in Low- and Middle-Income Countries: A Literature Review. Journal of Medical Internet Research, 2017, 19, e139.	4.3	101
26	Commercial Video Games As Therapy: A New Research Agenda to Unlock the Potential of a Global Pastime. Frontiers in Psychiatry, 2017, 8, 300.	2.6	90
27	Mind the Gap: Social Media Engagement by Public Health Researchers. Journal of Medical Internet Research, 2014, 16, e8.	4.3	86
28	Next generation maternal health: external shocks and health-system innovations. Lancet, The, 2016, 388, 2296-2306.	13.7	80
29	HIT-COVID, a global database tracking public health interventions to COVID-19. Scientific Data, 2020, 7, 286.	5.3	76
30	Epidemiology of Hepatitis E in Low- and Middle-Income Countries of Asia and Africa. Seminars in Liver Disease, 2013, 33, 015-029.	3.6	74
31	Epidemiology and Risk Factors of Incident Hepatitis E Virus Infections in Rural Bangladesh. American Journal of Epidemiology, 2010, 172, 952-961.	3.4	72
32	Iron Status of Women Is Associated with the Iron Concentration of Potable Groundwater in Rural Bangladesh1–3. Journal of Nutrition, 2011, 141, 944-949.	2.9	72
33	Fetal and Neonatal Health Consequences of Vertically Transmitted Hepatitis E Virus Infection. American Journal of Tropical Medicine and Hygiene, 2014, 90, 365-370.	1.4	72
34	The epidemiology of hepatitis E virus infections in developed countries and among immunocompromised patients. Expert Review of Anti-Infective Therapy, 2011, 9, 1133-1148.	4.4	69
35	A cluster-randomized, placebo-controlled, maternal vitamin a or beta-carotene supplementation trial in bangladesh: design and methods. Trials, 2011, 12, 102.	1.6	67
36	Newborn Health on the Line. JAMA - Journal of the American Medical Association, 2014, 312, 229.	7.4	67

#	Article	IF	Citations
37	Constructing Indices of Rural Living Standards in Northwestern Bangladesh. Journal of Health, Population and Nutrition, 2010, 28, 509-19.	2.0	66
38	Tailored, Interactive Text Messages for Enhancing Weight Loss Among African American Adults: The TRIMM Randomized Controlled Trial. American Journal of Medicine, 2015, 128, 896-904.	1.5	64
39	Maternal Dietary Diversity Decreases with Household Food Insecurity in Rural Bangladesh: A Longitudinal Analysis. Journal of Nutrition, 2016, 146, 2109-2116.	2.9	63
40	Promoting Father Involvement for Child and Family Health. Academic Pediatrics, 2018, 18, 746-753.	2.0	63
41	Population Seroprevalence of Hepatitis E Virus Antibodies in Rural Bangladesh. American Journal of Tropical Medicine and Hygiene, 2009, 81, 875-881.	1.4	58
42	Mobile Technology for Community Health in Ghana: what happens when technical functionality threatens the effectiveness of digital health programs?. BMC Medical Informatics and Decision Making, 2017, 17, 27.	3.0	58
43	Hepatitis E virus seroprevalence in three hyperendemic areas: Nepal, Bangladesh and southwest France. Journal of Clinical Virology, 2015, 70, 39-42.	3.1	54
44	Qualitative Assessment of the Feasibility, Usability, and Acceptability of a Mobile Client Data App for Community-Based Maternal, Neonatal, and Child Care in Rural Ghana. International Journal of Telemedicine and Applications, 2016, 2016, 1-14.	2.0	52
45	Establishing Standards to Evaluate the Impact of Integrating Digital Health into Health Systems. Global Health, Science and Practice, 2018, 6, S5-S17.	1.7	51
46	Biomarkers of Environmental Enteric Dysfunction Among Children in Rural Bangladesh. Journal of Pediatric Gastroenterology and Nutrition, 2017, 65, 40-46.	1.8	50
47	Analyzing the Mobile "Digital Divide― Changing Determinants of Household Phone Ownership Over Time in Rural Bangladesh. JMIR MHealth and UHealth, 2015, 3, e24.	3.7	50
48	Smartphone-Based Visual Acuity Measurement for Screening and Clinical Assessment. JAMA - Journal of the American Medical Association, 2015, 314, 2682.	7.4	46
49	Epidemiology of Genotype 1 and 2 Hepatitis E Virus Infections. Cold Spring Harbor Perspectives in Medicine, 2019, 9, a031732.	6.2	46
50	Using the Lives Saved Tool (LiST) to Model mHealth Impact on Neonatal Survival in Resource-Limited Settings. PLoS ONE, 2014, 9, e102224.	2.5	45
51	Provitamin A Carotenoid–Biofortified Maize Consumption Increases Pupillary Responsiveness among Zambian Children in a Randomized Controlled Trial. Journal of Nutrition, 2016, 146, 2551-2558.	2.9	45
52	Noncommunicable Disease Risk Factors and Mobile Phones: A Proposed Research Agenda. Journal of Medical Internet Research, 2017, 19, e133.	4.3	45
53	Building the Evidence Base for Remote Data Collection in Low- and Middle-Income Countries: Comparing Reliability and Accuracy Across Survey Modalities. Journal of Medical Internet Research, 2017, 19, e140.	4.3	45
54	Validity of Newborn Clinical Assessment to Determine Gestational Age in Bangladesh. Pediatrics, 2016, 138, .	2.1	44

#	Article	IF	CITATIONS
55	Gamers' insights into the phenomenology of normal gaming and game "addiction― A mixed methods study. Computers in Human Behavior, 2018, 79, 238-246.	8.5	44
56	Digital Health and Health Systems of the Future. Global Health, Science and Practice, 2018, 6, S1-S4.	1.7	44
57	High prevalence of anemia with lack of iron deficiency among women in rural Bangladesh: a role for thalassemia and iron in groundwater. Asia Pacific Journal of Clinical Nutrition, 2012, 21, 416-24.	0.4	44
58	First-trimester plasma tocopherols are associated with risk of miscarriage in rural Bangladesh. American Journal of Clinical Nutrition, 2015, 101, 294-301.	4.7	43
59	WHO Digital Health Guidelines: a milestone for global health. Npj Digital Medicine, 2020, 3, 120.	10.9	42
60	Risk factors for reported obstetric complications and near misses in rural northwest Bangladesh: analysis from a prospective cohort study. BMC Pregnancy and Childbirth, 2014, 14, 347.	2.4	39
61	Two Generations of "Gold Standards― The Impact of a Decade in Hepatitis E Virus Testing Innovation on Population Seroprevalence. American Journal of Tropical Medicine and Hygiene, 2015, 93, 714-717.	1.4	39
62	Health Surveys Using Mobile Phones in Developing Countries: Automated Active Strata Monitoring and Other Statistical Considerations for Improving Precision and Reducing Biases. Journal of Medical Internet Research, 2017, 19, e121.	4.3	38
63	Ethical Issues in mHealth Research Involving Persons Living with HIV/AIDS and Substance Abuse. AIDS Research and Treatment, 2013, 2013, 1-6.	0.7	37
64	Plasma zinc, vitamin B $<$ sub $>$ 12 $<$ /sub $>$ and $\hat{l}\pm$ -tocopherol are positively and plasma \hat{l}^3 -tocopherol is negatively associated with Hb concentration in early pregnancy in north-west Bangladesh. Public Health Nutrition, 2013, 16, 1354-1361.	2.2	36
65	Effect of airtime incentives on response and cooperation rates in non-communicable disease interactive voice response surveys: randomised controlled trials in Bangladesh and Uganda. BMJ Global Health, 2019, 4, e001604.	4.7	36
66	Geographic Variation in Access to Dog-Bite Care in Pakistan and Risk of Dog-Bite Exposure in Karachi: Prospective Surveillance Using a Low-Cost Mobile Phone System. PLoS Neglected Tropical Diseases, 2013, 7, e2574.	3.0	35
67	Effects of vitamin A and \hat{l}^2 -carotene supplementation on birth size and length of gestation in rural Bangladesh: a cluster-randomized trial. American Journal of Clinical Nutrition, 2013, 97, 188-194.	4.7	34
68	Patterns and determinants of care seeking for obstetric complications in rural northwest Bangladesh: analysis from a prospective cohort study. BMC Health Services Research, 2015, 15, 166.	2.2	34
69	Does mobile phone survey method matter? Reliability of computer-assisted telephone interviews and interactive voice response non-communicable diseases risk factor surveys in low and middle income countries. PLoS ONE, 2019, 14, e0214450.	2.5	34
70	A Call to Digital Health Practitioners: New Guidelines Can Help Improve the Quality of Digital Health Evidence. JMIR MHealth and UHealth, 2017, 5, e136.	3.7	34
71	Maternal Weight and Body Composition during Pregnancy Are Associated with Placental and Birth Weight in Rural Bangladesh,. Journal of Nutrition, 2012, 142, 2010-2016.	2.9	33
72	A Crossâ€Sectional Study of Hepatitis <scp>E</scp> Virus Infection in Healthy People Directly Exposed and Unexposed to Pigs in a Rural Community in Northern Thailand. Zoonoses and Public Health, 2013, 60, 555-562.	2.2	33

#	Article	IF	Citations
73	Arsenic exposure and hepatitis E virus infection during pregnancy. Environmental Research, 2015, 142, 273-280.	7.5	33
74	Antenatal Multiple Micronutrient Supplementation Compared to Iron–Folic Acid Affects Micronutrient Status but Does Not Eliminate Deficiencies in a Randomized Controlled Trial Among Pregnant Women of Rural Bangladesh. Journal of Nutrition, 2019, 149, 1260-1270.	2.9	33
75	ICTs and the challenge of health system transition in low and middle-income countries. Globalization and Health, 2017, 13, 56.	4.9	32
76	Maternal vitamin A and \hat{l}^2 -carotene supplementation and risk of bacterial vaginosis: a randomized controlled trial in rural Bangladesh. American Journal of Clinical Nutrition, 2011, 94, 1643-1649.	4.7	30
77	An Exploratory Case Control Study of Risk Factors for Hepatitis E in Rural Bangladesh. PLoS ONE, 2013, 8, e61351.	2.5	30
78	Effects of prenatal multiple micronutrient supplementation on growth and cognition through 2 y of age in rural Bangladesh: the JiVitA-3 Trial. American Journal of Clinical Nutrition, 2016, 104, 1175-1182.	4.7	30
79	Reply: Some considerations on digital health validation. Npj Digital Medicine, 2019, 2, 103.	10.9	30
80	Moving the Agenda on Noncommunicable Diseases: Policy Implications of Mobile Phone Surveys in Low and Middle-Income Countries. Journal of Medical Internet Research, 2017, 19, e115.	4.3	30
81	Ethics Considerations in Global Mobile Phone-Based Surveys of Noncommunicable Diseases: A Conceptual Exploration. Journal of Medical Internet Research, 2017, 19, e110.	4.3	30
82	Evaluation of Mechanisms to Improve Performance of Mobile Phone Surveys in Low- and Middle-Income Countries: Research Protocol. JMIR Research Protocols, 2017, 6, e81.	1.0	30
83	Age of Onset, Nutritional Determinants, and Seasonal Variations in Menarche in Rural Bangladesh. Journal of Health, Population and Nutrition, 2010, 27, 802-7.	2.0	29
84	Early Neonatal Feeding Is Common and Associated with Subsequent Breastfeeding Behavior in Rural Bangladesh1–3. Journal of Nutrition, 2013, 143, 1161-1167.	2.9	29
85	Are stage-based health information messages effective and good value for money in improving maternal newborn and child health outcomes in India? Protocol for an individually randomized controlled trial. Trials, 2019, 20, 272.	1.6	28
86	Rapid Real-time Tracking of Nonpharmaceutical Interventions and Their Association With Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Positivity: The Coronavirus Disease 2019 (COVID-19) Pandemic Pulse Study. Clinical Infectious Diseases, 2021, 73, e1822-e1829.	5.8	28
87	Risk factors for hepatitis E virus infection and disease. Expert Review of Anti-Infective Therapy, 2015, 13, 41-53.	4.4	27
88	A home calendar and recall method of last menstrual period for estimating gestational age in rural Bangladesh: a validation study. Journal of Health, Population and Nutrition, 2016, 35, 34.	2.0	27
89	Formative research for the design of a scalable water, sanitation, and hygiene mobile health program: CHoBI7 mobile health program. BMC Public Health, 2019, 19, 1028.	2.9	27
90	Elevated and variable groundwater iron in rural northwestern Bangladesh. Journal of Water and Health, 2010, 8, 818-825.	2.6	26

#	Article	IF	CITATIONS
91	Nepali earthquakes and the risk of an epidemic of hepatitis E. Lancet, The, 2015, 385, 2572-2573.	13.7	26
92	Antenatal care in rural Bangladesh: current state of costs, content and recommendations for effective service delivery. BMC Health Services Research, 2019, 19, 861.	2.2	26
93	Canonical Correlation Analysis of Infant's Size at Birth and Maternal Factors: A Study in Rural Northwest Bangladesh. PLoS ONE, 2014, 9, e94243.	2.5	26
94	Digital health vision: could MomConnect provide a pragmatic starting point for achieving universal health coverage in South Africa and elsewhere?. BMJ Global Health, 2018, 3, e000626.	4.7	25
95	Mobile Technology for Community Health in Ghana: Is Maternal Messaging and Provider Use of Technology Cost-Effective in Improving Maternal and Child Health Outcomes at Scale?. Journal of Medical Internet Research, 2019, 21, e11268.	4.3	25
96	Accounts of severe acute obstetric complications in Rural Bangladesh. BMC Pregnancy and Childbirth, 2011, 11, 76.	2.4	24
97	Screening and treatment of maternal genitourinary tract infections in early pregnancy to prevent preterm birth in rural Sylhet, Bangladesh: a cluster randomized trial. BMC Pregnancy and Childbirth, 2015, 15, 326.	2.4	24
98	Availability of emergency obstetric care (EmOC) among public and private health facilities in rural northwest Bangladesh. BMC Public Health, 2015, 15, 36.	2.9	24
99	Factors influencing the sustainability of digital health interventions in low-resource settings: Lessons from five countries. Journal of Global Health, 2020, 10, 020396.	2.7	24
100	Maternal determinants of timely vaccination coverage among infants in rural Bangladesh. Vaccine, 2014, 32, 5514-5519.	3.8	23
101	Effect of population-based antenatal screening and treatment of genitourinary tract infections on birth outcomes in Sylhet, Bangladesh (MIST): a cluster-randomised clinical trial. The Lancet Global Health, 2019, 7, e148-e159.	6.3	23
102	A Cross-Sectional Study of Hepatitis E Virus Infection in Pigs in Different-Sized Farms in Northern Thailand. Foodborne Pathogens and Disease, 2013, 10, 698-704.	1.8	22
103	Effects of a Water, Sanitation, and Hygiene Mobile Health Program on Diarrhea and Child Growth in Bangladesh: A Cluster-randomized Controlled Trial of the Cholera Hospital-based Intervention for 7 Days (CHoBI7) Mobile Health Program. Clinical Infectious Diseases, 2020, 73, e2560-e2568.	5.8	22
104	Overview of a multi-stakeholder dialogue around Shared Services for Health: the Digital Health Opportunity in Bangladesh. Health Research Policy and Systems, 2015, 13, 74.	2.8	21
105	Lowâ€birthweight rates higher among <scp>B</scp> angladeshi neonates measured during active birth surveillance compared to national survey data. Maternal and Child Nutrition, 2015, 11, 583-594.	3.0	21
106	OpenMRS as a global good: Impact, opportunities, challenges, and lessons learned from fifteen years of implementation. International Journal of Medical Informatics, 2021, 149, 104405.	3.3	21
107	Forecasting the Value for Money of Mobile Maternal Health Information Messages on Improving Utilization of Maternal and Child Health Services in Gauteng, South Africa: Cost-Effectiveness Analysis. JMIR MHealth and UHealth, 2018, 6, e153.	3.7	21
108	Assessing the Magnitude of the HIV/AIDS Epidemic in Burma. Journal of Acquired Immune Deficiency Syndromes (1999), 2003, 32, 311-317.	2.1	20

#	Article	IF	Citations
109	The Association of Cytokines and Micronutrients with Hepatitis E Virus Infection During Pregnancy and the Postpartum Period in Rural Bangladesh. American Journal of Tropical Medicine and Hygiene, 2016, 94, 203-211.	1.4	20
110	Maternal Nutritional Status in Early Pregnancy Is Associated with Body Water and Plasma Volume Changes in a Pregnancy Cohort in Rural Bangladesh,. Journal of Nutrition, 2012, 142, 1109-1115.	2.9	19
111	Pregnancy registration systems can enhance health systems, increase accountability and reduce mortality. Reproductive Health Matters, 2012, 20, 113-117.	1.2	19
112	Hearing Norton Sound: mixed methods protocol of a community randomised trial to address childhood hearing loss in rural Alaska. BMJ Open, 2019, 9, e023081.	1.9	19
113	Hearing Norton Sound: a community randomised trial protocol to address childhood hearing loss in rural Alaska. BMJ Open, 2019, 9, e023078.	1.9	19
114	Mobile health school screening and telemedicine referral to improve access to specialty care in rural Alaska: a cluster- randomised controlled trial. The Lancet Global Health, 2022, 10, e1023-e1033.	6.3	19
115	Bioelectrical Impedance among Rural Bangladeshi Women during Pregnancy and in the Postpartum Period. Journal of Health, Population and Nutrition, 2011, 29, 236-44.	2.0	18
116	lodine status in pregnancy and household salt iodine content in rural Bangladesh. Maternal and Child Nutrition, 2012, 8, 162-173.	3.0	18
117	Development of an oral fluid immunoassay to assess past and recent hepatitis E virus (HEV) infection. Journal of Immunological Methods, 2017, 448, 1-8.	1.4	18
118	Defining a staged-based process for economic and financial evaluations of mHealth programs. Cost Effectiveness and Resource Allocation, 2017, 15, 5.	1.5	18
119	Dietary patterns of >30,000 adolescents 9–15 years of age in rural Bangladesh. Annals of the New York Academy of Sciences, 2020, 1468, 3-15.	3.8	18
120	A Field Training Guide for Human Subjects Research Ethics. PLoS Medicine, 2010, 7, e1000349.	8.4	17
121	Hepatitis E Vaccine to Prevent Morbidity and Mortality During Epidemics. Open Forum Infectious Diseases, 2014, 1, ofu098.	0.9	17
122	Seroprevalence for Hepatitis E and Other Viral Hepatitides among Diverse Populations, Malawi. Emerging Infectious Diseases, 2015, 21, 1174-1182.	4.3	17
123	Hepatitis E. Current Opinion in Infectious Diseases, 2016, 29, 478-485.	3.1	17
124	Identifying maternal and infant factors associated with newborn size in rural Bangladesh by partial least squares (PLS) regression analysis. PLoS ONE, 2017, 12, e0189677.	2,5	17
125	Groundwater Iron Assessment and Consumption by Women in Rural Northwestern Bangladesh. International Journal for Vitamin and Nutrition Research, 2012, 82, 5-14.	1.5	16
126	The Development of an Interactive Voice Response Survey for Noncommunicable Disease Risk Factor Estimation: Technical Assessment and Cognitive Testing. Journal of Medical Internet Research, 2017, 19, e112.	4.3	16

#	Article	IF	CITATIONS
127	Food Insecurity and Delayed or Forgone Medical Care During the COVID-19 Pandemic. American Journal of Public Health, 2022, 112, 776-785.	2.7	16
128	Effect of vitamin A supplementation on maternal survival. Lancet, The, 2010, 376, 873-874.	13.7	15
129	Care-seeking patterns for fatal non-communicable diseases among women of reproductive age in rural northwest Bangladesh. BMC Women's Health, 2012, 12, 23.	2.0	14
130	Ethics of mobile phone surveys to monitor non-communicable disease risk factors in low- and middle-income countries: A global stakeholder survey. Global Public Health, 2019, 14, 1167-1181.	2.0	14
131	Hearing Norton Sound: community involvement in the design of a mixed methods community randomized trial in 15 Alaska Native communities. Research Involvement and Engagement, 2020, 6, 67.	2.9	14
132	Predictors of stunting and thinness in post-menarcheal adolescent girls in rural Bangladesh. Public Health Nutrition, 2009, 12, 2400-2409.	2.2	13
133	Epidemiology of tornado destruction in rural northern Bangladesh: risk factors for death and injury. Disasters, 2011, 35, 329-345.	2.2	13
134	Newborn Vitamin A Supplementation Does Not Affect Nasopharyngeal Carriage of Streptococcus pneumoniae in Bangladeshi Infants at Age 3 Months. Journal of Nutrition, 2011, 141, 1907-1911.	2.9	13
135	Maternal morbidity in early pregnancy in rural northern Bangladesh. International Journal of Gynecology and Obstetrics, 2012, 119, 227-233.	2.3	13
136	Factors Associated With Intention to Adopt mHealth Apps Among Dementia Caregivers With a Chronic Condition: Cross-sectional, Correlational Study. JMIR MHealth and UHealth, 2021, 9, e27926.	3.7	13
137	Determinants of Facility-Level Use of Electronic Immunization Registries in Tanzania and Zambia: An Observational Analysis. Global Health, Science and Practice, 2020, 8, 488-504.	1.7	13
138	Excessive adiposity at low BMI levels among women in rural Bangladesh. Journal of Nutritional Science, 2016, 5, e11.	1.9	12
139	Surveillance at Private Laboratories Identifies Small Outbreaks of Hepatitis E in Urban Bangladesh. American Journal of Tropical Medicine and Hygiene, 2017, 96, 395-399.	1.4	12
140	Risk of Depressive Symptoms Associated with Morbidity in Postpartum Women in Rural Bangladesh. Maternal and Child Health Journal, 2017, 21, 1890-1900.	1.5	12
141	Innovation and Entrepreneurship: Harnessing the Public Health Skill Set in a New Era of Health Reforms and Investment. Journal of Public Health Management and Practice, 2018, 24, 99-101.	1.4	12
142	Unintended pregnancy is a risk factor for depressive symptoms among socio-economically disadvantaged women in rural Bangladesh. BMC Pregnancy and Childbirth, 2018, 18, 490.	2.4	12
143	Long-term Antibody Persistence After Hepatitis E Virus Infection and Vaccination in Dongtai, China. Open Forum Infectious Diseases, 2019, 6, ofz144.	0.9	12
144	Prevalence of and risk factors for abnormal vaginal flora and its association with adverse pregnancy outcomes in a rural district in northâ€east Bangladesh. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 309-319.	2.8	12

#	Article	IF	Citations
145	Impact of Public Health and Social Measures on the COVID-19 Pandemic in the United States and Other Countries: Descriptive Analysis. JMIR Public Health and Surveillance, 2021, 7, e27917.	2.6	12
146	Food insecurity is adversely associated with psychological distress, anxiety and depression during the COVID-19 pandemic. Preventive Medicine Reports, 2021, 24, 101547.	1.8	12
147	Harnessing mHealth in Low-Resource Settings to Overcome Health System Constraints and Achieve Universal Access to Healthcare., 2014,, 239-263.		12
148	The Global Impact of Hepatitis E: New Horizons for an Emerging Virus., 0,, 53-93.		12
149	Consent for mobile phone surveys of non-communicable disease risk factors in low-resource settings: an exploratory qualitative study in Uganda. MHealth, 2019, 5, 26-26.	1.6	12
150	Mobile phone ownership and widespread mHealth use in 168,231 women of reproductive age in rural Bangladesh. Journal of Mobile Technology in Medicine, 2012, 1, 26-26.	0.5	12
151	Microenterprise intervention to reduce sexual risk behaviors and increase employment and HIV preventive practices in economically-vulnerable African-American young adults (EMERGE): protocol for a feasibility randomized clinical trial. Trials, 2019, 20, 439.	1.6	11
152	Costs and cost-effectiveness analyses of mCARE strategies for promoting care seeking of maternal and newborn health services in rural Bangladesh. PLoS ONE, 2019, 14, e0223004.	2.5	11
153	Newborn micronutrient status biomarkers in a cluster-randomized trial of antenatal multiple micronutrient compared with iron folic acid supplementation in rural Bangladesh. American Journal of Clinical Nutrition, 2020, 112, 1328-1337.	4.7	11
154	Using Social Networking to Understand Social Networks: Analysis of a Mobile Phone Closed User Group Used by a Ghanaian Health Team. Journal of Medical Internet Research, 2013, 15, e74.	4.3	11
155	A Novel Mobile Health Tool for Home-Based Identification of Neonatal Illness in Uganda: Formative Usability Study. JMIR MHealth and UHealth, 2019, 7, e14540.	3.7	11
156	Validation of Two Portable Instruments to Measure Iron Concentration in Groundwater in Rural Bangladesh. Journal of Health, Population and Nutrition, 2009, 27, 414-8.	2.0	10
157	Depressive symptoms in mothers after perinatal and early infant loss in rural Bangladesh: a population-based study. Annals of Epidemiology, 2016, 26, 467-473.	1.9	10
158	Multiple-micronutrient supplementation in pregnant adolescents in low- and middle-income countries: a systematic review and a meta-analysis of individual participant data. Nutrition Reviews, 2022, 80, 141-156.	5.8	10
159	Feasibility of a Mobile Health Tool for Mothers to Identify Neonatal Illness in Rural Uganda: Acceptability Study. JMIR MHealth and UHealth, 2020, 8, e16426.	3.7	10
160	Should HIVâ€Infected Patients with Unexplained Chronic Liver Enzyme Elevations Be Tested for Hepatitis E Virus?. Clinical Infectious Diseases, 2010, 50, 1545-1546.	5.8	9
161	Diagnostic Tests: Understanding Results, Assessing Utility, and Predicting Performance. American Journal of Ophthalmology, 2010, 149, 878-881.e2.	3.3	9
162	A novel device for assessing dark adaptation in field settings. BMC Ophthalmology, 2015, 15, 74.	1.4	9

#	Article	IF	CITATIONS
163	A 10-Year Immunopersistence Study of Hepatitis E Antibodies in Rural Bangladesh. American Journal of Epidemiology, 2018, 187, 1501-1510.	3.4	9
164	Adaptation of a mobile phone health survey for risk factors for noncommunicable diseases in Colombia: a qualitative study. Global Health Action, 2020, 13, 1809841.	1.9	9
165	Development of a Phone Survey Tool to Measure Respectful Maternity Care During Pregnancy and Childbirth in India: Study Protocol. JMIR Research Protocols, 2019, 8, e12173.	1.0	9
166	Risk Factors Associated with Blood Exposure for Sporadic Hepatitis E in Dhaka, Bangladesh. American Journal of Tropical Medicine and Hygiene, 2017, 97, 1437-1444.	1.4	9
167	Development and management of a geographic information system for health research in a developing-country setting: a case study from Bangladesh. Journal of Health, Population and Nutrition, 2007, 25, 436-47.	2.0	9
168	Hepatitis E Virus Infections among US Military Personnel Deployed to Afghanistan. Journal of Infectious Diseases, 2010, 202, 1297-1299.	4.0	8
169	Informed Consent for Mobile Phone Health Surveys in Colombia: A Qualitative Study. Journal of Empirical Research on Human Research Ethics, 2021, 16, 24-34.	1.3	8
170	Factors associated with mobile phone usage to access maternal and child healthcare among women of urban slums in Dhaka, Bangladesh: a cross-sectional study. BMJ Open, 2021, 11, e043933.	1.9	8
171	Insights into the design, development and implementation of a novel digital health tool for skilled birth attendants to support quality maternity care in Kenya. Family Medicine and Community Health, 2021, 9, e000845.	1.6	8
172	Efficacy of Antenatal Multiple Micronutrient (MM) vs Ironâ€Folic Acid (IFA) Supplementation in Improving Gestational and Postnatal Viability in Rural Bangladesh: The JiVitAâ€3 Trial. FASEB Journal, 2013, 27, 358.6.	0.5	8
173	Beyond pregnancy – the neglected burden of mortality in young women of reproductive age in Bangladesh: a prospective cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 1085-1089.	2.3	7
174	Stakeholders' Consensus on Strategies for Self- and Other-Regulation of Video Game Play: A Mixed Methods Study. International Journal of Environmental Research and Public Health, 2020, 17, 3846.	2.6	7
175	IMMUNOLOGIC DYSREGULATION AND MICRONUTRIENT DEFICIENCIES ASSOCIATED WITH RISK OF INTRAPARTUM HEPATITIS E INFECTIONS IN PREGNANT BANGLADESHI WOMEN. FASEB Journal, 2012, 26, 127.4.	0.5	7
176	COVID-19 risk perceptions of social interaction and essential activities and inequity in the USA: results from a nationally representative survey. BMJ Open, 2022, 12, e051882.	1.9	7
177	Preferred Delivery Method and Acceptability of Wheat-Soy Blend (WSB++) as a Daily Complementary Food Supplement in Northwest Bangladesh. Ecology of Food and Nutrition, 2015, 54, 74-92.	1.6	6
178	Can biometrics beat the developing world's challenges?. Biometric Technology Today, 2016, 2016, 5-9.	0.1	6
179	Early newborn ritual foods correlate with delayed breastfeeding initiation in rural Bangladesh. International Breastfeeding Journal, 2016, 11, 31.	2.6	6
180	Mobile Health. Computers in Health Care, 2018, , 15-25.	0.3	6

#	Article	IF	CITATIONS
181	Content to share with expectant fathers: Views of professionals focused on father involvement. Midwifery, 2019, 70, 119-126.	2.3	6
182	Predictors of neonatal mortality: development and validation of prognostic models using prospective data from rural Bangladesh. BMJ Global Health, 2020, 5, e001983.	4.7	6
183	Process evaluation for the delivery of a water, sanitation and hygiene mobile health program: findings from the randomised controlled trial of the CHoBI7 mobile health program. Tropical Medicine and International Health, 2020, 25, 985-995.	2.3	6
184	Maternal nutritional status mediates the linkage between household food insecurity and mid-infancy size in rural Bangladesh. British Journal of Nutrition, 2020, 123, 1415-1425.	2.3	6
185	Thinness and fecundability: Time to pregnancy after adolescent marriage in rural Bangladesh. Maternal and Child Nutrition, 2020, 16, e12985.	3.0	6
186	A cost study for mobile phone health surveys using interactive voice response for assessing risk factors of noncommunicable diseases. Population Health Metrics, 2021, 19, 32.	2.7	6
187	Draconian policy measures are unlikely to prevent disordered gaming. Journal of Behavioral Addictions, 2021, , .	3.7	6
188	Protecting infants from natural disasters: The case of vitamin A supplementation and a tornado in Bangladesh. Journal of Development Economics, 2022, 158, 102914.	4.5	6
189	Development of bioelectrical impedance analysis-based equations for estimation of body composition in postpartum rural Bangladeshi women. British Journal of Nutrition, 2013, 109, 639-647.	2.3	5
190	Prioritising the care of critically ill children: a pilot study using SCREEN reduces clinic waiting times. BMJ Global Health, 2016, 1, e000036.	4.7	5
191	Perceptions on using interactive voice response surveys for non-communicable disease risk factors in Uganda: a qualitative exploration. MHealth, 2019, 5, 32-32.	1.6	5
192	OUP accepted manuscript. American Journal of Clinical Nutrition, 2022, , .	4.7	5
193	Longitudinal Assessment of Prenatal, Perinatal, and Early-Life Aflatoxin B1 Exposure in 828 Mother–Child Dyads from Bangladesh and Malawi. Current Developments in Nutrition, 2022, 6, nzab153.	0.3	5
194	Difference in ponderal growth and body composition among pregnant vs. never-pregnant adolescents varies by birth outcomes. Maternal and Child Nutrition, 2010, 6, 27-37.	3.0	4
195	Mobile phones and social structures: an exploration of a closed user group in rural Ghana. BMC Medical Informatics and Decision Making, 2013, 13, 100.	3.0	4
196	Dark Adaptation at High Altitude: An Unexpected Pupillary Response to Chronic Hypoxia in Andean Highlanders. High Altitude Medicine and Biology, 2016, 17, 208-213.	0.9	4
197	Nutritional Status Measures Are Correlated with Pupillary Responsiveness in Zambian Children. Journal of Nutrition, 2018, 148, 1160-1166.	2.9	4
198	Novel approaches to measuring knowledge among frontline health workers in India:ÂAre phone surveys a reliable option?. PLoS ONE, 2020, 15, e0234241.	2.5	4

#	Article	IF	CITATIONS
199	Autism spectrum disorder in a rural community in Bangladesh: A midâ€childhood assessment. Autism Research, 2022, 15, 328-339.	3.8	4
200	The Power of Innovation., 2013,, 142-157.		3
201	Screening Utility, Local Perceptions, and Care-seeking for Reported Jaundeesh among Respondents Lacking Signs of Icterus in Rural Bangladesh. Journal of Health, Population and Nutrition, 2013, 31, 367-75.	2.0	3
202	Parents' Perspectives on Supporting Father Involvement in African American Families During Pregnancy and Early Infancy. Journal of the National Medical Association, 2020, 112, 344-361.	0.8	3
203	mCARE, a digital health intervention package on pregnancy surveillance and care-seeking reminders from 2018 to 2027 in Bangladesh: a model-based cost-effectiveness analysis. BMJ Open, 2021, 11, e042553.	1.9	3
204	Protocol for the Feasibility, Acceptability, and Preliminary Efficacy Trial of text4FATHER for Improving Underserved Fathers' Involvement in Infant Care. Journal of Health Care for the Poor and Underserved, 2021, 32, 1110-1135.	0.8	3
205	Hospital Room Sterilization Using Far-Ultraviolet Radiation: A Pilot Evaluation of the Sterilray Device in an Active Hospital Setting. Infection Control and Hospital Epidemiology, 2013, 34, 536-538.	1.8	2
206	Digital health: Is the glass half-full or half-empty?. Health Policy and Technology, 2020, 9, 266-267.	2.5	2
207	Trends in Prelacteal Feeding Practices in Rural Bangladesh from 2004–2019. Current Developments in Nutrition, 2020, 4, nzaa053_034.	0.3	2
208	The Effect of Eggs on Growth Among Infants 6–12 months of Age in Rural Bangladesh: A Cluster Randomized Controlled Trial. Current Developments in Nutrition, 2020, 4, nzaa053_090.	0.3	2
209	Feasibility of Assessing Economic and Sexual Risk Behaviors Using Text Message Surveys in African-American Young Adults Experiencing Homelessness and Unemployment: Single-Group Study. JMIR Formative Research, 2020, 4, e14833.	1.4	2
210	Chronic Care Continuum (C3)., 2011,,.		1
211	Effect of Maternal Multiple Micronutrient vs Iron–Folic Acid Supplementation on Infant Mortality and Adverse Birth Outcomes in Rural Bangladesh. Obstetrical and Gynecological Survey, 2015, 70, 244-246.	0.4	1
212	Plasma Untargeted Metabolomic Profile Associated with Vitamin A Status in Pregnant Women in Rural Bangladesh. Current Developments in Nutrition, 2020, 4, nzaa041_022.	0.3	1
213	Characterization of pubertal development of girls in rural Bangladesh. PLoS ONE, 2021, 16, e0247762.	2.5	1
214	Improving Food System Connectivity: Using Mobile Technology to Leverage Community Partnerships and Strengthen Local Food Systems. Current Developments in Nutrition, 2021, 5, 569.	0.3	1
215	Pregnancy and lactation hinder growth and nutritional status of adolescent girls in rural Bangladesh. FASEB Journal, 2007, 21, A98.	0.5	1
216	Association between household food insecurity and infant growth in rural Bangladesh. FASEB Journal, 2011, 25, 986.7.	0.5	1

#	Article	IF	Citations
217	LB-10. Rapid Assessments of Non-Pharmaceutical Intervention Uptake and Population Mobility Patterns Elucidate SARS-Cov-2 Transmission Dynamics. Open Forum Infectious Diseases, 2020, 7, S848-S848.	0.9	1
218	Implementation Outcomes Assessment of a Digital Clinical Support Tool for Intrapartum Care in Rural Kenya: Observational Analysis. JMIR Formative Research, 2022, 6, e34741.	1.4	1
219	A Novel Score for mHealth Apps to Predict and Prevent Mortality: Further Validation and Adaptation to the US Population Using the US National Health and Nutrition Examination Survey Data Set. Journal of Medical Internet Research, 2022, 24, e36787.	4.3	1
220	Research Enrollment and Informed Consent. JAMA - Journal of the American Medical Association, 2011, 306, 266; author reply 266.	7.4	0
221	Micronutrient Status of Young Adolescents in Rural Bangladesh: The JiVitA-1 Birth Cohort (FS01-04-19). Current Developments in Nutrition, 2019, 3, nzz028.FS01-04-19.	0.3	O
222	Micronutrient Status of Young Adolescents in Rural Bangladesh: The JiVitA-1 Birth Cohort (FS01-04-19). Current Developments in Nutrition, 2019, 3, nzz034.FS01-04-19.	0.3	0
223	Association Between Prelacteal Feeding and Infant Growth. Current Developments in Nutrition, 2020, 4, nzaa053_122.	0.3	O
224	Impact of Protein Supplementation and Presumptive Treatment for Enteric Pathogens on Infant Growth from 6–12 Months of Age: Results of a Cluster-Randomized Controlled Trial. Current Developments in Nutrition, 2020, 4, nzaa053_085.	0.3	0
225	Community Case Study: Stack Up's Overwatch Program, an Online Suicide Prevention and Peer Support Program for Video Gamers. Frontiers in Psychology, 2021, 12, 575224.	2.1	0
226	Multi-Level, Multi-Perspective Formative Research to Develop a Mobile Application to Improve Healthy Food Access in Low-Income Urban Settings. Current Developments in Nutrition, 2021, 5, 559.	0.3	0
227	Local Farmer Perspectives on Improving Produce Distribution Networks in Low-Income Urban Settings. Current Developments in Nutrition, 2021, 5, 149.	0.3	O
228	Determinants of Plasma Ferritin at 3 Months of Age Among Rural Bangladeshi Infants From the JiVitA-3 Trial. Current Developments in Nutrition, 2021, 5, 835.	0.3	0
229	Menarche and its relation to nutritional status in rural Bangladesh. FASEB Journal, 2006, 20, A1051.	0.5	O
230	Maternal Body Composition of Postpartum Women in Rural Bangladesh by Deuterium Oxide Dilution and Bioelectrical Impedance Analysis. FASEB Journal, 2008, 22, 1086.8.	0.5	0
231	High rates of anemia despite iron sufficiency among women of reproductive age in rural northwestern Bangladesh: a role for thalassemia. FASEB Journal, 2011, 25, 32.1.	0.5	O
232	Gestational Iodine Deficiency, Child Cognition And Motor Skills At Age 5 Years In Rural Bangladesh. FASEB Journal, 2011, 25, 779.9.	0.5	0
233	Women's employment impacts household food expenditure patterns over time in rural Bangladesh. FASEB Journal, 2012, 26, 269.8.	0.5	O
234	Maternal Iodine Deficiency during Pregnancy and Child Growth to 5 Years of Age in Rural Bangladesh. FASEB Journal, 2012, 26, 392.5.	0.5	0

#	Article	IF	CITATIONS
235	Development of a twoâ€item quick screen for household food insecurity assessment. FASEB Journal, 2013, 27, 1054.2.	0.5	O
236	Breastfeeding practices as determinants of nutritional status and growth of Bangladeshi infants prior to 6 months of age (1015.4). FASEB Journal, 2014, 28, 1015.4.	0.5	0
237	A low-cost method to identify tubewells for longitudinal research on arsenic in groundwater. Journal of Health, Population and Nutrition, 2007, 25, 377-81.	2.0	0
238	105. Perceived COVID-19-Related Stress & Definition of Adult Fathers. Journal of Adolescent Health, 2022, 70, S55-S56.	2.5	0
239	Promised and Lottery Airtime Incentives to Improve Interactive Voice Response Survey Participation Among Adults in Bangladesh and Uganda: Randomized Controlled Trial. Journal of Medical Internet Research, 2022, 24, e36943.	4.3	0
240	Mid-Gestation Weight Gain Predicts Greater Newborn Size in Rural Bangladesh but the Effect Size Varies by Maternal Nutritional Status and Season. Current Developments in Nutrition, 2022, 6, 605.	0.3	0