
Linus Angenendt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8379441/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	CD70-specific CAR T cells have potent activity against acute myeloid leukemia without HSC toxicity. Blood, 2021, 138, 318-330.	0.6	98
2	Chromosomal Abnormalities and Prognosis in <i>NPM1</i> -Mutated Acute Myeloid Leukemia: A Pooled Analysis of Individual Patient Data From Nine International Cohorts. Journal of Clinical Oncology, 2019, 37, 2632-2642.	0.8	77
3	Nivolumab in a patient with refractory Hodgkin's lymphoma after allogeneic stem cell transplantation. Bone Marrow Transplantation, 2016, 51, 443-445.	1.3	49
4	Selective inactivation of hypomethylating agents by SAMHD1 provides a rationale for therapeutic stratification in AML. Nature Communications, 2019, 10, 3475.	5.8	43
5	Targeting Interleukin-2 to the Bone Marrow Stroma for Therapy of Acute Myeloid Leukemia Relapsing after Allogeneic Hematopoietic Stem Cell Transplantation. Cancer Immunology Research, 2015, 3, 547-556.	1.6	39
6	Adrenomedullin-CALCRL axis controls relapse-initiating drug tolerant acute myeloid leukemia cells. Nature Communications, 2021, 12, 422.	5.8	36
7	The neuropeptide receptor calcitonin receptor-like (CALCRL) is a potential therapeutic target in acute myeloid leukemia. Leukemia, 2019, 33, 2830-2841.	3.3	30
8	Aminopeptidase N (CD13): Expression, Prognostic Impact, and Use as Therapeutic Target for Tissue Factor Induced Tumor Vascular Infarction in Soft Tissue Sarcoma. Translational Oncology, 2018, 11, 1271-1282.	1.7	20
9	NG2 proteoglycan as a pericyte target for anticancer therapy by tumor vessel infarction with retargeted tissue factor. Oncotarget, 2016, 7, 6774-6789.	0.8	19
10	ACCELERATE: A Patient-Powered Natural History Study Design Enabling Clinical and Therapeutic Discoveries in a Rare Disorder. Cell Reports Medicine, 2020, 1, 100158.	3.3	18
11	First-In-Class CD13-Targeted Tissue Factor tTF-NGR in Patients with Recurrent or Refractory Malignant Tumors: Results of a Phase I Dose-Escalation Study. Cancers, 2020, 12, 1488.	1.7	15
12	Potentiating the activity of rituximab against mantle cell lymphoma in mice by targeting interleukin-2 to the neovasculature. Leukemia Research, 2015, 39, 739-748.	0.4	14
13	RNA-Guided CRISPR-Cas9 System-Mediated Engineering of Acute Myeloid Leukemia Mutations. Molecular Therapy - Nucleic Acids, 2017, 6, 243-248.	2.3	13
14	Are formalinâ€fixed and paraffinâ€embedded tissues fit for proteomic analysis?. Journal of Mass Spectrometry, 2020, 55, e4347.	0.7	13
15	Lowâ€density lipoprotein receptor (LDLR) is an independent adverse prognostic factor in acute myeloid leukaemia. British Journal of Haematology, 2021, 192, 494-503.	1.2	12
16	MN1–Fli1 oncofusion transforms murine hematopoietic progenitor cells into acute megakaryoblastic leukemia cells. Oncogenesis, 2015, 4, e179-e179.	2.1	11
17	A Phase I Dose Escalation Study of the Triple Angiokinase Inhibitor Nintedanib Combined with Low-Dose Cytarabine in Elderly Patients with Acute Myeloid Leukemia. PLoS ONE, 2016, 11, e0164499.	1.1	11
18	Dose escalation and expansion phase I studies with the tumour-targeting antibody-tumour necrosis factor fusion protein L19TNF plus doxorubicin in patients with advanced tumours, including sarcomas. European Journal of Cancer, 2021, 150, 143-154.	1.3	9

LINUS ANGENENDT

#	Article	IF	CITATIONS
19	Calcitonin receptor-like (CALCRL) is a marker of stemness and an independent predictor of outcome in pediatric AML. Blood Advances, 2021, 5, 4413-4421.	2.5	9
20	Stromal collagen type VI associates with features of malignancy and predicts poor prognosis in salivary gland cancer. Cellular Oncology (Dordrecht), 2018, 41, 517-525.	2.1	8
21	AAA+ ATPases Reptin and Pontin as potential diagnostic and prognostic biomarkers in salivary gland cancer - a short report. Cellular Oncology (Dordrecht), 2018, 41, 455-462.	2.1	8
22	Remissions of different quality following rituximab, tocilizumab and rituximab, and allogeneic stem cell transplantation in a patient with severe idiopathic multicentric Castleman's disease. Annals of Hematology, 2015, 94, 1241-1243.	0.8	7
23	An atlas of bloodstream-accessible bone marrow proteins for site-directed therapy of acute myeloid leukemia. Leukemia, 2018, 32, 510-519.	3.3	7
24	Reptin drives tumour progression and resistance to chemotherapy in nonsmall cell lung cancer. European Respiratory Journal, 2018, 52, 1701637.	3.1	7
25	Monitoring minimal residual/relapsing disease after allogeneic haematopoietic stem cell transplantation in adult patients with acute lymphoblastic leukaemia. Bone Marrow Transplantation, 2020, 55, 1410-1420.	1.3	7
26	A case of idiopathic multicentric Castleman disease in an alemtuzumab-treated patient with MS. Neurology: Neuroimmunology and NeuroInflammation, 2020, 7, e638.	3.1	5
27	Using stroma-anchoring cytokines to augment ADCC: a phase 1 trial of F16IL2 and BI 836858 for posttransplant AML relapse. Blood Advances, 2022, 6, 3684-3696.	2.5	5
28	Emerging antibody-based therapies for the treatment of acute myeloid leukemia. Cancer Treatment Reviews, 2022, 108, 102409.	3.4	5
29	Phase I study of F16IL2 antibody–cytokine fusion with very lowâ€dose araC in acute myeloid leukaemia relapse after allogeneic stem cell transplantation. British Journal of Haematology, 2021, 192, e148-e151.	1.2	4
30	Magnesium levels and outcome after allogeneic hematopoietic stem cell transplantation in acute myeloid leukemia. Annals of Hematology, 2021, 100, 1871-1878.	0.8	3
31	Pure red cell aplasia after kidney transplantation. American Journal of Transplantation, 2019, 19, 1864-1866.	2.6	0
32	Targeting Interleukin-2 to the Bone Marrow Stroma for Therapy of Acute Myeloid Leukemia Relapsing after Allogeneic Hematopoietic Stem Cell Transplantation. Blood, 2014, 124, 980-980.	0.6	0