

Alyson E Santoro

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8379860/alyson-e-santoro-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

4,764

citations

27

h-index

69

g-index

78

ext. papers

5,973

ext. citations

8.4

avg, IF

5.83

L-index

#	Paper	IF	Citations
68	Microbial metabolites in the marine carbon cycle.. <i>Nature Microbiology</i> , 2022 , 7, 508-523	26.6	2
67	Complete Genome Sequences of Two Phylogenetically Distinct Strains Isolated from the Atlantic and Pacific Oceans.. <i>Microbiology Resource Announcements</i> , 2022 , 11, e0010022	1.3	0
66	Metabolic versatility of the nitrite-oxidizing bacterium <i>Nitrospira marina</i> and its proteomic response to oxygen-limited conditions. <i>ISME Journal</i> , 2021 , 15, 1025-1039	11.9	17
65	Nitrification and Nitrous Oxide Production in the Offshore Waters of the Eastern Tropical South Pacific. <i>Global Biogeochemical Cycles</i> , 2021 , 35, e2020GB006716	5.9	8
64	Nitrification and nitrous oxide dynamics in the Southern California Bight. <i>Limnology and Oceanography</i> , 2021 , 66, 1099-1112	4.8	5
63	Abundant nitrite-oxidizing metalloenzymes in the mesopelagic zone of the tropical Pacific Ocean. <i>Nature Geoscience</i> , 2020 , 13, 355-362	18.3	23
62	Diversity, ecology and evolution of Archaea. <i>Nature Microbiology</i> , 2020 , 5, 887-900	26.6	92
61	Global reconstruction reduces the uncertainty of oceanic nitrous oxide emissions and reveals a vigorous seasonal cycle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 11954-11960	11.5	18
60	Heterotrophic Thaumarchaea with Small Genomes Are Widespread in the Dark Ocean. <i>MSystems</i> , 2020 , 5,	7.6	24
59	Controlled sampling of ribosomally active protistan diversity in sediment-surface layers identifies putative players in the marine carbon sink. <i>ISME Journal</i> , 2020 , 14, 984-998	11.9	10
58	Headwater Stream Microbial Diversity and Function across Agricultural and Urban Land Use Gradients. <i>Applied and Environmental Microbiology</i> , 2020 , 86,	4.8	4
57	Microbial signatures of protected and impacted Northern Caribbean reefs: changes from Cuba to the Florida Keys. <i>Environmental Microbiology</i> , 2020 , 22, 499-519	5.2	9
56	Unexpected mitochondrial genome diversity revealed by targeted single-cell genomics of heterotrophic flagellated protists. <i>Nature Microbiology</i> , 2020 , 5, 154-165	26.6	23
55	Single-Cell Transcriptomics of <i>Abedinium</i> Reveals a New Early-Branching Dinoflagellate Lineage. <i>Genome Biology and Evolution</i> , 2020 , 12, 2417-2428	3.9	6
54	The Fire and Tree Mortality Database, for empirical modeling of individual tree mortality after fire. <i>Scientific Data</i> , 2020 , 7, 194	8.2	5
53	Microbial communities can predict the ecological condition of headwater streams. <i>PLoS ONE</i> , 2020 , 15, e0236932	3.7	4
52	Microbial communities can predict the ecological condition of headwater streams 2020 , 15, e0236932		

51	Microbial communities can predict the ecological condition of headwater streams 2020 , 15, e0236932		
50	Microbial communities can predict the ecological condition of headwater streams 2020 , 15, e0236932		
49	Microbial communities can predict the ecological condition of headwater streams 2020 , 15, e0236932		
48	Microbial communities can predict the ecological condition of headwater streams 2020 , 15, e0236932		
47	Microbial communities can predict the ecological condition of headwater streams 2020 , 15, e0236932		
46	Targeted metagenomic recovery of four divergent viruses reveals shared and distinctive characteristics of giant viruses of marine eukaryotes. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019 , 374, 20190086	5.8	14
45	Contributions of single-cell genomics to our understanding of planktonic marine archaea. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019 , 374, 20190096	5.8	4
44	A distinct lineage of giant viruses brings a rhodopsin photosystem to unicellular marine predators. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 20574-20583	11.5	68
43	A Revised Taxonomy of Diplonemids Including the Eupelagonemidae n. fam. and a Type Species, <i>Eupelagonema oceanica</i> n. gen. & sp. <i>Journal of Eukaryotic Microbiology</i> , 2019 , 66, 519-524	3.6	13
42	Observations of Variable Ammonia Oxidation and Nitrous Oxide Flux in a Eutrophic Estuary. <i>Estuaries and Coasts</i> , 2019 , 42, 33-44	2.8	9
41	Planktonic Marine Archaea. <i>Annual Review of Marine Science</i> , 2019 , 11, 131-158	15.4	73
40	Crystal ball: the microbial map of the ocean. <i>Environmental Microbiology Reports</i> , 2019 , 11, 35-37	3.7	3
39	Phylogeny, Evidence for a Cryptic Plastid, and Distribution of Chytridinium Parasites (Dinophyceae) Infecting Copepods. <i>Journal of Eukaryotic Microbiology</i> , 2019 , 66, 574-581	3.6	0
38	Patterns of thaumarchaeal gene expression in culture and diverse marine environments. <i>Environmental Microbiology</i> , 2018 , 20, 2112-2124	5.2	48
37	Single cell genomics of uncultured marine alveolates shows paraphyly of basal dinoflagellates. <i>ISME Journal</i> , 2018 , 12, 304-308	11.9	22
36	Identifying protist consumers of photosynthetic picoeukaryotes in the surface ocean using stable isotope probing. <i>Environmental Microbiology</i> , 2018 , 20, 815-827	5.2	23
35	An intercomparison of oceanic methane and nitrous oxide measurements. <i>Biogeosciences</i> , 2018 , 15, 5891-5907	15.9	25
34	Thaumarchaeal ecotype distributions across the equatorial Pacific Ocean and their potential roles in nitrification and sinking flux attenuation. <i>Limnology and Oceanography</i> , 2017 , 62, 1984-2003	4.8	43

33	Host-derived viral transporter protein for nitrogen uptake in infected marine phytoplankton. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E7489-E7498	11.5	44
32	Multifaceted impacts of the stony coral <i>Porites astreoides</i> on picoplankton abundance and community composition. <i>Limnology and Oceanography</i> , 2017 , 62, 217-234	4.8	20
31	Environmental controls on estuarine nitrifying communities along a salinity gradient. <i>Aquatic Microbial Ecology</i> , 2017 , 80, 167-180	1.1	4
30	Morphological Identification and Single-Cell Genomics of Marine Diplonemids. <i>Current Biology</i> , 2016 , 26, 3053-3059	6.3	68
29	Distinguishing between Microbial Habitats Unravels Ecological Complexity in Coral Microbiomes. <i>MSystems</i> , 2016 , 1,	7.6	53
28	MICROBIOLOGY. The do-it-all nitrifier. <i>Science</i> , 2016 , 351, 342-3	33.3	32
27	Diverse, uncultivated bacteria and archaea underlying the cycling of dissolved protein in the ocean. <i>ISME Journal</i> , 2016 , 10, 2158-73	11.9	94
26	Influence of ammonia oxidation rate on thaumarchaeal lipid composition and the TEX86 temperature proxy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 7762-7	11.5	87
25	Microbial community composition and nitrogen availability influence DOC remineralization in the South Pacific Gyre. <i>Marine Chemistry</i> , 2015 , 177, 325-334	3.7	28
24	Ecophysiology of uncultivated marine euryarchaea is linked to particulate organic matter. <i>ISME Journal</i> , 2015 , 9, 1747-63	11.9	77
23	Cellular maintenance processes that potentially underpin the survival of seafloor fungi over geological timescales. <i>Estuarine, Coastal and Shelf Science</i> , 2015 , 164, A1-A9	2.9	13
22	Nitrogen cycling in the secondary nitrite maximum of the eastern tropical North Pacific off Costa Rica. <i>Global Biogeochemical Cycles</i> , 2015 , 29, 2061-2081	5.9	49
21	Genomic and proteomic characterization of "Candidatus Nitrosopelagicus brevis": an ammonia-oxidizing archaeon from the open ocean. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 1173-8	11.5	170
20	Measurements of nitrite production in and around the primary nitrite maximum in the central California Current. <i>Biogeosciences</i> , 2013 , 10, 7395-7410	4.6	62
19	Coupled physical, chemical, and microbiological measurements suggest a connection between internal waves and surf zone water quality in the Southern California Bight. <i>Continental Shelf Research</i> , 2012 , 34, 64-78	2.4	21
18	Oxygen isotopic composition of nitrate and nitrite produced by nitrifying cocultures and natural marine assemblages. <i>Limnology and Oceanography</i> , 2012 , 57, 1361-1375	4.8	87
17	Enrichment and characterization of ammonia-oxidizing archaea from the open ocean: phylogeny, physiology and stable isotope fractionation. <i>ISME Journal</i> , 2011 , 5, 1796-808	11.9	127
16	Isotopic signature of N(2)O produced by marine ammonia-oxidizing archaea. <i>Science</i> , 2011 , 333, 1282-5	33.3	305

15	Assessment of nitrogen and oxygen isotopic fractionation during nitrification and its expression in the marine environment. <i>Methods in Enzymology</i> , 2011 , 486, 253-80	1.7	22
14	Activity, abundance and diversity of nitrifying archaea and bacteria in the central California Current. <i>Environmental Microbiology</i> , 2010 , 12, 1989-2006	5.2	288
13	Flow effects on benthic grazing on phytoplankton by a Caribbean reef. <i>Limnology and Oceanography</i> , 2010 , 55, 1881-1892	4.8	25
12	Contrasting spring and summer phytoplankton dynamics in the nearshore Southern California Bight. <i>Limnology and Oceanography</i> , 2010 , 55, 264-278	4.8	8
11	Microbial nitrogen cycling at the saltwater-freshwater interface. <i>Hydrogeology Journal</i> , 2010 , 18, 187-202	3.1	89
10	Shifts in the relative abundance of ammonia-oxidizing bacteria and archaea across physicochemical gradients in a subterranean estuary. <i>Environmental Microbiology</i> , 2008 , 10, 1068-79	5.2	278
9	Beach sands along the California coast are diffuse sources of fecal bacteria to coastal waters. <i>Environmental Science & Technology</i> , 2007 , 41, 4515-21	10.3	162
8	Frequent occurrence of the human-specific <i>Bacteroides</i> fecal marker at an open coast marine beach: relationship to waves, tides and traditional indicators. <i>Environmental Microbiology</i> , 2007 , 9, 2038-49	5.2	42
7	Denitrifier community composition along a nitrate and salinity gradient in a coastal aquifer. <i>Applied and Environmental Microbiology</i> , 2006 , 72, 2102-9	4.8	153
6	Ubiquity and diversity of ammonia-oxidizing archaea in water columns and sediments of the ocean. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 14683-8	11.5	1695
5	Interactions between fire and bark beetles in an old growth pine forest. <i>Forest Ecology and Management</i> , 2001 , 144, 245-254	3.9	61
4	Heterotrophic Thaumarchaeota with ultrasmall genomes are widespread in the ocean		1
3	Patterns of thaumarchaeal gene expression in culture and diverse marine environments		2
2	Metabolic versatility of the nitrite-oxidizing bacterium <i>Nitrospira marina</i> and its proteomic response to oxygen-limited conditions		1
1	<i>Candidatus Nitrosopelagicus</i> 1-13		