

# Jing Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8380030/publications.pdf>

Version: 2024-02-01

54  
papers

1,688  
citations

394286

19  
h-index

302012

39  
g-index

55  
all docs

55  
docs citations

55  
times ranked

2758  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Comparison of <i>Tripterygium wilfordii</i> Hook F with methotrexate in the treatment of active rheumatoid arthritis (TRIFRA): a randomised, controlled clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1078-1086. | 0.5 | 189       |
| 2  | Clinical characteristics of immunoglobulin G4-related disease: a prospective study of 118 Chinese patients. <i>Rheumatology</i> , 2015, 54, 1982-1990.   | 0.9 | 185       |
| 3  | Hemophagocytic Lymphohistiocytosis. <i>Medicine (United States)</i> , 2014, 93, 100-105.   | 0.4 | 176       |
| 4  | Metagenomic profiling of the pro-inflammatory gut microbiota in ankylosing spondylitis. <i>Journal of Autoimmunity</i> , 2020, 107, 102360.  | 3.0 | 102       |
| 5  | Small-molecule inhibition of TLR8 through stabilization of its resting state. <i>Nature Chemical Biology</i> , 2018, 14, 58-64.  | 3.9 | 97        |
| 6  | JAK Inhibitors: Prospects in Connective Tissue Diseases. <i>Clinical Reviews in Allergy and Immunology</i> , 2020, 59, 334-351.  | 2.9 | 83        |
| 7  | Complement C1q synergizes with PTX3 in promoting NLRP3 inflammasome over-activation and pyroptosis in rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2020, 106, 102336.  | 3.0 | 82        |
| 8  | Therapeutic Developments Targeting Toll-like Receptor4-Mediated Neuroinflammation. <i>ChemMedChem</i> , 2016, 11, 154-165.   | 1.6 | 64        |
| 9  | Rifampin inhibits Toll-like receptor 4 signaling by targeting myeloid differentiation protein 2 and attenuates neuropathic pain. <i>FASEB Journal</i> , 2013, 27, 2713-2722.   | 0.2 | 63        |
| 10 | Clinical Analysis of 56 Patients with Rhus Syndrome. <i>Medicine (United States)</i> , 2014, 93, e49.  | 0.4 | 46        |
| 11 | Cause of death in Chinese Takayasu arteritis patients. <i>Medicine (United States)</i> , 2016, 95, e4069.  | 0.4 | 41        |
| 12 | The clinical characteristics of Chinese Takayasu's arteritis patients: a retrospective study of 411 patients over 24 years. <i>Arthritis Research and Therapy</i> , 2017, 19, 107.   | 1.6 | 41        |
| 13 | Chinese SLE Treatment and Research Group Registry: III. Association of Autoantibodies with Clinical Manifestations in Chinese Patients with Systemic Lupus Erythematosus. <i>Journal of Immunology Research</i> , 2014, 2014, 1-8.     | 0.9 | 40        |
| 14 | Association between MEFV Mutations M694V and M680I and Behçet's Disease: A Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0132704.  | 1.1 | 32        |
| 15 | Clinical Characteristics of Heart Involvement in Chinese Patients with Takayasu Arteritis. <i>Journal of Rheumatology</i> , 2017, 44, 1867-1874.   | 1.0 | 30        |
| 16 | Protein-Losing Enteropathy in Systemic Lupus Erythematosus: 12 Years Experience from a Chinese Academic Center. <i>PLoS ONE</i> , 2014, 9, e114684.  | 1.1 | 29        |
| 17 | Tofacitinib in patients with refractory Takayasu's arteritis. <i>Rheumatology</i> , 2020, 59, e95-e98.   | 0.9 | 26        |
| 18 | The renal artery is involved in Chinese Takayasu's arteritis patients. <i>Kidney International</i> , 2018, 93, 245-251.  | 2.6 | 24        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Evaluation of the diagnostic potential of antibodies to beta2-glycoprotein 1 domain 1 in Chinese patients with antiphospholipid syndrome. <i>Scientific Reports</i> , 2016, 6, 23839.                              | 1.6 | 23        |
| 20 | The efficacy of Mycophenolate mofetil for the treatment of Chinese Takayasu's arteritis. <i>Scientific Reports</i> , 2016, 6, 38687.   | 1.6 | 20        |
| 21 | Positive association of genetic variations in the phospholipase C-like 1 gene with dermatomyositis in Chinese Han. <i>Immunologic Research</i> , 2016, 64, 204-212.  | 1.3 | 18        |
| 22 | Differences and similarities between IgG4-related disease with and without dacryoadenitis and sialoadenitis: clinical manifestations and treatment efficacy. <i>Arthritis Research and Therapy</i> , 2019, 21, 44. | 1.6 | 18        |
| 23 | Rationally Designed Small-Molecule Inhibitors Targeting an Unconventional Pocket on the TLR8 Protein-Protein Interface. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 4117-4132.                               | 2.9 | 18        |
| 24 | The associations between PD-1, CTLA-4 gene polymorphisms and susceptibility to ankylosing spondylitis: a meta-analysis and systemic review. <i>Rheumatology International</i> , 2016, 36, 33-44.                   | 1.5 | 17        |
| 25 | Association between acute phase reactants, interleukin-6, tumor necrosis factor- $\alpha$ , and disease activity in Takayasu's arteritis patients. <i>Arthritis Research and Therapy</i> , 2020, 22, 285.          | 1.6 | 16        |
| 26 | Targeting the lateral interactions of transmembrane domain 5 of Epstein-Barr virus latent membrane protein 1. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2012, 1818, 2282-2289.                         | 1.4 | 14        |
| 27 | Evaluation of the clinical relevance of anti-annexin-A5 antibodies in Chinese patients with antiphospholipid syndrome. <i>Clinical Rheumatology</i> , 2017, 36, 407-412.   | 1.0 | 14        |
| 28 | Positive Association between ANKRD55 Polymorphism 7731626 and Dermatomyositis/Polymyositis with Interstitial Lung Disease in Chinese Han Population. <i>BioMed Research International</i> , 2017, 2017, 1-9.       | 0.9 | 14        |
| 29 | Contrast-enhanced ultrasound for evaluating arteritis activity in Takayasu arteritis patients. <i>Clinical Rheumatology</i> , 2020, 39, 1229-1235.   | 1.0 | 14        |
| 30 | Evaluation of a commercial immunoassay for autoantibodies in Chinese Han systemic sclerosis population. <i>Clinica Chimica Acta</i> , 2019, 491, 121-125.  | 0.5 | 13        |
| 31 | Association of MCP-1-2518A/G polymorphism with susceptibility to autoimmune diseases: a meta-analysis. <i>Clinical Rheumatology</i> , 2016, 35, 1169-1179.   | 1.0 | 12        |
| 32 | Cardiac Involvement in Eosinophilic Granulomatosis With Polyangiitis: A Retrospective Study in the Chinese Population. <i>Frontiers in Medicine</i> , 2020, 7, 583944.   | 1.2 | 12        |
| 33 | Association of FCGR2A/FCGR3A variant rs2099684 with Takayasu arteritis in the Han Chinese population. <i>Oncotarget</i> , 2017, 8, 17239-17245.  | 0.8 | 11        |
| 34 | Association of the IRF5 rs2070197 polymorphism with systemic lupus erythematosus: a meta-analysis. <i>Clinical Rheumatology</i> , 2015, 34, 1495-1501.   | 1.0 | 9         |
| 35 | A rare nonsynonymous variant in the lipid metabolic gene HELZ2 related to primary biliary cirrhosis in Chinese Han. <i>Allergy, Asthma and Clinical Immunology</i> , 2016, 12, 14.                                 | 0.9 | 9         |
| 36 | Single nucleotide polymorphisms of IL12B are associated with Takayasu arteritis in Chinese Han population. <i>Rheumatology International</i> , 2017, 37, 547-555.  | 1.5 | 9         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Repositioning Antimicrobial Agent Pentamidine as a Disruptor of the Lateral Interactions of Transmembrane Domain 5 of EBV Latent Membrane Protein 1. <i>PLoS ONE</i> , 2012, 7, e47703.  | 1.1 | 9         |
| 38 | Single-nucleotide polymorphisms in the PLA2R1 gene are associated with systemic lupus erythematosus and lupus nephritis in a Chinese Han population. <i>Immunologic Research</i> , 2016, 64, 324-328.  | 1.3 | 7         |
| 39 | Clinical performance of antibodies to prothrombin and thrombin in Chinese patients with antiphospholipid syndrome: potential interest in discriminating patients with thrombotic events and non-thrombotic events. <i>Rheumatology International</i> , 2017, 37, 579-584.                      | 1.5 | 7         |
| 40 | Genetic Variants of I $\kappa$ B Kinase $\hat{2}$ (IKBKB) and Polymerase $\hat{2}$ (POLB) Were Not Associated with Systemic Lupus Erythematosus Risk in a Chinese Han Population. <i>PLoS ONE</i> , 2015, 10, e0132556.  | 1.1 | 6         |
| 41 | Pharmacokinetics, Pharmacodynamics and Preliminary Observations for Clinical Activity and Safety of Multiple Doses of Human Mouse Chimeric Anti-CD22 Monoclonal Antibody (SM03) in Chinese Patients with Systemic Lupus Erythematosus. <i>Clinical Drug Investigation</i> , 2016, 36, 889-902. | 1.1 | 6         |
| 42 | Association between genetic variants in the human leukocyte antigen $\hat{B}$ /MICA and Takayasu arteritis in Chinese Han population. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 271-277.  | 0.9 | 6         |
| 43 | Using the co-expression network of T cell-activation-related genes to assess the disease activity in Takayasu $\hat{M}$ s arteritis patients. <i>Arthritis Research and Therapy</i> , 2021, 23, 303.   | 1.6 | 6         |
| 44 | Associations between TNF- $\hat{1}$ -308A/G Polymorphism and Susceptibility with Dermatomyositis: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e102841.   | 1.1 | 5         |
| 45 | Association Study of a Proliferation-inducing Ligand, Spermatogenesis Associated 8, Platelet-derived Growth Factor Receptor-alpha, and POLB Polymorphisms with Systemic Lupus Erythematosus in Chinese Han Population. <i>Chinese Medical Journal</i> , 2016, 129, 2085-2090.                  | 0.9 | 5         |
| 46 | Single nucleotide polymorphisms in the ETS1 gene are associated with idiopathic inflammatory myopathies in a northern Chinese Han population. <i>Scientific Reports</i> , 2017, 7, 13128.  | 1.6 | 5         |
| 47 | Association between the BANK1 rs3733197 polymorphism and polymyositis/dermatomyositis in a Chinese Han population. <i>Clinical Rheumatology</i> , 2019, 38, 431-436.   | 1.0 | 4         |
| 48 | UPLC-MS based plasma metabolomics and lipidomics reveal alterations associated with IgG4-related disease. <i>Rheumatology</i> , 2021, 60, 3252-3261.   | 0.9 | 4         |
| 49 | Anomalous systemic arterial supply of pulmonary sequestration in adult patients. <i>Annals of Thoracic Medicine</i> , 2017, 12, 46.  | 0.7 | 3         |
| 50 | 150. $\hat{f}$ CLINICAL CHARACTERISTICS OF CHINESE PATIENTS WITH SYSTEMIC VASCULITIS: DATA FROM ONE CENTER OF THE CHINESE REGISTRY FOR SYSTEMIC VASCULITIS. <i>Rheumatology</i> , 2019, 58, .  | 0.9 | 0         |
| 51 | Pachydermodactyly. <i>Medicina Clinica Practica</i> , 2021, 4, 100185.   | 0.2 | 0         |
| 52 | Screening and identification of potential biomarkers and therapeutic targets for systemic sclerosis-associated interstitial lung disease. <i>Archives of Rheumatology</i> , 2021, 36, 548-559.   | 0.3 | 0         |
| 53 | Investigation of homo-oligomeric interface and binding hotspot of Latent membrane protein-1 (LMP-1) of Epstein-Barr virus (EBV). <i>Rapid Communication in Photoscience</i> , 2012, 1, 58-58.  | 0.1 | 0         |
| 54 | Review of Novel Therapies and Update for Takayasu Arteritis and ANCA-Associated Vasculitis with Relevance to the Asia Pacific Region. <i>Journal of Clinical Rheumatology and Immunology</i> , 0, , 1-7.   | 0.4 | 0         |