

Jing Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8380030/publications.pdf>

Version: 2024-02-01

54
papers

1,688
citations

394286

19
h-index

302012

39
g-index

55
all docs

55
docs citations

55
times ranked

2758
citing authors

#	ARTICLE	IF	CITATIONS
1	Pachydermodactyly. <i>Medicina Clinica Practica</i> , 2021, 4, 100185.	0.2	0
2	Screening and identification of potential biomarkers and therapeutic targets for systemic sclerosis-associated interstitial lung disease. <i>Archives of Rheumatology</i> , 2021, 36, 548-559.	0.3	0
3	UPLC-MS based plasma metabolomics and lipidomics reveal alterations associated with IgG4-related disease. <i>Rheumatology</i> , 2021, 60, 3252-3261.	0.9	4
4	Using the co-expression network of T cell-activation-related genes to assess the disease activity in Takayasu's arteritis patients. <i>Arthritis Research and Therapy</i> , 2021, 23, 303.	1.6	6
5	Complement C1q synergizes with PTX3 in promoting NLRP3 inflammasome over-activation and pyroptosis in rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2020, 106, 102336.	3.0	82
6	Contrast-enhanced ultrasound for evaluating arteritis activity in Takayasu arteritis patients. <i>Clinical Rheumatology</i> , 2020, 39, 1229-1235.	1.0	14
7	Metagenomic profiling of the pro-inflammatory gut microbiota in ankylosing spondylitis. <i>Journal of Autoimmunity</i> , 2020, 107, 102360.	3.0	102
8	Association between acute phase reactants, interleukin-6, tumor necrosis factor- α , and disease activity in Takayasu's arteritis patients. <i>Arthritis Research and Therapy</i> , 2020, 22, 285.	1.6	16
9	Cardiac Involvement in Eosinophilic Granulomatosis With Polyangiitis: A Retrospective Study in the Chinese Population. <i>Frontiers in Medicine</i> , 2020, 7, 583944.	1.2	12
10	JAK Inhibitors: Prospects in Connective Tissue Diseases. <i>Clinical Reviews in Allergy and Immunology</i> , 2020, 59, 334-351.	2.9	83
11	Tofacitinib in patients with refractory Takayasu's arteritis. <i>Rheumatology</i> , 2020, 59, e95-e98.	0.9	26
12	Rationally Designed Small-Molecule Inhibitors Targeting an Unconventional Pocket on the TLR8 Protein-Protein Interface. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 4117-4132.	2.9	18
13	Association between the BANK1 rs3733197 polymorphism and polymyositis/dermatomyositis in a Chinese Han population. <i>Clinical Rheumatology</i> , 2019, 38, 431-436.	1.0	4
14	Evaluation of a commercial immunoassay for autoantibodies in Chinese Han systemic sclerosis population. <i>Clinica Chimica Acta</i> , 2019, 491, 121-125.	0.5	13
15	150. CLINICAL CHARACTERISTICS OF CHINESE PATIENTS WITH SYSTEMIC VASCULITIS: DATA FROM ONE CENTER OF THE CHINESE REGISTRY FOR SYSTEMIC VASCULITIS. <i>Rheumatology</i> , 2019, 58, .	0.9	0
16	Differences and similarities between IgG4-related disease with and without dacryoadenitis and sialoadenitis: clinical manifestations and treatment efficacy. <i>Arthritis Research and Therapy</i> , 2019, 21, 44.	1.6	18
17	Small-molecule inhibition of TLR8 through stabilization of its resting state. <i>Nature Chemical Biology</i> , 2018, 14, 58-64.	3.9	97
18	Association between genetic variants in the human leukocyte antigen-B/*MICA and Takayasu arteritis in Chinese Han population. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 271-277.	0.9	6

#	ARTICLE	IF	CITATIONS
19	The renal artery is involved in Chinese Takayasu's arteritis patients. <i>Kidney International</i> , 2018, 93, 245-251.	2.6	24
20	Evaluation of the clinical relevance of anti-annexin-A5 antibodies in Chinese patients with antiphospholipid syndrome. <i>Clinical Rheumatology</i> , 2017, 36, 407-412.	1.0	14
21	Single nucleotide polymorphisms of IL12B are associated with Takayasu arteritis in Chinese Han population. <i>Rheumatology International</i> , 2017, 37, 547-555.	1.5	9
22	Single nucleotide polymorphisms in the ETS1 gene are associated with idiopathic inflammatory myopathies in a northern Chinese Han population. <i>Scientific Reports</i> , 2017, 7, 13128.	1.6	5
23	Clinical Characteristics of Heart Involvement in Chinese Patients with Takayasu Arteritis. <i>Journal of Rheumatology</i> , 2017, 44, 1867-1874.	1.0	30
24	The clinical characteristics of Chinese Takayasu's arteritis patients: a retrospective study of 411 patients over 24 years. <i>Arthritis Research and Therapy</i> , 2017, 19, 107.	1.6	41
25	Clinical performance of antibodies to prothrombin and thrombin in Chinese patients with antiphospholipid syndrome: potential interest in discriminating patients with thrombotic events and non-thrombotic events. <i>Rheumatology International</i> , 2017, 37, 579-584.	1.5	7
26	Positive Association between ANKRD55 Polymorphism 7731626 and Dermatomyositis/Polymyositis with Interstitial Lung Disease in Chinese Han Population. <i>BioMed Research International</i> , 2017, 2017, 1-9.	0.9	14
27	Association of FCGR2A/FCGR3A variant rs2099684 with Takayasu arteritis in the Han Chinese population. <i>Oncotarget</i> , 2017, 8, 17239-17245.	0.8	11
28	Anomalous systemic arterial supply of pulmonary sequestration in adult patients. <i>Annals of Thoracic Medicine</i> , 2017, 12, 46.	0.7	3
29	Association Study of a Proliferation-inducing Ligand, Spermatogenesis Associated 8, Platelet-derived Growth Factor Receptor-alpha, and POLB Polymorphisms with Systemic Lupus Erythematosus in Chinese Han Population. <i>Chinese Medical Journal</i> , 2016, 129, 2085-2090.	0.9	5
30	The efficacy of Mycophenolate mofetil for the treatment of Chinese Takayasu's arteritis. <i>Scientific Reports</i> , 2016, 6, 38687.	1.6	20
31	Cause of death in Chinese Takayasu arteritis patients. <i>Medicine (United States)</i> , 2016, 95, e4069.	0.4	41
32	Evaluation of the diagnostic potential of antibodies to beta2-glycoprotein 1 domain 1 in Chinese patients with antiphospholipid syndrome. <i>Scientific Reports</i> , 2016, 6, 23839.	1.6	23
33	Pharmacokinetics, Pharmacodynamics and Preliminary Observations for Clinical Activity and Safety of Multiple Doses of Human Mouse Chimeric Anti-CD22 Monoclonal Antibody (SM03) in Chinese Patients with Systemic Lupus Erythematosus. <i>Clinical Drug Investigation</i> , 2016, 36, 889-902.	1.1	6
34	A rare nonsynonymous variant in the lipid metabolic gene HEL22 related to primary biliary cirrhosis in Chinese Han. <i>Allergy, Asthma and Clinical Immunology</i> , 2016, 12, 14.	0.9	9
35	Single-nucleotide polymorphisms in the PLA2R1 gene are associated with systemic lupus erythematosus and lupus nephritis in a Chinese Han population. <i>Immunologic Research</i> , 2016, 64, 324-328.	1.3	7
36	Positive association of genetic variations in the phospholipase C-like 1 gene with dermatomyositis in Chinese Han. <i>Immunologic Research</i> , 2016, 64, 204-212.	1.3	18

#	ARTICLE	IF	CITATIONS
37	Association of MCP-1-2518A/G polymorphism with susceptibility to autoimmune diseases: a meta-analysis. <i>Clinical Rheumatology</i> , 2016, 35, 1169-1179.	1.0	12
38	Therapeutic Developments Targeting Toll-like Receptor 4-Mediated Neuroinflammation. <i>ChemMedChem</i> , 2016, 11, 154-165.	1.6	64
39	The associations between PD-1, CTLA-4 gene polymorphisms and susceptibility to ankylosing spondylitis: a meta-analysis and systemic review. <i>Rheumatology International</i> , 2016, 36, 33-44.	1.5	17
40	Genetic Variants of Î² Kinase Î² (IKKB) and Polymerase Î² (POLB) Were Not Associated with Systemic Lupus Erythematosus Risk in a Chinese Han Population. <i>PLoS ONE</i> , 2015, 10, e0132556.	1.1	6
41	Association between MEFV Mutations M694V and M680I and Behçet's Disease: A Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0132704.	1.1	32
42	Clinical characteristics of immunoglobulin G4-related disease: a prospective study of 118 Chinese patients. <i>Rheumatology</i> , 2015, 54, 1982-1990.	0.9	185
43	Association of the IRF5 rs2070197 polymorphism with systemic lupus erythematosus: a meta-analysis. <i>Clinical Rheumatology</i> , 2015, 34, 1495-1501.	1.0	9
44	Comparison of <i>Tripterygium wilfordii</i> Hook F with methotrexate in the treatment of active rheumatoid arthritis (TRIFRA): a randomised, controlled clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1078-1086.	0.5	189
45	Associations between TNF-Î±-308A/G Polymorphism and Susceptibility with Dermatomyositis: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e102841.	1.1	5
46	Hemophagocytic Lymphohistiocytosis. <i>Medicine (United States)</i> , 2014, 93, 100-105.	0.4	176
47	Chinese SLE Treatment and Research Group Registry: III. Association of Autoantibodies with Clinical Manifestations in Chinese Patients with Systemic Lupus Erythematosus. <i>Journal of Immunology Research</i> , 2014, 2014, 1-8.	0.9	40
48	Clinical Analysis of 56 Patients with Rheupus Syndrome. <i>Medicine (United States)</i> , 2014, 93, e49.	0.4	46
49	Protein-Losing Enteropathy in Systemic Lupus Erythematosus: 12 Years Experience from a Chinese Academic Center. <i>PLoS ONE</i> , 2014, 9, e114684.	1.1	29
50	Rifampin inhibits Toll-like receptor 4 signaling by targeting myeloid differentiation protein 2 and attenuates neuropathic pain. <i>FASEB Journal</i> , 2013, 27, 2713-2722.	0.2	63
51	Targeting the lateral interactions of transmembrane domain 5 of Epstein-Barr virus latent membrane protein 1. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2012, 1818, 2282-2289.	1.4	14
52	Repositioning Antimicrobial Agent Pentamidine as a Disruptor of the Lateral Interactions of Transmembrane Domain 5 of EBV Latent Membrane Protein 1. <i>PLoS ONE</i> , 2012, 7, e47703.	1.1	9
53	Investigation of homo-oligomeric interface and binding hotspot of Latent membrane protein-1 (LMP-1) of Epstein-Barr virus (EBV). <i>Rapid Communication in Photoscience</i> , 2012, 1, 58-58.	0.1	0
54	Review of Novel Therapies and Update for Takayasu Arteritis and ANCA-Associated Vasculitis with Relevance to the Asia Pacific Region. <i>Journal of Clinical Rheumatology and Immunology</i> , 0, 1-7.	0.4	0