Robert Lyzen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8380086/publications.pdf

Version: 2024-02-01

18 papers	331 citations	933447 10 h-index	17 g-index
18	18	18	540
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	ppGpp inhibits the activity of Escherichia coli DnaG primase. Plasmid, 2010, 63, 61-67.	1.4	76
2	A regulatory role for Staphylococcus aureus toxin–antitoxin system PemIKSa. Nature Communications, 2013, 4, 2012.	12.8	53
3	Transcription from bacteriophage pR promoter is regulated independently and antagonistically by DksA and ppGpp. Nucleic Acids Research, 2009, 37, 6655-6664.	14.5	31
4	Effects of partial silencing of genes coding for enzymes involved in glycolysis and tricarboxylic acid cycle on the enterance of human fibroblasts to the S phase. BMC Cell Biology, 2015, 16, 16.	3.0	31
5	Bioluminescence-mediated stimulation of photoreactivation in bacteria. FEMS Microbiology Letters, 2005, 250, 105-110.	1.8	26
6	Sensitivity of dark mutants of various strains of luminescent bacteria to reactive oxygen species. Archives of Microbiology, 2005, 183 , 203 - 208 .	2.2	22
7	The dual role of DksA protein in the regulation ofEscherichia colipArgX promoter. Nucleic Acids Research, 2016, 44, gkw912.	14.5	19
8	Silencing of the pentose phosphate pathway genes influences DNA replication in human fibroblasts. Gene, 2017, 635, 33-38.	2.2	16
9	Enzymes of the central carbon metabolism: Are they linkers between transcription, DNA replication, and carcinogenesis?. Medical Hypotheses, 2015, 84, 58-67.	1.5	15
10	Transcription regulation of the Escherichia coli pcnB gene coding for poly(A) polymerase I: roles of ppGpp, DksA and sigma factors. Molecular Genetics and Genomics, 2010, 284, 289-305.	2.1	12
11	Stimulation of the \hat{l} » p R promoter by Escherichia coli SeqA protein requires downstream GATC sequences and involves late stages of transcription initiation. Microbiology (United Kingdom), 2006, 152, 2985-2992.	1.8	7
12	Influence of Supercritical Carbon Dioxide Extraction Conditions on Extraction Yield and Composition of Nigella sativa L. Seed Oil—Modelling, Optimization and Extraction Kinetics regarding Fatty Acid and Thymoquinone Content. Molecules, 2021, 26, 6419.	3.8	6
13	Double silencing of relevant genes suggests the existence of the direct link between DNA replication/repair and central carbon metabolism in human fibroblasts. Gene, 2018, 650, 1-6.	2.2	5
14	Characterization of the transcriptional stimulatory properties of the Pseudomonas putida RapA protein. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2013, 1829, 219-230.	1.9	4
15	IHF- and SeqA-binding sites, present in plasmid cloning vectors, may significantly influence activities of promoters. Plasmid, 2008, 60, 125-130.	1.4	3
16	GSH Protects the Escherichia coli Cells from High Concentrations of Thymoquinone. Molecules, 2022, 27, 2546.	3.8	2
17	Modeling and Optimization of \hat{l}^2 -Galactosidase Entrapping in Polydimethylsiloxane-Modified Silica Composites. International Journal of Molecular Sciences, 2022, 23, 5395.	4.1	2
18	Chromosomal localization of PemlK toxin-antitoxin system results in the loss of toxicity – Characterization of pemlK-Sp from Staphylococcus pseudintermedius. Microbiological Research, 2020, 240, 126529.	5. 3	1