

Alberto Fernandez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8380232/publications.pdf>

Version: 2024-02-01

93
papers

1,912
citations

249298

26
h-index

371746

37
g-index

93
all docs

93
docs citations

93
times ranked

1443
citing authors

#	ARTICLE	IF	CITATIONS
1	Half-Sandwich Ru(<i>p</i> -cymene) Compounds with Diphosphanes: <i>In Vitro</i> and <i>In Vivo</i> Evaluation As Potential Anticancer Metallodrugs. <i>Inorganic Chemistry</i> , 2021, 60, 2914-2930.	1.9	18
2	Evaluation of the <i>In Vitro</i> and <i>In Vivo</i> Efficacy of Ruthenium Polypyridyl Compounds against Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8916.	1.8	3
3	Ru ^{II} (<i>p</i> -cymene) Compounds as Effective and Selective Anticancer Candidates with No Toxicity <i>In Vivo</i> . <i>Inorganic Chemistry</i> , 2018, 57, 13150-13166.	1.9	52
4	Diimidazolium Halobismuthates [Dim] ₂ [Bi ₂ X ₁₀] (X =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Photoluminescent Materials. <i>Inorganic Chemistry</i> , 2018, 57, 7655-7664.	1.9	56
5	Self-assembly of dinuclear Pd(<i>ii</i>)/Pt(<i>ii</i>) metallacyclic receptors incorporating N-heterocyclic carbene complexes as corners. <i>Dalton Transactions</i> , 2017, 46, 4182-4190.	1.6	5
6	A Highly Effective Strategy for Encapsulating Potassium Cations in Small Crown Ether Rings on a Dinuclear Palladium Complex. <i>Chemistry - A European Journal</i> , 2017, 23, 6255-6258.	1.7	12
7	Straightforward Preparation Method for Complexes Bearing a Bidentate N-Heterocyclic Carbene To Introduce Undergraduate Students to Research Methodology. <i>Journal of Chemical Education</i> , 2017, 94, 1552-1556.	1.1	4
8	Preparation and characterization of terdentate [C,N,N] acetophenone and acetylpyridine hydrazone platinacycles: a DFT insight into the reaction mechanism. <i>Dalton Transactions</i> , 2017, 46, 16845-16860.	1.6	6
9	Dinuclear Ru ^{II} (bipy) ₂ Derivatives: Structural, Biological, and <i>In Vivo</i> Zebrafish Toxicity Evaluation. <i>Inorganic Chemistry</i> , 2017, 56, 7127-7144.	1.9	40
10	Preparation of Imidazolylidene Carbene Palladacycles with Bidentate and Tridentate Schiff Bases Analyses of the Spectroscopic, Molecular Structure, and DFT Calculation Data. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 422-431.	1.0	4
11	Heteroleptic mononuclear compounds of ruthenium(<i>ii</i>): synthesis, structural analyses, <i>in vitro</i> antitumor activity and <i>in vivo</i> toxicity on zebrafish embryos. <i>Dalton Transactions</i> , 2016, 45, 19127-19140.	1.6	45
12	Dinuclear cyclometallated platinum(III) complexes. Relationship between molecular structure and crystal packing. <i>Polyhedron</i> , 2014, 67, 160-170.	1.0	9
13	Novel palladacycle N-heterocyclic carbene complexes with bidentate [C,N] and terdentate [C,N,N] and [C,N,O] Schiff bases. Synthesis, characterization and crystal structure analysis. <i>Journal of Organometallic Chemistry</i> , 2014, 772-773, 192-201.	0.8	8
14	Dimensional Matching of Polycyclic Aromatics with Rectangular Metallacycles: Insertion Modes Determined by [C ₂ H ₂ ... _n ... _n ... _n] Interactions. <i>Chemistry - A European Journal</i> , 2013, 19, 15329-15335.	1.7	35
15	Versatile nucleophilic Michael addition to chelated (Ph ₂ P) ₂ CCH ₂ (vdpp) in Schiff base cyclometallated palladium(II) compounds: C=C, C=O and C=N bond formation, dinuclear palladacycles and geometrical isomerism. <i>Journal of Organometallic Chemistry</i> , 2012, 720, 30-37.	0.8	3
16	Dioxanferrocenylimine Cyclometalated Compounds as Precursors to Novel Functionalized Di- and Tetranuclear Metallacycles Leading to 1,3-Double Palladation of an $\hat{1}$ -5-C ₅ H ₅ Ring. <i>Organometallics</i> , 2012, 31, 890-894.	1.1	6
17	A One-Pot Self-Assembly Reaction To Prepare a Supramolecular Palladium(II) Cyclometalated Complex: An Undergraduate Organometallic Laboratory Experiment. <i>Journal of Chemical Education</i> , 2012, 89, 156-158.	1.1	10
18	Synthesis and structural characterization of tridentate [C,N,S] thiosemicarbazone palladacycles. Crystal and molecular structures of [Pd{3-FC ₆ H ₃ C(Me)NNC(S)NHMe}] ₄ , [Pd{4-FC ₆ H ₃ C(Me)NNC(S)NHMe}] ₄ and [(Pd{2-BrC ₆ H ₃ C(Me)NNC(S)NHPh}) ₂ ($\hat{1}$ / ₄ -Ph ₂ P(CH ₂) ₂ PPh ₂)]. <i>Polyhedron</i> , 2012, 31, 217-226.	1.0	13

#	ARTICLE	IF	CITATIONS
19	Mononuclear cycloplatinated complexes derived from 2-tolylpyridine with N-donor ligands: Reactivity and structural characterization. <i>Polyhedron</i> , 2012, 33, 13-18.	1.0	10
20	Functionalized Palladacycles with Crown Ether Rings Derived from Terdentate [C,N,N] Ligands. Crystal and Molecular Structure of the Dinuclear Palladium/Silver Complex [Pd{3,4-(AgC ₁₀ H ₂₀ O ₆)C ₆ H ₂ C(Me)â•N(H)(4â€²-ClC ₄ H ₂ N ₂)}(PPh ₃)] [CF ₃ SO ₃] ₂ . <i>Dinuclear Crown Ether Schiff Base Palladacycles. Influence of the Carbon Chain Length on the Coordination Mode of Bidentate Phosphines. Crystal and Molecular Structure of the Novel Complex</i>	1.1	9
21	[Pd ₂ {1,4-[C(H)â•N(9,10-(C ₈ H ₁₆ O ₅)C ₆ H ₃)] ₂ }] ₂ . <i>Organometallics</i> , 2011, 30, 386-395.	1.1	6
22	Crystal packing in a solvent-free or chloroform-solvated dinuclear platinum(III) organometallic complex. <i>Polyhedron</i> , 2011, 30, 2444-2450.	1.0	11
23	Cyclometallated Palladium Diphosphane Compounds Derived from the Chiral Ligand (S)-PhCH(Me)NMe ₂ . Michael Addition Reactions to the Vinylidene Double Bond. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 1824-1832.	1.0	7
24	Synthesis and Structural Characterization of New Bimetallic [C,N,S] Palladacycles with Mixed Bridging [P,P] and Chelating [P,P] or [P,N] Phosphane Ligands. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 368-376.	1.0	7
25	Mononuclear and tetranuclear palladacycles with terdentate [C,N,N] and [C,N,O] Schiff base ligands. Câ€H versus Câ€Br activation reactions. <i>Inorganica Chimica Acta</i> , 2011, 370, 89-97.	1.2	5
26	Reactivity of C(sp ²)-Pd and C(sp ³)-Pd bonded palladacycles with diphosphines. Crystal and molecular structure of the novel A-frame complex [{Pd[2,5-Me ₂ C ₆ H ₂ C(H)N(2,4,6-Me ₃ C ₆ H ₂ -C ₆)] ₂ (1/4-Ph ₂ PCH ₂ PPh ₂)(1/4-Cl)] [PF ₆]. <i>Journal of Organometallic Chemistry</i> , 2011, 696, 764-771.	0.8	3
27	Versatile Behavior of the Schiff Base Ligand 2,5-Me ₂ C ₆ H ₂ C ₆ H ₃ C(H)â•N(2,4,6-Me ₃ C ₆ H ₂) toward Cyclometalation Reactions: C(sp ² ,phenyl)â•H vs C(sp ³ ,methyl)â•H Activation. <i>Organometallics</i> , 2010, 29, 3303-3307.	1.1	26
28	Cyclometallated [C,N,O] Complexes as Metalloligands: Synthesis and Structural Characterisation of New Diâ€, Triâ€, Tetraâ€and Pentanuclear Heterometallic Complexes. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 3071-3083.	1.0	19
29	Seeking new metalloligands: Synthesis and reactivity of palladacycles with pyridine and pyrimidine rings. <i>Polyhedron</i> , 2009, 28, 2679-2683.	1.0	4
30	Synthesis and characterization of new heterocyclic Schiff base palladacycles: Ring activation through N-oxide formation. <i>Polyhedron</i> , 2009, 28, 3607-3613.	1.0	4
31	The chemistry of N-benzylidene-1,4-phenylenediamine palladacycles: The crystal and molecular structure of the first tetranuclear palladacycle with bridging Ph ₂ PCH ₂ PPh ₂ ligands. <i>Journal of Organometallic Chemistry</i> , 2009, 694, 1273-1282.	0.8	16
32	Cyclometallated complexes derived from pyrimidin- and pyridazinehydrazones: Structural evidence of intermolecular â€œchelate metal ringâ€ interactions. <i>Journal of Organometallic Chemistry</i> , 2009, 694, 2234-2245.	0.8	15
33	Synthesis and reactivity of new functionalized Pd(II) cyclometallated complexes with boronic esters. <i>Journal of Organometallic Chemistry</i> , 2009, 694, 3597-3607.	0.8	4
34	Crown Ether Palladacycles as Metalloligands: Suitable Precursors for Tetranuclear Mixed Transition/Non-Transition Metal Complexes. <i>Organometallics</i> , 2009, 28, 6657-6665.	1.1	13
35	Activation of Câ€H and Câ€Br bonds in cyclopalladation reactions of Schiff base ligands: Influence of the benzylidene ring substituents. <i>Journal of Organometallic Chemistry</i> , 2008, 693, 685-700.	0.8	20
36	Synthesis, characterization and crystal structures of cyclometallated palladium (II) compounds containing difunctional ligands with [P,P], [As,As], [N,N], [P,As], [P,N] and [P,O] donor atoms. <i>Journal of Organometallic Chemistry</i> , 2008, 693, 3655-3667.	0.8	12

#	ARTICLE	IF	CITATIONS
37	Tetranuclear Complexes of Pd ^{II} with Tridentate [C,N,O] and [O,N,O] Ligands: Synthesis, Reactivity and Structural Isomerism. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 5408-5418.	1.0	32
38	Reactivity of tetranuclear complexes of Pd(II) with potentially homo- and heterobidentate ligands. <i>Polyhedron</i> , 2007, 26, 4567-4572.	1.0	9
39	New developments in the studies of the reactivity of cyclometallated palladium(II) compounds with homo- ([P,P], [As,As]) and heterobidentate ([P,N],[P,O]) ligands. <i>Journal of Organometallic Chemistry</i> , 2007, 692, 4197-4208.	0.8	9
40	Linkage Isomerism in Thiophene Cyclometallated Palladium(II) Complexes. Crystal and Molecular Structure of the Isomers [Pd{n-SC4H2C(H)=NCy}(O2CMe-O)(PPh3)] (n = 3, 4). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007, 633, 734-740.	0.6	2
41	Cyclometallated thiosemicarbazone palladium(II) compounds: The first crystal and molecular structures of mononuclear complexes with a 1-1-diphosphine ligand. <i>Journal of Organometallic Chemistry</i> , 2006, 691, 2721-2733.	0.8	26
42	Synthesis, Characterization, and Crystal Structure Analysis of the First Terdentate [C,N,S] Thiosemicarbazone Complex with a Six-Membered Palladacycle: Influence of Steric Effects on Ring Size. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 3016-3021.	1.0	31
43	The cyclometallation of bis(di-p-methylbenzylphosphino)methane. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 3638-3640.	0.8	4
44	Cyclometallation of phenylhydrazones: Synthesis, reactivity, crystal structure analysis and novel trinuclear palladium(II) cyclometallated compounds with [C,N,N] terdentate ligands. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 3669-3679.	0.8	11
45	Synthesis and Characterization of Pyrrolthiosemicarbazone Complexes of Palladium(II). Crystal Structures of [Pd{C4H4NC(H)=NNC(S)NHMe}(Cl)} ₂ {1/4-Ph2P(CH2)3PPh2}] and [Pd{C4H4NC(H)=NNC(S)NHMe}{Ph2P(CH2)2PPh2-P,P}(Cl)}. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2005, 631, 2197-2203.	0.6	9
46	The First Cyclometallated (1-Ferrocenylethanone thiosemicarbazone)palladium(II) Compounds ^â Crystal and Molecular Structure of [Pd{(1-5-C5H5)Fe(1-5-C5H3)C(Me)=NN=C(S)NHMe}(PPh3)]. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 2937-2942.	1.0	18
47	Synthesis, reactivity and characterization of cyclometallated palladium(II) compounds derived from pinacolone-N,N-dimethylhydrazone. <i>Inorganica Chimica Acta</i> , 2003, 342, 185-192.	1.2	5
48	Functionalized cyclopalladated compounds with bidentate Group 15 donor atom ligands: the crystal		

#	ARTICLE	IF	CITATIONS
55	Nucleophilic addition of 1,3-dicarbonyl compounds as a route to functionalized cyclopalladated complexes with chelated 1,1-bis(diphenylphosphino)ethene. <i>New Journal of Chemistry</i> , 2002, 26, 1425-1432.	1.4	8
56	A Comparative Study of Cyclometallated Palladium(II) Compounds with Terdentate [C,N,S] Pincer Ligands $\hat{\alpha}^{\wedge}$ Crystal and Molecular Structure of $[\text{Pd}\{4\text{-MeOC}_6\text{H}_3\text{C}(\text{Me})=\text{NNC}(=\text{S})\text{NHMe}\}(\text{PPh}_3)]$ and $[\text{Pd}\{4\text{-MeOC}_6\text{H}_3\text{C}(\text{H})=\text{N}[2\text{-(SMe)C}_6\text{H}_4]\}(\text{Cl})]$. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 613-620.	1.0	51
57	The First Crystal and Molecular Structure of <i>asyn</i> -Acetato-Bridged Dinuclear Cyclometallated Complex $[\text{Pd}\{2,3,4\text{-(MeO)}_3\text{C}_6\text{H}_3\text{C}(\text{H})=\text{NCH}_2\text{CH}_2\text{OH}\}(\text{I}^{1/4}\text{-OAc})_2]$. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 2389-2401.	1.0	31
58	Cyclopalladated compounds derived from [C,N,O] terdentate ligands: synthesis, characterization and reactivity. <i>Polyhedron</i> , 2002, 21, 39-48.	1.0	9
59	Reactivity of cyclometallated palladium(II) compounds derived from N-(benzylidene)xylylendiamines. <i>Polyhedron</i> , 2002, 21, 2063-2069.	1.0	11
60	Cyclopalladated compounds with bridging and chelating diphosphine ligands. Effect of ring size. Crystal and molecular structure of $[\{\text{Pd}[4\text{-(COH)C}_6\text{H}_3\text{C}(\text{H})\text{r}\dots\text{N}(\text{Cy})\text{-C}_2\text{,N}\}(\text{Cl})\}_2(\text{I}^{1/4}\text{-Ph}_2\text{PCH}_2\text{PPh}_2)]$. <i>Polyhedron</i> , 2002, 21, 2309-2315.	1.0	11
61	Cyclopalladated compounds with a bidentate [C, N]/terdentate [C, N, S] benzylidenethiophene imine ligand. Crystal and molecular structures of $[\text{Pd}\{2,3\text{-(MeO)}_2\text{C}_6\text{H}_2\text{C}(\text{H})\text{r}\dots\text{NCH}_2(\text{C}_4\text{H}_3\text{S})\}(\text{I}^{1/4}\text{-OAc})_2]$, $[\text{Pd}\{2,3\text{-(MeO)}_2\text{C}_6\text{H}_2\text{C}(\text{H})\text{r}\dots\text{NCH}_2(\text{C}_4\text{H}_3\text{S})\}\text{r}\text{---}(\text{Cl})\hat{\text{A}}\text{-(PPh}_3)]$ and $[\{\text{Pd}[2,3\text{-(MeO)}_2\text{C}_6\text{H}_2\text{C}(\text{H})\text{r}\dots\text{NCH}_2(\text{C}_4\text{H}_3\text{S})\}(\text{Cl})\}_2(\text{I}^{1/4}\text{-Ph}_2\text{P}(\text{CH}_2)_4\text{PPh}_2)]$. <i>Journal of Organometallic Chemistry</i> , 2002, 654, 160-169.	0.8	16
62	Polynuclear cyclometallated palladium(II) complexes. Crystal and molecular structures of $[(\text{PPh}_3)(\text{Cl})\text{PdN}(\text{Cy})\text{r}\dots\text{C}(\text{H})\text{C}_6\text{H}_2\text{C}(\text{H})\text{r}\dots\text{N}(\text{Cy})\text{Pd}(\text{Cl})(\text{PPh}_3)]$ and $[\{\text{PdN}(\text{Cy})\text{r}\dots\text{C}(\text{H})\text{C}_6\text{H}_2\text{C}(\text{H})\text{r}\dots\text{N}(\text{Cy})\text{Pd}\}\{\text{Ph}_2\text{PC}(\text{H})\text{r}\dots\text{C}(\text{H})\text{PPh}_2\text{-P,P}\}_2][\text{ClO}_4]_2$. <i>Journal of Organometallic Chemistry</i> , 2002, 655, 127-133.	0.8	25
63	Coupling reactions of manganese(I) cyclometallated compounds derived from heterocyclic N-donor ligands with alkynes. <i>Journal of Organometallic Chemistry</i> , 2002, 656, 270-273.	0.8	18
64	$\text{C}\hat{\text{i}}\text{---Br}$ versus $\text{C}\hat{\text{i}}\text{---H}$ bond activation in palladium(II) cyclopalladated compounds.. <i>Journal of Organometallic Chemistry</i> , 2002, 663, 239-248.	0.8	10
65	Cyclopalladated compounds derived from a [C,N,S] terdentate ligand: synthesis, characterization and reactivity. Crystal and molecular structures of $[\text{Pd}\{2\text{-ClC}_6\text{H}_3\text{C}(\text{H})\text{r}\dots\text{NCH}_2\text{CH}_2\text{SMe}\}(\text{Cl})]$ and $[\{\text{Pd}[2\text{-ClC}_6\text{H}_3\text{C}(\text{H})\text{r}\dots\text{NCH}_2\text{CH}_2\text{SMe}\}_2\{\hat{\text{A}}\mu\text{-Ph}_2\text{P}(\text{CH}_2)_4\text{PPh}_2\}][\text{CF}_3\text{SO}_3]_2$. <i>New Journal of Chemistry</i> , 2002, 26, 105-112.	1.4	34
66	Mono- and Dinuclear Five-coordinate Cyclometalated Palladium(II) Compounds. <i>Inorganic Chemistry</i> , 2001, 40, 4583-4587.	1.9	22
67	Cyclometalated Palladium(II) Fragments as Building Blocks in the Construction of New Heteronuclear Metalomacrocycles. <i>Organometallics</i> , 2001, 20, 1350-1353.	1.1	78
68	Directed regioselectivity in cyclometallated palladium(II) compounds of N-benzylidenebenzylamines. Crystal and molecular structure of $[\text{Pd}\{3,4\text{-(OCH}_2\text{O)C}_6\text{H}_2\text{C}(\text{H})\text{r}\dots\text{NCH}_2[3,4\text{-(OCH}_2\text{O)C}_6\text{H}_3]\text{-C}_2\text{,N}\}(\text{I}^{1/4}\text{-O}_2\text{CMe})_2]$. <i>Polyhedron</i> , 2001, 20, 2925-2933.	1.0	15
69	Novel structures of cyclometallated complexes of palladium(II) derived from terdentate ligands. Crystal and molecular structure of $[\text{Pd}\{\text{C}_6\text{H}_4\text{C}(\text{H})\text{r}\dots\text{NCH}_2\text{CH}_2\text{CH}_2\text{NMe}_2\}(\text{X})]$ (X=Cl, Br, I). <i>Journal of Organometallic Chemistry</i> , 2001, 620, 8-19.	0.8	34
70	Novel cyclopalladated ferrocenyl Schiff base compounds with bridging and chelating diphosphines. Crystal and molecular structure of $[\{\text{Pd}[(\text{I}^5\text{-C}_5\text{H}_5)\text{Fe}(\text{I}^5\text{-C}_5\text{H}_3)\text{C}(\text{H})\text{r}\dots\text{N-2,4,6-Me}_3\text{C}_6\text{H}_2]\}\{\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2\text{r}\text{---,P,P}\}][\text{PF}_6]$ (n=1, 2). <i>Journal of Organometallic Chemistry</i> , 2001, 637-639, 577-585.	0.8	15
71	The key role of sulfur in thiosemicarbazone compounds. Crystal and molecular structure of $[\text{Pd}\{4\text{-MeOC}_6\text{H}_4\text{C}(\text{Me})\text{r}\dots\text{NNr}\dots\text{C}(\text{S})\text{NHPh}\}_2]$. <i>Journal of Organometallic Chemistry</i> , 2001, 623, 176-184.	0.8	20
72	Synthesis and Single-Crystal X-ray Diffraction Studies of New Cyclometallated Phenylimidazole Palladium(II) Compounds. <i>European Journal of Inorganic Chemistry</i> , 2000, 2000, 2055-2062.	1.0	24

#	ARTICLE	IF	CITATIONS
73	Cyclopalladation of Schiff base ligands: crystal and molecular structures of $[\text{Pd}\{-\{2,4\text{-}(\text{OCH}_3)_2\text{C}_6\text{H}_2\text{C}(\text{H})\text{N}\{(\text{C}_6\text{H}_{11})\text{-C}_6\text{N}\}\}\} (\text{i}_2^{1/2}\text{-O}_2\text{CCH}_3)\}_2$ and $[\text{Pd}\{-\{3,4\text{-}(\text{OCH}_3)_2\text{C}_6\text{H}_2\text{C}(\text{H})\}$		

#	ARTICLE	IF	CITATIONS
91	Cyclometallated compounds of palladium(II) with diphosphines. The X-ray crystal structure of $[\{\text{Cy}\}]_2(\frac{1}{4}\text{-Ph}_2\text{PC}(\text{i}\rightarrow\text{CH}_2)\text{PPh}_2)\text{Cl}_2$. <i>Journal of Organometallic Chemistry</i> , 1994, 471, 259-263.	0.8	12
92	Cyclometallated complexes of palladium(II) with the diphosphines <i>trans</i> - $\text{Ph}_2\text{PCH}(\text{i}\rightarrow\text{CHPh})_2$, <i>cis</i> - $\text{Ph}_2\text{PCH}(\text{i}\rightarrow\text{CHPh})_2$ and $\text{Ph}_2\text{P}(\text{CH}_2)_4\text{PPh}_2$. The X-ray crystal structure of $[\{\text{PdCy}\}]_2(\frac{1}{4}\text{-Ph}_2\text{P}(\text{CH}_2)_4\text{PPh}_2)(\frac{1}{4}\text{-Cl})_2$. <i>Journal of Organometallic Chemistry</i> , 1993, 448, 233-239.	0.8	42
93	Synthesis and characterization of cyclometallated palladium(ii) complexes with $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ (dppm), <i>trans</i> - $\text{Ph}_2\text{PCH}(\text{i}\rightarrow\text{CHPh})_2$ (<i>trans</i> -dppe), <i>cis</i> - $\text{Ph}_2\text{PCH}(\text{i}\rightarrow\text{CHPh})_2$ (<i>cis</i> -dppe) and $\text{Ph}_2\text{P}(\text{CH}_2)_4\text{PPh}_2$ (dppb). The x-ray crystal structure of di- $\frac{1}{4}$ -bromo-bis[<i>n</i> -(4-methylbenzylidene)cyclohexylamino-C6,N]dipalladium(II). <i>Polyhedron</i> , 1993, 12, 171-180.	1.0	27