

Marielle C Gold

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8380584/publications.pdf>

Version: 2024-02-01

21
papers

2,112
citations

394390

19
h-index

713444

21
g-index

22
all docs

22
docs citations

22
times ranked

2814
citing authors

#	ARTICLE	IF	CITATIONS
1	TRAV1-2+ CD8+ T-cells including oligoconal expansions of MAIT cells are enriched in the airways in human tuberculosis. <i>Communications Biology</i> , 2019, 2, 203.	4.4	60
2	Human TRAV1-2-negative MR1-restricted T cells detect <i>S. pyogenes</i> and alternatives to MAIT riboflavin-based antigens. <i>Nature Communications</i> , 2016, 7, 12506.	12.8	108
3	Engineering of Isogenic Cells Deficient for MR1 with a CRISPR/Cas9 Lentiviral System: Tools To Study Microbial Antigen Processing and Presentation to Human MR1-Restricted T Cells. <i>Journal of Immunology</i> , 2016, 197, 971-982.	0.8	21
4	High expression of CD26 accurately identifies human bacteria-reactive MR1-restricted MAIT cells. <i>Immunology</i> , 2015, 145, 443-453.	4.4	110
5	The Role of Mucosal Associated Invariant T Cells in Antimicrobial Immunity. <i>Frontiers in Immunology</i> , 2015, 6, 344.	4.8	113
6	MR1-restricted mucosal associated invariant T (MAIT) cells in the immune response to <i>Mycobacterium tuberculosis</i> . <i>Immunological Reviews</i> , 2015, 264, 154-166.	6.0	89
7	T Cell Inactivation by Poxviral B22 Family Proteins Increases Viral Virulence. <i>PLoS Pathogens</i> , 2014, 10, e1004123.	4.7	39
8	MR1-restricted MAIT cells display ligand discrimination and pathogen selectivity through distinct T cell receptor usage. <i>Journal of Experimental Medicine</i> , 2014, 211, 1601-1610.	8.5	196
9	Human Lung Epithelial Cells Contain <i>Mycobacterium tuberculosis</i> in a Late Endosomal Vacuole and Are Efficiently Recognized by CD8+ T Cells. <i>PLoS ONE</i> , 2014, 9, e97515.	2.5	93
10	Co-dependents: MR1-restricted MAIT cells and their antimicrobial function. <i>Nature Reviews Microbiology</i> , 2013, 11, 14-19.	28.6	83
11	Views of immunology: effector T cells. <i>Immunological Reviews</i> , 2011, 240, 25-39.	6.0	38
12	Mucosal associated invariant T cells and the immune response to infection. <i>Microbes and Infection</i> , 2011, 13, 742-748.	1.9	18
13	Human Mucosal Associated Invariant T Cells Detect Bacterially Infected Cells. <i>PLoS Biology</i> , 2010, 8, e1000407.	5.6	563
14	Human Innate <i>Mycobacterium tuberculosis</i> -Reactive $\gamma\delta$ TCR+ Thymocytes. <i>PLoS Pathogens</i> , 2008, 4, e39.	4.7	19
15	Human Neonatal Dendritic Cells Are Competent in MHC Class I Antigen Processing and Presentation. <i>PLoS ONE</i> , 2007, 2, e957.	2.5	23
16	Purified Neonatal Plasmacytoid Dendritic Cells Overcome Intrinsic Maturation Defect with TLR Agonist Stimulation. <i>Pediatric Research</i> , 2006, 60, 34-37.	2.3	24
17	Murine Cytomegalovirus Interference with Antigen Presentation Has Little Effect on the Size or the Effector Memory Phenotype of the CD8 T Cell Response. <i>Journal of Immunology</i> , 2004, 172, 6944-6953.	0.8	73
18	The Murine Cytomegalovirus Immunomodulatory Genem152 Prevents Recognition of Infected Cells by M45-Specific CTL But Does Not Alter the Immunodominance of the M45-Specific CD8 T Cell Response In Vivo. <i>Journal of Immunology</i> , 2002, 169, 359-365.	0.8	94

#	ARTICLE	IF	CITATIONS
19	Assembly and Antigen-Presenting Function of MHC Class I Molecules in Cells Lacking the ER Chaperone Calreticulin. <i>Immunity</i> , 2002, 16, 99-109.	14.3	217
20	The Multiple Immune-Evasion Genes of Murine Cytomegalovirus Are Not Redundant. <i>Journal of Experimental Medicine</i> , 2001, 194, 967-978.	8.5	99
21	Quantification of <i>Toxoplasma gondii</i> Bradyzoites. <i>Journal of Parasitology</i> , 1996, 82, 330.	0.7	32