

Carlamaria Zoja

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8381785/publications.pdf>

Version: 2024-02-01

128
papers

10,846
citations

28190

55
h-index

30848

102
g-index

128
all docs

128
docs citations

128
times ranked

9495
citing authors

#	ARTICLE	IF	CITATIONS
1	Mesenchymal Stem Cells Are Renotropic, Helping to Repair the Kidney and Improve Function in Acute Renal Failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 1794-1804.	3.0	690
2	How Does Proteinuria Cause Progressive Renal Damage?. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2974-2984.	3.0	647
3	Thrombomodulin Mutations in Atypical Hemolytic-Uremic Syndrome. <i>New England Journal of Medicine</i> , 2009, 361, 345-357.	13.9	495
4	Disruption of the Ang II type 1 receptor promotes longevity in mice. <i>Journal of Clinical Investigation</i> , 2009, 119, 524-530.	3.9	434
5	Leukocyte-endothelial interaction is augmented by high glucose concentrations and hyperglycemia in a NF- κ B-dependent fashion.. <i>Journal of Clinical Investigation</i> , 1998, 101, 1905-1915.	3.9	377
6	Protein overload stimulates RANTES production by proximal tubular cells depending on NF- κ B activation. <i>Kidney International</i> , 1998, 53, 1608-1615.	2.6	371
7	Human Bone Marrow Mesenchymal Stem Cells Accelerate Recovery of Acute Renal Injury and Prolong Survival in Mice. <i>Stem Cells</i> , 2008, 26, 2075-2082.	1.4	351
8	Insulin-Like Growth Factor-1 Sustains Stem Cell-Mediated Renal Repair. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2921-2928.	3.0	294
9	Reduced umbilical and placental vascular prostacyclin in severe pre-eclampsia. <i>Prostaglandins</i> , 1980, 20, 105-110.	1.2	234
10	Proximal tubular cell synthesis and secretion of endothelin-1 on challenge with albumin and other proteins. <i>American Journal of Kidney Diseases</i> , 1995, 26, 934-941.	2.1	232
11	Alternative Pathway Activation of Complement by Shiga Toxin Promotes Exuberant C3a Formation That Triggers Microvascular Thrombosis. <i>Journal of Immunology</i> , 2011, 187, 172-180.	0.4	220
12	A specific endothelin subtype A receptor antagonist protects against injury in renal disease progression. <i>Kidney International</i> , 1993, 44, 440-444.	2.6	215
13	Add-On Anti-TGF- β 2 Antibody to ACE Inhibitor Arrests Progressive Diabetic Nephropathy in the Rat. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 1816-1824.	3.0	177
14	Life-Sparing Effect of Human Cord Blood-Mesenchymal Stem Cells in Experimental Acute Kidney Injury. <i>Stem Cells</i> , 2010, 28, 513-522.	1.4	161
15	Tubulo-interstitial lesions mediate renal damage in adriamycin glomerulopathy. <i>Kidney International</i> , 1986, 30, 488-496.	2.6	158
16	How To Fully Protect the Kidney in a Severe Model of Progressive Nephropathy: A Multidrug Approach. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 2898-2908.	3.0	156
17	Shiga toxin-associated hemolytic uremic syndrome: pathophysiology of endothelial dysfunction. <i>Pediatric Nephrology</i> , 2010, 25, 2231-2240.	0.9	156
18	Renal endothelin gene expression is increased in remnant kidney and correlates with disease progression. <i>Kidney International</i> , 1993, 43, 354-358.	2.6	153

#	ARTICLE	IF	CITATIONS
19	In Response to Protein Load Podocytes Reorganize Cytoskeleton and Modulate Endothelin-1 Gene. American Journal of Pathology, 2005, 166, 1309-1320.	1.9	151
20	Protein traffic activates NF- κ B gene signaling and promotes MCP-1-dependent interstitial inflammation. American Journal of Kidney Diseases, 2000, 36, 1226-1241.	2.1	145
21	Renal and systemic nitric oxide synthesis in rats with renal mass reduction. Kidney International, 1997, 52, 171-181.	2.6	138
22	Transforming Growth Factor- β 1 Is Up-Regulated by Podocytes in Response to Excess Intraglomerular Passage of Proteins. American Journal of Pathology, 2002, 161, 2179-2193.	1.9	138
23	Mycophenolate mofetil limits renal damage and prolongs life in murine lupus autoimmune disease. Kidney International, 1997, 51, 1583-1589.	2.6	134
24	Cellular responses to protein overload: key event in renal disease progression. Current Opinion in Nephrology and Hypertension, 2004, 13, 31-37.	1.0	132
25	Protein Overload Induces Fractalkine Upregulation in Proximal Tubular Cells through Nuclear Factor κ B and p38 Mitogen-Activated Protein Kinase-Dependent Pathways. Journal of the American Society of Nephrology: JASN, 2003, 14, 2436-2446.	3.0	118
26	The Nrf2 pathway in the progression of renal disease. Nephrology Dialysis Transplantation, 2014, 29, i19-i24.	0.4	117
27	Unlike each drug alone, lisinopril if combined with avosentan promotes regression of renal lesions in experimental diabetes. American Journal of Physiology - Renal Physiology, 2009, 297, F1448-F1456.	1.3	114
28	SGLT2 inhibitor dapagliflozin limits podocyte damage in proteinuric nondiabetic nephropathy. JCI Insight, 2018, 3, .	2.3	114
29	Role of endothelium-derived nitric oxide in the bleeding tendency of uremia.. Journal of Clinical Investigation, 1990, 86, 1768-1771.	3.9	110
30	Proximal tubular cells promote fibrogenesis by TGF- β 1-mediated induction of peritubular myofibroblasts. Kidney International, 2002, 61, 2066-2077.	2.6	109
31	Shiga toxin-2 triggers endothelial leukocyte adhesion and transmigration via NF- κ B dependent up-regulation of IL-8 and MCP-11. Kidney International, 2002, 62, 846-856.	2.6	105
32	Effect of combining ACE inhibitor and statin in severe experimental nephropathy. Kidney International, 2002, 61, 1635-1645.	2.6	103
33	Blocking both type A and B endothelin receptors in the kidney attenuates renal injury and prolongs survival in rats with remnant kidney. American Journal of Kidney Diseases, 1996, 27, 416-423.	2.1	99
34	Verotoxin-1-induced up-regulation of adhesive molecules renders microvascular endothelial cells thrombogenic at high shear stress. Blood, 2001, 98, 1828-1835.	0.6	92
35	Shigatoxin-Induced Endothelin-1 Expression in Cultured Podocytes Autocrinally Mediates Actin Remodeling. American Journal of Pathology, 2006, 169, 1965-1975.	1.9	92
36	Analogues of bardoxolone methyl worsen diabetic nephropathy in rats with additional adverse effects. American Journal of Physiology - Renal Physiology, 2013, 304, F808-F819.	1.3	90

#	ARTICLE	IF	CITATIONS
37	Progression of renal injury toward interstitial inflammation and glomerular sclerosis is dependent on abnormal protein filtration. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 706-712.	0.4	90
38	Proteasomal Processing of Albumin by Renal Dendritic Cells Generates Antigenic Peptides. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 123-130.	3.0	88
39	Mesenchymal stem cell therapy promotes renal repair by limiting glomerular podocyte and progenitor cell dysfunction in adriamycin-induced nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, F1370-F1381.	1.3	88
40	Renoprotective effect of contemporary blocking of angiotensin II and endothelin-1 in rats with membranous nephropathy. <i>Kidney International</i> , 1998, 54, 353-359.	2.6	77
41	Transcriptional Regulation of Nephric Gene by Peroxisome Proliferator-Activated Receptor- γ Agonist: Molecular Mechanism of the Antiproteinuric Effect of Pioglitazone. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1624-1632.	3.0	76
42	Renal Expression of FGF23 in Progressive Renal Disease of Diabetes and the Effect of Ace Inhibitor. <i>PLoS ONE</i> , 2013, 8, e70775.	1.1	75
43	The renoprotective properties of angiotensin-converting enzyme inhibitors in a chronic model of membranous nephropathy are solely due to the inhibition of angiotensin II: Evidence based on comparative studies with a receptor antagonist. <i>American Journal of Kidney Diseases</i> , 1997, 29, 254-264.	2.1	74
44	Bindarit retards renal disease and prolongs survival in murine lupus autoimmune disease. <i>Kidney International</i> , 1998, 53, 726-734.	2.6	71
45	Imatinib ameliorates renal disease and survival in murine lupus autoimmune disease. <i>Kidney International</i> , 2006, 70, 97-103.	2.6	71
46	Rosuvastatin Treatment Prevents Progressive Kidney Inflammation and Fibrosis in Stroke-Prone Rats. <i>American Journal of Pathology</i> , 2007, 170, 1165-1177.	1.9	70
47	<i>Sirt3</i> Deficiency Shortens Life Span and Impairs Cardiac Mitochondrial Function Rescued by <i>Opa1</i> Gene Transfer. <i>Antioxidants and Redox Signaling</i> , 2019, 31, 1255-1271.	2.5	70
48	Complement-Mediated Dysfunction of Glomerular Filtration Barrier Accelerates Progressive Renal Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 1158-1167.	3.0	63
49	β -Arrestin-1 Drives Endothelin-1-Mediated Podocyte Activation and Sustains Renal Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 523-533.	3.0	63
50	Involvement of renal tubular toll-like receptor 9 in the development of tubulointerstitial injury in systemic lupus. <i>Arthritis and Rheumatism</i> , 2007, 56, 1569-1578.	6.7	61
51	Lipoprotein X Causes Renal Disease in LCAT Deficiency. <i>PLoS ONE</i> , 2016, 11, e0150083.	1.1	61
52	Evaluation of the Zucker Diabetic Fatty (ZDF) Rat as a Model for Human Disease Based on Urinary Peptidomic Profiles. <i>PLoS ONE</i> , 2012, 7, e51334.	1.1	59
53	Protein Overload Activates Proximal Tubular Cells to Release Vasoactive and Inflammatory Mediators. <i>Nephron Experimental Nephrology</i> , 1999, 7, 420-428.	2.4	56
54	V1/V2 Vasopressin receptor antagonism potentiates the renoprotection of renin-angiotensin system inhibition in rats with renal mass reduction. <i>Kidney International</i> , 2009, 76, 960-967.	2.6	56

#	ARTICLE	IF	CITATIONS
55	Distinct cardiac and renal effects of ET _A receptor antagonist and ACE inhibitor in experimental type 2 diabetes. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 301, F1114-F1123.	1.3	56
56	Indomethacin reduces proteinuria in passive Heymann nephritis in rats. <i>Kidney International</i> , 1987, 31, 1335-1343.	2.6	55
57	Pharmacologic control of angiotensin II ameliorates renal disease while reducing renal TGF-beta in experimental mesangioproliferative glomerulonephritis. <i>American Journal of Kidney Diseases</i> , 1998, 31, 453-463.	2.1	55
58	MicroRNA-184 is a downstream effector of albuminuria driving renal fibrosis in rats with diabetic nephropathy. <i>Diabetologia</i> , 2017, 60, 1114-1125.	2.9	54
59	Vasopeptidase inhibitor restores the balance of vasoactive hormones in progressive nephropathy. <i>Kidney International</i> , 2004, 66, 1959-1965.	2.6	52
60	Shiga Toxin Promotes Podocyte Injury in Experimental Hemolytic Uremic Syndrome via Activation of the Alternative Pathway of Complement. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1786-1798.	3.0	52
61	Manipulating Sirtuin 3 pathway ameliorates renal damage in experimental diabetes. <i>Scientific Reports</i> , 2020, 10, 8418.	1.6	51
62	Low-protein diet prevents glomerular damage in adriamycin-treated rats. <i>Kidney International</i> , 1985, 28, 21-27.	2.6	50
63	Increased nitric oxide formation in recurrent thrombotic microangiopathies: A possible mediator of microvascular injury. <i>American Journal of Kidney Diseases</i> , 1996, 27, 790-796.	2.1	49
64	Mycophenolate mofetil combined with a cyclooxygenase-2 inhibitor ameliorates murine lupus nephritis. <i>Kidney International</i> , 2001, 60, 653-663.	2.6	49
65	Adding a statin to a combination of ACE inhibitor and ARB normalizes proteinuria in experimental diabetes, which translates into full renoprotection. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, F1203-F1211.	1.3	49
66	Diabetic Nephropathy: Novel Molecular Mechanisms and Therapeutic Targets. <i>Frontiers in Pharmacology</i> , 2020, 11, 586892.	1.6	47
67	Plasmatic regulation of vascular prostacyclin in pregnancy.. <i>BMJ: British Medical Journal</i> , 1981, 282, 512-514.	2.4	46
68	Cyclin-dependent kinase inhibition limits glomerulonephritis and extends lifespan of mice with systemic lupus. <i>Arthritis and Rheumatism</i> , 2007, 56, 1629-1637.	6.7	46
69	C3a receptor blockade protects podocytes from injury in diabetic nephropathy. <i>JCI Insight</i> , 2020, 5, .	2.3	46
70	Angiotensin II Blockade Limits Tubular Protein Overreabsorption and the Consequent Upregulation of Endothelin 1 Gene in Experimental Membranous Nephropathy. <i>Nephron Experimental Nephrology</i> , 1998, 6, 121-131.	2.4	44
71	Progression of chronic kidney disease: insights from animal models. <i>Current Opinion in Nephrology and Hypertension</i> , 2006, 15, 250-257.	1.0	44
72	Experimental Goodpasture's syndrome in Wistar-Kyoto rats immunized with Î±3 chain of type IV collagen. <i>Kidney International</i> , 1998, 54, 1550-1561.	2.6	43

#	ARTICLE	IF	CITATIONS
73	Beneficial Effect of TGF β 2 Antagonism in Treating Diabetic Nephropathy Depends on When Treatment Is Started. <i>Nephron Experimental Nephrology</i> , 2006, 104, e158-e168.	2.4	43
74	The role of chemokines in progressive renal disease. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 1815.	3.0	43
75	Effects of MCP-1 Inhibition by Bindarit Therapy in a Rat Model of Polycystic Kidney Disease. <i>Nephron</i> , 2015, 129, 52-61.	0.9	43
76	Renoprotection by nitric oxide donor and lisinopril in the remnant kidney model. <i>American Journal of Kidney Diseases</i> , 1999, 33, 746-753.	2.1	42
77	Angiotensin II Contributes to Diabetic Renal Dysfunction in Rodents and Humans via Notch1/Snail Pathway. <i>American Journal of Pathology</i> , 2013, 183, 119-130.	1.9	39
78	Fractalkine and CX3CR1 Mediate Leukocyte Capture by Endothelium in Response to Shiga Toxin. <i>Journal of Immunology</i> , 2008, 181, 1460-1469.	0.4	37
79	Therapy with a Selective Cannabinoid Receptor Type 2 Agonist Limits Albuminuria and Renal Injury in Mice with Type 2 Diabetic Nephropathy. <i>Nephron</i> , 2016, 132, 59-69.	0.9	36
80	Role of platelets in progressive glomerular diseases. <i>Pediatric Nephrology</i> , 1995, 9, 495-502.	0.9	35
81	Lack of the Lectin-like Domain of Thrombomodulin Worsens Shiga Toxin-Associated Hemolytic Uremic Syndrome in Mice. <i>Journal of Immunology</i> , 2012, 189, 3661-3668.	0.4	35
82	Shiga toxin triggers endothelial and podocyte injury: the role of complement activation. <i>Pediatric Nephrology</i> , 2019, 34, 379-388.	0.9	34
83	Ticlopidine prevents renal disease progression in rats with reduced renal mass. <i>Kidney International</i> , 1990, 37, 934-942.	2.6	33
84	Renal protective effect of angiotensin-converting enzyme inhibition in aging rats. <i>American Journal of Medicine</i> , 1992, 92, S60-S63.	0.6	31
85	Targeted Deletion of Angiotensin II Type 1A Receptor Does not Protect Mice from Progressive Nephropathy of Overload Proteinuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 2666-2674.	3.0	31
86	Addition of cyclic angiotensin-(1-7) to angiotensin-converting enzyme inhibitor therapy has a positive add-on effect in experimental diabetic nephropathy. <i>Kidney International</i> , 2019, 96, 906-917.	2.6	31
87	B7 α 1 Is Not Induced in Podocytes of Human and Experimental Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 999-1005.	3.0	30
88	Shear Stress-Induced Cytoskeleton Rearrangement Mediates NF- κ B-Dependent Endothelial Expression of ICAM-1. <i>Microvascular Research</i> , 2000, 60, 182-188.	1.1	29
89	Protein load impairs factor H binding promoting complement-dependent dysfunction of proximal tubular cells. <i>Kidney International</i> , 2009, 75, 1050-1059.	2.6	28
90	Cyclosporine enhances leukocyte adhesion to vascular endothelium under physiologic flow conditions. <i>American Journal of Kidney Diseases</i> , 1996, 28, 23-31.	2.1	27

#	ARTICLE	IF	CITATIONS
91	Endothelin and eicosanoid synthesis in cultured mesangial cells. <i>Kidney International</i> , 1990, 37, 927-933.	2.6	26
92	Therapeutic potential of stromal cells of non-renal or renal origin in experimental chronic kidney disease. <i>Stem Cell Research and Therapy</i> , 2018, 9, 220.	2.4	26
93	Partial isolation and function of the prostacyclin regulating plasma factor. <i>Clinical Science</i> , 1985, 69, 383-393.	1.8	25
94	Mitochondrial-dependent Autoimmunity in Membranous Nephropathy of IgG4-related Disease. <i>EBioMedicine</i> , 2015, 2, 456-466.	2.7	24
95	Increased Renal Versican Expression Is Associated with Progression of Chronic Kidney Disease. <i>PLoS ONE</i> , 2012, 7, e44891.	1.1	23
96	Complement Activation Contributes to the Pathophysiology of Shiga Toxin-Associated Hemolytic Uremic Syndrome. <i>Microorganisms</i> , 2019, 7, 15.	1.6	23
97	A previously unrecognized role of C3a in proteinuric progressive nephropathy. <i>Scientific Reports</i> , 2016, 6, 28445.	1.6	22
98	Alteration of thyroid hormone signaling triggers the diabetes-induced pathological growth, remodeling, and dedifferentiation of podocytes. <i>JCI Insight</i> , 2019, 4, .	2.3	21
99	Empagliflozin protects glomerular endothelial cell architecture in experimental diabetes through the <sc>VEGF&A</sc>/caveolin&A</sc>PV</sc>&A</sc> signaling pathway. <i>Journal of Pathology</i> , 2022, 256, 468-479.	2.1	21
100	Renal Primordia Activate Kidney Regenerative Events in a Rat Model of Progressive Renal Disease. <i>PLoS ONE</i> , 2015, 10, e0120235.	1.1	17
101	ET and Diabetic Nephropathy: Preclinical and Clinical Studies. <i>Seminars in Nephrology</i> , 2015, 35, 188-196.	0.6	17
102	Key pathways in renal disease progression of experimental diabetes: Figure&A</sc>. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iv54-iv59.	0.4	16
103	Fenofibrate attenuates cardiac and renal alterations in young salt-loaded spontaneously hypertensive stroke-prone rats through mitochondrial protection. <i>Journal of Hypertension</i> , 2018, 36, 1129-1146.	0.3	14
104	Combining lisinopril and L-arginine slows disease progression and reduces endothelin-1 in passive Heymann nephritis. <i>Kidney International</i> , 2003, 64, 857-863.	2.6	13
105	Effect of ACE inhibition on glomerular permselectivity and tubular albumin concentration in the renal ablation model. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, F1291-F1300.	1.3	13
106	Xenogeneic human serum promotes leukocyte adhesion to porcine endothelium under flow conditions, possibly through the activation of the transcription factor NF&A</sc>B. <i>Xenotransplantation</i> , 1998, 5, 57-60.	1.6	12
107	Effects of Rosuvastatin on Glomerular Capillary Size-Selectivity Function in Rats with Renal Mass Ablation. <i>American Journal of Nephrology</i> , 2007, 27, 630-638.	1.4	12
108	Glomerulonephritis. <i>Current Opinion in Nephrology and Hypertension</i> , 1993, 2, 465-474.	1.0	10

#	ARTICLE	IF	CITATIONS
109	A preclinical overview of emerging therapeutic targets for glomerular diseases. <i>Expert Opinion on Therapeutic Targets</i> , 2019, 23, 593-606.	1.5	10
110	CER-001 ameliorates lipid profile and kidney disease in a mouse model of familial LCAT deficiency. <i>Metabolism: Clinical and Experimental</i> , 2021, 116, 154464.	1.5	10
111	Interleukin-1 regulates cytokine gene expression in human mesangial cells through the interleukin-1 receptor type 1.. <i>Journal of the American Society of Nephrology: JASN</i> , 1992, 2, 1709-1715.	3.0	10
112	Post-translational modifications by SIRT3 de-2-hydroxyisobutyrylase activity regulate glycolysis and enable nephrogenesis. <i>Scientific Reports</i> , 2021, 11, 23580.	1.6	10
113	Simplified Method to Measure Glomerular Filtration Rate by Iohexol Plasma Clearance in Conscious Rats. <i>Nephron</i> , 2016, 133, 62-70.	0.9	9
114	Abnormalities in arachidonic acid metabolites in nephrotoxic glomerular injury. <i>Toxicology Letters</i> , 1989, 46, 65-75.	0.4	8
115	ADAMTS13 Deficiency Shortens the Life Span of Mice With Experimental Diabetes. <i>Diabetes</i> , 2018, 67, 2069-2083.	0.3	8
116	Oral zeranol shortens the prolonged bleeding time of uremic rats. <i>Kidney International</i> , 1990, 38, 96-100.	2.6	5
117	Genetics of rare diseases of the kidney: learning from mouse models. <i>Cytogenetic and Genome Research</i> , 2004, 105, 479-484.	0.6	5
118	Characterization of a Rat Model of Myeloperoxidase-Anti-Neutrophil Cytoplasmic Antibody-Associated Crescentic Glomerulonephritis. <i>Nephron</i> , 2021, 145, 428-444.	0.9	5
119	Turnour necrosis factor stimulates endothelin-1 gene expression in cultured bovine endothelial cells. <i>Mediators of Inflammation</i> , 1992, 1, 263-266.	1.4	4
120	Lack of synergism between dazoxiben and dipyridamole following administration to man. <i>Thrombosis Research</i> , 1985, 37, 231-236.	0.8	3
121	The effect of caloric restriction on a rat model of aging: Biological, pathological, biochemical and behavioral characterization. <i>Aging Clinical and Experimental Research</i> , 1991, 3, 388-390.	1.4	3
122	Interleukin-1 and Glomerular Mesangial Cells. <i>Kidney and Blood Pressure Research</i> , 1993, 16, 89-92.	0.9	3
123	Interleukin-6 stimulates gene expression of extracellular matrix components in bovine mesangial cells in culture. <i>Mediators of Inflammation</i> , 1993, 2, 429-433.	1.4	3
124	Shiga Toxin 2 Triggers C3a-Dependent Glomerular and Tubular Injury through Mitochondrial Dysfunction in Hemolytic Uremic Syndrome. <i>Cells</i> , 2022, 11, 1755.	1.8	3
125	A Study of Low-Nutrient Diets Used for Aging Studies in the Rat. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1996, 51A, B270-B275.	1.7	2
126	Therapeutic Small Interfering RNA Targeting Complement C3 in a Mouse Model of C3 Glomerulopathy. <i>Journal of Immunology</i> , 2022, 208, 1772-1781.	0.4	2

#	ARTICLE	IF	CITATIONS
127	Reduced Fibrinolytic Activity in Glomeruli Isolated from Rabbits Infused with Tumor Necrosis Factor. Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research, 1993, 23, 173-178.	0.5	1
128	Protective Effects of Human Nonrenal and Renal Stromal Cells and Their Conditioned Media in a Rat Model of Chronic Kidney Disease. Cell Transplantation, 2020, 29, 096368972096546.	1.2	1