Catalin S Buhimschi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/838225/catalin-s-buhimschi-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 150
 4,965
 39
 63

 papers
 citations
 h-index
 g-index

 159
 5,636
 4.3
 5.32

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
150	Conformation-dependent anti-Amonoclonal antibody signatures of disease status and severity in urine of women with preeclampsia <i>Pregnancy Hypertension</i> , 2022 , 28, 51-59	2.6	O
149	Endocan, a Soluble Marker of Endothelial Cell Activation Is a Molecular Marker of Disease Severity in Women with Preeclampsia <i>Reproductive Sciences</i> , 2022 , 1	3	0
148	Controversies in Treatment Practices of the Mother-Infant Dyad at the Limit of Viability. <i>Seminars in Perinatology</i> , 2021 , 151539	3.3	
147	Amniotic Fluid Proteasome and Immunoproteasome in the Setting of Intra-Amniotic Infection, Inflammation, and Preterm Birth. <i>Reproductive Sciences</i> , 2021 , 28, 2562-2573	3	
146	Molecular signatures of labor and nonlabor myometrium with parsimonious classification from 2 calcium transporter genes. <i>JCI Insight</i> , 2021 , 6,	9.9	1
145	Higher dose docosahexaenoic acid supplementation during pregnancy and early preterm birth: A randomised, double-blind, adaptive-design superiority trial. <i>EClinicalMedicine</i> , 2021 , 36, 100905	11.3	11
144	MiR-29b is associated with perinatal inflammation in extremely preterm infants. <i>Pediatric Research</i> , 2021 , 89, 889-893	3.2	4
143	Connecting the dots on vertical transmission of SARS-CoV-2 using protein-protein interaction network analysis - Potential roles of placental ACE2 and ENDOU. <i>Placenta</i> , 2021 , 104, 16-19	3.4	7
142	Antenatal N-acetylcysteine to improve outcomes of premature infants with intra-amniotic infection and inflammation (Triple I): randomized clinical trial. <i>Pediatric Research</i> , 2021 , 89, 175-184	3.2	4
141	Congo red test for identification of preeclampsia: Results of a prospective diagnostic case-control study in Bangladesh and Mexico. <i>EClinicalMedicine</i> , 2021 , 31, 100678	11.3	2
140	Decidual cell FKBP51-progesterone receptor binding mediates maternal stress-induced preterm birth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	7
139	Who said differentiating preeclampsia from COVID-19 infection was easy?. <i>Pregnancy Hypertension</i> , 2021 , 26, 8-10	2.6	5
138	Acute Glucose Load, Inflammation, Oxidative Stress, Nonenzymatic Glycation, and Screening for Gestational Diabetes. <i>Reproductive Sciences</i> , 2020 , 27, 1587-1594	3	2
137	Fetal and amniotic fluid iron homeostasis in healthy and complicated murine, macaque, and human pregnancy. <i>JCI Insight</i> , 2020 , 5,	9.9	16
136	Use of birth weight- vs. ultrasound-derived fetal weight classification methods: implications for detection of abnormal umbilical artery Doppler. <i>Journal of Perinatal Medicine</i> , 2020 , 48, 615-624	2.7	O
135	Prevalence and Neighborhood Geomapping of COVID-19 in an Underserved Chicago Pregnant Population. <i>AJP Reports</i> , 2020 , 10, e413-e416	1.2	3
134	Intrauterine Pressure Catheter Use Is Associated with an Increased Risk of Postcesarean Surgical Site Infections. <i>American Journal of Perinatology</i> , 2020 , 37, 557-561	3.3	3

133	Sex-Specific Genetic Susceptibility to Adverse Neurodevelopmental Outcome in Offspring of Pregnancies at Risk of Early Preterm Delivery. <i>American Journal of Perinatology</i> , 2020 , 37, 281-290	3.3	2
132	Fetal Myocardial Function as Assessed by N-Terminal Fragment Brain Natriuretic Protein in Premature Fetuses Exposed to Intra-amniotic Inflammation. <i>American Journal of Perinatology</i> , 2020 , 37, 745-753	3.3	
131	Proteasome Levels and Activity in Pregnancies Complicated by Severe Preeclampsia and Hemolysis, Elevated Liver Enzymes, and Thrombocytopenia (HELLP) Syndrome. <i>Hypertension</i> , 2019 , 73, 1308-1318	8.5	5
130	Acute Glucose Load, Inflammation, Oxidative Stress, Nonenzymatic Glycation, and Screening for Gestational Diabetes. <i>Reproductive Sciences</i> , 2019 , 1933719119831772	3	3
129	Human pregnancy zone protein stabilizes misfolded proteins including preeclampsia- and Alzheimers-associated amyloid beta peptide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 6101-6110	11.5	32
128	Congo Red Dot Paper Test for Antenatal Triage and Rapid Identification of Preeclampsia. <i>EClinicalMedicine</i> , 2019 , 8, 47-56	11.3	18
127	Cord Blood Haptoglobin, Cerebral Palsy and Death in Infants of Women at Risk for Preterm Birth: A Secondary Analysis of a Randomised Controlled Trial. <i>EClinicalMedicine</i> , 2019 , 9, 11-18	11.3	2
126	Changes in Vasodilator-Stimulated Phosphoprotein Phosphorylation, Profilin-1, and Cofilin-1 in Accreta and Protection by DHA. <i>Reproductive Sciences</i> , 2019 , 26, 757-765	3	1
125	Cost Analysis of Azithromycin versus Erythromycin in Pregnancies Complicated by Preterm Premature Rupture of Membranes. <i>American Journal of Perinatology</i> , 2019 , 36, 105-110	3.3	4
124	Unique transcriptomic landscapes identified in idiopathic spontaneous and infection related preterm births compared to normal term births. <i>PLoS ONE</i> , 2019 , 14, e0225062	3.7	8
123	Expression, Regulation, and Function of the Calmodulin Accessory Protein PCP4/PEP-19 in Myometrium. <i>Reproductive Sciences</i> , 2019 , 26, 1650-1660	3	1
122	Comparison of Cerebral Palsy Severity Between 2 Eras of Antenatal Magnesium Use. <i>JAMA Pediatrics</i> , 2019 , 173, 188-190	8.3	3
121	Tenascin-X in amniotic fluid and reproductive tissues of pregnancies complicated by infection and preterm prelabor rupture of membranes <i>Biology of Reproduction</i> , 2019 , 100, 773-782	3.9	2
120	Integrated microRNA and mRNA network analysis of the human myometrial transcriptome in the transition from quiescence to labor. <i>Biology of Reproduction</i> , 2018 , 98, 834-845	3.9	14
119	Preterm Birth and Gestational Length in Four Race-Nativity Groups, Including Somali Americans. <i>Obstetrics and Gynecology</i> , 2018 , 131, 281-289	4.9	11
118	Identification of haptoglobin switch-on status in archived placental specimens indicates antenatal exposure to inflammation and potential participation of the fetus in triggering preterm birth. <i>Placenta</i> , 2018 , 62, 50-57	3.4	4
117	Serum and Urine Thioflavin-T-Enhanced Fluorescence in Severe Preeclampsia. <i>Hypertension</i> , 2018 , 71, 1185-1192	8.5	11
116	Hepcidin, an Iron Regulatory Hormone of Innate Immunity, is Differentially Expressed in Premature Fetuses with Early-Onset Neonatal Sepsis. <i>American Journal of Perinatology</i> , 2018 , 35, 865-872	3.3	10

115	Skin Microbiota in Obese Women at Risk for Surgical Site Infection After Cesarean Delivery. <i>Scientific Reports</i> , 2018 , 8, 8756	4.9	13
114	Components of the antepartum, intrapartum, and postpartum exposome impact on distinct short-term adverse neonatal outcomes of premature infants: A prospective cohort study. <i>PLoS ONE</i> , 2018 , 13, e0207298	3.7	12
113	Human Placenta Expresses EAdrenergic Receptors and May Be Implicated in Pathogenesis of Preeclampsia and Fetal Growth Restriction. <i>American Journal of Pathology</i> , 2018 , 188, 2774-2785	5.8	8
112	Methods to decrease variability in histological scoring in placentas from a cohort of preterm infants. <i>BMJ Open</i> , 2017 , 7, e013877	3	4
111	Patterns of Empiric Antibiotic Administration for Presumed Early-Onset Neonatal Sepsis in Neonatal Intensive Care Units in the United States. <i>American Journal of Perinatology</i> , 2017 , 34, 640-647	3.3	17
110	Genetics, hormonal influences, and preterm birth. Seminars in Perinatology, 2017, 41, 401-408	3.3	6
109	Limiting the Exposure of Select Fetuses to Intrauterine Infection/Inflammation Improves Short-Term Neonatal Outcomes in Preterm Premature Rupture of Membranes. <i>Fetal Diagnosis and Therapy</i> , 2017 , 42, 99-110	2.4	18
108	Calciprotein particles as potential etiologic agents of idiopathic preterm birth. <i>Science Translational Medicine</i> , 2016 , 8, 364ra154	17.5	16
107	Comprehensive RNA profiling of villous trophoblast and decidua basalis in pregnancies complicated by preterm birth following intra-amniotic infection. <i>Placenta</i> , 2016 , 44, 23-33	3.4	27
106	Imbalance of Amniotic Fluid Activin-A and Follistatin in Intraamniotic Infection, Inflammation, and Preterm Birth. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 2785-93	5.6	10
105	High Mobility Group-Box 1 (HMGB1) levels are increased in amniotic fluid of women with intra-amniotic inflammation-determined preterm birth, and the source may be the damaged fetal membranes. <i>Cytokine</i> , 2016 , 81, 82-7	4	19
104	H19 long noncoding RNA alters trophoblast cell migration and invasion by regulating TR3 in placentae with fetal growth restriction. <i>Oncotarget</i> , 2016 , 7, 38398-38407	3.3	40
103	Evidence for participation of neutrophil gelatinase-associated lipocalin/matrix metalloproteinase-9 (NGALMMP-9) complex in the inflammatory response to infection in pregnancies complicated by preterm birth. <i>American Journal of Reproductive Immunology</i> , 2016 , 76, 108-17	3.8	13
102	Development and Validation of an Algorithm to Determine Spontaneous versus Provider-Initiated Preterm Birth in US Vital Records. <i>Paediatric and Perinatal Epidemiology</i> , 2016 , 30, 134-40	2.7	17
101	Comparing human and macaque placental transcriptomes to disentangle preterm birth pathology from gestational age effects. <i>Placenta</i> , 2016 , 41, 74-82	3.4	14
100	A Systematic Review of Acquired Uterine Arteriovenous Malformations: Pathophysiology, Diagnosis, and Transcatheter Treatment. <i>AJP Reports</i> , 2016 , 6, e6-e14	1.2	51
99	Histologic changes of the fetal membranes after fetoscopic laser surgery for twin-twin transfusion syndrome. <i>Pediatric Research</i> , 2015 , 78, 247-55	3.2	29
98	Amniotic Fluid Soluble Myeloid Differentiation-2 (sMD-2) as Regulator of Intra-amniotic Inflammation in Infection-induced Preterm Birth. <i>American Journal of Reproductive Immunology</i> , 2015, 73, 507-21	3.8	7

(2011-2015)

97	receptor expression in decidual cells. <i>Journal of Pathology</i> , 2015 , 237, 423-34	9.4	24
96	Compartmentalization of acute phase reactants Interleukin-6, C-Reactive Protein and Procalcitonin as biomarkers of intra-amniotic infection and chorioamnionitis. <i>Cytokine</i> , 2015 , 76, 236-243	4	41
95	A comprehensive obstetric patient safety program reduces liability claims and payments. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 211, 319-25	6.4	39
94	Response to letter regarding article, "dysregulation of hydrogen sulfide (H2S) producing enzyme cystathionine Elyase (CSE) contributes to maternal hypertension and placental abnormalities in preeclampsia". <i>Circulation</i> , 2014 , 129, e517-8	16.7	4
93	Protein misfolding, congophilia, oligomerization, and defective amyloid processing in preeclampsia. <i>Science Translational Medicine</i> , 2014 , 6, 245ra92	17.5	122
92	Antenatal corticosteroids impact the inflammatory rather than the antiangiogenic profile of women with preeclampsia. <i>Hypertension</i> , 2014 , 63, 1285-92	8.5	17
91	Advances in medical diagnosis of intra-amniotic infection. <i>Expert Opinion on Medical Diagnostics</i> , 2013 , 7, 5-16		15
90	Dysregulation of hydrogen sulfide producing enzyme cystathionine Elyase contributes to maternal hypertension and placental abnormalities in preeclampsia. <i>Circulation</i> , 2013 , 127, 2514-22	16.7	195
89	Comparative microbial analysis of paired amniotic fluid and cord blood from pregnancies complicated by preterm birth and early-onset neonatal sepsis. <i>PLoS ONE</i> , 2013 , 8, e56131	3.7	112
88	Proteomics/diagnosis of chorioamnionitis and of relationships with the fetal exposome. <i>Seminars in Fetal and Neonatal Medicine</i> , 2012 , 17, 36-45	3.7	18
87	The elevation in circulating anti-angiogenic factors is independent of markers of neutrophil activation in preeclampsia. <i>Angiogenesis</i> , 2012 , 15, 333-40	10.6	36
86	Comparative analysis of 2-D versus 3-D ultrasound estimation of the fetal adrenal gland volume and prediction of preterm birth. <i>American Journal of Perinatology</i> , 2012 , 29, 673-80	3.3	18
85	Cord blood erythropoietin and interleukin-6 for prediction of intraventricular hemorrhage in the preterm neonate. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011 , 24, 673-9	2	22
84	Proteomics mapping of cord blood identifies haptoglobin "switch-on" pattern as biomarker of early-onset neonatal sepsis in preterm newborns. <i>PLoS ONE</i> , 2011 , 6, e26111	3.7	37
83	Ultrasonographic evaluation of myometrial thickness and prediction of a successful external cephalic version. <i>Obstetrics and Gynecology</i> , 2011 , 118, 913-20	4.9	6
82	IL-6 trans-signaling system in intra-amniotic inflammation, preterm birth, and preterm premature rupture of the membranes. <i>Journal of Immunology</i> , 2011 , 186, 3226-36	5.3	39
81	ATP-binding cassette transporter expression in human placenta as a function of pregnancy condition. <i>Drug Metabolism and Disposition</i> , 2011 , 39, 1000-7	4	44
80	Heparin elevates circulating soluble fms-like tyrosine kinase-1 immunoreactivity in pregnant women receiving anticoagulation therapy. <i>Circulation</i> , 2011 , 124, 2543-53	16.7	40

79	Activation of the receptor for advanced glycation end products system in women with severe preeclampsia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 689-98	5.6	30
78	Novel insights into molecular mechanisms of abruption-induced preterm birth. <i>Expert Reviews in Molecular Medicine</i> , 2010 , 12, e35	6.7	35
77	Amniotic fluid angiopoietin-1, angiopoietin-2, and soluble receptor tunica interna endothelial cell kinase-2 levels and regulation in normal pregnancy and intraamniotic inflammation-induced preterm birth. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3428-36	5.6	20
76	The role of proteomics in the diagnosis of chorioamnionitis and early-onset neonatal sepsis. <i>Clinics in Perinatology</i> , 2010 , 37, 355-74	2.8	31
75	Myometrial wound healing post-Cesarean delivery in the MRL/MpJ mouse model of uterine scarring. <i>American Journal of Pathology</i> , 2010 , 177, 197-207	5.8	48
74	Interpretation of amniotic fluid white blood cell count in "bloody tap" amniocenteses in women with symptoms of preterm labor. <i>Obstetrics and Gynecology</i> , 2010 , 116, 344-354	4.9	57
73	Human effector/initiator gene sets that regulate myometrial contractility during term and preterm labor. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 202, 474.e1-20	6.4	37
72	Proteomic-based detection of a protein cluster dysregulated during cardiovascular development identifies biomarkers of congenital heart defects. <i>PLoS ONE</i> , 2009 , 4, e4221	3.7	30
71	Soluble TLR2 is present in human amniotic fluid and modulates the intraamniotic inflammatory response to infection. <i>Journal of Immunology</i> , 2009 , 182, 7244-53	5.3	66
70	The genetic susceptibility to respiratory distress syndrome. <i>Pediatric Research</i> , 2009 , 66, 693-7	3.2	25
69	Uncultivated bacteria as etiologic agents of intra-amniotic inflammation leading to preterm birth. Journal of Clinical Microbiology, 2009 , 47, 38-47	9.7	248
68	Genetic background affects the biomechanical behavior of the postpartum mouse cervix. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 434.e1-7	6.4	6
67	Impact of a comprehensive patient safety strategy on obstetric adverse events. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 492.e1-8	6.4	118
66	Genetic contribution to patent ductus arteriosus in the premature newborn. <i>Pediatrics</i> , 2009 , 123, 669-	7 3 .4	37
65	Characterization of RAGE, HMGB1, and S100beta in inflammation-induced preterm birth and fetal tissue injury. <i>American Journal of Pathology</i> , 2009 , 175, 958-75	5.8	68
64	Using proteomics in perinatal and neonatal sepsis: hopes and challenges for the future. <i>Current Opinion in Infectious Diseases</i> , 2009 , 22, 235-43	5.4	44
63	Medications in pregnancy and lactation: Part 2. Drugs with minimal or unknown human teratogenic effect. <i>Obstetrics and Gynecology</i> , 2009 , 113, 417-32	4.9	27
62	Medications in pregnancy and lactation: part 1. Teratology. <i>Obstetrics and Gynecology</i> , 2009 , 113, 166-1	8.8 .9	70

61	Medications in Pregnancy and Lactation. Obstetrics and Gynecology, 2009, 113, 1376	4.9	Ο
60	Placental expression of ceruloplasmin in pregnancies complicated by severe preeclampsia. <i>Laboratory Investigation</i> , 2008 , 88, 1057-67	5.9	37
59	Preeclampsia-related inflammatory cytokines regulate interleukin-6 expression in human decidual cells. <i>American Journal of Pathology</i> , 2008 , 172, 1571-9	5.8	114
58	Fetal heart rate monitoring patterns in women with amniotic fluid proteomic profiles indicative of inflammation. <i>American Journal of Perinatology</i> , 2008 , 25, 359-72	3.3	19
57	Stillbirth at term in women of advanced maternal age in the United States: when could the antenatal testing be initiated?. <i>American Journal of Perinatology</i> , 2008 , 25, 301-4	3.3	36
56	Single nucleotide polymorphisms in the human progesterone receptor gene and spontaneous preterm birth. <i>Reproductive Sciences</i> , 2008 , 15, 147-55	3	19
55	Multidimensional system biology: genetic markers and proteomic biomarkers of adverse pregnancy outcome in preterm birth. <i>American Journal of Perinatology</i> , 2008 , 25, 175-87	3.3	25
54	Fractional excretion of tumor necrosis factor-alpha in women with severe preeclampsia. <i>Obstetrics and Gynecology</i> , 2008 , 112, 93-100	4.9	40
53	Using proteomic analysis of the human amniotic fluid to identify histologic chorioamnionitis. <i>Obstetrics and Gynecology</i> , 2008 , 111, 403-12	4.9	41
52	Fetal adrenal gland volume and cortisol/dehydroepiandrosterone sulfate ratio in inflammation-associated preterm birth. <i>Obstetrics and Gynecology</i> , 2008 , 111, 715-22	4.9	29
51	Multidimensional proteomics analysis of amniotic fluid to provide insight into the mechanisms of idiopathic preterm birth. <i>PLoS ONE</i> , 2008 , 3, e2049	3.7	44
50	Proteomic profiling of the amniotic fluid to detect inflammation, infection, and neonatal sepsis. <i>PLoS Medicine</i> , 2007 , 4, e18	11.6	132
49	Proteomic biomarkers of adverse pregnancy outcome in preterm birth: a theranostics opportunity. <i>Expert Review of Obstetrics and Gynecology</i> , 2007 , 2, 743-753		1
48	Fetal adrenal gland volume: a novel method to identify women at risk for impending preterm birth. <i>Obstetrics and Gynecology</i> , 2007 , 109, 855-62	4.9	30
47	Proteomic biomarkers of intra-amniotic inflammation: relationship with funisitis and early-onset sepsis in the premature neonate. <i>Pediatric Research</i> , 2007 , 61, 318-24	3.2	90
46	Proteomics: a novel methodology to complement prenatal diagnosis of chromosomal abnormalities and inherited human diseases. <i>American Journal of Perinatology</i> , 2007 , 24, 167-81	3.3	10
45	Biomechanical properties of the lower uterine segment above and below the reflection of the urinary bladder flap. <i>Obstetrics and Gynecology</i> , 2007 , 109, 691-700	4.9	5
44	Ultrasound evaluation of the uterine scar after cesarean delivery: a randomized controlled trial of one- and two-layer closure. <i>Obstetrics and Gynecology</i> , 2007 , 110, 808-13	4.9	39

43	Value of placental microbial evaluation in diagnosing intra-amniotic infection. <i>Obstetrics and Gynecology</i> , 2007 , 109, 739-49	4.9	67
42	Impact of gestation and labor on the expression of the polypeptide hormone, stanniocalcin-1, in guinea pig and human myometrium. <i>FASEB Journal</i> , 2007 , 21, A1420	0.9	
41	Burkitt's lymphoma of the ovary in pregnancy. Obstetrics and Gynecology, 2006, 108, 743-5	4.9	23
40	Clinical proteomics: a novel diagnostic tool for the new biology of preterm labor, part I: proteomics tools. <i>Obstetrical and Gynecological Survey</i> , 2006 , 61, 481-6	2.4	21
39	Fractional excretion of angiogenic factors in women with severe preeclampsia. <i>Obstetrics and Gynecology</i> , 2006 , 107, 1103-13	4.9	35
38	Proteomics, part II: the emerging role of proteomics over genomics in spontaneous preterm labor/birth. <i>Obstetrical and Gynecological Survey</i> , 2006 , 61, 543-53	2.4	22
37	Advantages of vaginal delivery. Clinical Obstetrics and Gynecology, 2006, 49, 167-83	1.7	12
36	A low vaginal "pool" amniotic fluid glucose measurement is a predictive but not a sensitive marker for infection in women with preterm premature rupture of membranes. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 309-16	6.4	11
35	The effect of dystocia and previous cesarean uterine scar on the tensile properties of the lower uterine segment. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 873-83	6.4	34
34	Serum and urine inhibin A but not free activin A are endocrine biomarkers of severe pre-eclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 1636-45	6.4	19
33	Lactate dehydrogenase isoform activity mapping in patients with intra-amniotic infection. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 1045-52	6.4	4
32	Drug-prescribing challenges during pregnancy. Current Obstetrics & Gynaecology, 2005, 15, 157-165		9
31	Proteomic biomarkers that predict the clinical success of rescue cerclage. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 710-8	6.4	68
30	Urinary angiogenic factors cluster hypertensive disorders and identify women with severe preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 734-41	6.4	121
29	Sonographic myometrial thickness predicts the latency interval of women with preterm premature rupture of the membranes and oligohydramnios. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 193, 762-70	6.4	26
28	Discriminatory proteomic biomarker analysis identifies free hemoglobin in the cerebrospinal fluid of women with severe preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 193, 957-64	6.4	37
27	Rupture of the uterine scar during term labour: contractility or biochemistry?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 38-42	3.7	39
26	Proteomic biomarker analysis of amniotic fluid for identification of intra-amniotic inflammation. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 173-81	3.7	153

(2000-2005)

25	Proteomic but not enzyme-linked immunosorbent assay technology detects amniotic fluid monomeric calgranulins from their complexed calprotectin form. <i>Vaccine Journal</i> , 2005 , 12, 837-44		37
24	The presence and function of phosphodiesterase type 5 in the rat myometrium. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 190, 268-74	6.4	25
23	Physical and biomechanical characteristics of rat cervical ripening are not consistent with increased collagenase activity. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 1695-704	6.4	46
22	The novel antimicrobial peptide beta3-defensin is produced by the amnion: a possible role of the fetal membranes in innate immunity of the amniotic cavity. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 1678-87	6.4	77
21	Endocrinology of lactation. Obstetrics and Gynecology Clinics of North America, 2004, 31, 963-79, xii	3.3	58
20	Protective effect of N-acetylcysteine against fetal death and preterm labor induced by maternal inflammation. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 188, 203-8	6.4	146
19	Uterine contractility in women whose fetus is delivered in the occipitoposterior position. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 188, 734-9	6.4	25
18	Beneficial impact of term labor: nonenzymatic antioxidant reserve in the human fetus. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 189, 181-8	6.4	76
17	Myometrial thickness during human labor and immediately post partum. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 188, 553-9	6.4	38
16	THE FORCES OF LABOUR. Fetal and Maternal Medicine Review, 2003, 14, 273-307		18
15	Pushing in labor: performance and not endurance. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 186, 1339-44	6.4	35
14	Effects of sublingual nitroglycerin on human uterine contractility during the active phase of labor. American Journal of Obstetrics and Gynecology, 2002, 187, 235-8	6.4	39
	, , , , , ,		
13	The effect of fundal pressure manoeuvre on intrauterine pressure in the second stage of labour. BJOG: an International Journal of Obstetrics and Gynaecology, 2002 , 109, 520-6	3.7	31
13			31
	BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 520-6 Use of McRobertsSposition during delivery and increase in pushing efficiency. Lancet, The, 2001,	3.7	
12	BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 520-6 Use of McRobertsSposition during delivery and increase in pushing efficiency. Lancet, The, 2001, 358, 470-1 ENDOTOXEMIA CAUSING FETAL BRADYCARDIA DURING UROSEPSIS. Obstetrics and Gynecology,	3·7 40	44
12	BJOG: an International Journal of Obstetrics and Gynaecology, 2002, 109, 520-6 Use of McRobertsSposition during delivery and increase in pushing efficiency. Lancet, The, 2001, 358, 470-1 ENDOTOXEMIA CAUSING FETAL BRADYCARDIA DURING UROSEPSIS. Obstetrics and Gynecology, 2001, 97, 818-820 Effect of stimulatory and inhibitory drugs on uterine electrical activity measured noninvasively from the abdominal surface of pregnant rats. American Journal of Obstetrics and Gynecology, 2000,	3·7 40 4·9	44

7	The effect of chronic nitric oxide synthase inhibition on blood pressure and heart rate in unrestrained pregnant rats as recorded by radiotelemetry. <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 181, 159-64	6.4	12
6	Uterine activity during pregnancy and labor assessed by simultaneous recordings from the myometrium and abdominal surface in the rat. <i>American Journal of Obstetrics and Gynecology</i> , 1998 , 178, 811-22	6.4	83
5	Electrical activity of the human uterus during pregnancy as recorded from the abdominal surface. <i>Obstetrics and Gynecology</i> , 1997 , 90, 102-11	4.9	119
4	Contrasting effects of diethylenetriamine-nitric oxide, a spontaneously releasing nitric oxide donor, on pregnant rat uterine contractility in vitro versus in vivo. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 177, 690-701	6.4	25
3	Neocolpopoiesis with split-thickness skin graft as a surgical treatment of vaginal agenesis: retrospective review of 201 cases. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 175, 131-8	6.4	69
2	Uterine contractility as assessed by abdominal surface recording of electromyographic activity in rats during pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 174, 744-53	6.4	59

Pathogenesis and Prediction of Preterm Delivery346-363