## Meng Lian

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8382505/publications.pdf

Version: 2024-02-01

840776 752698 38 495 11 20 h-index citations g-index papers 43 43 43 741 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	LncRNA MIR31HG targets HIF1A and P21 to facilitate head and neck cancer cell proliferation and tumorigenesis by promoting cell-cycle progression. Molecular Cancer, 2018, 17, 162.	19.2	125
2	Integrated Analysis of Long Noncoding RNA and mRNA Expression Profile in Advanced Laryngeal Squamous Cell Carcinoma. PLoS ONE, 2016, 11, e0169232.	2.5	51
3	SLC7A11, a component of cysteine/glutamate transporter, is a novel biomarker for the diagnosis and prognosis in laryngeal squamous cell carcinoma. Oncology Reports, 2017, 38, 3019-3029.	2.6	36
4	Microarray Gene Expression Analysis of Tumorigenesis and Regional Lymph Node Metastasis in Laryngeal Squamous Cell Carcinoma. PLoS ONE, 2013, 8, e84854.	2.5	34
5	Survival in Papillary Thyroid Microcarcinoma: A Comparative Analysis Between the 7th and 8th Versions of the AJCC/UICC Staging System Based on the SEER Database. Frontiers in Endocrinology, 2019, 10, 10.	3.5	30
6	Competing endogenous RNA network analysis of CD274, IL‹10 and FOXP3 co‹expression in laryngeal squamous cell carcinoma. Molecular Medicine Reports, 2017, 17, 3859-3869.	2.4	19
7	A response prediction model for taxane, cisplatin, and 5-fluorouracil chemotherapy in hypopharyngeal carcinoma. Scientific Reports, 2018, 8, 12675.	3.3	14
8	Tumor necrosis factor superfamily member 13 is a novel biomarker for diagnosis and prognosis and promotes cancer cell proliferation in laryngeal squamous cell carcinoma. Tumor Biology, 2016, 37, 2635-2645.	1.8	13
9	The value of narrow band imaging combined with stroboscopy for the detection of applanate indiscernible early-stage vocal cord cancer. Acta Oto-Laryngologica, 2018, 138, 400-406.	0.9	12
10	The identification of induction chemo-sensitivity genes of laryngeal squamous cell carcinoma and their clinical utilization. European Archives of Oto-Rhino-Laryngology, 2018, 275, 2773-2781.	1.6	12
11	Survival outcomes and prognostic factors of squamous cell carcinomas arising from sinonasal inverted papillomas: a retrospective analysis of 120 patients. International Forum of Allergy and Rhinology, 2019, 9, 1367-1373.	2.8	12
12	miRâ€'490â€'5p regulates the proliferation, migration, invasion and epithelialâ€'mesenchymal transition of pharyngolaryngeal cancer cells by targeting mitogenâ€'activated protein kinase kinasekinase 9. International Journal of Molecular Medicine, 2019, 44, 240-252.	4.0	12
13	Factors contributing to lymph node occult metastasis in supraglottic laryngeal carcinoma cT2-T4 NOMO and metastasis predictive equation. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2014, 26, 685-91.	2.2	12
14	<i>Pparg</i> may Promote Chemosensitivity of Hypopharyngeal Squamous Cell Carcinoma. PPAR Research, 2020, 2020, 1-6.	2.4	11
15	Silencing long nonâ€coding RNA DLX6â€AS1 or restoring microRNAâ€193bâ€3p enhances thyroid carcinoma cell autophagy and apoptosis via depressing HOXA1. Journal of Cellular and Molecular Medicine, 2021, 25, 9319-9330.	3.6	11
16	Transcobalamin I: a novel prognostic biomarker of neoadjuvant chemotherapy in locally advanced hypopharyngeal squamous cell cancers. OncoTargets and Therapy, 2018, Volume 11, 4253-4261.	2.0	9
17	Aging†associated genes TNFRSF12A and CHI3L1 contribute to thyroid cancer: An evidence for the involvement of hypoxia as a driver. Oncology Letters, 2020, 19, 3634-3642.	1.8	8
18	KPNA4 regulated by miR-548b-3p promotes the malignant phenotypes of papillary thyroid cancer. Life Sciences, 2021, 265, 118743.	4.3	7

#	Article	IF	CITATIONS
19	Variation of PPARG Expression in Chemotherapy-Sensitive Patients of Hypopharyngeal Squamous Cell Carcinoma. PPAR Research, 2021, 2021, 1-7.	2.4	7
20	Tumor-Derived Exosome FGD5-AS1 Promotes Angiogenesis, Vascular Permeability, and Metastasis in Thyroid Cancer by Targeting the miR-6838-5p/VAV2 Axis. Journal of Oncology, 2022, 2022, 1-13.	1.3	7
21	Screening of molecular markers of induced chemotherapy in supraglottic laryngeal squamouscell carcinoma. World Journal of Otorhinolaryngology - Head and Neck Surgery, 2020, 6, 34-40.	1.6	6
22	Microarray gene expression analysis of chemosensitivity for docetaxel, cisplatin and 5-fluorouracil (TPF) combined chemotherapeutic regimen in hypopharyngeal squamous cell carcinoma. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2017, 29, 204-212.	2.2	6
23	Five genes influenced by obesity may contribute to the development of thyroid cancer through the regulation of insulin levels. PeerJ, 2020, 8, e9302.	2.0	6
24	<i>In vivo</i> gene expression profiling for chemosensitivity to docetaxel-cisplatin-5-FU (TPF) triplet regimen in laryngeal squamous cell carcinoma and the effect of TPF treatment on related gene expression <i>in vitro</i> . Acta Oto-Laryngologica, 2017, 137, 765-772.	0.9	5
25	Combination of TPF regimen and cinobufotalin inhibits proliferation and induces apoptosis in human hypopharyngeal and laryngeal squamous cell carcinoma cells. OncoTargets and Therapy, 2019, Volume 12, 341-348.	2.0	5
26	Zinc finger protein x-linked (ZFX) contributes to patient prognosis, cell proliferation and apoptosis in human laryngeal squamous cell carcinoma. International Journal of Clinical and Experimental Pathology, 2015, 8, 13886-99.	0.5	5
27	Identification of microRNAs associated with medullary thyroid carcinoma by bioinformatics analyses. Molecular Medicine Reports, 2017, 15, 4266-4272.	2.4	4
28	A novel seven-gene panel predicts the sensitivity and prognosis of head and neck squamous cell carcinoma treated with platinum-based radio(chemo)therapy. European Archives of Oto-Rhino-Laryngology, 2021, 278, 3523-3531.	1.6	4
29	Identification of key genes associated with papillary thyroid microcarcinoma characteristics by integrating transcriptome sequencing and weighted gene co-expression network analysis. Gene, 2022, 811, 146086.	2.2	4
30	Rational choice of induction chemotherapy-based larynx preservation for hypopharyngeal cancer. Acta Oto-Laryngologica, 2018, 138, 1146-1153.	0.9	2
31	Long Non-Coding RNA LUCAT1 Promotes Progression of Thyroid Carcinoma by Reinforcing ADAM10 Expression Through Sequestering microRNA-493. International Journal of General Medicine, 2020, Volume 13, 847-860.	1.8	2
32	c-Jun and Camk2a contribute to the drug resistance of induction docetaxel/cisplatin/5-fluorouracil in hypopharyngeal carcinoma. International Journal of Clinical and Experimental Pathology, 2018, 11, 4605-4613.	0.5	2
33	The up-regulation expression of APRIL is a marker of glottic malignant disease. European Archives of Oto-Rhino-Laryngology, 2014, 271, 2781-2787.	1.6	1
34	Induction chemotherapy for the individualised treatment of hypopharyngeal carcinoma with cervical oesophageal invasion: a retrospective cohort study. World Journal of Surgical Oncology, 2020, 18, 330.	1.9	1
35	Risk factors for local recurrence of early bilateral vocal cord carcinoma treated with transoral CO <sub>2</sub> laser microsurgery. Acta Oto-Laryngologica, 2021, 141, 860-864.	0.9	0
36	Transcriptome Analysis Identified 2 New IncRNAs Associated with the Metastasis of Papillary Thyroid Carcinoma. Orl, 2022, 84, 247-254.	1.1	0

#	Article	IF	CITATIONS
37	Antagonism between gene therapy and epigenetic therapy on human laryngeal carcinoma tumor-bearing mice. Chinese Medical Journal, 2013, 126, 248-53.	2.3	O
38	Flap Reconstruction of the Oropharyngeal Defect After Tumor Resection via Combined Transcervical and Transoral Approach in Patients With HPV-Positive and -Negative Oropharyngeal Squamous Cell Carcinoma. Frontiers in Oncology, 2022, 12, 857445.	2.8	0