
## Meng Lian

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8382505/publications.pdf Version: 2024-02-01



MENCLIAN

#	Article	IF	CITATIONS
1	Transcriptome Analysis Identified 2 New IncRNAs Associated with the Metastasis of Papillary Thyroid Carcinoma. Orl, 2022, 84, 247-254.	1.1	0
2	Identification of key genes associated with papillary thyroid microcarcinoma characteristics by integrating transcriptome sequencing and weighted gene co-expression network analysis. Gene, 2022, 811, 146086.	2.2	4
3	Flap Reconstruction of the Oropharyngeal Defect After Tumor Resection via Combined Transcervical and Transoral Approach in Patients With HPV-Positive and -Negative Oropharyngeal Squamous Cell Carcinoma. Frontiers in Oncology, 2022, 12, 857445.	2.8	0
4	Tumor-Derived Exosome FGD5-AS1 Promotes Angiogenesis, Vascular Permeability, and Metastasis in Thyroid Cancer by Targeting the miR-6838-5p/VAV2 Axis. Journal of Oncology, 2022, 2022, 1-13.	1.3	7
5	KPNA4 regulated by miR-548b-3p promotes the malignant phenotypes of papillary thyroid cancer. Life Sciences, 2021, 265, 118743.	4.3	7
6	A novel seven-gene panel predicts the sensitivity and prognosis of head and neck squamous cell carcinoma treated with platinum-based radio(chemo)therapy. European Archives of Oto-Rhino-Laryngology, 2021, 278, 3523-3531.	1.6	4
7	Variation of PPARG Expression in Chemotherapy-Sensitive Patients of Hypopharyngeal Squamous Cell Carcinoma. PPAR Research, 2021, 2021, 1-7.	2.4	7
8	Risk factors for local recurrence of early bilateral vocal cord carcinoma treated with transoral CO <sub>2</sub> laser microsurgery. Acta Oto-Laryngologica, 2021, 141, 860-864.	0.9	0
9	Silencing long nonâ€coding RNA DLX6â€AS1 or restoring microRNAâ€193bâ€3p enhances thyroid carcinoma cell autophagy and apoptosis via depressing HOXA1. Journal of Cellular and Molecular Medicine, 2021, 25, 9319-9330.	3.6	11
10	Induction chemotherapy for the individualised treatment of hypopharyngeal carcinoma with cervical oesophageal invasion: a retrospective cohort study. World Journal of Surgical Oncology, 2020, 18, 330.	1.9	1
11	Long Non-Coding RNA LUCAT1 Promotes Progression of Thyroid Carcinoma by Reinforcing ADAM10 Expression Through Sequestering microRNA-493. International Journal of General Medicine, 2020, Volume 13, 847-860.	1.8	2
12	Screening of molecular markers of induced chemotherapy in supraglottic laryngeal squamouscell carcinoma. World Journal of Otorhinolaryngology - Head and Neck Surgery, 2020, 6, 34-40.	1.6	6
13	<i>Pparg</i> may Promote Chemosensitivity of Hypopharyngeal Squamous Cell Carcinoma. PPAR Research, 2020, 2020, 1-6.	2.4	11
14	Five genes influenced by obesity may contribute to the development of thyroid cancer through the regulation of insulin levels. PeerJ, 2020, 8, e9302.	2.0	6
15	Aging‑associated genes TNFRSF12A and CHI3L1 contribute to thyroid cancer: An evidence for the involvement of hypoxia as a driver. Oncology Letters, 2020, 19, 3634-3642.	1.8	8
16	Combination of TPF regimen and cinobufotalin inhibits proliferation and induces apoptosis in human hypopharyngeal and laryngeal squamous cell carcinoma cells. OncoTargets and Therapy, 2019, Volume 12, 341-348.	2.0	5
17	Survival outcomes and prognostic factors of squamous cell carcinomas arising from sinonasal inverted papillomas: a retrospective analysis of 120 patients. International Forum of Allergy and Rhinology, 2019, 9, 1367-1373.	2.8	12
18	miR‑490‑5p regulates the proliferation, migration, invasion and epithelial‑mesenchymal transition of pharyngolaryngeal cancer cells by targeting mitogen‑activated protein kinase kinasekinase 9. International Journal of Molecular Medicine, 2019, 44, 240-252.	4.0	12

Meng Lian

#	Article	IF	CITATIONS
19	Survival in Papillary Thyroid Microcarcinoma: A Comparative Analysis Between the 7th and 8th Versions of the AJCC/UICC Staging System Based on the SEER Database. Frontiers in Endocrinology, 2019, 10, 10.	3.5	30
20	The value of narrow band imaging combined with stroboscopy for the detection of applanate indiscernible early-stage vocal cord cancer. Acta Oto-Laryngologica, 2018, 138, 400-406.	0.9	12
21	Rational choice of induction chemotherapy-based larynx preservation for hypopharyngeal cancer. Acta Oto-Laryngologica, 2018, 138, 1146-1153.	0.9	2
22	LncRNA MIR31HG targets HIF1A and P21 to facilitate head and neck cancer cell proliferation and tumorigenesis by promoting cell-cycle progression. Molecular Cancer, 2018, 17, 162.	19.2	125
23	The identification of induction chemo-sensitivity genes of laryngeal squamous cell carcinoma and their clinical utilization. European Archives of Oto-Rhino-Laryngology, 2018, 275, 2773-2781.	1.6	12
24	A response prediction model for taxane, cisplatin, and 5-fluorouracil chemotherapy in hypopharyngeal carcinoma. Scientific Reports, 2018, 8, 12675.	3.3	14
25	Transcobalamin I: a novel prognostic biomarker of neoadjuvant chemotherapy in locally advanced hypopharyngeal squamous cell cancers. OncoTargets and Therapy, 2018, Volume 11, 4253-4261.	2.0	9
26	c-Jun and Camk2a contribute to the drug resistance of induction docetaxel/cisplatin/5-fluorouracil in hypopharyngeal carcinoma. International Journal of Clinical and Experimental Pathology, 2018, 11, 4605-4613.	0.5	2
27	<i>In vivo</i> gene expression profiling for chemosensitivity to docetaxel-cisplatin-5-FU (TPF) triplet regimen in laryngeal squamous cell carcinoma and the effect of TPF treatment on related gene expression <i>in vitro</i> . Acta Oto-Laryngologica, 2017, 137, 765-772.	0.9	5
28	SLC7A11, a component of cysteine/glutamate transporter, is a novel biomarker for the diagnosis and prognosis in laryngeal squamous cell carcinoma. Oncology Reports, 2017, 38, 3019-3029.	2.6	36
29	Identification of microRNAs associated with medullary thyroid carcinoma by bioinformatics analyses. Molecular Medicine Reports, 2017, 15, 4266-4272.	2.4	4
30	Competing endogenous RNA network analysis of CD274, IL‑10 and FOXP3 co‑expression in laryngeal squamous cell carcinoma. Molecular Medicine Reports, 2017, 17, 3859-3869.	2.4	19
31	Microarray gene expression analysis of chemosensitivity for docetaxel, cisplatin and 5-fluorouracil (TPF) combined chemotherapeutic regimen in hypopharyngeal squamous cell carcinoma. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research. 2017. 29. 204-212.	2.2	6
32	Tumor necrosis factor superfamily member 13 is a novel biomarker for diagnosis and prognosis and promotes cancer cell proliferation in laryngeal squamous cell carcinoma. Tumor Biology, 2016, 37, 2635-2645.	1.8	13
33	Integrated Analysis of Long Noncoding RNA and mRNA Expression Profile in Advanced Laryngeal Squamous Cell Carcinoma. PLoS ONE, 2016, 11, e0169232.	2.5	51
34	Zinc finger protein x-linked (ZFX) contributes to patient prognosis, cell proliferation and apoptosis in human laryngeal squamous cell carcinoma. International Journal of Clinical and Experimental Pathology, 2015, 8, 13886-99.	0.5	5
35	The up-regulation expression of APRIL is a marker of glottic malignant disease. European Archives of Oto-Rhino-Laryngology, 2014, 271, 2781-2787.	1.6	1
36	Factors contributing to lymph node occult metastasis in supraglottic laryngeal carcinoma cT2-T4 NOMO and metastasis predictive equation. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2014, 26, 685-91.	2.2	12

#	Article	IF	CITATIONS
37	Microarray Gene Expression Analysis of Tumorigenesis and Regional Lymph Node Metastasis in Laryngeal Squamous Cell Carcinoma. PLoS ONE, 2013, 8, e84854.	2.5	34
38	Antagonism between gene therapy and epigenetic therapy on human laryngeal carcinoma tumor-bearing mice. Chinese Medical Journal, 2013, 126, 248-53.	2.3	0