

Bernardo A Pons-Estel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8386664/bernardo-a-pons-estel-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

5,516
citations

41
h-index

73
g-index

115
ext. papers

6,571
ext. citations

5.4
avg. IF

4.25
L-index

#	Paper	IF	Citations
101	Multicenter lupus register from Argentina, the RELESSAR database: Influence of ethnicity on disease phenotype.. <i>Lupus</i> , 2022 , 31, 637-645	2.6	
100	«Living with rheumatoid arthritis» in an indigenous qom population in Argentina. A qualitative study. <i>Reumatología Clínica (English Edition)</i> , 2021 , 17, 543-548	0.1	
99	2021 DORIS definition of remission in SLE: final recommendations from an international task force. <i>Lupus Science and Medicine</i> , 2021 , 8,	4.6	7
98	Controversies in Systemic Lupus Erythematosus: Are We Treating Our Patients Adequately?. <i>Journal of Clinical Rheumatology</i> , 2021 ,	1.1	1
97	Accelerated atherosclerosis and cardiovascular disease in systemic lupus erythematosus. <i>Revista Colombiana De Reumatología</i> , 2021 , 28, 21-30	0.2	1
96	Factors associated with neuropsychiatric involvement in Latin American patients with systemic lupus erythematosus. <i>Lupus</i> , 2021 , 30, 1481-1491	2.6	
95	Access to healthcare system of indigenous communities with musculoskeletal disorders and rheumatic disease in Chaco, Argentina: a qualitative study. <i>Clinical Rheumatology</i> , 2021 , 40, 2407-2417	3.9	0
94	A longitudinal multiethnic study of biomarkers in systemic lupus erythematosus: Launching the GLADEL 2.0 Study Group. <i>Lupus</i> , 2021 , 961203320988586	2.6	0
93	Let's Talk About Lupus. Overview of an Innovative, High-Reach, Online Program to Fill the Education Gaps of Latin Americans Living With Lupus. <i>Journal of Clinical Rheumatology</i> , 2021 ,	1.1	2
92	Correspondence on "New EULAR/ACR 2019 SLE classification criteria: defining ominousness in SLE" by Whittall Garcia. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	1
91	Achieving remission or low disease activity is associated with better outcomes in patients with systemic lupus erythematosus: a systematic literature review. <i>Lupus Science and Medicine</i> , 2021 , 8,	4.6	2
90	Impact of glucocorticoids on the incidence of lupus-related major organ damage: a systematic literature review and meta-regression analysis of longitudinal observational studies.. <i>Lupus Science and Medicine</i> , 2021 , 8,	4.6	5
89	Syndemic and syndemogenesis of low back pain in Latin-American population: a network and cluster analysis. <i>Clinical Rheumatology</i> , 2020 , 39, 2715-2726	3.9	2
88	Clinical features, damage accrual, and survival in patients with familial systemic lupus erythematosus: data from a multi-ethnic, multinational Latin American lupus cohort. <i>Lupus</i> , 2020 , 29, 1140-1145	2.6	0
87	Predictors of renal damage in systemic lupus erythematosus patients: data from a multiethnic, multinational Latin American lupus cohort (GLADEL). <i>RMD Open</i> , 2020 , 6,	5.9	4
86	Clinical practice guidelines and recommendations for the management of patients with systemic lupus erythematosus: a critical comparison. <i>Rheumatology</i> , 2020 , 59, e165-e168	3.9	
85	Evaluation of the Educational Needs in Argentine Patients with Rheumatoid Arthritis Using the SpENAT Questionnaire. <i>Reumatología Clínica</i> , 2020 , 16, 386-390	0.9	2

84	Applying the 2019 EULAR/ACR lupus criteria to patients from an established cohort: a Latin American perspective. <i>RMD Open</i> , 2020 , 6,	5.9	17
83	Clinical predictors of remission and low disease activity in Latin American early rheumatoid arthritis: data from the GLADAR cohort. <i>Clinical Rheumatology</i> , 2019 , 38, 2737-2746	3.9	6
82	Predictors of Remission and Low Disease Activity State in Systemic Lupus Erythematosus: Data from a Multiethnic, Multinational Latin American Cohort. <i>Journal of Rheumatology</i> , 2019 , 46, 1299-1308	4.1	9
81	Differential Treatments Based on Drug-induced Gene Expression Signatures and Longitudinal Systemic Lupus Erythematosus Stratification. <i>Scientific Reports</i> , 2019 , 9, 15502	4.9	12
80	Jaccoud's arthropathy in SLE: findings from a Latin American multiethnic population. <i>Lupus Science and Medicine</i> , 2019 , 6, e000343	4.6	3
79	Response to clinical evidence guidelines in systemic lupus erythematosus: reevaluation by Scheinberg. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, e120	2.4	0
78	Remission or low disease activity as a target in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, e3	2.4	6
77	Rheumatoid arthritis in the indigenous qom population of Rosario, Argentina: aggressive and disabling disease with inadequate adherence to treatment in a community-based cohort study. <i>Clinical Rheumatology</i> , 2018 , 37, 2323-2330	3.9	4
76	A plausibly causal functional lupus-associated risk variant in the STAT1-STAT4 locus. <i>Human Molecular Genetics</i> , 2018 , 27, 2392-2404	5.6	22
75	Genetic contributions to lupus nephritis in a multi-ethnic cohort of systemic lupus erythematosus patients. <i>PLoS ONE</i> , 2018 , 13, e0199003	3.7	23
74	First Latin American clinical practice guidelines for the treatment of systemic lupus erythematosus: Latin American Group for the Study of Lupus (GLADEL), -Pan-American League of Associations of Rheumatology (PANLAR). <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1549-1557	2.4	57
73	Epidemiology and socioeconomic impact of the rheumatic diseases on indigenous people: an invisible syndemic public health problem. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1397-1404	2.4	20
72	Is Low Disease Activity Sufficient as a Target in Systemic Lupus Erythematosus? Comment on the Article by Petri et al. <i>Arthritis and Rheumatology</i> , 2018 , 70, 2098-2099	9.5	
71	Therapeutic Guidelines for Latin American Lupus Patients: Methodology. <i>Journal of Clinical Rheumatology</i> , 2018 , 24, 41-44	1.1	3
70	Factors predictive of high disease activity early in the course of SLE in patients from a Latin-American cohort. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 47, 199-203	5.3	5
69	Remission and Low Disease Activity Status (LDAS) protect lupus patients from damage occurrence: data from a multiethnic, multinational Latin American Lupus Cohort (GLADEL). <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 2071-2074	2.4	62
68	Transancestral mapping and genetic load in systemic lupus erythematosus. <i>Nature Communications</i> , 2017 , 8, 16021	17.4	171
67	Rare X Chromosome Abnormalities in Systemic Lupus Erythematosus and Sjögren's Syndrome. <i>Arthritis and Rheumatology</i> , 2017 , 69, 2187-2192	9.5	29

66	Effects of Amerindian Genetic Ancestry on Clinical Variables and Therapy in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2017 , 44, 1804-1812	4.1	1
65	Disease features and outcomes in United States lupus patients of Hispanic origin and their Mestizo counterparts in Latin America: a commentary. <i>Rheumatology</i> , 2016 , 55, 436-40	3.9	12
64	Prevalence of musculoskeletal disorders and rheumatic diseases in the indigenous Qom population of Rosario, Argentina. <i>Clinical Rheumatology</i> , 2016 , 35 Suppl 1, 5-14	3.9	29
63	Features associated with hematologic abnormalities and their impact in patients with systemic lupus erythematosus: Data from a multiethnic Latin American cohort. <i>Seminars in Arthritis and Rheumatism</i> , 2016 , 45, 675-83	5.3	34
62	X Chromosome Dose and Sex Bias in Autoimmune Diseases: Increased Prevalence of 47,XXX in Systemic Lupus Erythematosus and Sjögren's Syndrome. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1290-1300	9.5	65
61	Genome-Wide Association Study in an Amerindian Ancestry Population Reveals Novel Systemic Lupus Erythematosus Risk Loci and the Role of European Admixture. <i>Arthritis and Rheumatology</i> , 2016 , 68, 932-43	9.5	93
60	Klinefelter's syndrome (47,XXY) is in excess among men with Sjögren's syndrome. <i>Clinical Immunology</i> , 2016 , 168, 25-29	9	41
59	Prevalence of rheumatic regional pain syndromes in Latin-American indigenous groups: a census study based on COPCORD methodology and syndrome-specific diagnostic criteria. <i>Clinical Rheumatology</i> , 2016 , 35 Suppl 1, 63-70	3.9	8
58	Efficacy and Safety of Subcutaneous Golimumab in Methotrexate-Naive Patients With Rheumatoid Arthritis: Five-Year Results of a Randomized Clinical Trial. <i>Arthritis Care and Research</i> , 2016 , 68, 744-52	4.7	28
57	The number of flares patients experience impacts on damage accrual in systemic lupus erythematosus: data from a multiethnic Latin American cohort. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1019-23	2.4	64
56	Access to an optimal treatment. Current situation. <i>Clinical Rheumatology</i> , 2015 , 34 Suppl 1, S59-66	3.9	8
55	Association of systemic lupus erythematosus with decreased immunosuppressive potential of the IgG glycome. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2978-89	9.5	152
54	REAL-PANLAR Project for the Implementation and Accreditation of Centers of Excellence in Rheumatoid Arthritis Throughout Latin America: A Consensus Position Paper From REAL-PANLAR Group on Improvement of Rheumatoid Arthritis Care in Latin America Establishing Centers of Excellence. <i>Journal of Clinical Rheumatology</i> , 2015 , 21, 175-80	1.1	16
53	Genomic Insights into the Ancestry and Demographic History of South America. <i>PLoS Genetics</i> , 2015 , 11, e1005602	6	140
52	PXK locus in systemic lupus erythematosus: fine mapping and functional analysis reveals novel susceptibility gene ABHD6. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, e14	2.4	20
51	Primary cardiac disease in systemic lupus erythematosus patients: protective and risk factors--data from a multi-ethnic Latin American cohort. <i>Rheumatology</i> , 2014 , 53, 1431-8	3.9	27
50	Culture-sensitive adaptation and validation of the community-oriented program for the control of rheumatic diseases methodology for rheumatic disease in Latin American indigenous populations. <i>Rheumatology International</i> , 2014 , 34, 1299-309	3.6	21
49	Characterization of Knee Osteoarthritis in Latin America. A Comparative Analysis of Clinical and Health Care Utilization in Argentina, Brazil, and Mexico. <i>Reumatología Clínica (English Edition)</i> , 2014 , 10, 152-159	0.1	

48	Characterization of knee osteoarthritis in Latin America. A comparative analysis of clinical and health care utilization in Argentina, Brazil, and Mexico. <i>Reumatología Clínica</i> , 2014 , 10, 152-9	0.9	20
47	Allelic heterogeneity in NCF2 associated with systemic lupus erythematosus (SLE) susceptibility across four ethnic populations. <i>Human Molecular Genetics</i> , 2014 , 23, 1656-68	5.6	50
46	Rheumatoid arthritis in Latin Americans enriched for Amerindian ancestry is associated with loci in chromosomes 1, 12, and 13, and the HLA class II region. <i>Arthritis and Rheumatism</i> , 2013 , 65, 1457-67		30
45	Preferential binding to Elk-1 by SLE-associated IL10 risk allele upregulates IL10 expression. <i>PLoS Genetics</i> , 2013 , 9, e1003870	6	33
44	Trans-ancestral studies fine map the SLE-susceptibility locus TNFSF4. <i>PLoS Genetics</i> , 2013 , 9, e1003554	6	41
43	MicroRNA-3148 modulates allelic expression of toll-like receptor 7 variant associated with systemic lupus erythematosus. <i>PLoS Genetics</i> , 2013 , 9, e1003336	6	89
42	ABIN1 dysfunction as a genetic basis for lupus nephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 1743-54	12.7	59
41	Golimumab, a human anti-tumor necrosis factor monoclonal antibody, injected subcutaneously every 4 weeks in patients with active rheumatoid arthritis who had never taken methotrexate: 1-year and 2-year clinical, radiologic, and physical function findings of a phase III, multicenter, randomized, double-blind, placebo-controlled study. <i>Arthritis Care and Research</i> , 2013 , 65, 1732-42	4.7	29
40	PTPN22 association in systemic lupus erythematosus (SLE) with respect to individual ancestry and clinical sub-phenotypes. <i>PLoS ONE</i> , 2013 , 8, e69404	3.7	48
39	Impact of genetic ancestry and sociodemographic status on the clinical expression of systemic lupus erythematosus in American Indian-European populations. <i>Arthritis and Rheumatism</i> , 2012 , 64, 3687-94		61
38	Association of two independent functional risk haplotypes in TNIP1 with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2012 , 64, 3695-705		64
37	Variation in the ICAM1-ICAM4-ICAM5 locus is associated with systemic lupus erythematosus susceptibility in multiple ancestries. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1809-14	2.4	51
36	Novel association of acid phosphatase locus 1*C allele with systemic lupus erythematosus. <i>Human Immunology</i> , 2012 , 73, 107-10	2.3	7
35	Unraveling multiple MHC gene associations with systemic lupus erythematosus: model choice indicates a role for HLA alleles and non-HLA genes in Europeans. <i>American Journal of Human Genetics</i> , 2012 , 91, 778-93	11	106
34	Early rheumatoid arthritis in Latin America: low socioeconomic status related to high disease activity at baseline. <i>Arthritis Care and Research</i> , 2012 , 64, 1135-43	4.7	39
33	Evaluation of TRAF6 in a large multi-ancestral lupus cohort. <i>Arthritis and Rheumatism</i> , 2012 , 64, 1960-9		45
32	Identification of IRF8, TMEM39A, and IKZF3-ZBP2 as susceptibility loci for systemic lupus erythematosus in a large-scale multiracial replication study. <i>American Journal of Human Genetics</i> , 2012 , 90, 648-60	11	134
31	Genetic and physical interaction of the B-cell systemic lupus erythematosus-associated genes BANK1 and BLK. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 136-42	2.4	54

30	Treatment of early rheumatoid arthritis in a multinational inception cohort of Latin American patients: the GLADAR experience. <i>Journal of Clinical Rheumatology</i> , 2012 , 18, 327-35	1.1	34
29	Anti-malarials exert a protective effect while Mestizo patients are at increased risk of developing SLE renal disease: data from a Latin-American cohort. <i>Rheumatology</i> , 2012 , 51, 1293-8	3.9	39
28	Fine mapping and conditional analysis identify a new mutation in the autoimmunity susceptibility gene BLK that leads to reduced half-life of the BLK protein. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1219-26	2.4	28
27	Rapidly progressive fatal interstitial lung disease in a patient with an overlap syndrome of systemic lupus erythematosus and systemic sclerosis. <i>Reumatología Clínica (English Edition)</i> , 2011 , 7, 61-67	0.1	
26	Association of a functional variant downstream of TNFAIP3 with systemic lupus erythematosus. <i>Nature Genetics</i> , 2011 , 43, 253-8	36.3	208
25	Identification of a systemic lupus erythematosus susceptibility locus at 11p13 between PDHX and CD44 in a multiethnic study. <i>American Journal of Human Genetics</i> , 2011 , 88, 83-91	11	69
24	Dual effect of the macrophage migration inhibitory factor gene on the development and severity of human systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2011 , 63, 3942-51		82
23	Phenotypic associations of genetic susceptibility loci in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1752-7	2.4	89
22	Association of genetic variants in complement factor H and factor H-related genes with systemic lupus erythematosus susceptibility. <i>PLoS Genetics</i> , 2011 , 7, e1002079	6	145
21	Musculoskeletal Involvement 2011 , 149-155		
20	Promoter insertion/deletion in the IRF5 gene is highly associated with susceptibility to systemic lupus erythematosus in distinct populations, but exerts a modest effect on gene expression in peripheral blood mononuclear cells. <i>Journal of Rheumatology</i> , 2010 , 37, 574-8	4.1	31
19	Antimalarial treatment may have a time-dependent effect on lupus survival: data from a multinational Latin American inception cohort. <i>Arthritis and Rheumatism</i> , 2010 , 62, 855-62		145
18	A 3' untranslated region variant is associated with impaired expression of CD226 in T and natural killer T cells and is associated with susceptibility to systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2010 , 62, 3404-14		44
17	Genetically determined Amerindian ancestry correlates with increased frequency of risk alleles for systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2010 , 62, 3722-9		61
16	Identification of a new putative functional IL18 gene variant through an association study in systemic lupus erythematosus. <i>Human Molecular Genetics</i> , 2009 , 18, 3739-48	5.6	45
15	Study of functional variants of the BANK1 gene in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009 , 60, 372-9		44
14	Replication of the TNFSF4 (OX40L) promoter region association with systemic lupus erythematosus. <i>Genes and Immunity</i> , 2009 , 10, 248-53	4.4	34
13	La historia de las enfermedades ñgano-específicas. La conexiñ endocrina. <i>Revista Colombiana De Reumatología</i> , 2009 , 16, 276-299	0.2	1

12	Management of patients with rheumatoid arthritis in Latin America: a consensus position paper from Pan-American League of Associations of Rheumatology and Grupo Latino Americano De Estudio De Artritis Reumatoide. <i>Journal of Clinical Rheumatology</i> , 2009 , 15, 203-10	1.1	31
11	A loss-of-function variant of PTPN22 is associated with reduced risk of systemic lupus erythematosus. <i>Human Molecular Genetics</i> , 2009 , 18, 569-79	5.6	92
10	Kallikrein genes are associated with lupus and glomerular basement membrane-specific antibody-induced nephritis in mice and humans. <i>Journal of Clinical Investigation</i> , 2009 , 119, 911-23	15.9	100
9	Functional variants in the B-cell gene BANK1 are associated with systemic lupus erythematosus. <i>Nature Genetics</i> , 2008 , 40, 211-6	36.3	361
8	Structural insertion/deletion variation in IRF5 is associated with a risk haplotype and defines the precise IRF5 isoforms expressed in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2007 , 56, 1234-41		91
7	Argentine population genetic structure: large variance in Amerindian contribution. <i>American Journal of Physical Anthropology</i> , 2007 , 132, 455-62	2.5	64
6	Analysis of IRF5 gene functional polymorphisms in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 3815-9		46
5	A common haplotype of interferon regulatory factor 5 (IRF5) regulates splicing and expression and is associated with increased risk of systemic lupus erythematosus. <i>Nature Genetics</i> , 2006 , 38, 550-5	36.3	528
4	Familial aggregation of systemic lupus erythematosus, rheumatoid arthritis, and other autoimmune diseases in 1,177 lupus patients from the GLADEL cohort. <i>Arthritis and Rheumatism</i> , 2005 , 52, 1138-47		287
3	The GLADEL multinational Latin American prospective inception cohort of 1,214 patients with systemic lupus erythematosus: ethnic and disease heterogeneity among "Hispanics". <i>Medicine (United States)</i> , 2004 , 83, 1-17	1.8	288
2	Chromosome 17p12-q11 harbors susceptibility loci for systemic lupus erythematosus. <i>Human Genetics</i> , 2004 , 115, 230-8	6.3	27
1	The tumor-necrosis-factor receptor-associated periodic syndrome: new mutations in TNFRSF1A, ancestral origins, genotype-phenotype studies, and evidence for further genetic heterogeneity of periodic fevers. <i>American Journal of Human Genetics</i> , 2001 , 69, 301-14	11	277