

Jörg E Drewes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8387965/publications.pdf>

Version: 2024-02-01

205
papers

15,120
citations

19608

61
h-index

19690

117
g-index

209
all docs

209
docs citations

209
times ranked

13373
citing authors

#	ARTICLE	IF	CITATIONS
1	Microplastic sampling from wastewater treatment plant effluents: Best-practices and synergies between thermoanalytical and spectroscopic analysis. <i>Water Research</i> , 2022, 219, 118549.	5.3	15
2	Neighborhood-Scale Urban Water Reclamation with Integrated Resource Recovery for Establishing Nexus City in Munich, Germany: Pipe Dream or Reality?. <i>Resources</i> , 2022, 11, 64.	1.6	1
3	A Novel Analytical Approach to Assessing Sorption of Trace Organic Compounds into Micro- and Nanoplastic Particles. <i>Biomolecules</i> , 2022, 12, 953.	1.8	1
4	Toward Mainstream Anammox by Integrating Sidestream Treatment. <i>Environmental Science & Technology</i> , 2022, 56, 10553-10556.	4.6	14
5	Full-Scale Assessment of Ultrasonic Sewage Sludge Pretreatment Using a Novel Double-Tube Reactor. <i>ACS ES&T Engineering</i> , 2021, 1, 298-309.	3.7	12
6	Infrastructure Shaming and Consequences for Management of Urban WEF Security Nexus in China and India. <i>Water (Switzerland)</i> , 2021, 13, 267.	1.2	2
7	Assessment of Full-Scale Indirect Potable Water Reuse in El Port de la Selva, Spain. <i>Water (Switzerland)</i> , 2021, 13, 325.	1.2	5
8	Organic Contaminants and Interactions with Micro- and Nano-Plastics in the Aqueous Environment: Review of Analytical Methods. <i>Molecules</i> , 2021, 26, 1164.	1.7	15
9	Fate and Transport of Viruses within a High-Rate Plug-Flow Biofilter Designed for Non-Membrane-Based Indirect Potable Reuse Applications. <i>ACS ES&T Water</i> , 2021, 1, 1229-1239.	2.3	0
10	Inline dosing of powdered activated carbon and coagulant prior to ultrafiltration at pilot-scale – Effects on trace organic chemical removal and operational stability. <i>Chemical Engineering Journal</i> , 2021, 414, 128801.	6.6	11
11	Methodological Advances to Study Contaminant Biotransformation: New Prospects for Understanding and Reducing Environmental Persistence?. <i>ACS ES&T Water</i> , 2021, 1, 1541-1554.	2.3	35
12	Analyzing (Initial) Biotransformation Reactions as an Organizing Principle for Unraveling the Extent of Trace Organic Chemical Biotransformation in Biofiltration Systems. <i>ACS ES&T Water</i> , 2021, 1, 1921-1931.	2.3	8
13	Application of the Water–Energy–Food Nexus Approach to the Climate-Resilient Water Safety Plan of Leh Town, India. <i>Sustainability</i> , 2021, 13, 10550.	1.6	8
14	Removal of Trace Organic Chemicals during Long-Term Biofilter Operation. <i>ACS ES&T Water</i> , 2021, 1, 300-308.	2.3	4
15	A hydraulically optimized fluidized bed UF membrane reactor (FB-UF-MR) for direct treatment of raw municipal wastewater to enable water reclamation with integrated energy recovery. <i>Separation and Purification Technology</i> , 2020, 235, 116165.	3.9	17
16	Differentiating between adsorption and biodegradation mechanisms while removing trace organic chemicals (TOCs) in biological activated carbon (BAC) filters. <i>Science of the Total Environment</i> , 2020, 743, 140567.	3.9	18
17	Microbial genetic potential for xenobiotic metabolism increases with depth during biofiltration. <i>Environmental Sciences: Processes and Impacts</i> , 2020, 22, 2058-2069.	1.7	4
18	Validation of Sample Preparation Methods for Microplastic Analysis in Wastewater Matrices – Reproducibility and Standardization. <i>Water (Switzerland)</i> , 2020, 12, 2445.	1.2	79

#	ARTICLE	IF	CITATIONS
19	Reducing the Impacts of Biofouling in RO Membrane Systems through In Situ Low Fluence Irradiation Employing UVC-LEDs. <i>Membranes</i> , 2020, 10, 415.	1.4	10
20	Systematic Development of a Simultaneous Determination of Plastic Particle Identity and Adsorbed Organic Compounds by Thermodesorption-Pyrolysis GC/MS (TD-Pyr-GC/MS). <i>Molecules</i> , 2020, 25, 4985.	1.7	21
21	Editorial Perspectives: will SARS-CoV-2 reset public health requirements in the water industry? Integrating lessons of the past and emerging research. <i>Environmental Science: Water Research and Technology</i> , 2020, 6, 1761-1764.	1.2	8
22	BioTOOL—a Readily and Flexible Biogas Rate Prediction Tool for End-users. <i>Environmental Modeling and Assessment</i> , 2019, 24, 87-94.	1.2	3
23	Elucidation of removal processes in sequential biofiltration (SBF) and soil aquifer treatment (SAT) by analysis of a broad range of trace organic chemicals (TOCs) and their transformation products (TPs). <i>Water Research</i> , 2019, 163, 114857.	5.3	28
24	Investigating synergies in sequential biofiltration-based hybrid systems for the enhanced removal of trace organic chemicals from wastewater treatment plant effluents. <i>Environmental Science: Water Research and Technology</i> , 2019, 5, 1423-1435.	1.2	9
25	Role of reduced empty bed contact times and pre-treatment by coagulation with Fe(III) salts on the removal of trace organic compounds during sequential biofiltration. <i>Science of the Total Environment</i> , 2019, 685, 220-228.	3.9	4
26	Antibiotic microbial resistance (AMR) removal efficiencies by conventional and advanced wastewater treatment processes: A review. <i>Science of the Total Environment</i> , 2019, 685, 596-608.	3.9	187
27	Dynamics of Wastewater Effluent Contributions in Streams and Impacts on Drinking Water Supply via Riverbank Filtration in Germany—A National Reconnaissance. <i>Environmental Science & Technology</i> , 2019, 53, 6154-6161.	4.6	50
28	Analysis of Greenhouse Gas Emissions in Centralized and Decentralized Water Reclamation with Resource Recovery Strategies in Leh Town, Ladakh, India, and Potential for Their Reduction in Context of the Water-Energy-Food Nexus. <i>Water (Switzerland)</i> , 2019, 11, 906.	1.2	17
29	Capturing the oxic transformation of iopromide — A useful tool for an improved characterization of predominant redox conditions and the removal of trace organic compounds in biofiltration systems?. <i>Water Research</i> , 2019, 152, 274-284.	5.3	15
30	Biotransformation of trace organic chemicals in the presence of highly refractory dissolved organic carbon. <i>Chemosphere</i> , 2019, 215, 33-39.	4.2	26
31	UV/H ₂ O ₂ process stability and pilot-scale validation for trace organic chemical removal from wastewater treatment plant effluents. <i>Water Research</i> , 2018, 136, 169-179.	5.3	99
32	Nitrogen removal and intentional nitrous oxide production from reject water in a coupled nitrification/nitrous denitrification system under real feed-stream conditions. <i>Bioresource Technology</i> , 2018, 255, 58-66.	4.8	32
33	Cavitation field analysis for an increased efficiency of ultrasonic sludge pre-treatment using a novel hydrophone system. <i>Ultrasonics Sonochemistry</i> , 2018, 42, 672-678.	3.8	19
34	Insight into the effects of biochar as adsorbent and microwave receptor from one-step microwave pyrolysis of sewage sludge. <i>Environmental Science and Pollution Research</i> , 2018, 25, 18424-18433.	2.7	29
35	Evaluation of advanced oxidation processes for water and wastewater treatment — A critical review. <i>Water Research</i> , 2018, 139, 118-131.	5.3	1,891
36	Application of the oxidation reduction potential (ORP) for process control and monitoring nitrite in a Coupled Aerobic-anoxic Nitrous Decomposition Operation (CANDO). <i>Chemical Engineering Journal</i> , 2018, 343, 484-491.	6.6	31

#	ARTICLE	IF	CITATIONS
37	Correlation between hydrolysis rate constant and chemical composition of energy crops. <i>Renewable Energy</i> , 2018, 118, 34-42.	4.3	20
38	Establishing sequential managed aquifer recharge technology (SMART) for enhanced removal of trace organic chemicals: Experiences from field studies in Berlin, Germany. <i>Journal of Hydrology</i> , 2018, 563, 1161-1168.	2.3	47
39	Separation of nitrous oxide from aqueous solutions applying a micro porous hollow fiber membrane contactor for energy recovery. <i>Separation and Purification Technology</i> , 2018, 195, 271-280.	3.9	23
40	Management strategies for trace organic chemicals in water – A review of international approaches. <i>Chemosphere</i> , 2018, 195, 410-426.	4.2	27
41	Validation of Arxula Yeast Estrogen Screen assay for detection of estrogenic activity in water samples: Results of an international interlaboratory study. <i>Science of the Total Environment</i> , 2018, 621, 612-625.	3.9	32
42	Energy-positive sewage sludge pre-treatment with a novel ultrasonic flatbed reactor at low energy input. <i>Bioresource Technology</i> , 2018, 264, 298-305.	4.8	34
43	Improving UV/H ₂ O ₂ performance following tertiary treatment of municipal wastewater. <i>Environmental Science: Water Research and Technology</i> , 2018, 4, 1321-1330.	1.2	15
44	CT scanning of membrane feed spacers – Impact of spacer model accuracy on hydrodynamic and solute transport modeling in membrane feed channels. <i>Journal of Membrane Science</i> , 2018, 564, 133-145.	4.1	21
45	Predicting methane yield by linear regression models: A validation study for grassland biomass. <i>Bioresource Technology</i> , 2018, 265, 372-379.	4.8	17
46	Evaluation of the short-term fate and transport of chemicals of emerging concern during soil-aquifer treatment using select transformation products as intrinsic redox-sensitive tracers. <i>Science of the Total Environment</i> , 2017, 583, 10-18.	3.9	15
47	Forward osmosis as a platform for resource recovery from municipal wastewater - A critical assessment of the literature. <i>Journal of Membrane Science</i> , 2017, 529, 195-206.	4.1	182
48	Full scale co-digestion of wastewater sludge and food waste: Bottlenecks and possibilities. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 72, 354-362.	8.2	239
49	Evaluation of concrete corrosion after short- and long-term exposure to chemically and microbially generated sulfuric acid. <i>Cement and Concrete Research</i> , 2017, 94, 36-48.	4.6	57
50	Mass spectrometry based in vitro assay investigations on the transformation of pharmaceutical compounds by oxidative enzymes. <i>Chemosphere</i> , 2017, 174, 466-477.	4.2	17
51	Tube reactors as a novel ultrasonication system for trouble-free treatment of sludges. <i>Ultrasonics Sonochemistry</i> , 2017, 37, 464-470.	3.8	17
52	Strategies for enhanced deammonification performance and reduced nitrous oxide emissions. <i>Bioresource Technology</i> , 2017, 236, 174-185.	4.8	16
53	Trace organic chemical attenuation during managed aquifer recharge: Insights from a variably saturated 2D tank experiment. <i>Journal of Hydrology</i> , 2017, 548, 641-651.	2.3	11
54	Photoacoustic Spectroscopy for the Quantification of N ₂ O in the Off-Gas of Wastewater Treatment Plants. <i>Analytical Chemistry</i> , 2017, 89, 3795-3801.	3.2	15

#	ARTICLE	IF	CITATIONS
55	Unexpected Diversity and High Abundance of Putative Nitric Oxide Dismutase (Nod) Genes in Contaminated Aquifers and Wastewater Treatment Systems. <i>Applied and Environmental Microbiology</i> , 2017, 83, .	1.4	51
56	Sequential biofiltration – A novel approach for enhanced biological removal of trace organic chemicals from wastewater treatment plant effluent. <i>Water Research</i> , 2017, 127, 127-138.	5.3	50
57	The importance of key attenuation factors for microbial and chemical contaminants during managed aquifer recharge: A review. <i>Critical Reviews in Environmental Science and Technology</i> , 2017, 47, 1409-1452.	6.6	43
58	Robust evaluation of performance monitoring options for ozone disinfection in water recycling using Bayesian analysis. <i>Water Research</i> , 2017, 124, 605-617.	5.3	16
59	High performance biological methanation in a thermophilic anaerobic trickle bed reactor. <i>Bioresource Technology</i> , 2017, 245, 1176-1183.	4.8	98
60	The role of inoculum’s origin on the methane yield of different substrates in biochemical methane potential (BMP) tests. <i>Bioresource Technology</i> , 2017, 243, 457-463.	4.8	89
61	Influence of organic load on the defluoridation efficiency of nano-magnesium oxide in groundwater. <i>Separation and Purification Technology</i> , 2017, 174, 116-125.	3.9	14
62	A proposed nomenclature for biological processes that remove nitrogen. <i>Environmental Science: Water Research and Technology</i> , 2017, 3, 10-17.	1.2	20
63	Advancing Sequential Managed Aquifer Recharge Technology (SMART) Using Different Intermediate Oxidation Processes. <i>Water (Switzerland)</i> , 2017, 9, 221.	1.2	38
64	Editorial: Journal of Water Reuse and Desalination moves to Open Access. <i>Journal of Water Reuse and Desalination</i> , 2016, 6, 465-465.	1.2	0
65	Evaluation of Factors Influencing Lab-Scale Studies to Determine Heavy Metal Removal by Six Sorbents for Stormwater Treatment. <i>Water (Switzerland)</i> , 2016, 8, 62.	1.2	14
66	Performance and N ₂ O Formation of the Deammonification Process by Suspended Sludge and Biofilm Systems – A Pilot-Scale Study. <i>Water (Switzerland)</i> , 2016, 8, 578.	1.2	6
67	Heavy metal removal mechanisms of sorptive filter materials for road runoff treatment and remobilization under de-icing salt applications. <i>Water Research</i> , 2016, 102, 453-463.	5.3	35
68	Holistic and Detailed View on Workflow Strategies Applied in This Book. <i>ACS Symposium Series</i> , 2016, , 175-181.	0.5	1
69	Chemicals of Emerging Concern and Their Transformation Products in the Aqueous Environment. <i>ACS Symposium Series</i> , 2016, , 3-9.	0.5	1
70	An Assessment of International Management Strategies for CECs in Water. <i>ACS Symposium Series</i> , 2016, , 11-22.	0.5	4
71	Widening the Analytical Perspective: Polarity Extended Separation for Monitoring of Trace Organic Compounds in Surface Water Matrices. <i>ACS Symposium Series</i> , 2016, , 103-117.	0.5	2
72	Linking Trace Organic Chemical Attenuation to Microbiome Metabolic Capabilities: Insights from Laboratory- and Full-Scale Managed Aquifer Recharge Systems. <i>ACS Symposium Series</i> , 2016, , 163-187.	0.5	3

#	ARTICLE	IF	CITATIONS
73	Application of 3D-fluorescence/PARAFAC to monitor the performance of managed aquifer recharge facilities. <i>Journal of Water Reuse and Desalination</i> , 2016, 6, 249-263.	1.2	10
74	Fate of bulk organic carbon and bromate during indirect water reuse involving ozone and subsequent aquifer recharge. <i>Journal of Water Reuse and Desalination</i> , 2016, 6, 413-420.	1.2	12
75	rRNA Gene Expression of Abundant and Rare Activated-Sludge Microorganisms and Growth Rate Induced Micropollutant Removal. <i>Environmental Science & Technology</i> , 2016, 50, 6299-6309.	4.6	46
76	Insight into the defluoridation efficiency of nano magnesium oxide in groundwater system contaminated with hexavalent chromium and fluoride. <i>Separation and Purification Technology</i> , 2016, 162, 195-202.	3.9	16
77	Introducing sequential managed aquifer recharge technology (SMART) – From laboratory to full-scale application. <i>Chemosphere</i> , 2016, 154, 8-16.	4.2	52
78	Evaluation of site-specific factors influencing heavy metal contents in the topsoil of vegetated infiltration swales. <i>Science of the Total Environment</i> , 2016, 560-561, 19-28.	3.9	31
79	Oxidation of bisphenol A by a boron-doped diamond electrode in different water matrices: transformation products and inorganic by-products. <i>International Journal of Environmental Science and Technology</i> , 2016, 13, 2539-2548.	1.8	8
80	The role of residual quantities of suspended sludge on nitrogen removal efficiency in a deammonifying moving bed biofilm reactor. <i>Bioresource Technology</i> , 2016, 219, 212-218.	4.8	12
81	Characterization of sulfur oxidizing bacteria related to biogenic sulfuric acid corrosion in sludge digesters. <i>BMC Microbiology</i> , 2016, 16, 153.	1.3	44
82	Multimedia screening of contaminants of emerging concern (CECS) in coastal urban watersheds in southern California (USA). <i>Environmental Toxicology and Chemistry</i> , 2016, 35, 1986-1994.	2.2	63
83	A novel test method to determine the filter material service life of decentralized systems treating runoff from traffic areas. <i>Journal of Environmental Management</i> , 2016, 179, 66-75.	3.8	14
84	Comparative analysis of biogenic and chemical sulfuric acid attack on hardened cement paste using laser ablation-ICP-MS. <i>Cement and Concrete Research</i> , 2016, 87, 14-21.	4.6	44
85	Seasonal variations in fate and removal of trace organic chemical contaminants while operating a full-scale membrane bioreactor. <i>Science of the Total Environment</i> , 2016, 550, 176-183.	3.9	72
86	Disturbance opens recruitment sites for bacterial colonization in activated sludge. <i>Environmental Microbiology</i> , 2016, 18, 87-99.	1.8	38
87	Methane from CO ₂ : Influence of different CO ₂ concentrations in the flush gas on the methane production in BMP tests. <i>Waste Management</i> , 2016, 49, 36-39.	3.7	8
88	Influence of Wastewater Discharge on the Metabolic Potential of the Microbial Community in River Sediments. <i>Microbial Ecology</i> , 2016, 71, 78-86.	1.4	33
89	Hazardous events in membrane bioreactors – Part 1: Impacts on key operational and bulk water quality parameters. <i>Journal of Membrane Science</i> , 2016, 497, 494-503.	4.1	10
90	Hazardous events in membrane bioreactors – Part 3: Impacts on microorganism log removal efficiencies. <i>Journal of Membrane Science</i> , 2016, 497, 514-523.	4.1	14

#	ARTICLE	IF	CITATIONS
91	Preparation and characterization of a reactive filter for groundwater defluoridation. <i>Chemical Engineering Journal</i> , 2016, 283, 1154-1167.	6.6	20
92	Co-digestion of food waste in a municipal wastewater treatment plant: Comparison of batch tests and full-scale experiences. <i>Waste Management</i> , 2016, 47, 28-33.	3.7	120
93	Hazardous events in membrane bioreactors – Part 2: Impacts on removal of trace organic chemical contaminants. <i>Journal of Membrane Science</i> , 2016, 497, 504-513.	4.1	10
94	Contemporary design, operation, and monitoring of potable reuse systems. <i>Journal of Water Reuse and Desalination</i> , 2015, 5, 1-7.	1.2	21
95	Effect of temperature on removal of trace organic chemicals in managed aquifer recharge systems. <i>Chemosphere</i> , 2015, 122, 23-31.	4.2	25
96	Start-up performance of a full-scale riverbank filtration site regarding removal of DOC, nutrients, and trace organic chemicals. <i>Chemosphere</i> , 2015, 127, 136-142.	4.2	59
97	Mechanisms of Pathogenic Virus Removal in a Full-Scale Membrane Bioreactor. <i>Environmental Science & Technology</i> , 2015, 49, 2815-2822.	4.6	105
98	Biotransformation of trace organic chemicals during groundwater recharge: How useful are first-order rate constants?. <i>Journal of Contaminant Hydrology</i> , 2015, 179, 65-75.	1.6	62
99	Characterization of granular matrix supported nano magnesium oxide as an adsorbent for defluoridation of groundwater. <i>Chemical Engineering Journal</i> , 2015, 281, 632-643.	6.6	38
100	Influence of headspace flushing on methane production in Biochemical Methane Potential (BMP) tests. <i>Bioresource Technology</i> , 2015, 186, 173-178.	4.8	53
101	Comprehensive assessment of Cytochrome P450 reactions: A multiplex approach using real-time ESI-MS. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 2573-2581.	1.1	1
102	Assessment of fixed bed of aluminum infused diatomaceous earth as appropriate technology for groundwater defluoridation. <i>Separation and Purification Technology</i> , 2015, 153, 108-117.	3.9	6
103	Correlation between Biogas Yield and Chemical Composition of Grassland Plant Species. <i>Energy & Fuels</i> , 2015, 29, 7221-7229.	2.5	37
104	Electrochemical disinfection using boron-doped diamond electrode – The synergetic effects of in situ ozone and free chlorine generation. <i>Chemosphere</i> , 2015, 121, 47-53.	4.2	102
105	Co-digestion of food waste in municipal wastewater treatment plants: Effect of different mixtures on methane yield and hydrolysis rate constant. <i>Applied Energy</i> , 2015, 137, 250-255.	5.1	170
106	Disturbance and temporal partitioning of the activated sludge metacommunity. <i>ISME Journal</i> , 2015, 9, 425-435.	4.4	99
107	Tuning the performance of a natural treatment process using metagenomics for improved trace organic chemical attenuation. <i>Water Science and Technology</i> , 2014, 69, 628-633.	1.2	18
108	Revealing biogenic sulfuric acid corrosion in sludge digesters: detection of sulfur-oxidizing bacteria within full-scale digesters. <i>Water Science and Technology</i> , 2014, 70, 1405-1411.	1.2	6

#	ARTICLE	IF	CITATIONS
109	Correlation between biogas yield and chemical composition of energy crops. <i>Bioresource Technology</i> , 2014, 174, 316-320.	4.8	90
110	Assessment of virus removal by managed aquifer recharge at three full-scale operations. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2014, 49, 1685-1692.	0.9	60
111	Trends in water quality variability for coalbed methane produced water. <i>Journal of Cleaner Production</i> , 2014, 84, 840-848.	4.6	30
112	The occurrence and fate of chemicals of emerging concern in coastal urban rivers receiving discharge of treated municipal wastewater effluent. <i>Environmental Toxicology and Chemistry</i> , 2014, 33, 350-358.	2.2	69
113	Coalbed methane produced water screening tool for treatment technology and beneficial use. <i>Journal of Unconventional Oil and Gas Resources</i> , 2014, 5, 22-34.	3.5	35
114	Modelling the rejection of N-nitrosamines by a spiral-wound reverse osmosis system: Mathematical model development and validation. <i>Journal of Membrane Science</i> , 2014, 454, 212-219.	4.1	20
115	Geophysical and Hydrochemical Identification of Flow Paths with Implications for Water Quality at an <sc>ARR</sc> Site. <i>Ground Water Monitoring and Remediation</i> , 2014, 34, 105-116.	0.6	19
116	Rejection of small solutes by reverse osmosis membranes for water reuse applications: A pilot-scale study. <i>Desalination</i> , 2014, 350, 28-34.	4.0	22
117	Role of primary substrate composition on microbial community structure and function and trace organic chemical attenuation in managed aquifer recharge systems. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 5747-5756.	1.7	71
118	Results of an Interlaboratory Comparison of Analytical Methods for Contaminants of Emerging Concern in Water. <i>Analytical Chemistry</i> , 2014, 86, 774-782.	3.2	28
119	The occurrence of emerging trace organic chemicals in wastewater effluents in Saudi Arabia. <i>Science of the Total Environment</i> , 2014, 478, 152-162.	3.9	76
120	N-nitrosamine rejection by reverse osmosis: Effects of membrane exposure to chemical cleaning reagents. <i>Desalination</i> , 2014, 343, 60-66.	4.0	25
121	Alternative approach to estimate the hydrolysis rate constant of particulate material from batch data. <i>Applied Energy</i> , 2014, 120, 11-15.	5.1	64
122	Investigating the role for adaptation of the microbial community to transform trace organic chemicals during managed aquifer recharge. <i>Water Research</i> , 2014, 56, 172-180.	5.3	67
123	Role of primary substrate composition and concentration on attenuation of trace organic chemicals in managed aquifer recharge systems. <i>Journal of Environmental Management</i> , 2014, 144, 58-66.	3.8	65
124	N-nitrosamine rejection by reverse osmosis membranes: A full-scale study. <i>Water Research</i> , 2013, 47, 6141-6148.	5.3	53
125	Rejection of small and uncharged chemicals of emerging concern by reverse osmosis membranes: The role of free volume space within the active skin layer. <i>Separation and Purification Technology</i> , 2013, 116, 426-432.	3.9	44
126	A Changing Framework for Urban Water Systems. <i>Environmental Science & Technology</i> , 2013, 47, 10721-10726.	4.6	208

#	ARTICLE	IF	CITATIONS
127	N-nitrosamine rejection by nanofiltration and reverse osmosis membranes: The importance of membrane characteristics. <i>Desalination</i> , 2013, 316, 67-75.	4.0	61
128	Critical Review of Desalination Concentrate Management, Treatment and Beneficial Use. <i>Environmental Engineering Science</i> , 2013, 30, 502-514.	0.8	129
129	Flexible hybrid membrane treatment systems for tailored nutrient management: A new paradigm in urban wastewater treatment. <i>Journal of Membrane Science</i> , 2013, 446, 34-41.	4.1	44
130	Fate of bulk and trace organics during a simulated aquifer recharge and recovery (ARR)-ozone hybrid process. <i>Chemosphere</i> , 2013, 93, 2055-2062.	4.2	21
131	Microbial community evolution during simulated managed aquifer recharge in response to different biodegradable dissolved organic carbon (BDOC) concentrations. <i>Water Research</i> , 2013, 47, 2421-2430.	5.3	87
132	Identifying Well Contamination through the use of 3-D Fluorescence Spectroscopy to Classify Coalbed Methane Produced Water. <i>Environmental Science & Technology</i> , 2013, 47, 649-656.	4.6	42
133	Boron as a Surrogate for <i>N</i> -Nitrosodimethylamine Rejection by Reverse Osmosis Membranes in Potable Water Reuse Applications. <i>Environmental Science & Technology</i> , 2013, 47, 6425-6430.	4.6	18
134	Effects of membrane fouling on N-nitrosamine rejection by nanofiltration and reverse osmosis membranes. <i>Journal of Membrane Science</i> , 2013, 427, 311-319.	4.1	59
135	Response to Comment on "Identifying Well Contamination through the use of 3-D Fluorescence Spectroscopy to Classify Coalbed Methane Produced Water". <i>Environmental Science & Technology</i> , 2013, 47, 130111084155004.	4.6	0
136	Designing monitoring programs for chemicals of emerging concern in potable reuse "what to include and what not to include?". <i>Water Science and Technology</i> , 2013, 67, 433-439.	1.2	38
137	Introduction: Reinventing Urban Water Infrastructure. <i>Environmental Engineering Science</i> , 2013, 30, 393-394.	0.8	3
138	Integration of Artificial Recharge and Recovery Systems for Impaired Water Sources in Urban Settings: Overcoming Current Limitations and Engineering Challenges. <i>Environmental Engineering Science</i> , 2013, 30, 409-420.	0.8	24
139	Dissolved Organic Carbon Influences Microbial Community Composition and Diversity in Managed Aquifer Recharge Systems. <i>Applied and Environmental Microbiology</i> , 2012, 78, 6819-6828.	1.4	128
140	Water reuse in the Kingdom of Saudi Arabia "status, prospects and research needs. <i>Water Science and Technology: Water Supply</i> , 2012, 12, 926-936.	1.0	36
141	Removal of trace organic chemicals in onsite wastewater soil treatment units: A laboratory experiment. <i>Water Research</i> , 2012, 46, 5174-5184.	5.3	40
142	The role of microbial adaptation and biodegradable dissolved organic carbon on the attenuation of trace organic chemicals during groundwater recharge. <i>Science of the Total Environment</i> , 2012, 437, 137-144.	3.9	48
143	Sorption of ionized and neutral emerging trace organic compounds onto activated sludge from different wastewater treatment configurations. <i>Water Research</i> , 2012, 46, 1958-1968.	5.3	143
144	Variability of trace organic chemical concentrations in raw wastewater at three distinct sewershed scales. <i>Water Research</i> , 2012, 46, 3261-3271.	5.3	61

#	ARTICLE	IF	CITATIONS
145	Water reuse: achievements and future challenges. Journal of Water Supply: Research and Technology - AQUA, 2012, 61, 461-462.	0.6	0
146	Determining key factors and challenges that affect the future of water reuse. Journal of Water Supply: Research and Technology - AQUA, 2012, 61, 518-528.	0.6	1
147	N-nitrosamine removal by reverse osmosis for indirect potable water reuse – A critical review based on observations from laboratory-, pilot- and full-scale studies. Separation and Purification Technology, 2012, 98, 503-515.	3.9	118
148	Effects of Feed Solution Characteristics and Membrane Fouling on N-Nitrosamine Rejection by Reverse Osmosis Membranes. Procedia Engineering, 2012, 44, 1993-1995.	1.2	0
149	Restoration of Wadi Aquifers by Artificial Recharge with Treated Waste Water. Ground Water, 2012, 50, 514-527.	0.7	55
150	The pros and cons of using nanofiltration in lieu of reverse osmosis for indirect potable reuse applications. Separation and Purification Technology, 2012, 85, 69-76.	3.9	50
151	Impact of operating conditions on permeate flux and process economics for cross flow ceramic membrane ultrafiltration of surface water. Separation and Purification Technology, 2012, 87, 47-53.	3.9	33
152	Effects of feed solution characteristics on the rejection of N-nitrosamines by reverse osmosis membranes. Journal of Membrane Science, 2012, 409-410, 66-74.	4.1	65
153	Composite Geochemical Database for Coalbed Methane Produced Water Quality in the Rocky Mountain Region. Environmental Science & Technology, 2011, 45, 7655-7663.	4.6	107
154	Indicator compounds for assessment of wastewater effluent contributions to flow and water quality. Water Research, 2011, 45, 1199-1212.	5.3	154
155	Sorption of emerging trace organic compounds onto wastewater sludge solids. Water Research, 2011, 45, 3417-3426.	5.3	203
156	Aquifer Recharge and Recovery: Groundwater Recharge Systems for Treatment, Storage, and Water Reclamation. Ground Water, 2011, 49, 771-771.	0.7	15
157	Attenuation of contaminants of emerging concern during surface-spreading aquifer recharge. Science of the Total Environment, 2011, 409, 1087-1094.	3.9	97
158	Chemical monitoring strategy for the assessment of advanced water treatment plant performance. Water Science and Technology, 2011, 63, 573-579.	1.2	3
159	Comparing the Phenomenological and Hydrodynamic Modeling Approaches for Describing the Rejection of Emerging Nonionic Organic Contaminants by a Nanofiltration Membrane. ACS Symposium Series, 2010, , 397-420.	0.5	1
160	The effect of organic membrane fouling on the properties and rejection characteristics of nanofiltration membranes. Separation and Purification Technology, 2010, 74, 44-54.	3.9	97
161	Fouling of nanofiltration and reverse osmosis membranes during municipal wastewater reclamation: Membrane autopsy results from pilot-scale investigations. Journal of Membrane Science, 2010, 353, 111-121.	4.1	228
162	A multi-barrier osmotic dilution process for simultaneous desalination and purification of impaired water. Journal of Membrane Science, 2010, 362, 417-426.	4.1	287

#	ARTICLE	IF	CITATIONS
163	Quantitative structure property relationships for the adsorption of pharmaceuticals onto activated carbon. <i>Water Science and Technology</i> , 2010, 62, 2270-2276.	1.2	45
164	Occurrence of Pharmaceuticals and Consumer Product Chemicals in Raw Wastewater and Septic Tank Effluent from Single-Family Homes. <i>Environmental Engineering Science</i> , 2010, 27, 347-356.	0.8	40
165	Evaluation of a bench-scale membrane fouling protocol to determine fouling propensities of membranes during full-scale water reuse applications. <i>Water Science and Technology</i> , 2010, 62, 1198-1204.	1.2	2
166	The role of organic matter in the removal of emerging trace organic chemicals during managed aquifer recharge. <i>Water Research</i> , 2010, 44, 449-460.	5.3	143
167	Fate of antibiotics during municipal water recycling treatment processes. <i>Water Research</i> , 2010, 44, 4295-4323.	5.3	613
168	Attenuation of total organic carbon and unregulated trace organic chemicals in U.S. riverbank filtration systems. <i>Water Research</i> , 2010, 44, 4643-4659.	5.3	121
169	Ground Water Replenishment with Recycled Water – Water Quality Improvements during Managed Aquifer Recharge. <i>Ground Water</i> , 2009, 47, 502-505.	0.7	57
170	Effects of membrane degradation on the removal of pharmaceutically active compounds (PhACs) by NF/RO filtration processes. <i>Journal of Membrane Science</i> , 2009, 340, 16-25.	4.1	125
171	Applying Surrogates and Indicators to Assess Removal Efficiency of Trace Organic Chemicals during Chemical Oxidation of Wastewaters. <i>Environmental Science & Technology</i> , 2009, 43, 6242-6247.	4.6	117
172	Beneficial use of co-produced water through membrane treatment: technical-economic assessment. <i>Desalination</i> , 2008, 225, 139-155.	4.0	129
173	Determination of household chemicals using gas chromatography and liquid chromatography with tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1190, 253-262.	1.8	90
174	Treatment of brackish produced water using carbon aerogel-based capacitive deionization technology. <i>Water Research</i> , 2008, 42, 2605-2617.	5.3	521
175	Field Evaluation of the Performance of Engineered On-Site Wastewater Treatment Units. <i>Journal of Hydrologic Engineering - ASCE</i> , 2008, 13, 735-743.	0.8	14
176	Produced Water in the Western United States: Geographical Distribution, Occurrence, and Composition. <i>Environmental Engineering Science</i> , 2008, 25, 239-246.	0.8	146
177	Towards a sustainable mining habitat in South Africa. <i>WIT Transactions on Ecology and the Environment</i> , 2008, , .	0.0	2
178	Viability of a low-pressure nanofilter in treating recycled water for water reuse applications: A pilot-scale study. <i>Water Research</i> , 2007, 41, 3948-3958.	5.3	125
179	Solute transport model for trace organic neutral and charged compounds through nanofiltration and reverse osmosis membranes. <i>Water Research</i> , 2007, 41, 3977-3988.	5.3	66
180	Chapter 4.1 Removal of pharmaceutical residues during wastewater treatment. <i>Comprehensive Analytical Chemistry</i> , 2007, , 427-449.	0.7	16

#	ARTICLE	IF	CITATIONS
181	Soil Aquifer Treatment (SAT) as a Natural and Sustainable Wastewater Reclamation/Reuse Technology: Fate of Wastewater Effluent Organic Matter (EfOM) and Trace Organic Compounds. <i>Environmental Monitoring and Assessment</i> , 2007, 129, 19-26.	1.3	126
182	Using soil biomass as an indicator for the biological removal of effluent-derived organic carbon during soil infiltration. <i>Water Research</i> , 2006, 40, 961-968.	5.3	54
183	Fate and Transport of N-Nitrosamines Under Conditions Simulating Full-Scale Groundwater Recharge Operations. <i>Water Environment Research</i> , 2006, 78, 2466-2473.	1.3	51
184	Viability of nanofiltration and ultra-low pressure reverse osmosis membranes for multi-beneficial use of methane produced water. <i>Separation and Purification Technology</i> , 2006, 52, 67-76.	3.9	126
185	Effect of membrane fouling on transport of organic contaminants in NF/RO membrane applications. <i>Journal of Membrane Science</i> , 2006, 279, 165-175.	4.1	389
186	Character of Organic Matter in Soil-Aquifer Treatment Systems. <i>Journal of Environmental Engineering, ASCE</i> , 2006, 132, 1447-1458.	0.7	52
187	Rejection of Emerging Organic Micropollutants in Nanofiltration-Reverse Osmosis Membrane Applications. <i>Water Environment Research</i> , 2005, 77, 40-48.	1.3	168
188	An Assessment of Endocrine Disrupting Activity Changes during Wastewater Treatment through the Use of Bioassays and Chemical Measurements. <i>Water Environment Research</i> , 2005, 77, 12-23.	1.3	91
189	The role of membrane surface charge and solute physico-chemical properties in the rejection of organic acids by NF membranes. <i>Journal of Membrane Science</i> , 2005, 249, 227-234.	4.1	305
190	Rejection of wastewater-derived micropollutants in high-pressure membrane applications leading to indirect potable reuse. <i>Environmental Progress</i> , 2005, 24, 400-409.	0.8	73
191	Quantifying Biological Organic Carbon Removal in Groundwater Recharge Systems. <i>Journal of Environmental Engineering, ASCE</i> , 2005, 131, 909-923.	0.7	27
192	Fate of Steroidal Hormones During Soil-Aquifer Treatment. <i>Ground Water Monitoring and Remediation</i> , 2004, 24, 94-101.	0.6	64
193	Factors affecting the rejection of organic solutes during NF/RO treatment—a literature review. <i>Water Research</i> , 2004, 38, 2795-2809.	5.3	863
194	Rejection of organic micropollutants (disinfection by-products, endocrine disrupting compounds,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 113-121.	4.1	359
195	Adsorption of hydrophobic compounds onto NF/RO membranes: an artifact leading to overestimation of rejection. <i>Journal of Membrane Science</i> , 2003, 221, 89-101.	4.1	265
196	Fate of Pharmaceuticals During Ground Water Recharge. <i>Ground Water Monitoring and Remediation</i> , 2003, 23, 64-72.	0.6	190
197	Comparing microfiltration-reverse osmosis and soil-aquifer treatment for indirect potable reuse of water. <i>Water Research</i> , 2003, 37, 3612-3621.	5.3	164
198	Behavior of alkylphenol polyethoxylate metabolites during soil aquifer treatment. <i>Water Research</i> , 2003, 37, 3672-3681.	5.3	82

#	ARTICLE	IF	CITATIONS
199	OCCURRENCE OF IODINATED X-RAY CONTRAST MEDIA IN DOMESTIC EFFLUENTS AND THEIR FATE DURING INDIRECT POTABLE REUSE. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2001, 36, 1633-1645.	0.9	79
200	Effect of Drinking Water Sources on Reclaimed Water Quality in Water Reuse Systems. <i>Water Environment Research</i> , 2000, 72, 353-362.	1.3	31
201	Behavior and Characterization of Residual Organic Compounds in Wastewater Used for Indirect Potable Reuse. <i>Water Science and Technology</i> , 1999, 40, 391.	1.2	18
202	Fate of natural organic matter (NOM) during ground water recharge using reclaimed water. <i>Water Science and Technology</i> , 1999, 40, 241.	1.2	42
203	Behavior of DOC and AOX using advanced treated wastewater for groundwater recharge. <i>Water Research</i> , 1998, 32, 3125-3133.	5.3	59
204	Removal of organic halogens (AOX) from municipal wastewater by powdered activated carbon (PAC)/activated sludge (AS) treatment. <i>Water Science and Technology</i> , 1997, 35, 147.	1.2	14
205	Simulation of groundwater recharge with advanced treated wastewater. <i>Water Science and Technology</i> , 1996, 33, 409.	1.2	7