Angela Ianaro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8388061/publications.pdf Version: 2024-02-01



ANCELA JANARO

#	Article	IF	CITATIONS
1	Nutraceuticals: opening the debate for a regulatory framework. British Journal of Clinical Pharmacology, 2018, 84, 659-672.	1.1	246
2	The New Era of Cancer Immunotherapy: Targeting Myeloid-Derived Suppressor Cells to Overcome Immune Evasion. Frontiers in Immunology, 2020, 11, 1680.	2.2	194
3	Modulation by nitric oxide of prostaglandin biosynthesis in the rat. British Journal of Pharmacology, 1995, 114, 323-328.	2.7	132
4	Adenosine mediates functional and metabolic suppression of peripheral and tumor-infiltrating CD8+ T cells. , 2019, 7, 257.		120
5	Role of the cystathionine <i>γ</i> lyase/hydrogen sulfide pathway in human melanoma progression. Pigment Cell and Melanoma Research, 2015, 28, 61-72.	1.5	110
6	Gaseous mediators in resolution of inflammation. Seminars in Immunology, 2015, 27, 227-233.	2.7	86
7	COX-2 expression positively correlates with PD-L1 expression in human melanoma cells. Journal of Translational Medicine, 2017, 15, 46.	1.8	85
8	Indicaxanthin from Cactus Pear Fruit Exerts Anti-Inflammatory Effects in Carrageenin-Induced Rat Pleurisy. Journal of Nutrition, 2014, 144, 185-192.	1.3	67
9	ATB-346, a novel hydrogen sulfide-releasing anti-inflammatory drug, induces apoptosis of human melanoma cells and inhibits melanoma development in vivo. Pharmacological Research, 2016, 114, 67-73.	3.1	65
10	New Drugs from the Sea: Pro-Apoptotic Activity of Sponges and Algae Derived Compounds. Marine Drugs, 2019, 17, 31.	2.2	61
11	Anti-Inflammatory Activity of 15-Deoxy-Δ12,14-PGJ2and 2-Cyclopenten-1-one: Role of the Heat Shock Response. Molecular Pharmacology, 2003, 64, 85-93.	1.0	54
12	Role of cyclopentenone prostaglandins in rat carrageenin pleurisy. FEBS Letters, 2001, 508, 61-66.	1.3	47
13	Gaseous Mediators in Gastrointestinal Mucosal Defense and Injury. Digestive Diseases and Sciences, 2017, 62, 2223-2230.	1.1	44
14	PPARÉ£ drives IL-33-dependent ILC2 pro-tumoral functions. Nature Communications, 2021, 12, 2538.	5.8	44
15	HSF1/hsp72 pathway as an endogenous anti-inflammatory system. FEBS Letters, 2001, 499, 239-244.	1.3	39
16	Differential expression of cyclooxygenase-2 in metastatic melanoma affects progression free survival. Oncotarget, 2016, 7, 57077-57085.	0.8	34
17	Indicaxanthin from Opuntia Ficus Indica (L. Mill) impairs melanoma cell proliferation, invasiveness, and tumor progression. Phytomedicine, 2018, 50, 19-24.	2.3	32
18	NEMO-binding domain peptide inhibits proliferation of human melanoma cells. Cancer Letters, 2009, 274, 331-336.	3.2	30

Angela Ianaro

#	Article	IF	CITATIONS
19	Hydrogen Sulfide Reduces Myeloid-Derived Suppressor Cell-Mediated Inflammatory Response in a Model of Helicobacter hepaticus-Induced Colitis. Frontiers in Immunology, 2018, 9, 499.	2.2	27
20	Hydrogen sulfide-releasing anti-inflammatory drugs for chemoprevention and treatment of cancer. Pharmacological Research, 2016, 111, 652-658.	3.1	25
21	MicroRNA-143-3p inhibits growth and invasiveness of melanoma cells by targeting cyclooxygenase-2 and inversely correlates with malignant melanoma progression. Biochemical Pharmacology, 2018, 156, 52-59.	2.0	24
22	Inhibitory effects of cynaropicrin on human melanoma progression by targeting <scp>MAPK</scp> , <scp>NFâ€₽B,</scp> and Nrfâ€2 signaling pathways in vitro. Phytotherapy Research, 2021, 35, 1432-1442.	2.8	24
23	Synthesis of novel anti-inflammatory peptides derived from the amino-acid sequence of the bioactive protein SV-IV. FEBS Journal, 2001, 268, 3399-3406.	0.2	22
24	The Hydrogen Sulfide Releasing Molecule Acetyl Deacylasadisulfide Inhibits Metastatic Melanoma. Frontiers in Pharmacology, 2017, 8, 65.	1.6	22
25	Anti-metastatic Properties of Naproxen-HBTA in a Murine Model of Cutaneous Melanoma. Frontiers in Pharmacology, 2019, 10, 66.	1.6	22
26	Modulation of the functions of myeloidâ€derived suppressor cells : a new strategy of hydrogen sulfide antiâ€cancer effects. British Journal of Pharmacology, 2020, 177, 884-897.	2.7	22
27	Human Cystathionine-β-Synthase Phosphorylation on Serine227 Modulates Hydrogen Sulfide Production in Human Urothelium. PLoS ONE, 2015, 10, e0136859.	1.1	22
28	Profound Chemopreventative Effects of a Hydrogen Sulfide-Releasing NSAID in the APCMin/+ Mouse Model of Intestinal Tumorigenesis. PLoS ONE, 2016, 11, e0147289.	1.1	21
29	Immunosuppressive Mediators Impair Proinflammatory Innate Lymphoid Cell Function in Human Malignant Melanoma. Cancer Immunology Research, 2020, 8, 556-564.	1.6	21
30	Olive Leaf Extract, from Olea europaea L., Reduces Palmitate-Induced Inflammation via Regulation of Murine Macrophages Polarization. Nutrients, 2020, 12, 3663.	1.7	20
31	Cystathionine β-synthase-derived hydrogen sulfide is involved in human malignant hyperthermia. Clinical Science, 2016, 130, 35-44.	1.8	19
32	NMR-based phytochemical analysis of Vitis vinifera cv Falanghina leaves. Characterization of a previously undescribed biflavonoid with antiproliferative activity. Fìtoterapìâ, 2018, 125, 13-17.	1.1	17
33	2-Cyclopenten-1-one and prostaglandin J2 reduce restenosis after balloon angioplasty in rats: role of NF-IºB. FEBS Letters, 2003, 553, 21-27.	1.3	16
34	Knockdown of PTGS2 by CRISPR/CAS9 System Designates a New Potential Gene Target for Melanoma Treatment. Frontiers in Pharmacology, 2019, 10, 1456.	1.6	16
35	Nitric oxide inhibits neutrophil infiltration in the reverse passive Arthus reaction in rat skin. Naunyn-Schmiedeberg's Archives of Pharmacology, 1998, 358, 489-495.	1.4	13
36	Preclinical evaluation of the urokinase receptor-derived peptide UPARANT as an anti-inflammatory drug. Inflammation Research, 2017, 66, 701-709.	1.6	11

#	Article	IF	CITATIONS
37	Role of nuclear factor-κB in a rat model of vascular injury. Naunyn-Schmiedeberg's Archives of Pharmacology, 2001, 364, 343-350.	1.4	10
38	Antiproliferative metabolites from the Northern African endemic plant Daucus virgatus (Apiaceae). Phytochemistry, 2017, 143, 194-198.	1.4	9
39	Transcription factor decoy oligodeoxynucleotides to nuclear factor-κB inhibit reverse passive Arthus reaction in rat. Naunyn-Schmiedeberg's Archives of Pharmacology, 2001, 364, 422-429.	1.4	5