

Caner SÃ¼sal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8388490/publications.pdf>

Version: 2024-02-01

135
papers

5,017
citations

101496

36
h-index

102432

66
g-index

135
all docs

135
docs citations

135
times ranked

4312
citing authors

#	ARTICLE	IF	CITATIONS
1	Consensus Guidelines on the Testing and Clinical Management Issues Associated With HLA and Non-HLA Antibodies in Transplantation. <i>Transplantation</i> , 2013, 95, 19-47.	0.5	679
2	Antibodies against MICA Antigens and Kidney-Transplant Rejection. <i>New England Journal of Medicine</i> , 2007, 357, 1293-1300.	13.9	386
3	Analyses of the short- and long-term graft survival after kidney transplantation in Europe between 1986 and 2015. <i>Kidney International</i> , 2018, 94, 964-973.	2.6	198
4	Identification of Highly Responsive Kidney Transplant Recipients Using Pretransplant Soluble CD30. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 1650-1656.	3.0	140
5	Kidney graft failure and presensitization against HLA Class I and Class II antigens ¹ . <i>Transplantation</i> , 2002, 73, 1269-1273.	0.5	133
6	Three-Year Outcomes Following 1420 ABO-Incompatible Living-Donor Kidney Transplants Performed After ABO Antibody Reduction. <i>Transplantation</i> , 2015, 99, 400-404.	0.5	130
7	No Association of Kidney Graft Loss With Human Leukocyte Antigen Antibodies Detected Exclusively by Sensitive Luminex Single-Antigen Testing: A Collaborative Transplant Study Report. <i>Transplantation</i> , 2011, 91, 883-887.	0.5	107
8	Current role of human leukocyte antigen matching in kidney transplantation. <i>Current Opinion in Organ Transplantation</i> , 2013, 18, 438-444.	0.8	104
9	SOLUBLE CD30 AS A PREDICTOR OF KIDNEY GRAFT OUTCOME ¹ . <i>Transplantation</i> , 2002, 73, 3-6.	0.5	102
10	Successful Treatment of Chronic Antibody-Mediated Rejection With IVIG and Rituximab in Pediatric Renal Transplant Recipients. <i>Transplantation</i> , 2008, 86, 1214-1221.	0.5	102
11	Serial Peripheral Blood Perforin and Granzyme B Gene Expression Measurements for Prediction of Acute Rejection in Kidney Graft Recipients. <i>American Journal of Transplantation</i> , 2003, 3, 1121-1127.	2.6	99
12	Early Humoral Responses of Hemodialysis Patients after COVID-19 Vaccination with BNT162b2. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 1073-1082.	2.2	88
13	Presensitized kidney graft recipients with HLA class I and II antibodies are at increased risk for graft failure: A Collaborative Transplant Study report. <i>Human Immunology</i> , 2009, 70, 569-573.	1.2	83
14	Influence of Test Technique on Sensitization Status of Patients on the Kidney Transplant Waiting List. <i>American Journal of Transplantation</i> , 2013, 13, 2075-2082.	2.6	83
15	Evaluation of posttransplantation soluble CD30 for diagnosis of acute renal allograft rejection ¹ . <i>Transplantation</i> , 2003, 75, 421-423.	0.5	81
16	The collaborative transplant study registry. <i>Transplantation Reviews</i> , 2013, 27, 43-45.	1.2	79
17	IVIG and rituximab for treatment of chronic antibody-mediated rejection: a prospective study in paediatric renal transplantation with a 2-year follow-up. <i>Transplant International</i> , 2012, 25, 1165-1173.	0.8	77
18	Complement-activating donor-specific anti-HLA antibodies and solid organ transplant survival: A systematic review and meta-analysis. <i>PLoS Medicine</i> , 2018, 15, e1002572.	3.9	76

#	ARTICLE	IF	CITATIONS
19	Association of Kidney Graft Loss With De Novo Produced Donor-Specific and Non-Donor-Specific HLA Antibodies Detected by Single Antigen Testing. <i>Transplantation</i> , 2015, 99, 1976-1980.	0.5	75
20	ABO-Incompatible Kidney Transplantation. <i>Frontiers in Immunology</i> , 2017, 8, 234.	2.2	73
21	Split liver transplantation: Current developments. <i>World Journal of Gastroenterology</i> , 2018, 24, 5312-5321.	1.4	66
22	ABO-Incompatible Kidney Transplantation Enabled by Non-Antigen-Specific Immunoabsorption. <i>Transplantation</i> , 2012, 93, 827-834.	0.5	59
23	Living donor kidney transplantation in crossmatch-positive patients enabled by peritransplant immunoabsorption and anti-CD20 therapy. <i>Transplant International</i> , 2012, 25, 506-517.	0.8	59
24	Molecular Mimicry between HIV-1 and Antigen Receptor Molecules: A Clue to the Pathogenesis of AIDS. <i>Vox Sanguinis</i> , 1993, 65, 10-17.	0.7	54
25	Biomarkers as a Tool for Management of Immunosuppression in Transplant Patients. <i>Therapeutic Drug Monitoring</i> , 2010, 32, 560-572.	1.0	54
26	Advances in pre- and posttransplant immunologic testing in kidney transplantation. <i>Transplantation Proceedings</i> , 2004, 36, 29-34.	0.3	50
27	Heterologous ChAdOx1 nCoV-19/BNT162b2 Prime-Boost Vaccination Induces Strong Humoral Responses among Health Care Workers. <i>Vaccines</i> , 2021, 9, 857.	2.1	49
28	Apoptosis-mediated selective killing of malignant cells by cardiac steroids: maintenance of cytotoxicity and loss of cardiac activity of chemically modified derivatives. <i>International Immunopharmacology</i> , 2003, 3, 1791-1801.	1.7	48
29	An Integrative Approach for the Transplantation of High-Risk Sensitized Patients. <i>Transplantation</i> , 2010, 90, 645-653.	0.5	48
30	Induction of apoptosis in human lymphocytes by the herbicide 2,4-dichlorophenoxyacetic acid. <i>Human Immunology</i> , 2001, 62, 64-74.	1.2	44
31	Strong human leukocyte antigen matching effect in nonsensitized kidney recipients with high pretransplant soluble CD30. <i>Transplantation</i> , 2003, 76, 1231-1232.	0.5	44
32	Outcomes Following ABO-Incompatible Kidney Transplantation Performed After Desensitization by Nonantigen-Specific Immunoabsorption. <i>Transplantation</i> , 2015, 99, 2364-2371.	0.5	44
33	Clinical Relevance of HLA Antibody Monitoring after Kidney Transplantation. <i>Journal of Immunology Research</i> , 2014, 2014, 1-5.	0.9	42
34	HLA Antibodies and the Occurrence of Early Adverse Events in the Modern Era of Transplantation: A Collaborative Transplant Study Report. <i>Transplantation</i> , 2009, 87, 1367-1371.	0.5	40
35	Posttransplant sCD30 as a Predictor of Kidney Graft Outcome. <i>Transplantation</i> , 2011, 91, 1364-1369.	0.5	39
36	Association of C1q-fixing DSA with late graft failure in pediatric renal transplant recipients. <i>Pediatric Nephrology</i> , 2016, 31, 1157-1166.	0.9	39

#	ARTICLE	IF	CITATIONS
37	Association of angiotensin II type 1 receptor antibodies with graft histology, function and survival in paediatric renal transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1065-1072.	0.4	38
38	Expression of Regulatory Tâ€“Cell-Related Molecule Genes and Clinical Outcome in Kidney Transplant Recipients. <i>Transplantation</i> , 2009, 87, 857-863.	0.5	37
39	Neutralizing antibody response against the B.1.617.2 (delta) and the B.1.1.529 (omicron) variants after a third mRNA SARS-CoV-2 vaccine dose in kidney transplant recipients. <i>American Journal of Transplantation</i> , 2022, 22, 1873-1883.	2.6	37
40	Analysis of positive kidney, heart, and liver transplant crossmatches reported to the Collaborative Transplant Study. <i>Human Immunology</i> , 2009, 70, 627-630.	1.2	36
41	Longitudinal Humoral Responses after COVID-19 Vaccination in Peritoneal and Hemodialysis Patients over Twelve Weeks. <i>Vaccines</i> , 2021, 9, 1130.	2.1	36
42	The Differential Influence of Cold Ischemia Time on Outcome After Liver Transplantation for Different Indicationsâ€“Who Is at Risk? A Collaborative Transplant Study Report. <i>Frontiers in Immunology</i> , 2020, 11, 892.	2.2	35
43	Immunosuppression with mammalian target of rapamycin inhibitor and incidence of post-transplant cancer in kidney transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1360-1367.	0.4	34
44	Good kidney transplant outcome in recipients with presensitization against HLA class II but not HLA class I. <i>Human Immunology</i> , 2004, 65, 810-816.	1.2	32
45	Efficacy and safety of antibody induction therapy in the current era of kidney transplantation. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1730-1738.	0.4	32
46	Late intra-patient tacrolimus trough level variability as a major problem in kidney transplantation: A Collaborative Transplant Study Report. <i>American Journal of Transplantation</i> , 2019, 19, 2805-2813.	2.6	32
47	Impact of HLA Compatibility on Lung Transplant Survival and Evidence for an HLA Restriction Phenomenon: A Collaborative Transplant Study Report. <i>Transplantation</i> , 2010, 90, 912-917.	0.5	31
48	SERIAL PERIPHERAL BLOOD INTERLEUKIN-18 AND PERFORIN GENE EXPRESSION MEASUREMENTS FOR PREDICTION OF ACUTE KIDNEY GRAFT REJECTION. <i>Transplantation</i> , 2004, 77, 1589-1595.	0.5	30
49	Donor-specific antibodies require preactivated immune system to harm renal transplant. <i>EBioMedicine</i> , 2016, 9, 366-371.	2.7	30
50	Release of Soluble CD30 After Allogeneic Stimulation Is Mediated by Memory T Cells and Regulated by IFN-Î³ and IL-2. <i>Transplantation</i> , 2013, 96, 154-161.	0.5	28
51	Kidney graft recipients with pretransplantation HLA CLASS I antibodies and high soluble CD30 are at high risk for graft loss. <i>Human Immunology</i> , 2007, 68, 652-660.	1.2	26
52	Role and Value of LuminexÂ®-Detected HLA Antibodies before and after Kidney Transplantation. <i>Transfusion Medicine and Hemotherapy</i> , 2013, 40, 190-195.	0.7	25
53	Prevention of antibody-mediated kidney transplant rejection. <i>Transplant International</i> , 2012, 25, 633-645.	0.8	24
54	Living donor kidney transplantation in patients with donor-specific HLA antibodies enabled by anti-CD20 therapy and peritransplant apheresis. <i>Atherosclerosis Supplements</i> , 2013, 14, 199-202.	1.2	23

#	ARTICLE	IF	CITATIONS
55	The possible critical role of T-cell help in DSA-mediated graft loss. <i>Transplant International</i> , 2018, 31, 577-584.	0.8	23
56	Kidneys From Elderly Deceased Donorsâ€”Is 70 the New 60?. <i>Frontiers in Immunology</i> , 2019, 10, 2701.	2.2	23
57	Serum sCD30 in Monitoring of Alloresponse in Well HLA-Matched Cadaveric Kidney Transplantations. <i>Transplantation</i> , 2005, 80, 1809-1812.	0.5	22
58	Neutralizing antibody response against variants of concern after vaccination of dialysis patients with BNT162b2. <i>Kidney International</i> , 2021, 100, 700-702.	2.6	22
59	Neutralization of SARS-CoV-2 Variants of Concern in Kidney Transplant Recipients after Standard COVID-19 Vaccination. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2022, 17, 98-106.	2.2	22
60	CD4+ Lymphocyte Depletion in HIVâ€”Infected Patients is Associated with gp120â€”Immunoglobulinâ€”Complement Attachment to CD4+ Cells. <i>Vox Sanguinis</i> , 1993, 64, 31-36.	0.7	21
61	The effect of ATG on cytokine and cytotoxic T-lymphocyte gene expression in renal allograft recipients during the early post-transplant period. <i>Clinical Transplantation</i> , 2003, 17, 217-224.	0.8	21
62	Evaluation of T-Cell Receptor Repertoires in Patients with Long-Term Renal Allograft Survival. <i>American Journal of Transplantation</i> , 2005, 5, 746-756.	2.6	21
63	Critical evaluation of a possible role of HLA epitope matching in kidney transplantation. <i>Transplantation Reviews</i> , 2020, 34, 100533.	1.2	21
64	Pretransplant Cancer in Kidney Recipients in Relation to Recurrent and De Novo Cancer Incidence Posttransplantation and Implications for Graft and Patient Survival. <i>Transplantation</i> , 2019, 103, 581-587.	0.5	20
65	Transplantation of Marginal Organs: Immunological Aspects and Therapeutic Perspectives in Kidney Transplantation. <i>Frontiers in Immunology</i> , 2019, 10, 3142.	2.2	20
66	The MHC class I MICA gene is a histocompatibility antigen in kidney transplantation. <i>Nature Medicine</i> , 2022, 28, 989-998.	15.2	20
67	Impact of HLA Matching and HLA Antibodies in Organ Transplantation: A Collaborative Transplant Study View. <i>Methods in Molecular Biology</i> , 2012, 882, 267-277.	0.4	19
68	Differential Influence of Donor Age Depending on the Indication for Liver Transplantationâ€”A Collaborative Transplant Study Report. <i>Transplantation</i> , 2020, 104, 779-787.	0.5	19
69	Outcomes and complications following ABOâ€”incompatible kidney transplantation performed after desensitization by semiâ€”selective immunoadsorption â€”a retrospective study. <i>Transplant International</i> , 2019, 32, 1286-1296.	0.8	18
70	Isotypes and IgG Subclasses of Antiâ€”Fab Antibodies in Human Immunodeficiency Virusâ€”Infected Hemophilia Patients. <i>Vox Sanguinis</i> , 1994, 66, 37-45.	0.7	17
71	Clinical Relevance of HLA Antibodies in Kidney Transplantation: Recent Data from the Heidelberg Transplant Center and the Collaborative Transplant Study. <i>Journal of Immunology Research</i> , 2017, 1-7.	0.9	17
72	Impact of age at diagnosis on disease progression in patients with primary sclerosing cholangitis. <i>United European Gastroenterology Journal</i> , 2018, 6, 255-262.	1.6	17

#	ARTICLE	IF	CITATIONS
73	Association of graft survival with tacrolimus exposure and late intra-patient tacrolimus variability in pediatric and young adult renal transplant recipientsâ€”an international CTS registry analysis. <i>Transplant International</i> , 2020, 33, 1681-1692.	0.8	17
74	Association of non-HLA antibodies against endothelial targets and donor-specific HLA antibodies with antibody-mediated rejection and graft function in pediatric kidney transplant recipients. <i>Pediatric Nephrology</i> , 2021, 36, 2473-2484.	0.9	16
75	Posttransplant sCD30 as a biomarker to predict kidney graft outcome. <i>Clinica Chimica Acta</i> , 2012, 413, 1350-1353.	0.5	15
76	Influence of Blood Pressure and Calcineurin Inhibitors on Kidney Function After Heart or Liver Transplantation. <i>Transplantation</i> , 2018, 102, 845-852.	0.5	15
77	Neutralizing antibody activity against the B.1.617.2 (delta) variant 8Â½months after two-dose vaccination with BNT162b2 in health care workers. <i>Clinical Microbiology and Infection</i> , 2022, 28, 1024.e7-1024.e12.	2.8	15
78	Neutralizing Antibody Activity Against the B.1.617.2 (delta) Variant Before and After a Third BNT162b2 Vaccine Dose in Hemodialysis Patients. <i>Frontiers in Immunology</i> , 2022, 13, 840136.	2.2	15
79	Does Borderline Kidney Allograft Rejection Always Require Treatment?. <i>Transplantation</i> , 2010, 90, 427-432.	0.5	14
80	Soluble CD30 and ELISA-detected human leukocyte antigen antibodies for the prediction of acute rejection in pediatric renal transplant recipients. <i>Transplant International</i> , 2013, 26, 331-338.	0.8	14
81	Can PIRCHE-II Matching Outmatch Traditional HLA Matching?. <i>Frontiers in Immunology</i> , 2021, 12, 631246.	2.2	14
82	Progressive improvement in short-term, medium-term and long-term graft survival in kidney transplantation patients in Ireland â€” a retrospective study. <i>Transplant International</i> , 2019, 32, 974-984.	0.8	12
83	Should kidney allografts from old donors be allocated only to old recipients?. <i>Transplant International</i> , 2020, 33, 849-857.	0.8	12
84	Impact of HLA compatibility in recipients of kidneys from expanded criteria donors: A Collaborative Transplant Study Report. <i>International Journal of Immunogenetics</i> , 2021, 48, 201-210.	0.8	12
85	ATG induction in renal transplant recipients: Long-term hazard of severe infection is associated with long-term functional T cell impairment but not the ATG-induced CD4 cell decline. <i>Human Immunology</i> , 2014, 75, 561-569.	1.2	11
86	Pretransplant human leukocyte antigen antibodies detected by single-antigen bead assay are a risk factor for long-term kidney graft loss even in the absence of donor-specific antibodies. <i>Transplant International</i> , 2016, 29, 988-998.	0.8	11
87	Humoral Responses to Single-Dose BNT162b2 mRNA Vaccination in Dialysis Patients Previously Infected With SARS-CoV-2. <i>Frontiers in Medicine</i> , 2021, 8, 721286.	1.2	11
88	Soluble CD30 and Hepatocyte growth factor as predictive markers of antibody-mediated rejection of the kidney allograft. <i>Transplant Immunology</i> , 2011, 25, 72-76.	0.6	10
89	Evaluation of specific humoral and cellular immune responses against the major capsid L1 protein of cutaneous wart-associated alpha-Papillomaviruses in solid organ transplant recipients. <i>Journal of Dermatological Science</i> , 2015, 77, 37-45.	1.0	10
90	No Increase in Colon Cancer Risk Following Induction with Neu5Gc-Bearing Rabbit Anti-T Cell IgG (ATG) in Recipients of Kidney Transplants. <i>Cancers</i> , 2018, 10, 324.	1.7	10

#	ARTICLE	IF	CITATIONS
91	Relevance of donor-specific antibody monitoring after kidney transplantation: Findings from the Collaborative Transplant Study and the Heidelberg Transplant Center. <i>Hla</i> , 2019, 94, 11-15.	0.4	10
92	Alloantigen-stimulated induction and release of CD30 in patients with end-stage renal failure. <i>Human Immunology</i> , 2012, 73, 1102-1108.	1.2	9
93	Circulating and urinary microRNAs as possible biomarkers in kidney transplantation. <i>Transplantation Reviews</i> , 2018, 32, 110-118.	1.2	8
94	Pre-transplant HLA Antibodies and Delayed Graft Function in the Current Era of Kidney Transplantation. <i>Frontiers in Immunology</i> , 2020, 11, 1886.	2.2	8
95	Association of intraindividual tacrolimus variability with de novo donor-specific HLA antibody development and allograft rejection in pediatric kidney transplant recipients with low immunological risk. <i>Pediatric Nephrology</i> , 2022, 37, 2503-2514.	0.9	8
96	Deletion of the Natural Killer Cell Receptor NKG2C Encoding KLR2C Gene and Kidney Transplant Outcome. <i>Frontiers in Immunology</i> , 2022, 13, 829228.	2.2	8
97	Natural SARS-CoV-2 infection results in higher neutralization response against variants of concern compared with 2-dose BNT162b2 vaccination in kidney transplant recipients. <i>Kidney International</i> , 2022, 101, 639-642.	2.6	8
98	Kidney transplantation in highly sensitized patients: are there options to overcome a positive crossmatch?. <i>Langenbeck's Archives of Surgery</i> , 2011, 396, 467-474.	0.8	7
99	Influence of cold ischemia time on the outcome of kidney transplants from donors aged 70 years and above - A Collaborative Transplant Study Report. <i>Transplantation</i> , 2021, Publish Ahead of Print, 2461-2469.	0.5	7
100	Heart transplantation across preformed donor-specific antibody barriers using a perioperative desensitization protocol. <i>American Journal of Transplantation</i> , 2022, 22, 2064-2076.	2.6	7
101	Increased Soluble Fas in HIV-Infected Hemophilia Patients with CD4+and CD8+Cell Count Increases and Viral Load and Immune Complex Decreases. <i>AIDS Research and Human Retroviruses</i> , 2001, 17, 329-335.	0.5	6
102	HLA antibody screening in kidney transplantation: current guidelines. <i>Langenbeck's Archives of Surgery</i> , 2014, 399, 415-420.	0.8	6
103	An update on chemical pharmacotherapy options for the prevention of kidney transplant rejection with a focus on costimulation blockade. <i>Expert Opinion on Pharmacotherapy</i> , 2017, 18, 799-807.	0.9	6
104	Outcome of Extended Right Lobe Liver Transplantations. <i>Liver Transplantation</i> , 2022, 28, 807-818.	1.3	6
105	Impaired Neutralizing Antibody Activity against B.1.617.2 (Delta) after Anti-SARS-CoV-2 Vaccination in Patients Receiving Anti-CD20 Therapy. <i>Journal of Clinical Medicine</i> , 2022, 11, 1739.	1.0	6
106	Recognition of defined epitopes by affinity-purified anti-immunoglobulin Fab autoantibodies isolated from HIV-infected humans. , 1999, 12, 169-176.		5
107	Virtual PRA replaces traditional PRA: small change but significantly more justice for sensitized patients. <i>Transplant International</i> , 2015, 28, 708-709.	0.8	5
108	Increased risk of infection-associated death with incompatible kidney transplantations. <i>Transplant International</i> , 2017, 30, 1209-1211.	0.8	5

#	ARTICLE	IF	CITATIONS
109	Pulse Pressure and Outcome in Kidney Transplantation: Results From the Collaborative Transplant Study. <i>Transplantation</i> , 2019, 103, 772-780.	0.5	5
110	Higher CD19+CD25+ Bregs are independently associated with better graft function in renal transplant recipients. <i>BMC Nephrology</i> , 2021, 22, 180.	0.8	5
111	Analysis of de novo donor-specific HLA-DPB1 antibodies in kidney transplantation. <i>Hla</i> , 2021, 98, 423-430.	0.4	5
112	Desensitization and survival in kidney transplant recipients. <i>Nature Reviews Nephrology</i> , 2017, 13, 196-198.	4.1	4
113	Is There a Need for Additional DQ Matching?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 683-684.	2.2	4
114	Functional Fc Gamma Receptor Gene Polymorphisms and Long-Term Kidney Allograft Survival. <i>Frontiers in Immunology</i> , 2021, 12, 724331.	2.2	4
115	Maternal versus paternal living kidney transplant donation is associated with lower rejection in young pediatric recipients: A Collaborative Transplant Study report. <i>Pediatric Transplantation</i> , 2021, , e14154.	0.5	4
116	Effectiveness of different immunoabsorption columns for anti-A/B antibody depletion. <i>Atherosclerosis Supplements</i> , 2019, 40, 68-72.	1.2	3
117	Relationship of transitional regulatory B and regulatory T cells and immunosuppressive drug doses in stable renal transplant recipients. <i>Immunity, Inflammation and Disease</i> , 2021, 9, 1252-1271.	1.3	3
118	Rare Malignant Indications for Liver Transplantation: A Collaborative Transplant Study Report. <i>Frontiers in Surgery</i> , 2021, 8, 678392.	0.6	3
119	Living Donor Kidney Transplantation in Patients With Donor-Specific HLA Antibodies After Desensitization With Immunoabsorption. <i>Frontiers in Medicine</i> , 2021, 8, 781491.	1.2	3
120	Current pharmacotherapeutical options for the prevention of kidney transplant rejection. <i>Expert Opinion on Pharmacotherapy</i> , 2013, 14, 1029-1041.	0.9	2
121	Editorial: Transplantation of Marginal Organsâ€™ Immunological Aspects and Therapeutic Perspectives. <i>Frontiers in Immunology</i> , 2020, 11, 612576.	2.2	2
122	Soluble Urokinase Receptor and Mortality in Kidney Transplant Recipients. <i>Transplant International</i> , 2021, 35, 10071.	0.8	2
123	Reply to Focosi and Boggi. <i>Transplantation</i> , 2011, 92, e15-e16.	0.5	1
124	Association of CD30 transcripts with Th1 responses and proinflammatory cytokines in patients with end-stage renal disease. <i>Human Immunology</i> , 2016, 77, 403-410.	1.2	1
125	Clinical outcomes after ABO-incompatible renal transplantation. <i>Lancet, The</i> , 2019, 394, 1989.	6.3	1
126	Three is not enough. <i>Transplant International</i> , 2020, 33, 612-614.	0.8	1

#	ARTICLE	IF	CITATIONS
127	Low Pre-Transplant Caveolin-1 Serum Concentrations Are Associated with Acute Cellular Tubulointerstitial Rejection in Kidney Transplantation. <i>Molecules</i> , 2021, 26, 2648.	1.7	1
128	Influence of Calcineurin Inhibitor Choice on Outcomes in Kidney Transplant Recipients Aged ≥60 Y: A Collaborative Transplant Study Report. <i>Transplantation</i> , 2022, 106, e212-e218.	0.5	1
129	Results of a Patient Survey for Assessment Services in Renal Transplant Patients With a History of Cancer. <i>Progress in Transplantation</i> , 2017, 27, 365-368.	0.4	0
130	SP698OUTCOMES FOLLOWING LIVING DONOR KIDNEY TRANSPLANTATION IN PATIENTS WITH DONOR-SPECIFIC HLA ANTIBODIES AFTER DESENSITIZATION WITH IMMUNOADSORPTION. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i582-i582.	0.4	0
131	SaO011A PHASE-I CLINICAL TRIAL OF DONOR-DERIVED MIC CELL INFUSION FOR THE INDUCTION OF DONOR-SPECIFIC HYPORESPONSIVENESS AFTER LIVING DONOR KIDNEY TRANSPLANTATION (TOL-1 STUDY). <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i320-i320.	0.4	0
132	Is Belatacept Switch Safe in Renal Transplant Recipients With Donor-specific Antibodies?. <i>Transplantation</i> , 2019, 103, 1984-1985.	0.5	0
133	Induction of Donor-Specific Immune Tolerance with Clinical MIC Cell Infusion – a Phase I Study (TOL-1). <i>Blood</i> , 2018, 132, 4539-4539.	0.6	0
134	Kidney re-transplantation in a child across the barrier of persisting angiotensin II type I receptor antibodies. <i>Pediatric Nephrology</i> , 2021, 36, 725-729.	0.9	0
135	Kidney Transplants from Elderly Donors: The Experience of a Reference Center in Croatia. <i>Experimental and Clinical Transplantation</i> , 2022, 20, 19-27.	0.2	0