Charles S Algert

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8390385/charles-s-algert-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46 2,154 51 23 h-index g-index citations papers 4.46 51 2,439 4.3 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
51	Cervical cerclage placed before 14 weeks gestation in women with one previous midtrimester loss: A population-based cohort study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2017 , 57, 593-598	1.7	6
50	Long-term outcomes for large for gestational age infants born at term. <i>Journal of Paediatrics and Child Health</i> , 2017 , 53, 876-881	1.3	23
49	Interpregnancy Interval and Adverse Pregnancy Outcomes: An Analysis of Successive Pregnancies. <i>Obstetrics and Gynecology</i> , 2017 , 130, 464-465	4.9	2
48	Immediate delivery compared with expectant management after preterm pre-labour rupture of the membranes close to term (PPROMT trial): a randomised controlled trial. <i>Lancet, The,</i> 2016 , 387, 444-52	40	138
47	Expectant management in pregnancies with ruptured membranes - Authorscreply. <i>Lancet, The</i> , 2016 , 387, 1996-7	40	
46	Early-onset preeclampsia appears to discourage subsequent pregnancy but the risks may be overestimated. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 785.e1-785.e8	6.4	18
45	Treatment of vaginal candidiasis for the prevention of preterm birth: a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2015 , 4, 31	3	30
44	Association of prelabor cesarean delivery with reduced mortality in twins born near term. <i>Obstetrics and Gynecology</i> , 2015 , 125, 103-110	4.9	20
43	Increased planned delivery contributes to declining rates of pregnancy hypertension in Australia: a population-based record linkage study. <i>BMJ Open</i> , 2015 , 5, e009313	3	8
42	In reply. Obstetrics and Gynecology, 2015, 125, 1248-1249	4.9	
41	Reduced breast milk feeding subsequent to cosmetic breast augmentation surgery. <i>Medical Journal of Australia</i> , 2015 , 202, 324-8	4	8
40	Prosthetic heart valves in pregnancy: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2014 , 3, 8	3	6
39	Rate of spontaneous onset of labour before planned repeat caesarean section at term. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 125	3.2	11
38	Effects of maternal serum 25-hydroxyvitamin D concentrations in the first trimester on subsequent pregnancy outcomes in an Australian population. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 287-95	- 	103
37	Heart valve prostheses in pregnancy: outcomes for women and their infants. <i>Journal of the American Heart Association</i> , 2014 , 3, e000953	6	11
36	The impact of cosmetic breast implants on breastfeeding: a systematic review and meta-analysis. <i>International Breastfeeding Journal</i> , 2014 , 9, 17	3.8	14
35	Predicting date of birth and examining the best time to date a pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2013 , 123, 105-9	4	11

(2009-2013)

34	Reducing caesarean section ratesno easy task. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013 , 53, 310-3	1.7	5
33	Second pregnancy outcomes for women with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 547-51	2.4	26
32	Decreasing length of maternal hospital stay is not associated with increased readmission rates. <i>Australian and New Zealand Journal of Public Health</i> , 2012 , 36, 430-4	2.3	18
31	Trends and recurrence of placenta praevia: a population-based study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012 , 52, 483-6	1.7	12
30	Trends in planned early birth: a population-based study. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 207, 186.e1-8	6.4	35
29	Hospital data reporting on postpartum hemorrhage: under-estimates recurrence and over-estimates the contribution of uterine atony. <i>Maternal and Child Health Journal</i> , 2012 , 16, 1542-8	2.4	12
28	Incidence of severe adverse neonatal outcomes: use of a composite indicator in a population cohort. <i>Maternal and Child Health Journal</i> , 2012 , 16, 600-8	2.4	75
27	Mode of delivery may be the risk factor for infant infectious morbidity. <i>Archives of Disease in Childhood</i> , 2012 , 97, 759	2.2	3
26	Pathways to a rising caesarean section rate: a population-based cohort study. <i>BMJ Open</i> , 2012 , 2,	3	36
25	Quality of data in perinatal population health databases: a systematic review. <i>Medical Care</i> , 2012 , 50, e7-20	3.1	173
24	Population-based trends in pregnancy hypertension and pre-eclampsia: an international comparative study. <i>BMJ Open</i> , 2011 , 1, e000101	3	178
23	Pregnancy exposures and risk of childhood asthma admission in a population birth cohort. <i>Pediatric Allergy and Immunology</i> , 2011 , 22, 836-42	4.2	31
22	Trends in use of neonatal CPAP: a population-based study. BMC Pediatrics, 2011, 11, 89	2.6	22
21	Seasonal variation in pregnancy hypertension is correlated with sunlight intensity. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 215.e1-5	6.4	29
20	Record linkage to obtain birth outcomes for the evaluation of screening biomarkers in pregnancy: a feasibility study. <i>BMC Medical Research Methodology</i> , 2009 , 9, 48	4.7	12
19	Trends in adverse maternal outcomes during childbirth: a population-based study of severe maternal morbidity. <i>BMC Pregnancy and Childbirth</i> , 2009 , 9, 7	3.2	82
18	Regional block versus general anaesthesia for caesarean section and neonatal outcomes: a population-based study. <i>BMC Medicine</i> , 2009 , 7, 20	11.4	51
17	Twin deliveries and place of birth in NSW 2001-2005. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2009 , 49, 461-6	1.7	6

16	Birth at hospitals with co-located paediatric units for infants with correctable birth defects. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2008 , 48, 273-9	1.7	3
15	Reporting of routinely collected data by public and private hospitals. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2008 , 48, 521-2	1.7	4
14	The accuracy of reporting of the hypertensive disorders of pregnancy in population health data. <i>Hypertension in Pregnancy</i> , 2008 , 27, 285-97	2	136
13	Labor before a primary cesarean delivery: reduced risk of uterine rupture in a subsequent trial of labor for vaginal birth after cesarean. <i>Obstetrics and Gynecology</i> , 2008 , 112, 1061-6	4.9	33
12	Measuring maternal morbidity in routinely collected health data: development and validation of a maternal morbidity outcome indicator. <i>Medical Care</i> , 2008 , 46, 786-94	3.1	127
11	Postpartum haemorrhage occurrence and recurrence: a population-based study. <i>Medical Journal of Australia</i> , 2008 , 188, 731-731	4	
10	Postpartum haemorrhage occurrence and recurrence: a population-based study. <i>Medical Journal of Australia</i> , 2007 , 187, 391-3	4	44
9	Methods for dealing with discrepant records in linked population health datasets: a cross-sectional study. <i>BMC Health Services Research</i> , 2007 , 7, 12	2.9	9
8	Using hospital discharge data for determining neonatal morbidity and mortality: a validation study. BMC Health Services Research, 2007 , 7, 188	2.9	44
7	Placenta praevia: maternal morbidity and place of birth. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2005 , 45, 499-504	1.7	40
6	A meta-analysis of upright positions in the second stage to reduce instrumental deliveries in women with epidural analgesia. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2005 , 84, 794-8	3.8	33
5	Hypertensive disorders in pregnancy: a population-based study. <i>Medical Journal of Australia</i> , 2005 , 182, 332-5	4	134
4	Association of mean platelet volume with risk of stroke among 3134 individuals with history of cerebrovascular disease. <i>Stroke</i> , 2004 , 35, 622-6	6.7	260
3	Impact of first-stage ambulation on mode of delivery among women with epidural analgesia. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2004, 44, 489-94	1.7	16
2	Delivery of singleton preterm infants in New South Wales, 1990-1997. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2003 , 43, 32-7	1.7	11
1	Operative delivery during labour: trends and predictive factors. <i>Paediatric and Perinatal Epidemiology</i> , 2002 , 16, 115-23	2.7	45