Kee Soo Ha

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/839049/publications.pdf

Version: 2024-02-01

1040056 888059 26 305 9 17 citations h-index g-index papers 27 27 27 537 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	IgA Levels Are Associated with Coronary Artery Lesions in Kawasaki Disease. Korean Circulation Journal, 2021, 51, 267.	1.9	12
2	Which Patients With Newly Diagnosed Breast Cancer Benefit From Preoperative Magnetic Resonance Imaging?. International Surgery, 2021, 105, 576-584.	0.1	O
3	Identification of rare coding variants associated with Kawasaki disease by whole exome sequencing. Genomics and Informatics, 2021, 19, e38.	0.8	3
4	Identification of SAMD9L as a susceptibility locus for intravenous immunoglobulin resistance in Kawasaki disease by genome-wide association analysis. Pharmacogenomics Journal, 2020, 20, 80-86.	2.0	9
5	Prediction of intravenous immunoglobulin resistance in patients with Kawasaki disease according to the duration of illness prior to treatment. European Journal of Pediatrics, 2020, 179, 257-264.	2.7	9
6	Papillary Thyroid Cancer Tumor Spheres Cultured by Passaging Without Sorting Exhibit Cancer Stemness. Anticancer Research, 2020, 40, 3801-3809.	1.1	2
7	The Risk Prediction of Coronary Artery Lesions through the Novel Hematological Z-Values in 4 Chronological Age Subgroups of Kawasaki Disease. Medicina (Lithuania), 2020, 56, 466.	2.0	4
8	Association of the IL16 Asn1147Lys polymorphism with intravenous immunoglobulin resistance in Kawasaki disease. Journal of Human Genetics, 2020, 65, 421-426.	2.3	3
9	HLA-B*54:01 Is Associated With Susceptibility to Kawasaki Disease. Circulation Genomic and Precision Medicine, 2019, 12, e002365.	3.6	9
10	Characterization of Flow Efficiency, Pulsatility, and Respiratory Variability in Different Types of Fontan Circuits Using Quantitative Parameters. Yonsei Medical Journal, 2019, 60, 56.	2.2	5
11	Assessment of the Clinical Heterogeneity of Kawasaki Disease Using Genetic Variants of <i>BLK</i> and <i>FCGR2A</i> . Korean Circulation Journal, 2019, 49, 99.	1.9	6
12	Identification of the TIFAB Gene as a Susceptibility Locus for Coronary Artery Aneurysm in Patients with Kawasaki Disease. Pediatric Cardiology, 2019, 40, 483-488.	1.3	14
13	Significance of Differential Characteristics in Infantile Kawasaki Disease. Korean Circulation Journal, 2019, 49, 755.	1.9	10
14	Self-Expandable Stents in Vascular Stenosis of Moderate to Large-Sized Vessels in Congenital Heart Disease: Early and Intermediate-Term Results. Korean Circulation Journal, 2019, 49, 932.	1.9	3
15	Impact of Flow Differentials According to Cardiac and Respiratory Cycles on Three Types of Fontan Operation. Pediatric Cardiology, 2018, 39, 1144-1155.	1.3	2
16	<i>BCL2L11</i> Is Associated With Kawasaki Disease in Intravenous Immunoglobulin Responder Patients. Circulation Genomic and Precision Medicine, 2018, 11, e002020.	3.6	12
17	A novel double snare technique to retrieve embolized septal and left atrial appendage occluders. Journal of Interventional Cardiology, 2018, 31, 685-692.	1.2	7
18	Chronological Echocardiographic Changes in Healthy Term Neonates within Postnatal 72 Hours Using Doppler Studies. Journal of Korean Medical Science, 2018, 33, e155.	2.5	11

#	Article	IF	CITATION
19	Laboratory Markers in Incomplete Kawasaki Disease according to Coronary Artery Outcome. Korean Circulation Journal, 2018, 48, 287.	1.9	17
20	Identification of LEF1 as a Susceptibility Locus for Kawasaki Disease in Patients Younger than 6 Months of Age. Genomics and Informatics, 2018, 16, 36-41.	0.8	4
21	A genome-wide association analysis identifies NMNAT2 and HCP5 as susceptibility loci for Kawasaki disease. Journal of Human Genetics, 2017, 62, 1023-1029.	2.3	40
22	Male-specific association of the FCGR2A His167Arg polymorphism with Kawasaki disease. PLoS ONE, 2017, 12, e0184248.	2.5	33
23	Neonatal Diaphragmatic Hemangioma associated with Diffuse Neonatal Hemangiomatosis treated with Coil Embolization. Perinatology, 2017, 28, 177.	0.1	0
24	A genome-wide association analysis reveals 1p31 and 2p13.3 as susceptibility loci for Kawasaki disease. Human Genetics, 2011, 129, 487-495.	3.8	79
25	Cellular and RAS Changes in the Hearts of Young Obese Rats. Pediatric Cardiology, 2011, 32, 659-666.	1.3	10
26	Perforation of azygos vein and right-sided hydrothorax caused by peripherally inserted central catheter in extremely low birth weight infant. Korean Journal of Pediatrics, 2006, 49, 902.	1.9	0