

Simon Bond

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8391424/simon-bond-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54
papers

2,213
citations

26
h-index

46
g-index

59
ext. papers

2,680
ext. citations

6.8
avg, IF

4.78
L-index

#	Paper	IF	Citations
54	Continuous glucose monitoring in extremely preterm infants in intensive care: the REACT RCT and pilot study of closed-loop technology. <i>Efficacy and Mechanism Evaluation</i> , 2021 , 8, 1-142	1.7	0
53	Cost-effectiveness of real time continuous glucose monitoring to target glucose control in preterm infants. <i>Seminars in Perinatology</i> , 2021 , 45, 151392	3.3	3
52	Real-time continuous glucose monitoring in preterm infants (REACT): an international, open-label, randomised controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2021 , 5, 265-273	14.5	9
51	Developing a patient-centred tool for pain measurement and evaluation in autosomal dominant polycystic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 2338-2348	4.5	2
50	Study protocol: Minimum effective low dose: anti-human thymocyte globulin (MELD-ATG): phase II, dose ranging, efficacy study of antithymocyte globulin (ATG) within 6 weeks of diagnosis of type 1 diabetes. <i>BMJ Open</i> , 2021 , 11, e053669	3	1
49	Trial of Dexamethasone for Chronic Subdural Hematoma. <i>New England Journal of Medicine</i> , 2020 , 383, 2616-2627	59.2	51
48	Effect of sleep deprivation and exercise on reaction threshold in adults with peanut allergy: A randomised controlled study. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 144, 1584-1594.e2	11.5	53
47	Dex-CSDH randomised, placebo-controlled trial of dexamethasone for chronic subdural haematoma: report of the internal pilot phase. <i>Scientific Reports</i> , 2019 , 9, 5885	4.9	9
46	Trial summary and protocol for a phase II randomised placebo-controlled double-blinded trial of Interleukin 1 blockade in Acute Severe Colitis: the IASO trial. <i>BMJ Open</i> , 2019 , 9, e023765	3	17
45	Reaction thresholds in peanut-allergic adults and the influence of exercise and sleep deprivation: a randomised controlled trial. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, AB202	11.5	2
44	Statistical analysis plan for the Dex-CSDH trial: a randomised, double-blind, placebo-controlled trial of a 2-week course of dexamethasone for adult patients with a symptomatic chronic subdural haematoma. <i>Trials</i> , 2019 , 20, 698	2.8	7
43	Theory of general balance applied to step wedge designs. <i>Statistics in Medicine</i> , 2019 , 38, 184-191	2.3	4
42	Targeting glucose control in preterm infants: pilot studies of continuous glucose monitoring. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2019 , 104, F353-F359	4.7	18
41	Protocol of a randomised controlled trial of real-time continuous glucose monitoring in neonatal intensive care 'REACT'. <i>BMJ Open</i> , 2018 , 8, e020816	3	7
40	Randomised controlled trial of high versus ad libitum water intake in patients with autosomal dominant polycystic kidney disease: rationale and design of the DRINK feasibility trial. <i>BMJ Open</i> , 2018 , 8, e022859	3	11
39	The DILfrequency study is an adaptive trial to identify optimal IL-2 dosing in patients with type 1 diabetes. <i>JCI Insight</i> , 2018 , 3,	9.9	11
38	PRedicting Outcomes For Crohn's disease using a moLecular biomarkEr (PROFILE): protocol for a multicentre, randomised, biomarker-stratified trial. <i>BMJ Open</i> , 2018 , 8, e026767	3	27

37	Dexamethasone for adult patients with a symptomatic chronic subdural haematoma (Dex-CSDH) trial: study protocol for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 670	2.8	31
36	Low-dose interleukin-2 in patients with stable ischaemic heart disease and acute coronary syndromes (LILACS): protocol and study rationale for a randomised, double-blind, placebo-controlled, phase I/II clinical trial. <i>BMJ Open</i> , 2018 , 8, e022452	3	44
35	Survival Trends After Surgery for Acute Subdural Hematoma in Adults Over a 20-year Period. <i>Annals of Surgery</i> , 2017 , 265, 590-596	7.8	33
34	ACE Inhibitors and Statins in Adolescents with Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2017 , 377, 1733-1745	59.2	67
33	rpsftm: An R Package for Rank Preserving Structural Failure Time Models. <i>R Journal</i> , 2017 , 9, 342-353	3.3	6
32	rpsftm: An R Package for Rank Preserving Structural Failure Time Models. <i>R Journal</i> , 2017 , 9, 342	3.3	5
31	Regulatory T Cell Responses in Participants with Type 1 Diabetes after a Single Dose of Interleukin-2: A Non-Randomised, Open Label, Adaptive Dose-Finding Trial. <i>PLoS Medicine</i> , 2016 , 13, e1002139	11.6	76
30	Protocol of the adaptive study of IL-2 dose frequency on regulatory T cells in type 1 diabetes (DILfrequency): a mechanistic, non-randomised, repeat dose, open-label, response-adaptive study. <i>BMJ Open</i> , 2015 , 5, e009799	3	16
29	Using the UK renal registry for a clinical trial in dialysis patients: the example of SIMPLIFIED. <i>Trials</i> , 2015 , 16,	2.8	6
28	Interim sample size re-estimation in the IIVOP trial. <i>Trials</i> , 2015 , 16,	2.8	78
27	Simulation work in adaptive dose-finding designs to identify dose-intervals that achieve targets in multiple endpoints. <i>Trials</i> , 2015 , 16,	2.8	78
26	Addressing the barriers to implementing model based designs in dose escalation studies. <i>Trials</i> , 2015 , 16,	2.8	78
25	Comparison of analysis approaches for multi-level vascular imaging data. <i>Trials</i> , 2015 , 16,	2.8	78
24	Surgeon-specific mortality data disguise wider failings in delivery of safe surgical services. <i>European Journal of Cardio-thoracic Surgery</i> , 2015 , 47, 341-5	3	22
23	Random variation in rectal position during radiotherapy for prostate cancer is two to three times greater than that predicted from prostate motion. <i>British Journal of Radiology</i> , 2014 , 87, 20140343	3.4	19
22	Chronic dipeptidyl peptidase-4 inhibition with sitagliptin is associated with sustained protection against ischemic left ventricular dysfunction in a pilot study of patients with type 2 diabetes mellitus and coronary artery disease. <i>Circulation: Cardiovascular Imaging</i> , 2014 , 7, 274-81	3.9	48
21	Rationale and study design of the Adaptive study of IL-2 dose on regulatory T cells in type 1 diabetes (DILT1D): a non-randomised, open label, adaptive dose finding trial. <i>BMJ Open</i> , 2014 , 4, e005559	3	26
20	Twist-drill craniostomy with hollow screws for evacuation of chronic subdural hematoma. <i>Journal of Neurosurgery</i> , 2014 , 121, 176-83	3.2	39

19	Assessing the efficacy of oral immunotherapy for the desensitisation of peanut allergy in children (STOP II): a phase 2 randomised controlled trial. <i>Lancet, The</i> , 2014 , 383, 1297-1304	4.0	292
18	Stepped wedge cluster randomized trials are efficient and provide a method of evaluation without which some interventions would not be evaluated. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 1058-9	5.7	25
17	A randomised study evaluating the use of pyridoxine to avoid capecitabine dose modifications. <i>British Journal of Cancer</i> , 2012 , 107, 585-7	8.7	26
16	Low absolute bioavailability of oral naloxone in healthy subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2012 , 50, 360-7	2	69
15	Naloxone as part of a prolonged release oxycodone/naloxone combination reduces oxycodone-induced slowing of gastrointestinal transit in healthy volunteers. <i>Expert Opinion on Investigational Drugs</i> , 2011 , 20, 427-39	5.9	38
14	Ultrasound elastography as an adjuvant to conventional ultrasound in the preoperative assessment of axillary lymph nodes in suspected breast cancer: a pilot study. <i>Clinical Radiology</i> , 2011 , 66, 1064-71	2.9	59
13	Model selection and sample size adaptation: HYPAZ trial. <i>Trials</i> , 2011 , 12,	2.8	78
12	Estimating causal effects using prior information on nontrial treatments. <i>Clinical Trials</i> , 2010 , 7, 664-76	2.2	3
11	Combined prolonged-release oxycodone and naloxone improves bowel function in patients receiving opioids for moderate-to-severe non-malignant chronic pain: a randomised controlled trial. <i>Expert Opinion on Pharmacotherapy</i> , 2009 , 10, 531-43	4	135
10	Instrumental variables and interactions in the causal analysis of a complex clinical trial. <i>Statistics in Medicine</i> , 2007 , 26, 1473-96	2.3	15
9	Predictors for radiological damage in psoriatic arthritis: results from a single centre. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 370-6	2.4	104
8	Systematic overview of preoperative (neoadjuvant) chemoradiotherapy trials in oesophageal cancer: evidence of a radiation and chemotherapy dose response. <i>Radiotherapy and Oncology</i> , 2006 , 78, 236-44	5.3	134
7	Bounds on the covariate-time transformation for competing-risks survival analysis. <i>Lifetime Data Analysis</i> , 2006 , 12, 285-303	1.3	9
6	Radiotherapy-related early morbidity in head and neck cancer: quantitative clinical radiobiology as deduced from the CHART trial. <i>Radiotherapy and Oncology</i> , 2001 , 60, 123-35	5.3	121
5	Selection of active drugs for ovarian cancer based on CA-125 and standard response rates in phase II trials. <i>Journal of Clinical Oncology</i> , 2000 , 18, 1733-9	2.2	83
4	The Influence of Delay in Diagnosis of Breast Cancer upon Outlook. <i>Clinical Risk</i> , 2000 , 6, 4-6		1
3	Clinical radiation doses for spinal cord: the 1998 international questionnaire. <i>Radiotherapy and Oncology</i> , 2000 , 55, 295-300	5.3	28
2	Delay in diagnosis in breast cancer. <i>Lancet, The</i> , 1999 , 353, 2155-6	4.0	8

- 1 Targeting regulatory T cells with Interleukin-2 treatment in type 1 diabetes: a response-adaptive, non-randomised, open-label trial of repeat doses of Aldesleukin (DILfrequency)

1