Kenji Shibuya

List of Publications by Citations

Source: https://exaly.com/author-pdf/8391754/kenji-shibuya-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78 97,049 214 201 h-index g-index citations papers 8.26 116,249 214 17.4 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
201	Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2095-128	40	8873
200	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2224-60	40	7625
199	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 766-81	40	7175
198	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2197-223	40	5768
197	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96	40	4971
196	Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 385, 117-71	40	4599
195	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1789-1858	40	4524
194	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 743-800	40	3802
193	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1545-1602	40	3801
192	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1459-1544	40	3525
191	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128 [®] million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	40	2980
190	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 1912 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-139	6 ⁴⁰	2787
189	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1659-1724	40	2431
188	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-years for 32 Cancer Groups, 1990 to 2015: A Systematic Analysis for the Global Burden of Disease Study. <i>JAMA Oncology</i> , 2017 , 3, 524-548	13.4	2394
187	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016 , 387, 1513-1530	40	2039
186	The Global Burden of Cancer 2013. <i>JAMA Oncology</i> , 2015 , 1, 505-27	13.4	1870
185	The state of US health, 1990-2010: burden of diseases, injuries, and risk factors. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 591-608	27.4	1629

184	WHO estimates of the causes of death in children. Lancet, The, 2005, 365, 1147-52	40	1366
183	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1859-1922	40	1283
182	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1603-1658	40	1216
181	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015 , 386, 2145-91	40	1203
180	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1260-1344	40	1152
179	Global, regional, and national burden of stroke, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 439-458	24.1	1102
178	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19 million participants. <i>Lancet, The,</i> 2017 , 389, 37-55	40	1100
177	Global, regional, and national levels and causes of maternal mortality during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 980-1004	40	950
176	Chronic obstructive pulmonary disease: current burden and future projections. <i>European Respiratory Journal</i> , 2006 , 27, 397-412	13.6	887
175	Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2129-43	40	842
174	GBD 2010: design, definitions, and metrics. <i>Lancet, The</i> , 2012 , 380, 2063-6	40	704
173	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 1005-70	40	653
172	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 957-79	40	497
171	Global, regional, and national age-sex-specific mortality and life expectancy, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1684-1735	40	483
170	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 56-87	24.1	480
169	Global, regional, and national levels of maternal mortality, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1775-1812	40	476
168	Global mortality associated with rotavirus disease among children in 2004. <i>Journal of Infectious Diseases</i> , 2009 , 200 Suppl 1, S9-S15	7	424
167	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1084-1150	40	421

166	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1725-1774	40	413
165	Estimating child mortality due to diarrhoea in developing countries. <i>Bulletin of the World Health Organization</i> , 2008 , 86, 710-7	8.2	403
164	UK health performance: findings of the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2013 , 381, 997-1020	40	401
163	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2015: the Global Burden of Disease Study 2015. <i>Lancet HIV,the</i> , 2016 , 3, e361-e387	7.8	382
162	Japanese universal health coverage: evolution, achievements, and challenges. <i>Lancet, The</i> , 2011 , 378, 1106-15	40	362
161	Lessons learnt from easing COVID-19 restrictions: an analysis of countries and regions in Asia Pacific and Europe. <i>Lancet, The</i> , 2020 , 396, 1525-1534	40	320
160	Population ageing and wellbeing: lessons from Japan's long-term care insurance policy. <i>Lancet, The</i> , 2011 , 378, 1183-92	40	305
159	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1813-1850	40	302
158	Global and regional estimates of cancer mortality and incidence by site: II. Results for the global burden of disease 2000. <i>BMC Cancer</i> , 2002 , 2, 37	4.8	298
157	No cry at birth: global estimates of intrapartum stillbirths and intrapartum-related neonatal deaths. <i>Bulletin of the World Health Organization</i> , 2005 , 83, 409-17	8.2	291
156	Global trends and projections for tobacco use, 1990-2025: an analysis of smoking indicators from the WHO Comprehensive Information Systems for Tobacco Control. <i>Lancet, The</i> , 2015 , 385, 966-76	40	286
155	What has made the population of Japan healthy?. Lancet, The, 2011, 378, 1094-105	40	284
154	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019 , 569, 260-264	50.4	278
153	Are high-performing health systems resilient against the COVID-19 epidemic?. <i>Lancet, The</i> , 2020 , 395, 848-850	40	250
152	Maternal anemia and risk of adverse birth and health outcomes in low- and middle-income countries: systematic review and meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 495-50	04	229
151	Civil registration systems and vital statistics: successes and missed opportunities. <i>Lancet, The</i> , 2007 , 370, 1653-63	40	229
150	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1423-1459	40	224
149	Verbal autopsy: current practices and challenges. <i>Bulletin of the World Health Organization</i> , 2006 , 84, 239-45	8.2	215

(2007-2018)

148	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The,</i> 2018 , 392, 2091-2138	40	210
147	Global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2017, and forecasts to 2030, for 195 countries and territories: a systematic analysis for the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. <i>Lancet HIV,the</i> , 2019 , 6, e831-e859	7.8	191
146	Population and fertility by age and sex for 195 countries and territories, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1995-2051	40	189
145	Macrosomia in 23 developing countries: an analysis of a multicountry, facility-based, cross-sectional survey. <i>Lancet, The</i> , 2013 , 381, 476-83	40	183
144	WHO Framework Convention on Tobacco Control: development of an evidence based global public health treaty. <i>BMJ, The</i> , 2003 , 327, 154-7	5.9	179
143	Can we achieve Millennium Development Goal 4? New analysis of country trends and forecasts of under-5 mortality to 2015. <i>Lancet, The</i> , 2007 , 370, 1040-54	40	176
142	Long-term and recent trends in hypertension awareness, treatment, and control in 12 high-income countries: an analysis of 123 nationally representative surveys. <i>Lancet, The</i> , 2019 , 394, 639-651	40	156
141	Adult mortality attributable to preventable risk factors for non-communicable diseases and injuries in Japan: a comparative risk assessment. <i>PLoS Medicine</i> , 2012 , 9, e1001160	11.6	144
140	Cost containment and quality of care in Japan: is there a trade-off?. Lancet, The, 2011, 378, 1174-82	40	137
139	Health effects of radiation and other health problems in the aftermath of nuclear accidents, with an emphasis on Fukushima. <i>Lancet, The</i> , 2015 , 386, 479-88	40	135
138	GBD 2010: a multi-investigator collaboration for global comparative descriptive epidemiology. <i>Lancet, The</i> , 2012 , 380, 2055-8	40	124
137	Trends in prevalence of blindness and distance and near vision impairment over 30 years: an analysis for the Global Burden of Disease Study. <i>The Lancet Global Health</i> , 2021 , 9, e130-e143	13.6	122
136	Attributable causes of cancer in Japan in 2005systematic assessment to estimate current burden of cancer attributable to known preventable risk factors in Japan. <i>Annals of Oncology</i> , 2012 , 23, 1362-1	3 6 9·3	117
135	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology,the</i> , 2015 , 3, 624-37	18.1	109
134	Interim measures for meeting needs for health sector data: births, deaths, and causes of death. <i>Lancet, The</i> , 2007 , 370, 1726-35	40	109
133	Maternal body mass index and risk of birth and maternal health outcomes in low- and middle-income countries: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 2015 , 16, 758-70	10.6	105
132	Maternal body mass index and gestational weight gain and their association with perinatal outcomes in Viet Nam. <i>Bulletin of the World Health Organization</i> , 2011 , 89, 127-36	8.2	104
131	Global burden of disease 2005: call for collaborators. <i>Lancet, The</i> , 2007 , 370, 109-110	4º	102

130	Population health and regional variations of disease burden in Japan, 1990-2015: a systematic subnational analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017 , 390, 1521-1538	40	101
129	Survey of non-prescribed use of antibiotics for children in an urban community in Mongolia. <i>Bulletin of the World Health Organization</i> , 2010 , 88, 930-6	8.2	97
128	Future of Japan's system of good health at low cost with equity: beyond universal coverage. <i>Lancet, The</i> , 2011 , 378, 1265-73	40	95
127	Alcohol consumption and psychological distress in adolescents: a multi-country study. <i>Journal of Adolescent Health</i> , 2014 , 54, 228-34	5.8	84
126	Trends in cause specific mortality across occupations in Japanese men of working age during period of economic stagnation, 1980-2005: retrospective cohort study. <i>BMJ, The</i> , 2012 , 344, e1191	5.9	82
125	Mortality risk amongst nursing home residents evacuated after the Fukushima nuclear accident: a retrospective cohort study. <i>PLoS ONE</i> , 2013 , 8, e60192	3.7	78
124	Changes in out-of-pocket payments on utilisation of health care services. The Cochrane Library,	5.2	78
123	Health-related financial catastrophe, inequality and chronic illness in Bangladesh. <i>PLoS ONE</i> , 2013 , 8, e56873	3.7	75
122	Catastrophic household expenditure on health in Nepal: a cross-sectional survey. <i>Bulletin of the World Health Organization</i> , 2014 , 92, 760-7	8.2	70
121	The way forward. <i>Lancet, The</i> , 2007 , 370, 1791-9	40	67
121	The way forward. <i>Lancet, The</i> , 2007 , 370, 1791-9 Maternal and perinatal outcomes among nulliparous adolescents in low- and middle-income countries: a multi-country study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 1622-30; discussion 1630	3 ⋅7	6 ₇
	Maternal and perinatal outcomes among nulliparous adolescents in low- and middle-income countries: a multi-country study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013		
120	Maternal and perinatal outcomes among nulliparous adolescents in low- and middle-income countries: a multi-country study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 1622-30; discussion 1630	3.7	66
120 119	Maternal and perinatal outcomes among nulliparous adolescents in low- and middle-income countries: a multi-country study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 1622-30; discussion 1630 HPV vaccination programme in Japan. <i>Lancet, The</i> , 2013 , 382, 768 Determinants of reduced child stunting in Cambodia: analysis of pooled data from three	3.7	66
120 119 118	Maternal and perinatal outcomes among nulliparous adolescents in low- and middle-income countries: a multi-country study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 1622-30; discussion 1630 HPV vaccination programme in Japan. <i>Lancet, The</i> , 2013 , 382, 768 Determinants of reduced child stunting in Cambodia: analysis of pooled data from three demographic and health surveys. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 341-9 Comparative cost-effectiveness of policy instruments for reducing the global burden of alcohol,	3·7 40 8.2	66 65 58
120 119 118	Maternal and perinatal outcomes among nulliparous adolescents in low- and middle-income countries: a multi-country study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 1622-30; discussion 1630 HPV vaccination programme in Japan. <i>Lancet, The</i> , 2013 , 382, 768 Determinants of reduced child stunting in Cambodia: analysis of pooled data from three demographic and health surveys. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 341-9 Comparative cost-effectiveness of policy instruments for reducing the global burden of alcohol, tobacco and illicit drug use. <i>Drug and Alcohol Review</i> , 2006 , 25, 553-65 Global and regional estimates of cancer mortality and incidence by site: I. Application of regional	3.7 40 8.2	66 65 58 57
120 119 118 117 116	Maternal and perinatal outcomes among nulliparous adolescents in low- and middle-income countries: a multi-country study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 1622-30; discussion 1630 HPV vaccination programme in Japan. <i>Lancet, The</i> , 2013 , 382, 768 Determinants of reduced child stunting in Cambodia: analysis of pooled data from three demographic and health surveys. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 341-9 Comparative cost-effectiveness of policy instruments for reducing the global burden of alcohol, tobacco and illicit drug use. <i>Drug and Alcohol Review</i> , 2006 , 25, 553-65 Global and regional estimates of cancer mortality and incidence by site: I. Application of regional cancer survival model to estimate cancer mortality distribution by site. <i>BMC Cancer</i> , 2002 , 2, 36 The Future of Japan's Health SystemSustaining Good Health with Equity at Low Cost. <i>New</i>	3.7 40 8.2 3.2 4.8	6665585753

(2014-2007)

112	Viewpoint: evaluating the impact of malaria control efforts on mortality in sub-Saharan Africa. <i>Tropical Medicine and International Health</i> , 2007 , 12, 1524-39	2.3	42
111	Tracking ChinaS health reform. <i>Lancet, The</i> , 2010 , 375, 1056-8	40	41
110	Fish, n - 3 polyunsaturated fatty acids and n - 6 polyunsaturated fatty acids intake and breast cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2015 , 137, 2915-26	7.5	40
109	50 years of pursuing a healthy society in Japan. <i>Lancet, The</i> , 2011 , 378, 1051-3	40	38
108	Keeping count: births, deaths, and causes of death. Lancet, The, 2007, 370, 1744-6	40	38
107	The epidemiological impact and cost-effectiveness of HIV testing, antiretroviral treatment and harm reduction programs. <i>Aids</i> , 2012 , 26, 2069-78	3.5	37
106	Should data from demographic surveillance systems be made more widely available to researchers?. <i>PLoS Medicine</i> , 2008 , 5, e57	11.6	34
105	JapanS vision for health care in 2035. Lancet, The, 2015 , 385, 2549-50	40	32
104	Prevalence and control of hypertension in Bangladesh: a multilevel analysis of a nationwide population-based survey. <i>Journal of Hypertension</i> , 2015 , 33, 465-72; discussion 472	1.9	32
103	Molecular pathological epidemiology gives clues to paradoxical findings. <i>European Journal of Epidemiology</i> , 2015 , 30, 1129-35	12.1	30
102	Development of a disaster cardiovascular prevention network. <i>Lancet, The</i> , 2011 , 378, 1125-7	40	30
101	Self-reported illness and household strategies for coping with health-care payments in Bangladesh. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 449-58	8.2	29
100	Needlestick and sharps injuries among health care workers at public tertiary hospitals in an urban community in Mongolia. <i>BMC Research Notes</i> , 2011 , 4, 184	2.3	29
99	Coping strategies and risk of cardiovascular disease incidence and mortality: the Japan Public Health Center-based prospective Study. <i>European Heart Journal</i> , 2016 , 37, 890-899	9.5	28
98	Progress towards universal health coverage in Myanmar: a national and subnational assessment. <i>The Lancet Global Health</i> , 2018 , 6, e989-e997	13.6	27
97	Estimating the burden of foodborne diseases in Japan. <i>Bulletin of the World Health Organization</i> , 2015 , 93, 540-549C	8.2	27
96	Inequality and inequity in healthcare utilization in urban Nepal: a cross-sectional observational study. <i>Health Policy and Planning</i> , 2016 , 31, 817-24	3.4	26
95	Structural and community-level interventions for increasing condom use to prevent the transmission of HIV and other sexually transmitted infections. <i>The Cochrane Library</i> , 2014 , CD003363	5.2	26

94	Inequality in diabetes-related hospital admissions in England by socioeconomic deprivation and ethnicity: facility-based cross-sectional analysis. <i>PLoS ONE</i> , 2015 , 10, e0116689	3.7	24
93	Designing verbal autopsy studies. <i>Population Health Metrics</i> , 2010 , 8, 19	3	24
92	Trends in, and projections of, indicators of universal health coverage in Bangladesh, 1995-2030: a Bayesian analysis of population-based household data. <i>The Lancet Global Health</i> , 2018 , 6, e84-e94	13.6	24
91	Economic burden from smoking-related diseases in Thailand. <i>Tobacco Control</i> , 2016 , 25, 532-7	5.3	23
90	Assessment of the risk of medium-term internal contamination in Minamisoma City, Fukushima, Japan, after the Fukushima Dai-ichi nuclear accident. <i>Environmental Health Perspectives</i> , 2014 , 122, 587-	. <mark>8</mark> 34	23
89	Progress Toward Universal Health Coverage: A Comparative Analysis in 5 South Asian Countries. JAMA Internal Medicine, 2017 , 177, 1297-1305	11.5	22
88	Acute intake of radionuclides immediately after the incident as the main contributor of the internal radiation exposure after Fukushima Daiichi nuclear disaster. <i>JAMA Pediatrics</i> , 2013 , 167, 1169-70	8.3	22
87	Improving population health measurement in national household surveys: a simulation study of the sample design of the comprehensive survey of living conditions of the people on health and welfare in Japan. <i>Journal of Epidemiology</i> , 2011 , 21, 385-90	3.4	22
86	Trends in heterosexual inexperience among young adults in Japan: analysis of national surveys, 1987-2015. <i>BMC Public Health</i> , 2019 , 19, 355	4.1	21
85	Excess mortality due to indirect health effects of the 2011 triple disaster in Fukushima, Japan: a retrospective observational study. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 974-980	5.1	21
84	Regression analysis of trends in mortality from hepatocellular carcinoma in Japan, 1972-2001. <i>International Journal of Epidemiology</i> , 2005 , 34, 397-402	7.8	21
83	Projecting HIV transmission in Japan. <i>PLoS ONE</i> , 2012 , 7, e43473	3.7	21
82	Post universal health coverage trend and geographical inequalities of mortality in Thailand. <i>International Journal for Equity in Health</i> , 2016 , 15, 190	4.6	21
81	The immediate physical and mental health crisis in residents proximal to the evacuation zone after JapanS nuclear disaster: an observational pilot study. <i>Disaster Medicine and Public Health Preparedness</i> , 2014 , 8, 30-6	2.8	20
80	Time to reconsider thyroid cancer screening in Fukushima. <i>Lancet, The</i> , 2014 , 383, 1883-4	40	19
79	Conditional cash transfer: a magic bullet for health?. <i>Lancet, The</i> , 2008 , 371, 789-91	40	19
78	The importance of alcoholic beverage type for suicide in Japan: a time-series analysis, 1963-2007. Drug and Alcohol Review, 2012 , 31, 251-6	3.2	18
77	Out-of-pocket medical expenses for inpatient care among beneficiaries of the National Health Insurance Program in the Philippines. <i>Health Policy and Planning</i> , 2013 , 28, 536-48	3.4	18

(2014-2016)

76	Health Insurance Coverage and Hypertension Control in China: Results from the China Health and Nutrition Survey. <i>PLoS ONE</i> , 2016 , 11, e0152091	3.7	18
75	Dietary consumption of antioxidant vitamins and subsequent lung cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2018 , 142, 2441-2460	7.5	17
74	Duration of maternally derived antibody against measles: a seroepidemiological study of infants aged under 8 months in Qinghai, China. <i>Vaccine</i> , 2012 , 30, 752-7	4.1	17
73	Geographic information system (GIS) maps and malaria control monitoring: intervention coverage and health outcome in distal villages of Khammouane province, Laos. <i>Malaria Journal</i> , 2009 , 8, 217	3.6	17
72	Trends in perinatal mortality and its risk factors in Japan: Analysis of vital registration data, 1979-2010. <i>Scientific Reports</i> , 2017 , 7, 46681	4.9	16
71	Burden of disease in Japan: using national and subnational data to inform local health policy. Journal of Preventive Medicine and Public Health, 2014 , 47, 136-43	3.7	16
7º	Challenges and opportunities for eliminating tuberculosis - leveraging political momentum of the UN high-level meeting on tuberculosis. <i>BMC Public Health</i> , 2019 , 19, 76	4.1	15
69	Current Measures on Radioactive Contamination in Japan: A Policy Situation Analysis. <i>PLoS ONE</i> , 2016 , 11, e0152040	3.7	15
68	Measurement of internal radiation exposure among decontamination workers in villages near the crippled Fukushima Daiichi Nuclear Power Plant. <i>Health Physics</i> , 2013 , 105, 379-81	2.3	14
67	Malaria risk: estimating clinical episodes of malaria. <i>Nature</i> , 2005 , 437, E3; discussion E4-5	50.4	14
66	Malaria risk: estimating clinical episodes of malaria. <i>Nature</i> , 2005 , 437, E3; discussion E4-5 Achieving MDG 4 in sub-Saharan Africa: what has contributed to the accelerated child mortality decline in Ghana?. <i>PLoS ONE</i> , 2011 , 6, e17774	50.4 3.7	14
	Achieving MDG 4 in sub-Saharan Africa: what has contributed to the accelerated child mortality		
66	Achieving MDG 4 in sub-Saharan Africa: what has contributed to the accelerated child mortality decline in Ghana?. <i>PLoS ONE</i> , 2011 , 6, e17774 Assessing the quality of cause of death data in six high-income countries: Australia, Canada,		14
66	Achieving MDG 4 in sub-Saharan Africa: what has contributed to the accelerated child mortality decline in Ghana?. <i>PLoS ONE</i> , 2011 , 6, e17774 Assessing the quality of cause of death data in six high-income countries: Australia, Canada, Denmark, Germany, Japan and Switzerland. <i>International Journal of Public Health</i> , 2020 , 65, 17-28 Cost-effectiveness analysis of a national neonatal hearing screening program in China: conditions	3.7	14
666564	Achieving MDG 4 in sub-Saharan Africa: what has contributed to the accelerated child mortality decline in Ghana?. <i>PLoS ONE</i> , 2011 , 6, e17774 Assessing the quality of cause of death data in six high-income countries: Australia, Canada, Denmark, Germany, Japan and Switzerland. <i>International Journal of Public Health</i> , 2020 , 65, 17-28 Cost-effectiveness analysis of a national neonatal hearing screening program in China: conditions for the scale-up. <i>PLoS ONE</i> , 2013 , 8, e51990 Behavioral interventions to reduce the transmission of HIV infection among sex workers and their	3.7	14 13 13
66656463	Achieving MDG 4 in sub-Saharan Africa: what has contributed to the accelerated child mortality decline in Ghana?. <i>PLoS ONE</i> , 2011 , 6, e17774 Assessing the quality of cause of death data in six high-income countries: Australia, Canada, Denmark, Germany, Japan and Switzerland. <i>International Journal of Public Health</i> , 2020 , 65, 17-28 Cost-effectiveness analysis of a national neonatal hearing screening program in China: conditions for the scale-up. <i>PLoS ONE</i> , 2013 , 8, e51990 Behavioral interventions to reduce the transmission of HIV infection among sex workers and their clients in high-income countries. <i>The Cochrane Library</i> , 2011 , CD006045 Dietary fiber intake and risk of breast cancer defined by estrogen and progesterone receptor status: the Japan Public Health Center-based Prospective Study. <i>Cancer Causes and Control</i> , 2017 ,	3·7 4 3·7 5·2	14 13 13
6665646362	Achieving MDG 4 in sub-Saharan Africa: what has contributed to the accelerated child mortality decline in Ghana?. <i>PLoS ONE</i> , 2011 , 6, e17774 Assessing the quality of cause of death data in six high-income countries: Australia, Canada, Denmark, Germany, Japan and Switzerland. <i>International Journal of Public Health</i> , 2020 , 65, 17-28 Cost-effectiveness analysis of a national neonatal hearing screening program in China: conditions for the scale-up. <i>PLoS ONE</i> , 2013 , 8, e51990 Behavioral interventions to reduce the transmission of HIV infection among sex workers and their clients in high-income countries. <i>The Cochrane Library</i> , 2011 , CD006045 Dietary fiber intake and risk of breast cancer defined by estrogen and progesterone receptor status: the Japan Public Health Center-based Prospective Study. <i>Cancer Causes and Control</i> , 2017 , 28, 569-578 Area-level socioeconomic deprivation and mortality differentials in Thailand: results from principal	3.7 4 3.7 5.2 2.8	14 13 13 13

58	Vaccine-associated paralytic poliomyelitis in Japan. Lancet, The, 2012, 379, 520	40	12
57	Coping strategies and cancer incidence and mortality: The Japan Public Health Center-based prospective study. <i>Cancer Epidemiology</i> , 2016 , 40, 126-33	2.8	12
56	Causes and risk factors for singleton stillbirth in Japan: Analysis of a nationwide perinatal database, 2013-2014. <i>Scientific Reports</i> , 2018 , 8, 4117	4.9	11
55	Verbal autopsy: advancing science, facilitating application. <i>Population Health Metrics</i> , 2011 , 9, 18	3	11
54	Effect and cost-effectiveness of national gastric cancer screening in Japan: a microsimulation modeling study. <i>BMC Medicine</i> , 2020 , 18, 257	11.4	11
53	Public health utility of cause of death data: applying empirical algorithms to improve data quality. BMC Medical Informatics and Decision Making, 2021 , 21, 175	3.6	11
52	Cost and economic burden of illness over 15 years in Nepal: A comparative analysis. <i>PLoS ONE</i> , 2018 , 13, e0194564	3.7	11
51	Trends and projections of universal health coverage indicators in Ghana, 1995-2030: A national and subnational study. <i>PLoS ONE</i> , 2019 , 14, e0209126	3.7	10
50	Research misconduct and scientific integrity: a call for a global forum. <i>Lancet, The</i> , 2013 , 382, 940	40	10
49	What can Japan learn from tobacco control in the UK?. Lancet, The, 2017, 390, 933-934	40	10
48	Social networks and mental health in post-conflict Mitrovica, Kosova. <i>BMC Public Health</i> , 2014 , 14, 1169	4.1	10
47	Re-invigorating Japan's commitment to global health: challenges and opportunities. <i>Lancet, The</i> , 2011 , 378, 1255-64	40	10
46	resistance to sulfadoxine-pyrimethamine in Africa: a systematic analysis of national trends. <i>BMJ Global Health</i> , 2020 , 5,	6.6	10
45	An open letter to Japans new Prime Minister. <i>Lancet, The</i> , 2020 , 396, e57	40	9
44	Cancer incidence attributable to tuberculosis in 2015: global, regional, and national estimates. <i>BMC Cancer</i> , 2020 , 20, 412	4.8	9
43	Female reproductive factors and risk of all-cause and cause-specific mortality among women: The Japan Public Health Center-based Prospective Study (JPHC study). <i>Annals of Epidemiology</i> , 2018 , 28, 597-604.e6	6.4	9
42	Misconduct: Japan to learn from biomedical cases. <i>Nature</i> , 2014 , 512, 371	50.4	9
41	Factors associated with untreated diabetes: analysis of data from 20,496 participants in the Japanese National Health and Nutrition Survey. <i>PLoS ONE</i> , 2015 , 10, e0118749	3.7	8

(2015-2019)

40	Effect of body-mass index on the risk of gastric cancer: A population-based cohort study in A Japanese population. <i>Cancer Epidemiology</i> , 2019 , 63, 101622	2.8	7
39	Vaccination for whom? Time to reinvigorate Japanese vaccine policy. <i>Lancet, The</i> , 2012 , 380, 1647	40	7
38	What do we really know about adult mortality worldwide?. Lancet, The, 2010, 375, 1668-70	40	7
37	No more excuses: viral hepatitis can be eliminated. <i>Lancet, The</i> , 2016 , 387, 1703-4	40	7
36	Unpaid doctors in Japanese university hospitals. <i>Lancet, The</i> , 2019 , 393, 1096-1097	40	7
35	Cash-transfer programmes in developing countries. <i>Lancet, The</i> , 2013 , 381, 1254-5	40	6
34	Contributions of information and communications technology to future health systems and Universal Health Coverage: application of Japan's experiences. <i>Health Research Policy and Systems</i> , 2020 , 18, 73	3.7	5
33	Simple steps to equity in child survival. <i>BMC Medicine</i> , 2013 , 11, 261	11.4	5
32	Assessment of medium-term cardiovascular disease risk after Japan 2011 Fukushima Daiichi nuclear accident: a retrospective analysis. <i>BMJ Open</i> , 2017 , 7, e018502	3	5
31	Diseases Burden of Chronic Obstructive Pulmonary Disease (COPD) Attributable to Ground-Level Ozone in Thailand: Estimates Based on Surface Monitoring Measurements Data. <i>Global Journal of Health Science</i> , 2015 , 8, 1-13	1.3	5
30	Risk factors and regional variations of malnutrition among children under 5 in Myanmar: cross-sectional analyses at national and subnational levels. <i>BMJ Open</i> , 2019 , 9, e030894	3	5
29	Rethinking the global tracking system on development assistance to reproductive, maternal, newborn, and child health. <i>The Lancet Global Health</i> , 2015 , 3, e350-1	13.6	4
28	Voice from Fukushima: Responsibility of Epidemiologists to Avoid Irrational Stigmatization of Children in Fukushima. <i>Thyroid</i> , 2016 , 26, 1332-3	6.2	4
27	Forecasting disability-adjusted life years for chronic diseases: reference and alternative scenarios of salt intake for 2017-2040 in Japan. <i>BMC Public Health</i> , 2020 , 20, 1475	4.1	4
26	Inequalities and risk factors analysis in prevalence and management of hypertension in India and Nepal: a national and subnational study. <i>BMC Public Health</i> , 2020 , 20, 1341	4.1	4
25	Projections of disability-adjusted life years for major diseases due to a change in vegetable intake in 2017-2040 in Japan. <i>BMC Public Health</i> , 2021 , 21, 770	4.1	4
24	Tracking Japan's development assistance for health, 2012-2016. <i>Globalization and Health</i> , 2020 , 16, 32	10	4
23	Effectiveness of community-based health services by nurse practitioners: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2015 , 5, e006670	3	3

22	Are Japanese randomized controlled trials up to the task? A systematic review. PLoS ONE, 2014, 9, e901	3 77	3
21	Economic hardships and self-reported deterioration of physical and mental health under the COVID-19 pandemic: A cross-sectional study, 2020, Japan <i>Journal of Epidemiology</i> , 2022 , 32,	3.4	3
20	The herbivore's dilemma: Trends in and factors associated with heterosexual relationship status and interest in romantic relationships among young adults in Japan-Analysis of national surveys, 1987-2015. <i>PLoS ONE</i> , 2020 , 15, e0241571	3.7	3
19	An assessment of the characteristics and quality of diagnostic accuracy studies for positron emission tomography conducted in Japan: a systematic review. <i>EJNMMI Research</i> , 2015 , 5, 6	3.6	2
18	Does Japan's national nutrient-based dietary guideline improve lifestyle-related disease outcomes? A retrospective observational cross-sectional study. <i>PLoS ONE</i> , 2019 , 14, e0224042	3.7	2
17	Measles elimination: lack of progress in the Western Pacific Region. <i>Lancet, The</i> , 2009 , 373, 1008	40	2
16	The G7 presidency and universal health coverage, Japan's contribution. <i>Bulletin of the World Health Organization</i> , 2018 , 96, 355-359	8.2	2
15	Japan\$ contribution to making global health architecture a top political agenda by leveraging the G7 presidency. <i>Journal of Global Health</i> , 2018 , 8, 020313	4.3	2
14	Living in Contaminated Radioactive Areas Is Not an Acute Risk Factor for Noncommunicable Disease Development: A Retrospective Observational Study. <i>Disaster Medicine and Public Health Preparedness</i> , 2016 , 10, 34-7	2.8	2
13	Associations between parental socioeconomic position and health-seeking behaviour for diarrhoea and acute respiratory infection among under-5 children in Myanmar: a cross-sectional study. <i>BMJ Open</i> , 2020 , 10, e032039	3	1
12	Fish in the sea: Number, characteristics, and partner preferences of unmarried Japanese adults - analysis of a national survey <i>PLoS ONE</i> , 2022 , 17, e0262528	3.7	1
11	Limited alignment of publicly competitive disease funding with disease burden in Japan. <i>PLoS ONE</i> , 2020 , 15, e0228542	3.7	1
10	Prediction of disability-adjusted life years for diseases due to low fruit intake in 2017-2040 in Japan. <i>Public Health Nutrition</i> , 2021 , 24, 3156-3166	3.3	1
9	Impact of poverty reduction on access to water and sanitation in low- and lower-middle-income countries: country-specific Bayesian projections to 2030. <i>Tropical Medicine and International Health</i> , 2021 , 26, 760-774	2.3	1
8	How do Japanese rate the severity of different diseases and injuries?-an assessment of disability weights for 231 health states by 37,318 Japanese respondents. <i>Population Health Metrics</i> , 2021 , 19, 21	3	1
7	Public health risks of humanitarian crises in Mozambique. <i>Journal of Global Health</i> , 2021 , 11, 03054	4.3	1
6	Salaries, degrees, and babies: Trends in fertility by income and education among Japanese men and women born 1943-1975-Analysis of national surveys <i>PLoS ONE</i> , 2022 , 17, e0266835	3.7	1
5	Hospital admission for type 2 diabetes mellitus under the Universal Coverage Scheme in Thailand: A time- and geographical-trend analysis, 2009-2016. <i>PLoS ONE</i> , 2021 , 16, e0253434	3.7	O

LIST OF PUBLICATIONS

4	Tracking sectoral allocation of official development assistance: a comparative study of the 29 Development Assistance Committee countries, 2011-2018. <i>Global Health Action</i> , 2021 , 14, 1903222	3	О
3	Cross-boundary cancer studies at the University of Tokyo: The globalization of healthcare. <i>Japanese Journal of Clinical Oncology</i> , 2014 , 44 Suppl 1, i69-73	2.8	
2	Japan∃ call for research papers. <i>Lancet, The</i> , 2010 , 376, 1207	40	
1	New estimates of global under-5 mortality [AuthorsSreply. <i>Lancet, The</i> , 2007 , 370, 1413-1414	40	