Kenji Shibuya

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8391754/kenji-shibuya-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 201 | 97,049 | 78 | 214 g-index |
|--------------------|------------------------|---------------------|--------------------|
| papers | citations | h-index | |
| 214 ext. papers | 116,249 ext. citations | 17.4 avg, IF | 8.26 L-index |

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 201 | Economic hardships and self-reported deterioration of physical and mental health under the COVID-19 pandemic: A cross-sectional study, 2020, Japan <i>Journal of Epidemiology</i> , 2022 , 32, | 3.4 | 3 |
| 200 | Fish in the sea: Number, characteristics, and partner preferences of unmarried Japanese adults - analysis of a national survey <i>PLoS ONE</i> , 2022 , 17, e0262528 | 3.7 | 1 |
| 199 | Salaries, degrees, and babies: Trends in fertility by income and education among Japanese men and women born 1943-1975-Analysis of national surveys <i>PLoS ONE</i> , 2022 , 17, e0266835 | 3.7 | 1 |
| 198 | Prediction of disability-adjusted life years for diseases due to low fruit intake in 2017-2040 in Japan. <i>Public Health Nutrition</i> , 2021 , 24, 3156-3166 | 3.3 | 1 |
| 197 | Projections of disability-adjusted life years for major diseases due to a change in vegetable intake in 2017-2040 in Japan. <i>BMC Public Health</i> , 2021 , 21, 770 | 4.1 | 4 |
| 196 | Impact of poverty reduction on access to water and sanitation in low- and lower-middle-income countries: country-specific Bayesian projections to 2030. <i>Tropical Medicine and International Health</i> , 2021 , 26, 760-774 | 2.3 | 1 |
| 195 | How do Japanese rate the severity of different diseases and injuries?-an assessment of disability weights for 231 health states by 37,318 Japanese respondents. <i>Population Health Metrics</i> , 2021 , 19, 21 | 3 | 1 |
| 194 | Public health utility of cause of death data: applying empirical algorithms to improve data quality. BMC Medical Informatics and Decision Making, 2021 , 21, 175 | 3.6 | 11 |
| 193 | Trends in prevalence of blindness and distance and near vision impairment over 30 years: an analysis for the Global Burden of Disease Study. <i>The Lancet Global Health</i> , 2021 , 9, e130-e143 | 13.6 | 122 |
| 192 | Public health risks of humanitarian crises in Mozambique. <i>Journal of Global Health</i> , 2021 , 11, 03054 | 4.3 | 1 |
| 191 | Hospital admission for type 2 diabetes mellitus under the Universal Coverage Scheme in Thailand: A time- and geographical-trend analysis, 2009-2016. <i>PLoS ONE</i> , 2021 , 16, e0253434 | 3.7 | O |
| 190 | Tracking sectoral allocation of official development assistance: a comparative study of the 29 Development Assistance Committee countries, 2011-2018. <i>Global Health Action</i> , 2021 , 14, 1903222 | 3 | О |
| 189 | An open letter to Japans new Prime Minister. <i>Lancet, The</i> , 2020 , 396, e57 | 40 | 9 |
| 188 | Cancer incidence attributable to tuberculosis in 2015: global, regional, and national estimates. <i>BMC Cancer</i> , 2020 , 20, 412 | 4.8 | 9 |
| 187 | Associations between parental socioeconomic position and health-seeking behaviour for diarrhoea and acute respiratory infection among under-5 children in Myanmar: a cross-sectional study. <i>BMJ Open</i> , 2020 , 10, e032039 | 3 | 1 |
| 186 | Are high-performing health systems resilient against the COVID-19 epidemic?. <i>Lancet, The</i> , 2020 , 395, 848-850 | 40 | 250 |
| 185 | Contributions of information and communications technology to future health systems and Universal Health Coverage: application of Japan's experiences. <i>Health Research Policy and Systems</i> , 2020 , 18, 73 | 3.7 | 5 |

(2019-2020)

| 184 | Assessing the quality of cause of death data in six high-income countries: Australia, Canada, Denmark, Germany, Japan and Switzerland. <i>International Journal of Public Health</i> , 2020 , 65, 17-28 | 4 | 13 |
|-----|---|------|------|
| 183 | Limited alignment of publicly competitive disease funding with disease burden in Japan. <i>PLoS ONE</i> , 2020 , 15, e0228542 | 3.7 | 1 |
| 182 | The herbivore's dilemma: Trends in and factors associated with heterosexual relationship status and interest in romantic relationships among young adults in Japan-Analysis of national surveys, 1987-2015. <i>PLoS ONE</i> , 2020 , 15, e0241571 | 3.7 | 3 |
| 181 | Forecasting disability-adjusted life years for chronic diseases: reference and alternative scenarios of salt intake for 2017-2040 in Japan. <i>BMC Public Health</i> , 2020 , 20, 1475 | 4.1 | 4 |
| 180 | resistance to sulfadoxine-pyrimethamine in Africa: a systematic analysis of national trends. <i>BMJ Global Health</i> , 2020 , 5, | 6.6 | 10 |
| 179 | Lessons learnt from easing COVID-19 restrictions: an analysis of countries and regions in Asia Pacific and Europe. <i>Lancet, The</i> , 2020 , 396, 1525-1534 | 40 | 320 |
| 178 | Effect and cost-effectiveness of national gastric cancer screening in Japan: a microsimulation modeling study. <i>BMC Medicine</i> , 2020 , 18, 257 | 11.4 | 11 |
| 177 | Inequalities and risk factors analysis in prevalence and management of hypertension in India and Nepal: a national and subnational study. <i>BMC Public Health</i> , 2020 , 20, 1341 | 4.1 | 4 |
| 176 | Tracking Japan's development assistance for health, 2012-2016. <i>Globalization and Health</i> , 2020 , 16, 32 | 10 | 4 |
| 175 | Effect of body-mass index on the risk of gastric cancer: A population-based cohort study in A Japanese population. <i>Cancer Epidemiology</i> , 2019 , 63, 101622 | 2.8 | 7 |
| 174 | Global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2017, and forecasts to 2030, for 195 countries and territories: a systematic analysis for the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. <i>Lancet HIV,the</i> , 2019 , 6, e831-e859 | 7.8 | 191 |
| 173 | Challenges and opportunities for eliminating tuberculosis - leveraging political momentum of the UN high-level meeting on tuberculosis. <i>BMC Public Health</i> , 2019 , 19, 76 | 4.1 | 15 |
| 172 | Trends and projections of universal health coverage indicators in Ghana, 1995-2030: A national and subnational study. <i>PLoS ONE</i> , 2019 , 14, e0209126 | 3.7 | 10 |
| 171 | Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019 , 569, 260-264 | 50.4 | 278 |
| 170 | Global, regional, and national burden of stroke, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 439-458 | 24.1 | 1102 |
| 169 | Trends in heterosexual inexperience among young adults in Japan: analysis of national surveys, 1987-2015. <i>BMC Public Health</i> , 2019 , 19, 355 | 4.1 | 21 |
| 168 | Long-term and recent trends in hypertension awareness, treatment, and control in 12 high-income countries: an analysis of 123 nationally representative surveys. <i>Lancet, The</i> , 2019 , 394, 639-651 | 40 | 156 |
| 167 | Does Japan's national nutrient-based dietary guideline improve lifestyle-related disease outcomes? A retrospective observational cross-sectional study. <i>PLoS ONE</i> , 2019 , 14, e0224042 | 3.7 | 2 |

| 166 | Unpaid doctors in Japanese university hospitals. <i>Lancet, The</i> , 2019 , 393, 1096-1097 | 40 | 7 |
|-----|---|------|------|
| 165 | Risk factors and regional variations of malnutrition among children under 5 in Myanmar: cross-sectional analyses at national and subnational levels. <i>BMJ Open</i> , 2019 , 9, e030894 | 3 | 5 |
| 164 | Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 56-87 | 24.1 | 480 |
| 163 | Dietary consumption of antioxidant vitamins and subsequent lung cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2018 , 142, 2441-2460 | 7.5 | 17 |
| 162 | Causes and risk factors for singleton stillbirth in Japan: Analysis of a nationwide perinatal database, 2013-2014. <i>Scientific Reports</i> , 2018 , 8, 4117 | 4.9 | 11 |
| 161 | Progress towards universal health coverage in Myanmar: a national and subnational assessment. <i>The Lancet Global Health</i> , 2018 , 6, e989-e997 | 13.6 | 27 |
| 160 | Female reproductive factors and risk of all-cause and cause-specific mortality among women: The Japan Public Health Center-based Prospective Study (JPHC study). <i>Annals of Epidemiology</i> , 2018 , 28, 597-604.e6 | 6.4 | 9 |
| 159 | The G7 presidency and universal health coverage, Japan's contribution. <i>Bulletin of the World Health Organization</i> , 2018 , 96, 355-359 | 8.2 | 2 |
| 158 | Japan's contribution to making global health architecture a top political agenda by leveraging the G7 presidency. <i>Journal of Global Health</i> , 2018 , 8, 020313 | 4.3 | 2 |
| 157 | Trends in, and projections of, indicators of universal health coverage in Bangladesh, 1995-2030: a Bayesian analysis of population-based household data. <i>The Lancet Global Health</i> , 2018 , 6, e84-e94 | 13.6 | 24 |
| 156 | Global, regional, and national age-sex-specific mortality and life expectancy, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1684-1735 | 40 | 483 |
| 155 | Population and fertility by age and sex for 195 countries and territories, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1995-2051 | 40 | 189 |
| 154 | Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1789-1858 | 40 | 4524 |
| 153 | Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 2091-2138 | 40 | 210 |
| 152 | Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1859-1922 | 40 | 1283 |
| 151 | Cost and economic burden of illness over 15 years in Nepal: A comparative analysis. <i>PLoS ONE</i> , 2018 , 13, e0194564 | 3.7 | 11 |
| 150 | Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-years for 32 Cancer Groups, 1990 to 2015: A Systematic Analysis for the Global Burden of Disease Study. <i>JAMA Oncology</i> , 2017 , 3, 524-548 | 13.4 | 2394 |
| 149 | Trends in perinatal mortality and its risk factors in Japan: Analysis of vital registration data, 1979-2010. <i>Scientific Reports</i> , 2017 , 7, 46681 | 4.9 | 16 |

(2016-2017)

| 148 | Dietary fiber intake and risk of breast cancer defined by estrogen and progesterone receptor status: the Japan Public Health Center-based Prospective Study. <i>Cancer Causes and Control</i> , 2017 , 28, 569-578 | 2.8 | 12 |
|-----|---|------|------|
| 147 | Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128 [®] million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642 | 40 | 2980 |
| 146 | Area-level socioeconomic deprivation and mortality differentials in Thailand: results from principal component analysis and cluster analysis. <i>International Journal for Equity in Health</i> , 2017 , 16, 117 | 4.6 | 12 |
| 145 | What can Japan learn from tobacco control in the UK?. Lancet, The, 2017, 390, 933-934 | 40 | 10 |
| 144 | Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1084-1150 | 40 | 421 |
| 143 | Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1260-1344 | 40 | 1152 |
| 142 | Excess mortality due to indirect health effects of the 2011 triple disaster in Fukushima, Japan: a retrospective observational study. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 974-980 | 5.1 | 21 |
| 141 | Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1423-1459 | 40 | 224 |
| 140 | Population health and regional variations of disease burden in Japan, 1990-2015: a systematic subnational analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017 , 390, 1521-1538 | 40 | 101 |
| 139 | Progress Toward Universal Health Coverage: A Comparative Analysis in 5 South Asian Countries. JAMA Internal Medicine, 2017 , 177, 1297-1305 | 11.5 | 22 |
| 138 | Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19 million participants. <i>Lancet, The,</i> 2017 , 389, 37-55 | 40 | 1100 |
| 137 | Assessment of medium-term cardiovascular disease risk after Japan 2011 Fukushima Daiichi nuclear accident: a retrospective analysis. <i>BMJ Open</i> , 2017 , 7, e018502 | 3 | 5 |
| 136 | Economic burden from smoking-related diseases in Thailand. <i>Tobacco Control</i> , 2016 , 25, 532-7 | 5.3 | 23 |
| 135 | Voice from Fukushima: Responsibility of Epidemiologists to Avoid Irrational Stigmatization of Children in Fukushima. <i>Thyroid</i> , 2016 , 26, 1332-3 | 6.2 | 4 |
| 134 | Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2015: the Global Burden of Disease Study 2015. <i>Lancet HIV,the</i> , 2016 , 3, e361-e387 | 7.8 | 382 |
| 133 | Maternal anemia and risk of adverse birth and health outcomes in low- and middle-income countries: systematic review and meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 495-50 | 04 | 229 |
| 132 | Inequality and inequity in healthcare utilization in urban Nepal: a cross-sectional observational study. <i>Health Policy and Planning</i> , 2016 , 31, 817-24 | 3.4 | 26 |
| 131 | Coping strategies and risk of cardiovascular disease incidence and mortality: the Japan Public Health Center-based prospective Study. <i>European Heart Journal</i> , 2016 , 37, 890-899 | 9.5 | 28 |

| 130 | Current Measures on Radioactive Contamination in Japan: A Policy Situation Analysis. <i>PLoS ONE</i> , 2016 , 11, e0152040 | 3.7 | 15 |
|-----|---|-----------------|------|
| 129 | Health Insurance Coverage and Hypertension Control in China: Results from the China Health and Nutrition Survey. <i>PLoS ONE</i> , 2016 , 11, e0152091 | 3.7 | 18 |
| 128 | Post universal health coverage trend and geographical inequalities of mortality in Thailand. <i>International Journal for Equity in Health</i> , 2016 , 15, 190 | 4.6 | 21 |
| 127 | Living in Contaminated Radioactive Areas Is Not an Acute Risk Factor for Noncommunicable Disease Development: A Retrospective Observational Study. <i>Disaster Medicine and Public Health Preparedness</i> , 2016 , 10, 34-7 | 2.8 | 2 |
| 126 | Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016 , 387, 1513-1530 | 40 | 2039 |
| 125 | Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 1912 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-139 | 6 ⁴⁰ | 2787 |
| 124 | Coping strategies and cancer incidence and mortality: The Japan Public Health Center-based prospective study. <i>Cancer Epidemiology</i> , 2016 , 40, 126-33 | 2.8 | 12 |
| 123 | No more excuses: viral hepatitis can be eliminated. <i>Lancet, The</i> , 2016 , 387, 1703-4 | 40 | 7 |
| 122 | Global, regional, and national levels of maternal mortality, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1775-1812 | 40 | 476 |
| 121 | Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1603-1658 | 40 | 1216 |
| 120 | Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1459-1544 | 40 | 3525 |
| 119 | Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1545-1602 | 40 | 3801 |
| 118 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1659-1724 | 40 | 2431 |
| 117 | Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1725-1774 | 40 | 413 |
| 116 | Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1813-1850 | 40 | 302 |
| 115 | An assessment of the characteristics and quality of diagnostic accuracy studies for positron emission tomography conducted in Japan: a systematic review. <i>EJNMMI Research</i> , 2015 , 5, 6 | 3.6 | 2 |
| 114 | Health effects of radiation and other health problems in the aftermath of nuclear accidents, with an emphasis on Fukushima. <i>Lancet, The</i> , 2015 , 386, 479-88 | 40 | 135 |
| 113 | Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology,the</i> , 2015 , 3, 624-37 | 18.1 | 109 |

| 112 | Japan's vision for health care in 2035. <i>Lancet, The</i> , 2015 , 385, 2549-50 | 40 | 32 |
|-----|---|------|------|
| 111 | Prevalence and control of hypertension in Bangladesh: a multilevel analysis of a nationwide population-based survey. <i>Journal of Hypertension</i> , 2015 , 33, 465-72; discussion 472 | 1.9 | 32 |
| 110 | Molecular pathological epidemiology gives clues to paradoxical findings. <i>European Journal of Epidemiology</i> , 2015 , 30, 1129-35 | 12.1 | 30 |
| 109 | Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015 , 386, 2145-91 | 40 | 1203 |
| 108 | Rethinking the global tracking system on development assistance to reproductive, maternal, newborn, and child health. <i>The Lancet Global Health</i> , 2015 , 3, e350-1 | 13.6 | 4 |
| 107 | Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 385, 117-71 | 40 | 4599 |
| 106 | Maternal body mass index and risk of birth and maternal health outcomes in low- and middle-income countries: a systematic review and meta-analysis. <i>Obesity Reviews</i> , 2015 , 16, 758-70 | 10.6 | 105 |
| 105 | Fish, n - 3 polyunsaturated fatty acids and n - 6 polyunsaturated fatty acids intake and breast cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2015 , 137, 2915-26 | 7.5 | 40 |
| 104 | Diseases Burden of Chronic Obstructive Pulmonary Disease (COPD) Attributable to Ground-Level Ozone in Thailand: Estimates Based on Surface Monitoring Measurements Data. <i>Global Journal of Health Science</i> , 2015 , 8, 1-13 | 1.3 | 5 |
| 103 | Inequality in diabetes-related hospital admissions in England by socioeconomic deprivation and ethnicity: facility-based cross-sectional analysis. <i>PLoS ONE</i> , 2015 , 10, e0116689 | 3.7 | 24 |
| 102 | Factors associated with untreated diabetes: analysis of data from 20,496 participants in the Japanese National Health and Nutrition Survey. <i>PLoS ONE</i> , 2015 , 10, e0118749 | 3.7 | 8 |
| 101 | Global trends and projections for tobacco use, 1990-2025: an analysis of smoking indicators from the WHO Comprehensive Information Systems for Tobacco Control. <i>Lancet, The</i> , 2015 , 385, 966-76 | 40 | 286 |
| 100 | Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 743-800 | 40 | 3802 |
| 99 | The Global Burden of Cancer 2013. <i>JAMA Oncology</i> , 2015 , 1, 505-27 | 13.4 | 1870 |
| 98 | The Future of Japan's Health SystemSustaining Good Health with Equity at Low Cost. <i>New England Journal of Medicine</i> , 2015 , 373, 1793-7 | 59.2 | 49 |
| 97 | Effectiveness of community-based health services by nurse practitioners: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2015 , 5, e006670 | 3 | 3 |
| 96 | Civil registration as a means to promote human security. <i>Lancet, The</i> , 2015 , 386, e14-e15 | 40 | 12 |
| 95 | Estimating the burden of foodborne diseases in Japan. <i>Bulletin of the World Health Organization</i> , 2015 , 93, 540-549C | 8.2 | 27 |

| 94 | Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 957-79 | 40 | 497 |
|----|---|------------------|------|
| 93 | Misconduct: Japan to learn from biomedical cases. <i>Nature</i> , 2014 , 512, 371 | 50.4 | 9 |
| 92 | Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 1005-70 | 40 | 653 |
| 91 | Global, regional, and national levels and causes of maternal mortality during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 980-1004 | 40 | 950 |
| 90 | Global, regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 766-81 | 40 | 7175 |
| 89 | Time to reconsider thyroid cancer screening in Fukushima. <i>Lancet, The</i> , 2014 , 383, 1883-4 | 40 | 19 |
| 88 | Are Japanese randomized controlled trials up to the task? A systematic review. <i>PLoS ONE</i> , 2014 , 9, e901 | 37 7 | 3 |
| 87 | Neighborhood deprivation and risk of cancer incidence, mortality and survival: results from a population-based cohort study in Japan. <i>PLoS ONE</i> , 2014 , 9, e106729 | 3.7 | 12 |
| 86 | Assessment of the risk of medium-term internal contamination in Minamisoma City, Fukushima, Japan, after the Fukushima Dai-ichi nuclear accident. <i>Environmental Health Perspectives</i> , 2014 , 122, 587- | 8 ₃ 4 | 23 |
| 85 | Structural and community-level interventions for increasing condom use to prevent the transmission of HIV and other sexually transmitted infections. <i>The Cochrane Library</i> , 2014 , CD003363 | 5.2 | 26 |
| 84 | Social networks and mental health in post-conflict Mitrovica, Kosova. <i>BMC Public Health</i> , 2014 , 14, 1169 | 4.1 | 10 |
| 83 | The immediate physical and mental health crisis in residents proximal to the evacuation zone after JapanS nuclear disaster: an observational pilot study. <i>Disaster Medicine and Public Health Preparedness</i> , 2014 , 8, 30-6 | 2.8 | 20 |
| 82 | Catastrophic household expenditure on health in Nepal: a cross-sectional survey. <i>Bulletin of the World Health Organization</i> , 2014 , 92, 760-7 | 8.2 | 70 |
| 81 | Cross-boundary cancer studies at the University of Tokyo: The globalization of healthcare. <i>Japanese Journal of Clinical Oncology</i> , 2014 , 44 Suppl 1, i69-73 | 2.8 | |
| 80 | Alcohol consumption and psychological distress in adolescents: a multi-country study. <i>Journal of Adolescent Health</i> , 2014 , 54, 228-34 | 5.8 | 84 |
| 79 | Burden of disease in Japan: using national and subnational data to inform local health policy. Journal of Preventive Medicine and Public Health, 2014, 47, 136-43 | 3.7 | 16 |
| 78 | The state of US health, 1990-2010: burden of diseases, injuries, and risk factors. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 591-608 | 27.4 | 1629 |
| 77 | HPV vaccination programme in Japan. <i>Lancet, The</i> , 2013 , 382, 768 | 40 | 65 |

| 76 | Research misconduct and scientific integrity: a call for a global forum. Lancet, The, 2013, 382, 940 | 40 | 10 |
|----|---|------|-----|
| 75 | UK health performance: findings of the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2013 , 381, 997-1020 | 40 | 401 |
| 74 | Simple steps to equity in child survival. <i>BMC Medicine</i> , 2013 , 11, 261 | 11.4 | 5 |
| 73 | Macrosomia in 23 developing countries: an analysis of a multicountry, facility-based, cross-sectional survey. <i>Lancet, The</i> , 2013 , 381, 476-83 | 40 | 183 |
| 72 | Cash-transfer programmes in developing countries. <i>Lancet, The</i> , 2013 , 381, 1254-5 | 40 | 6 |
| 71 | Out-of-pocket medical expenses for inpatient care among beneficiaries of the National Health Insurance Program in the Philippines. <i>Health Policy and Planning</i> , 2013 , 28, 536-48 | 3.4 | 18 |
| 70 | Determinants of reduced child stunting in Cambodia: analysis of pooled data from three demographic and health surveys. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 341-9 | 8.2 | 58 |
| 69 | Self-reported illness and household strategies for coping with health-care payments in Bangladesh. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 449-58 | 8.2 | 29 |
| 68 | Maternal and perinatal outcomes among nulliparous adolescents in low- and middle-income countries: a multi-country study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 1622-30; discussion 1630 | 3.7 | 66 |
| 67 | Acute intake of radionuclides immediately after the incident as the main contributor of the internal radiation exposure after Fukushima Daiichi nuclear disaster. <i>JAMA Pediatrics</i> , 2013 , 167, 1169-70 | 8.3 | 22 |
| 66 | Measurement of internal radiation exposure among decontamination workers in villages near the crippled Fukushima Daiichi Nuclear Power Plant. <i>Health Physics</i> , 2013 , 105, 379-81 | 2.3 | 14 |
| 65 | Cost-effectiveness analysis of a national neonatal hearing screening program in China: conditions for the scale-up. <i>PLoS ONE</i> , 2013 , 8, e51990 | 3.7 | 13 |
| 64 | Health-related financial catastrophe, inequality and chronic illness in Bangladesh. <i>PLoS ONE</i> , 2013 , 8, e56873 | 3.7 | 75 |
| 63 | Mortality risk amongst nursing home residents evacuated after the Fukushima nuclear accident: a retrospective cohort study. <i>PLoS ONE</i> , 2013 , 8, e60192 | 3.7 | 78 |
| 62 | The importance of alcoholic beverage type for suicide in Japan: a time-series analysis, 1963-2007. <i>Drug and Alcohol Review</i> , 2012 , 31, 251-6 | 3.2 | 18 |
| 61 | Vaccine-associated paralytic poliomyelitis in Japan. <i>Lancet, The</i> , 2012 , 379, 520 | 40 | 12 |
| 60 | GBD 2010: a multi-investigator collaboration for global comparative descriptive epidemiology. <i>Lancet, The</i> , 2012 , 380, 2055-8 | 40 | 124 |
| 59 | GBD 2010: design, definitions, and metrics. <i>Lancet, The</i> , 2012 , 380, 2063-6 | 40 | 704 |

| 58 | Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2129-43 | 40 | 842 |
|----|---|--------------------|------|
| 57 | Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2197-223 | 40 | 5768 |
| 56 | Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The,</i> 2012 , 380, 2095-128 | 40 | 8873 |
| 55 | Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96 | 40 | 4971 |
| 54 | A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2224-60 | 40 | 7625 |
| 53 | Vaccination for whom? Time to reinvigorate Japanese vaccine policy. <i>Lancet, The</i> , 2012 , 380, 1647 | 40 | 7 |
| 52 | Duration of maternally derived antibody against measles: a seroepidemiological study of infants aged under 8 months in Qinghai, China. <i>Vaccine</i> , 2012 , 30, 752-7 | 4.1 | 17 |
| 51 | Adult mortality attributable to preventable risk factors for non-communicable diseases and injuries in Japan: a comparative risk assessment. <i>PLoS Medicine</i> , 2012 , 9, e1001160 | 11.6 | 144 |
| 50 | Attributable causes of cancer in Japan in 2005systematic assessment to estimate current burden of cancer attributable to known preventable risk factors in Japan. <i>Annals of Oncology</i> , 2012 , 23, 1362-1 | 3 6 9·3 | 117 |
| 49 | Trends in cause specific mortality across occupations in Japanese men of working age during period of economic stagnation, 1980-2005: retrospective cohort study. <i>BMJ, The</i> , 2012 , 344, e1191 | 5.9 | 82 |
| 48 | The epidemiological impact and cost-effectiveness of HIV testing, antiretroviral treatment and harm reduction programs. <i>Aids</i> , 2012 , 26, 2069-78 | 3.5 | 37 |
| 47 | Projecting HIV transmission in Japan. <i>PLoS ONE</i> , 2012 , 7, e43473 | 3.7 | 21 |
| 46 | 50 years of pursuing a healthy society in Japan. Lancet, The, 2011, 378, 1051-3 | 40 | 38 |
| 45 | Japanese universal health coverage: evolution, achievements, and challenges. <i>Lancet, The</i> , 2011 , 378, 1106-15 | 40 | 362 |
| 44 | Cost containment and quality of care in Japan: is there a trade-off?. Lancet, The, 2011, 378, 1174-82 | 40 | 137 |
| 43 | Re-invigorating JapanS commitment to global health: challenges and opportunities. <i>Lancet, The</i> , 2011 , 378, 1255-64 | 40 | 10 |
| 42 | What has made the population of Japan healthy?. Lancet, The, 2011, 378, 1094-105 | 40 | 284 |
| 41 | Future of Japan's system of good health at low cost with equity: beyond universal coverage. <i>Lancet, The,</i> 2011 , 378, 1265-73 | 40 | 95 |

(2008-2011)

| 40 | Population ageing and wellbeing: lessons from Japan's long-term care insurance policy. <i>Lancet, The</i> , 2011 , 378, 1183-92 | 40 | 305 |
|----------------------------|--|--------------------|----------------------|
| 39 | Development of a disaster cardiovascular prevention network. <i>Lancet, The</i> , 2011 , 378, 1125-7 | 40 | 30 |
| 38 | Behavioral interventions to reduce the transmission of HIV infection among sex workers and their clients in high-income countries. <i>The Cochrane Library</i> , 2011 , CD006045 | 5.2 | 13 |
| 37 | Improving population health measurement in national household surveys: a simulation study of the sample design of the comprehensive survey of living conditions of the people on health and welfare in Japan. <i>Journal of Epidemiology</i> , 2011 , 21, 385-90 | 3.4 | 22 |
| 36 | Verbal autopsy: advancing science, facilitating application. <i>Population Health Metrics</i> , 2011 , 9, 18 | 3 | 11 |
| 35 | Needlestick and sharps injuries among health care workers at public tertiary hospitals in an urban community in Mongolia. <i>BMC Research Notes</i> , 2011 , 4, 184 | 2.3 | 29 |
| 34 | Achieving MDG 4 in sub-Saharan Africa: what has contributed to the accelerated child mortality decline in Ghana?. <i>PLoS ONE</i> , 2011 , 6, e17774 | 3.7 | 14 |
| 33 | Maternal body mass index and gestational weight gain and their association with perinatal outcomes in Viet Nam. <i>Bulletin of the World Health Organization</i> , 2011 , 89, 127-36 | 8.2 | 104 |
| 32 | Survey of non-prescribed use of antibiotics for children in an urban community in Mongolia. <i>Bulletin of the World Health Organization</i> , 2010 , 88, 930-6 | 8.2 | 97 |
| | | | |
| 31 | Tracking ChinaS health reform. <i>Lancet, The</i> , 2010 , 375, 1056-8 | 40 | 41 |
| 30 | Tracking China's health reform. <i>Lancet, The</i> , 2010 , 375, 1056-8 What do we really know about adult mortality worldwide?. <i>Lancet, The</i> , 2010 , 375, 1668-70 | 40 | 4 ¹ |
| | | | |
| 30 | What do we really know about adult mortality worldwide?. <i>Lancet, The</i> , 2010 , 375, 1668-70 | 40 | |
| 30 | What do we really know about adult mortality worldwide?. <i>Lancet, The</i> , 2010 , 375, 1668-70 Japan E call for research papers. <i>Lancet, The</i> , 2010 , 376, 1207 | 40 | 7 |
| 30 29 28 | What do we really know about adult mortality worldwide?. <i>Lancet, The</i> , 2010 , 375, 1668-70 Japan acall for research papers. <i>Lancet, The</i> , 2010 , 376, 1207 Designing verbal autopsy studies. <i>Population Health Metrics</i> , 2010 , 8, 19 Deaths from heart failure: using coarsened exact matching to correct cause-of-death statistics. | 40 | 7 24 |
| 30 29 28 27 | What do we really know about adult mortality worldwide?. <i>Lancet, The</i> , 2010 , 375, 1668-70 Japan acall for research papers. <i>Lancet, The</i> , 2010 , 376, 1207 Designing verbal autopsy studies. <i>Population Health Metrics</i> , 2010 , 8, 19 Deaths from heart failure: using coarsened exact matching to correct cause-of-death statistics. <i>Population Health Metrics</i> , 2010 , 8, 6 Global mortality associated with rotavirus disease among children in 2004. <i>Journal of Infectious</i> | 40 40 3 | 7 24 45 |
| 30 29 28 27 26 | What do we really know about adult mortality worldwide?. <i>Lancet, The</i> , 2010 , 375, 1668-70 Japan acall for research papers. <i>Lancet, The</i> , 2010 , 376, 1207 Designing verbal autopsy studies. <i>Population Health Metrics</i> , 2010 , 8, 19 Deaths from heart failure: using coarsened exact matching to correct cause-of-death statistics. <i>Population Health Metrics</i> , 2010 , 8, 6 Global mortality associated with rotavirus disease among children in 2004. <i>Journal of Infectious Diseases</i> , 2009 , 200 Suppl 1, S9-S15 Geographic information system (GIS) maps and malaria control monitoring: intervention coverage | 40 40 3 7 | 7 24 45 424 |

| 22 | Estimating child mortality due to diarrhoea in developing countries. <i>Bulletin of the World Health Organization</i> , 2008 , 86, 710-7 | 8.2 | 403 |
|--------------------------|---|----------------------------------|-------------------|
| 21 | Should data from demographic surveillance systems be made more widely available to researchers?. <i>PLoS Medicine</i> , 2008 , 5, e57 | 11.6 | 34 |
| 20 | Viewpoint: evaluating the impact of malaria control efforts on mortality in sub-Saharan Africa. <i>Tropical Medicine and International Health</i> , 2007 , 12, 1524-39 | 2.3 | 42 |
| 19 | Global burden of disease 2005: call for collaborators. <i>Lancet, The</i> , 2007 , 370, 109-110 | 40 | 102 |
| 18 | Civil registration systems and vital statistics: successes and missed opportunities. <i>Lancet, The</i> , 2007 , 370, 1653-63 | 40 | 229 |
| 17 | Interim measures for meeting needs for health sector data: births, deaths, and causes of death. <i>Lancet, The</i> , 2007 , 370, 1726-35 | 40 | 109 |
| 16 | The way forward. <i>Lancet, The</i> , 2007 , 370, 1791-9 | 40 | 67 |
| 15 | Keeping count: births, deaths, and causes of death. <i>Lancet, The</i> , 2007 , 370, 1744-6 | 40 | 38 |
| 14 | Can we achieve Millennium Development Goal 4? New analysis of country trends and forecasts of under-5 mortality to 2015. <i>Lancet, The</i> , 2007 , 370, 1040-54 | 40 | 176 |
| | | | |
| 13 | New estimates of global under-5 mortality [AuthorsSreply. <i>Lancet, The</i> , 2007 , 370, 1413-1414 | 40 | |
| 13 | New estimates of global under-5 mortality [AuthorsSreply. <i>Lancet, The</i> , 2007 , 370, 1413-1414 Chronic obstructive pulmonary disease: current burden and future projections. <i>European Respiratory Journal</i> , 2006 , 27, 397-412 | 13.6 | 887 |
| | Chronic obstructive pulmonary disease: current burden and future projections. <i>European</i> | | 88 ₇ |
| 12 | Chronic obstructive pulmonary disease: current burden and future projections. <i>European Respiratory Journal</i> , 2006 , 27, 397-412 Comparative cost-effectiveness of policy instruments for reducing the global burden of alcohol, | 13.6 | , |
| 12 | Chronic obstructive pulmonary disease: current burden and future projections. <i>European Respiratory Journal</i> , 2006 , 27, 397-412 Comparative cost-effectiveness of policy instruments for reducing the global burden of alcohol, tobacco and illicit drug use. <i>Drug and Alcohol Review</i> , 2006 , 25, 553-65 Verbal autopsy: current practices and challenges. <i>Bulletin of the World Health Organization</i> , 2006 , | 13.6 3.2 | 57 |
| 12 11 10 | Chronic obstructive pulmonary disease: current burden and future projections. <i>European Respiratory Journal</i> , 2006 , 27, 397-412 Comparative cost-effectiveness of policy instruments for reducing the global burden of alcohol, tobacco and illicit drug use. <i>Drug and Alcohol Review</i> , 2006 , 25, 553-65 Verbal autopsy: current practices and challenges. <i>Bulletin of the World Health Organization</i> , 2006 , 84, 239-45 | 13.6 3.2 8.2 | 57 215 1366 |
| 12 11 10 | Chronic obstructive pulmonary disease: current burden and future projections. <i>European Respiratory Journal</i> , 2006 , 27, 397-412 Comparative cost-effectiveness of policy instruments for reducing the global burden of alcohol, tobacco and illicit drug use. <i>Drug and Alcohol Review</i> , 2006 , 25, 553-65 Verbal autopsy: current practices and challenges. <i>Bulletin of the World Health Organization</i> , 2006 , 84, 239-45 WHO estimates of the causes of death in children. <i>Lancet, The</i> , 2005 , 365, 1147-52 | 13.6 3.2 8.2 | 57 215 1366 |
| 12 11 10 9 8 | Chronic obstructive pulmonary disease: current burden and future projections. <i>European Respiratory Journal</i> , 2006 , 27, 397-412 Comparative cost-effectiveness of policy instruments for reducing the global burden of alcohol, tobacco and illicit drug use. <i>Drug and Alcohol Review</i> , 2006 , 25, 553-65 Verbal autopsy: current practices and challenges. <i>Bulletin of the World Health Organization</i> , 2006 , 84, 239-45 WHO estimates of the causes of death in children. <i>Lancet, The</i> , 2005 , 365, 1147-52 Malaria risk: estimating clinical episodes of malaria. <i>Nature</i> , 2005 , 437, E3; discussion E4-5 Statistical modeling and projections of lung cancer mortality in 4 industrialized countries. | 13.6 3.2 8.2 40 50.4 | 57 215 1366 |

LIST OF PUBLICATIONS

| 4 | WHO Framework Convention on Tobacco Control: development of an evidence based global public health treaty. <i>BMJ, The</i> , 2003 , 327, 154-7 | 5.9 | 179 |
|---|--|-----|-----|
| 3 | Global and regional estimates of cancer mortality and incidence by site: I. Application of regional cancer survival model to estimate cancer mortality distribution by site. <i>BMC Cancer</i> , 2002 , 2, 36 | 4.8 | 53 |
| 2 | Global and regional estimates of cancer mortality and incidence by site: II. Results for the global burden of disease 2000. <i>BMC Cancer</i> , 2002 , 2, 37 | 4.8 | 298 |
| 1 | Changes in out-of-pocket payments on utilisation of health care services. <i>The Cochrane Library</i> , | 5.2 | 78 |