

# Lei Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8392780/publications.pdf>

Version: 2024-02-01

22  
papers

53  
citations

1937685  
4  
h-index

2053705  
5  
g-index

22  
all docs

22  
docs citations

22  
times ranked

14  
citing authors

#	ARTICLE	IF	CITATIONS
1	Communication-efficient sparse composite quantile regression for distributed data. <i>Metrika</i> , 2023, 86, 261-283.	0.8	3
2	Improved <i>k</i> th power expectile regression with nonignorable dropouts. <i>Journal of Applied Statistics</i> , 2022, 49, 2767-2788.	1.3	1
3	Generalized partial linear models with nonignorable dropouts. <i>Metrika</i> , 2022, 85, 223-252.	0.8	1
4	Smoothed partially linear quantile regression with nonignorable missing response. <i>Journal of the Korean Statistical Society</i> , 2022, 51, 441-479.	0.4	1
5	Multi-round smoothed composite quantile regression for distributed data. <i>Annals of the Institute of Statistical Mathematics</i> , 2022, 74, 869-893.	0.8	3
6	Estimation and inference for multikink expectile regression with longitudinal data. <i>Statistics in Medicine</i> , 2022, 41, 1296-1313.	1.6	1
7	Dimension-reduced empirical likelihood estimation and inference for M-estimators with nonignorable nonresponse. <i>Statistics</i> , 2022, 56, 243-270.	0.6	0
8	Dimension-reduced semiparametric estimation of distribution functions and quantiles with nonignorable nonresponse. <i>Computational Statistics and Data Analysis</i> , 2021, 156, 107142.	1.2	3
9	Improved empirical likelihood inference and variable selection for generalized linear models with longitudinal nonignorable dropouts. <i>Annals of the Institute of Statistical Mathematics</i> , 2021, 73, 623-647.	0.8	3
10	An Efficient Multiple Imputation Approach for Estimating Equations with Response Missing at Random and High-Dimensional Covariates. <i>Journal of Systems Science and Complexity</i> , 2021, 34, 440-464.	2.8	0
11	Quantile treatment effect estimation with dimension reduction. <i>Statistical Theory and Related Fields</i> , 2020, 4, 202-213.	0.4	1
12	Smoothed empirical likelihood inference and variable selection for quantile regression with nonignorable missing response. <i>Computational Statistics and Data Analysis</i> , 2020, 144, 106888.	1.2	11
13	Empirical likelihood and Wilks phenomenon for data with nonignorable missing values. <i>Scandinavian Journal of Statistics</i> , 2019, 46, 1003-1024.	1.4	6
14	Nearest neighbour imputation under single index models. <i>Statistical Theory and Related Fields</i> , 2019, 3, 208-212.	0.4	0
15	Multiple robustness estimation in causal inference. <i>Communications in Statistics - Theory and Methods</i> , 2019, 48, 5701-5718.	1.0	5
16	Dimension reduction for kernel-assisted M-estimators with missing response at random. <i>Annals of the Institute of Statistical Mathematics</i> , 2019, 71, 889-910.	0.8	4
17	Impact of sufficient dimension reduction in nonparametric estimation of causal effect. <i>Statistical Theory and Related Fields</i> , 2018, 2, 89-95.	0.4	4
18	Some issues on longitudinal data with nonignorable dropout, a discussion of "Statistical Inference for Nonignorable Missing-Data Problems: A Selective Review" by Niansheng Tang and Yuanyuan Ju. <i>Statistical Theory and Related Fields</i> , 2018, 2, 137-139.	0.4	1

#	ARTICLE	IF	CITATIONS
19	Identifiability and estimation of two-sample data with nonignorable missing response. Communications in Statistics - Theory and Methods, 0, , 1-17.	1.0	0
20	Improved composite quantile regression and variable selection with nonignorable dropouts. Random Matrices: Theory and Application, 0, , 2250010.	1.1	1
21	Ensemble and calibration multiply robust estimation for quantile treatment effect. Journal of Applied Statistics, 0, , 1-23.	1.3	0
22	Optimal subsampling for composite quantile regression model in massive data. Statistical Papers, 0, , 1.	1.2	4