

Sergio de Albuquerque

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8392799/publications.pdf>

Version: 2024-02-01

137
papers

3,596
citations

117625
34
h-index

189892
50
g-index

139
all docs

139
docs citations

139
times ranked

4323
citing authors

#	ARTICLE	IF	CITATIONS
1	Trypanocidal activity of new 1,6-diphenyl-1H-pyrazolo[3,4-b]pyridine derivatives: Synthesis, in vitro and in vivo studies. <i>Bioorganic and Medicinal Chemistry</i> , 2021, 29, 115855.	3.0	12
2	Synthesis, characterization and antichagasic evaluation of thiosemicarbazones prepared from chalcones and dibenzalacetones. <i>Journal of Molecular Structure</i> , 2021, 1232, 130014.	3.6	12
3	Synthesis of cardanol-based 1,2,3-triazoles as potential green agents against neoplastic cells. <i>Sustainable Chemistry and Pharmacy</i> , 2021, 20, 100408.	3.3	6
4	Gold(III) complexes with thiosemicarbazone ligands as potential anticancer agents: Cytotoxicity and interactions with biomolecular targets. <i>European Journal of Pharmaceutical Sciences</i> , 2021, 162, 105834.	4.0	12
5	Melatonin decreases circulating <i>Trypanosoma cruzi</i> load with no effect on tissue parasite replication. <i>Canadian Journal of Physiology and Pharmacology</i> , 2021, 99, 795-802.	1.4	2
6	Synthesis, antitumor activity and in silico analyses of amino acid derivatives of artemisinin, drupanin and baccharin from green propolis. <i>Bioorganic and Medicinal Chemistry</i> , 2021, 47, 116372.	3.0	10
7	In vitro anti- <i>Trypanosoma cruzi</i> activity enhancement of curcumin by its monoketone tetramethoxy analog diveratralacetone. <i>Current Research in Parasitology and Vector-borne Diseases</i> , 2021, 1, 100031.	1.9	4
8	Crystal structure, anti- <i>Trypanosoma cruzi</i> and cytotoxic activities of Cu(II) complexes bearing β^2 -diketone and β^2 -diimine ligands. <i>Inorganica Chimica Acta</i> , 2020, 499, 119164.	2.4	12
9	Molecular design aided by random forests and synthesis of potent trypanocidal agents as cruzain inhibitors for Chagas disease treatment. <i>Chemical Biology and Drug Design</i> , 2020, 96, 948-960.	3.2	1
10	Anticancer and antitrypanosomal activities of trinuclear ruthenium compounds with orthometalated phenazine ligands. <i>Dalton Transactions</i> , 2020, 49, 16440-16452.	3.3	9
11	Synthesis and Antitrypanosomal Activity of 1,4-Disubstituted Triazole Compounds Based on a 2-Nitroimidazole Scaffold: a Structure-Activity Relationship Study. <i>ChemMedChem</i> , 2020, 15, 2019-2028.	3.2	6
12	On the intrinsic reactivity of highly potent trypanocidal cruzain inhibitors. <i>RSC Medicinal Chemistry</i> , 2020, 11, 1275-1284.	3.9	7
13	Dipeptidyl nitrile derivatives suppress the <i>Trypanosoma cruzi</i> in vitro infection. <i>Experimental Parasitology</i> , 2020, 219, 108032.	1.2	3
14	DNA binding, cleavage, apoptosis and cytotoxicity studies of three heteroleptic nickel complexes bearing β^2 -diketones. <i>Inorganica Chimica Acta</i> , 2020, 511, 119824.	2.4	20
15	Mapping the S1 and S1 TM subsites of cysteine proteases with new dipeptidyl nitrile inhibitors as trypanocidal agents. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0007755.	3.0	11
16	Anti- <i>Trypanosoma cruzi</i> Activity and Molecular Docking Studies of 1Hpyrazolo[3,4-b]pyridine Derivatives. <i>Letters in Drug Design and Discovery</i> , 2020, 17, 184-191.	0.7	7
17	Activity of β^2 -Caryophyllene Oxide Derivatives Against <i>Trypanosoma cruzi</i> , Mammalian Cells, and Horseradish Peroxidase. <i>Revista Brasileira De Farmacognosia</i> , 2020, 30, 824-831.	1.4	2
18	Discovery of 2-aminopyridine Derivatives with Antichagasic and Antileishmanial Activity Using Phenotypic Assays. <i>Letters in Drug Design and Discovery</i> , 2020, 17, 867-872.	0.7	0

#	ARTICLE	IF	CITATIONS
19	Antiprotozoal Activity of Xanthone Derivatives. <i>Orbital</i> , 2020, 12, .	0.3	1
20	Organometallic Gold(III) Complex [Au(Hdamp)(L1 ⁴)] ⁺ (L1 = <i>SNS</i> -Donating) Tj ETQq0 0 0 rgBT /Overl... Diseases, 2019, 5, 1698-1707.	3.8	16
21	Effect of Fluorination on the Structure and Anti- <i>Trypanosoma cruzi</i> Activity of Oxorhenium(V) Complexes with <i>S</i> , <i>N</i> , <i>S</i> -Tridentate Thiosemicarbazones and Benzoylthioureas. Synthesis and Structures of Technetium(V) Analogues. <i>Inorganic Chemistry</i> , 2019, 58, 10129-10138.	4.0	21
22	Phenothiazinium Dyes Are Active against <i>Trypanosoma cruzi</i> In Vitro. <i>BioMed Research International</i> , 2019, 2019, 1-9.	1.9	7
23	Heterobimetallic nickel(II) and palladium(II) complexes derived from <i>S</i> -benzyl- <i>N</i> -(ferrocenyl)methylenedithiocarbazate: Trypanocidal activity and interaction with <i>Trypanosoma cruzi</i> Old Yellow Enzyme (TcOYE). <i>European Journal of Medicinal Chemistry</i> , 2019, 180, 213-223.	5.5	20
24	Organometallic Gold(III) Complexes with Tridentate Halogen-Substituted Thiosemicarbazones: Effects of Halogenation on Cytotoxicity and Anti-Parasitic Activity. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 4455-4462.	2.0	9
25	Dipeptidyl nitrile derivatives have cytostatic effects against <i>Leishmania</i> spp. promastigotes. <i>Experimental Parasitology</i> , 2019, 200, 84-91.	1.2	3
26	Design, synthesis and antitrypanosomatid activities of 3,5-diaryl- <i>s</i> -isoxazole analogues based on neolignans veraguensin, grandisin and machilin G. <i>Chemical Biology and Drug Design</i> , 2019, 93, 313-324.	3.2	22
27	In vitro anti- <i>Trypanosoma cruzi</i> activity of ternary copper(II) complexes and in vivo evaluation of the most promising complex. <i>Biomedicine and Pharmacotherapy</i> , 2019, 109, 157-166.	5.6	23
28	Crystal structure of two new polymeric copper(II) complexes active against <i>Trypanosoma cruzi</i> . <i>Journal of Saudi Chemical Society</i> , 2018, 22, 809-815.	5.2	7
29	Three new platinum complexes containing fluoroquinolones and DMSO: Cytotoxicity and evaluation against drug-resistant tuberculosis. <i>Journal of Inorganic Biochemistry</i> , 2018, 183, 77-83.	3.5	15
30	Î2-amino alcohols and their respective 2-phenyl- <i>N</i> -alkyl aziridines as potential DNA minor groove binders. <i>European Journal of Medicinal Chemistry</i> , 2018, 157, 657-664.	5.5	16
31	Benefits of Ascorbic Acid in Association with Low-Dose Benznidazole in Treatment of Chagas Disease. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	21
32	Thiosemicarbazones and thiadiazines derived from fluorinated benzoylthioureas: Synthesis, crystal structure and anti- <i>Trypanosoma cruzi</i> activity. <i>Journal of Fluorine Chemistry</i> , 2018, 215, 52-61.	1.7	10
33	Cu(I) complexes with thiosemicarbazides derived from <i>p</i> -toluenesulfohydrazide: Structural, luminescence and biological studies. <i>Polyhedron</i> , 2018, 155, 170-179.	2.2	14
34	Organometallic gold(ⁱⁱⁱ) complexes with hybrid <i>SNS</i> -donating thiosemicarbazone ligands: cytotoxicity and anti- <i>Trypanosoma cruzi</i> activity. <i>Dalton Transactions</i> , 2017, 46, 2559-2571.	3.3	29
35	Development and Evaluation of a Nanoemulsion Containing Ursolic Acid: a Promising Trypanocidal Agent. <i>AAPS PharmSciTech</i> , 2017, 18, 2551-2560.	3.3	24
36	A new l-amino acid oxidase from <i>Bothrops jararacussu</i> snake venom: Isolation, partial characterization, and assessment of pro-apoptotic and antiprotozoal activities. <i>International Journal of Biological Macromolecules</i> , 2017, 103, 25-35.	7.5	31

#	ARTICLE	IF	CITATIONS
37	Pt II , Pd II and Au III complexes with a thiosemicarbazone derived from diacethylmonooxime: Structural analysis, trypanocidal activity, cytotoxicity and first insight into the antiparasitic mechanism of action. <i>European Journal of Medicinal Chemistry</i> , 2017, 141, 615-631.	5.5	37
38	New uses for old complexes: The very first report on the trypanocidal activity of symmetric trinuclear ruthenium complexes. <i>Journal of Inorganic Biochemistry</i> , 2017, 176, 156-158.	3.5	14
39	Isolation and Structural Characterization of Two New Furanoditerpenes from <i>Pterodon emarginatus</i> (Fabaceae). <i>Journal of the Brazilian Chemical Society</i> , 2017, , .	0.6	3
40	Anti-trypanosomal activity of non-peptidic nitrile-based cysteine protease inhibitors. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005343.	3.0	26
41	New carbohydrazide derivatives of 1H-pyrazolo[3,4-b]pyridine and trypanocidal activity. <i>Anais Da Academia Brasileira De Ciencias</i> , 2016, 88, 2341-2348.	0.8	7
42	Gold(III) complexes with ONS-Tridentate thiosemicarbazones: Toward selective trypanocidal drugs. <i>European Journal of Medicinal Chemistry</i> , 2016, 120, 217-226.	5.5	39
43	Preparation, characterization and evaluation of the in vivo trypanocidal activity of ursolic acid-loaded solid dispersion with poloxamer 407 and sodium caprate. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2015, 51, 101-109.	1.2	25
44	Evaluating the microbicidal, antiparasitic and antitumor effects of CR-LAAO from <i>Calloselasma rhodostoma</i> venom. <i>International Journal of Biological Macromolecules</i> , 2015, 80, 489-497.	7.5	44
45	Novel naphthoquinone derivatives and evaluation of their trypanocidal and leishmanicidal activities. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 428-437.	2.8	22
46	Molecular Design, Synthesis and Trypanocidal Activity of Dipeptidyl Nitriles as Cruzain Inhibitors. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003916.	3.0	49
47	In vivo activity of ursolic and oleanolic acids during the acute phase of <i>Trypanosoma cruzi</i> infection. <i>Experimental Parasitology</i> , 2013, 134, 455-459.	1.2	29
48	Synthesis and biological activity against <i>Trypanosoma cruzi</i> of substituted 1,4-naphthoquinones. <i>European Journal of Medicinal Chemistry</i> , 2013, 60, 51-56.	5.5	27
49	Evaluation of the in vivo therapeutic properties of (âˆ“)cubebin and (âˆ“)hinokinin against <i>Trypanosoma cruzi</i> . <i>Experimental Parasitology</i> , 2013, 133, 442-446.	1.2	22
50	In vivo infection by <i>Trypanosoma cruzi</i> : a morphometric study of tissue changes in mice. <i>Parasitology Research</i> , 2013, 112, 431-436.	1.6	7
51	In vitro Metabolism of Grandisin, a Lignan with Anti-chagasic Activity. <i>Planta Medica</i> , 2012, 78, 1939-1941.	1.3	14
52	Solid Dispersion of Ursolic Acid in Gelucire 50/13: a Strategy to Enhance Drug Release and Trypanocidal Activity. <i>AAPS PharmSciTech</i> , 2012, 13, 1436-1445.	3.3	48
53	Isolation and biochemical, functional and structural characterization of a novel L-amino acid oxidase from <i>Lachesis muta</i> snake venom. <i>Toxicon</i> , 2012, 60, 1263-1276.	1.6	69
54	Trypanocidal activity of Brazilian plants against epimastigote forms from Y and Bolivia strains of <i>Trypanosoma cruzi</i> . <i>Revista Brasileira De Farmacognosia</i> , 2012, 22, 528-534.	1.4	10

#	ARTICLE	IF	CITATIONS
55	Cell cycle arrest evidence, parasitocidal and bactericidal properties induced by l-amino acid oxidase from <i>Bothrops atrox</i> snake venom. <i>Biochimie</i> , 2011, 93, 941-947.	2.6	55
56	Effect of zinc supplementation in pregnant mice during experimental <i>Trypanosoma cruzi</i> infection. <i>Research in Veterinary Science</i> , 2011, 90, 269-274.	1.9	5
57	Antileishmanial Activity of the Hydroalcoholic Extract of <i>Miconia langsdorffii</i> , Isolated Compounds, and Semi-Synthetic Derivatives. <i>Molecules</i> , 2011, 16, 1825-1833.	3.8	41
58	Chemical Profile and Biological Potential of Non-Polar Fractions from <i>Centroceras clavulatum</i> (C.) Tj ETQq0 0 0 rgBTJ/Overlock 10 Tf 50 6	3.8	18
59	<i>Trypanosoma cruzi</i> : evaluation of (âˆ“) -cubebin derivatives activity in the messenger RNAs processing. <i>Parasitology Research</i> , 2011, 109, 445-451.	1.6	12
60	Trypanocidal and antifungal activities of p-hydroxyacetophenone derivatives from <i>Calea uniflora</i> (Heliantheae, Asteraceae). <i>Journal of Pharmacy and Pharmacology</i> , 2010, 56, 663-669.	2.4	21
61	In-vitro trypanocidal activity evaluation of crude extract and isolated compounds from <i>Baccharis dracunculifolia</i> D. C. (Asteraceae)â€. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 56, 1195-1199.	2.4	65
62	(âˆ“)âˆ“Hinokinin-loaded poly(d,l-lactide-co-glycolide) microparticles for Chagas disease. <i>Parasitology Research</i> , 2010, 106, 703-708.	1.6	24
63	Trypanocidal activity and acute toxicity assessment of triterpene acids. <i>Parasitology Research</i> , 2010, 106, 985-989.	1.6	30
64	New method for quantification of <i>Trypanosoma cruzi</i> in animalâ€™s tissue in the chronic phase of experimental Chagas' disease. <i>Parasitology Research</i> , 2010, 106, 1471-1473.	1.6	7
65	Reduction of parasitism tissue by treatment of mice chronically infected with <i>Trypanosoma cruzi</i> with lignano lactones. <i>Parasitology Research</i> , 2010, 107, 525-530.	1.6	18
66	Trypanocidal, leishmanicidal and antifungal potential from marine red alga <i>Bostrychia tenella</i> J. Agardh (Rhodomelaceae, Ceramiales). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010, 52, 763-769.	2.8	68
67	Trypanocidal activity of flavonoids and limonoids isolated from Myrsinaceae and Meliaceae active plant extracts. <i>Revista Brasileira De Farmacognosia</i> , 2010, 20, 01-06.	1.4	15
68	Effects of dehydroepiandrosterone-sulfate (DHEA-S) and benznidazole treatments during acute infection of two different <i>Trypanosoma cruzi</i> strains. <i>Immunobiology</i> , 2010, 215, 980-986.	1.9	16
69	The antitumoral, trypanocidal and antileishmanial activities of extract and alkaloids isolated from <i>Duguetia furfuracea</i> . <i>Phytomedicine</i> , 2009, 16, 1059-1063.	5.3	52
70	Melatonin and dehydroepiandrosterone combination: does this treatment exert a synergistic effect during experimental <i>Trypanosoma cruzi</i> infection?. <i>Journal of Pineal Research</i> , 2009, 47, 253-259.	7.4	22
71	Synthesis, antichagasic in vitro evaluation, cytotoxicity assays, molecular modeling and SAR/QSAR studies of a 2-phenyl-3-(1-phenyl-1H-pyrazol-4-yl)-acrylic acid benzylidene-carbohydrazide series. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 295-302.	3.0	69
72	Cubebin and derivatives as inhibitors of mitochondrial complex I. Proposed interaction with subunit B8. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2009, 24, 599-606.	5.2	5

#	ARTICLE	IF	CITATIONS
73	Screening of plant extracts from the Brazilian Cerrado for their in vitro trypanocidal activity. <i>Pharmaceutical Biology</i> , 2009, 47, 744-749.	2.9	7
74	Trypanocidal structure-activity relationship for cis- and trans-methylpluviatolide. <i>Phytochemistry</i> , 2008, 69, 1890-1894.	2.9	17
75	In vitro and in vivo antileishmanial activities of a Brazilian green propolis extract. <i>Parasitology Research</i> , 2008, 103, 487-492.	1.6	62
76	Trypanocidal activity of pimarane diterpenes from <i>Viguiera arenaria</i> (Asteraceae). <i>Phytotherapy Research</i> , 2008, 22, 1413-1415.	5.8	32
77	<i>Trypanosoma cruzi</i> : Effects of adrenalectomy during the acute phase of experimental infection. <i>Experimental Parasitology</i> , 2008, 120, 10-14.	1.2	2
78	Histopathological Changes in the Placentas and Fetuses of Mice Infected with <i>Trypanosoma cruzi</i> Isolated from the <i>Myotis nigricans nigricans</i> Bat. <i>Journal of Comparative Pathology</i> , 2008, 139, 108-112.	0.4	5
79	Trypanocidal Activity of Limonoids and Triterpenes from <i>Cedrela fissilis</i> . <i>Planta Medica</i> , 2008, 74, 1795-1799.	1.3	19
80	Intraoperative topical administration of mitomycin C, in different concentrations, on the cicatrization of mioplasties of the dorsal rectus of rabbits. <i>Ciencia Rural</i> , 2008, 38, 129-135.	0.5	0
81	Pirano flavonas in <i>Adiantum</i> e atividades tripanocidas das substâncias isoladas de <i>Conchocarpus heterophyllus</i> . <i>Quimica Nova</i> , 2008, 31, 740-743.	0.3	12
82	Estudio Cariométrico de Placentas de Ratonas con Infección Aguda por Diferentes Cepas de <i>Trypanosoma cruzi</i> . <i>International Journal of Morphology</i> , 2008, 26, .	0.2	1
83	(α)-Hinokinin causes antigenotoxicity but not genotoxicity in peripheral blood of Wistar rats. <i>Food and Chemical Toxicology</i> , 2007, 45, 638-642.	3.6	42
84	Cytotoxic L-amino acid oxidase from <i>Bothrops moojeni</i> : Biochemical and functional characterization. <i>International Journal of Biological Macromolecules</i> , 2007, 41, 132-140.	7.5	87
85	Screening of Southeastern Brazilian <i>Mikania</i> . Species on <i>Trypanosoma cruzi</i> .. <i>Pharmaceutical Biology</i> , 2007, 45, 749-752.	2.9	3
86	Conformational Study of (8 \pm ,8 ϵ - ϵ)-Bis(substituted phenyl)-lignano-9,9 ϵ -lactones by Means of Combined Computational, Database Mining, NMR, and Chemometric Approaches. <i>Journal of Physical Chemistry A</i> , 2007, 111, 6316-6333.	2.5	6
87	In vitro evaluation of the cytotoxic and trypanocidal activities of <i>Ampelozizyphus amazonicus</i> (Rhamnaceae). <i>Brazilian Journal of Medical and Biological Research</i> , 2007, 40, 663-670.	1.5	41
88	Synthesis, in vitro evaluation, and SAR studies of a potential antichagasic 1H-pyrazolo[3,4-b]pyridine series. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 211-219.	3.0	69
89	In vitro and in vivo activity of lignan lactones derivatives against <i>Trypanosoma cruzi</i> . <i>Parasitology Research</i> , 2007, 100, 791-795.	1.6	67
90	IN VITRO TRYPANOCIDAL ACTIVITY AND CHEMICAL CONSTITUENTS OF <i>ASPILIA PLATYPHYLLA</i> (BAKER) BLAKE. <i>Journal of the Chilean Chemical Society</i> , 2007, 52, .	1.2	0

#	ARTICLE	IF	CITATIONS
91	A study of the trypanocidal activity of triterpene acids isolated from <i>Miconia</i> species. <i>Phytotherapy Research</i> , 2006, 20, 474-478.	5.8	42
92	Trypanocidal activity of 5,6-dihydropyran-2-ones against free trypomastigotes forms of <i>Trypanosoma cruzi</i> . <i>European Journal of Medicinal Chemistry</i> , 2006, 41, 1210-1213.	5.5	22
93	Synthesis and trypanocidal activity of 1,4-bis-(3,4,5-trimethoxy-phenyl)-1,4-butanediol and 1,4-bis-(3,4-dimethoxyphenyl)-1,4-butanediol. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 7075-7082.	3.0	34
94	Detailed ¹ H and ¹³ C NMR structural assignment of three biologically active lignan lactones. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2006, 63, 234-239.	3.9	17
95	Is nitric oxide involved in the tolerance of <i>Calomys callosus</i> as a reservoir host towards <i>Trypanosoma cruzi</i> infection?. <i>Journal of Infection</i> , 2006, 52, 49-55.	3.3	19
96	The influence of culture conditions on the biosynthesis of secondary metabolites by <i>Penicillium verrucosum</i> Dierck. <i>Microbiological Research</i> , 2006, 161, 273-280.	5.3	24
97	Biological activities and chemical composition of crude extracts from <i>Chresta exsucca</i> . <i>BJPS: Brazilian Journal of Pharmaceutical Sciences</i> , 2006, 42, 83-90.	0.5	3
98	ALKALOIDS AND A FLAVONOID FROM AERIAL PARTS (LEAVES AND TWIGS) OF <i>DUGUETIA FURFURACEA</i> - ANNONACEAE. <i>Journal of the Chilean Chemical Society</i> , 2006, 51, .	1.2	18
99	Trypanocidal activity of (â ⁺)-cubebin derivatives against free amastigote forms of <i>Trypanosoma cruzi</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 303-307.	2.2	95
100	Trypanocidal activity of extracts and fractions of <i>Bertholletia excelsa</i> . <i>FÃ-toterapÃ-Ãç</i> , 2005, 76, 26-29.	2.2	16
101	Chemical constituents of <i>Lychnophora pohlii</i> and trypanocidal activity of crude plant extracts and of isolated compounds. <i>FÃ-toterapÃ-Ãç</i> , 2005, 76, 73-82.	2.2	66
102	Improvement of trypanocidal metabolites production by <i>Aspergillus fumigatus</i> using neural networks. <i>Microbiological Research</i> , 2005, 160, 141-148.	5.3	8
103	Complete assignments of ¹ H and ¹³ C NMR spectral data for benzylidenbenzyl butyrolactone lignans. <i>Magnetic Resonance in Chemistry</i> , 2005, 43, 966-969.	1.9	15
104	New pyrone and quinoline alkaloid from <i>Almeidea rubra</i> and their trypanocidal activity. <i>Journal of the Brazilian Chemical Society</i> , 2005, 16, 434-439.	0.6	17
105	Phylloseptins: a novel class of anti-bacterial and anti-protozoan peptides from the <i>Phyllomedusa</i> genus. <i>Peptides</i> , 2005, 26, 565-573.	2.4	103
106	Trypanocidal activity of Meliaceae and Rutaceae plant extracts. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2004, 99, 227-231.	1.6	30
107	Evaluation of the trypanocidal and leishmanicidal in vitro activity of the crude hydroalcoholic extract of <i>Pfaffia glomerata</i> (Amaranthaceae) roots. <i>Phytomedicine</i> , 2004, 11, 662-665.	5.3	32
108	Trypanocidal and antimicrobial activities of <i>Moquinia kingii</i> . <i>Phytomedicine</i> , 2004, 11, 224-229.	5.3	24

#	ARTICLE	IF	CITATIONS
109	Trypanocidal properties of Mikania stipulacea and Mikania hoehnei isolated terpenoids. FÃ-toterapÃ-Ã¢, 2004, 75, 381-384.	2.2	14
110	Six Trypanosoma cruzi strains characterized by specific gene expression patterns. Parasitology Research, 2004, 94, 134-40.	1.6	10
111	Trypanocidal activity of chemical constituents from Lychnophora salicifolia Mart. Phytotherapy Research, 2004, 18, 332-334.	5.8	27
112	Antiprotozoal effect of crude extracts and flavonoids isolated from Chromolaena hirsuta (asteraceae). Phytotherapy Research, 2004, 18, 250-254.	5.8	48
113	Complete assignment of ¹ H and ¹³ C NMR data for three aryltetralin lignan lactones. Magnetic Resonance in Chemistry, 2004, 42, 985-989.	1.9	15
114	Tetrahydrofuran Lignans from Nectandra megapotamica with Trypanocidal Activity. Journal of Natural Products, 2004, 67, 42-45.	3.0	75
115	Trypanocidal activity of Lychnophora staavioides Mart. (Vernonieae, Asteraceae). Phytomedicine, 2003, 10, 490-493.	5.3	40
116	Activity of the Pinus elliottii resin compounds against Lernaea cyprinacea in vitro. Veterinary Parasitology, 2003, 118, 143-149.	1.8	19
117	seco-Iridoids from Calycophyllum spruceanum (Rubiaceae). Phytochemistry, 2003, 64, 549-553.	2.9	26
118	Trypanocidal tetrahydrofuran lignans from inflorescences of Piper solmsianum. Phytochemistry, 2003, 64, 667-670.	2.9	81
119	Orbital cellulitis associated with Toxocara canis in a dog. Veterinary Ophthalmology, 2003, 6, 333-336.	1.0	24
120	In Vitro Trypanocidal Activity of Triterpenes from Miconia Species. Planta Medica, 2003, 69, 470-472.	1.3	80
121	Biological Activity of Quinoline Alkaloids from Raulinoa echinata and X-ray Structure of Flindersiamine. Journal of the Brazilian Chemical Society, 2002, 13, 66-70.	0.6	41
122	Triterpenoid Constituents of Raulinoa echinata. Journal of Natural Products, 2002, 65, 562-565.	3.0	32
123	Dermaseptins from Phyllomedusa oreades and Phyllomedusa distincta. Journal of Biological Chemistry, 2002, 277, 49332-49340.	3.4	101
124	Bioactivity of crude extracts and some constituents of Blutaparon portulacoides (Amaranthaceae). Phytomedicine, 2002, 9, 566-571.	5.3	44
125	Molecular genetic characterization of different Trypanosoma cruzi strains and comparison of their development in Mus musculus and Calomys callosus. Parasitology Research, 2002, 88, 609-616.	1.6	16
126	Limonoids from the Endemic Brazilian Species Raulinoa echinata. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2001, 56, 570-574.	1.4	17

#	ARTICLE	IF	CITATIONS
127	Strategies for the isolation and identification of trypanocidal compounds from the Rutales. Pure and Applied Chemistry, 2001, 73, 617-622.	1.9	36
128	Chemistry and bioactivity of Raulinoa echinata Cowan, an endemic Brazilian Rutaceae species. Phytomedicine, 2001, 8, 121-124.	5.3	27
129	A study of the trypanocidal and analgesic properties from Lychnophora granmongolense (Duarte) Semir & Leitão Filho. , 2000, 14, 203-206.		46
130	In vitro activity of Rutaceae species against the trypomastigote form of Trypanosoma cruzi. Journal of Ethnopharmacology, 2000, 73, 335-340.	4.1	30
131	Evaluation of the Trypanocidal Activity of Lignans Isolated from the Leaves of Zanthoxylum naranjillo. Planta Medica, 1999, 65, 541-544.	1.3	99
132	TRYPANOCIDAL ACTIVITY FROM TABERNAEMONTANA CATHARINENSIS A. DC. Acta Horticulturae, 1999, , 165-170.	0.2	6
133	Flavonoids and Lignans from Virola surinamensis Twigs and their in vitro Activity against Trypanosoma cruzi. Planta Medica, 1998, 64, 667-669.	1.3	77
134	Diterpenes and Synthetic Derivatives from Viguiera aspilioides with Trypanomicidal Activity. Planta Medica, 1996, 62, 557-559.	1.3	32
135	Energetics of heart mitochondria during acute phase of Trypanosoma cruzi infection in rats. International Journal of Biochemistry and Cell Biology, 1995, 27, 1183-1189.	2.8	16
136	Kinetic disposition of ursolic acid in rats. Pharmaceutical and Biomedical Research, 0, , .	0.2	0
137	Plants from the Brazilian Cerrado with antimycobacterial effect. Ciência E Natura, 0, 41, e37.	0.0	0