

David Shiers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8393115/publications.pdf>

Version: 2024-02-01

34
papers

1,968
citations

758635

12
h-index

454577

30
g-index

36
all docs

36
docs citations

36
times ranked

2670
citing authors

#	ARTICLE	IF	CITATIONS
1	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. <i>Lancet Psychiatry</i> , 2019, 6, 675-712.	3.7	815
2	Excess mortality in persons with severe mental disorders: a multilevel intervention framework and priorities for clinical practice, policy and research agendas. <i>World Psychiatry</i> , 2017, 16, 30-40.	4.8	477
3	Antipsychotics: is it time to introduce patient choice?. <i>British Journal of Psychiatry</i> , 2012, 201, 83-84.	1.7	111
4	Assessment and treatment of physical health problems among people with schizophrenia: national cross-sectional study. <i>British Journal of Psychiatry</i> , 2014, 205, 473-477.	1.7	98
5	Structured lifestyle education for people with schizophrenia, schizoaffective disorder and first-episode psychosis (STEPWISE): randomised controlled trial. <i>British Journal of Psychiatry</i> , 2019, 214, 63-73.	1.7	77
6	Antipsychotic medication versus psychological intervention versus a combination of both in adolescents with first-episode psychosis (MAPS): a multicentre, three-arm, randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , 2020, 7, 788-800.	3.7	51
7	Antipsychotic drugs versus cognitive behavioural therapy versus a combination of both in people with psychosis: a randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , 2018, 5, 411-423.	3.7	50
8	Structured lifestyle education to support weight loss for people with schizophrenia, schizoaffective disorder and first episode psychosis: the STEPWISE RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-160.	1.3	39
9	Improving the physical health of people with severe mental illness. <i>InnovAiT</i> , 2019, 12, 203-210.	0.0	25
10	Living with diabetes alongside a severe mental illness: A qualitative exploration with people with severe mental illness, family members and healthcare staff. <i>Diabetic Medicine</i> , 2021, 38, e14562.	1.2	25
11	Health inequalities and psychosis: Time for action. <i>British Journal of Psychiatry</i> , 2015, 207, 471-473.	1.7	22
12	Understanding the needs of carers of people with psychosis in primary care. <i>British Journal of General Practice</i> , 2016, 66, 400-401.	0.7	19
13	Impact of severe mental illness on healthcare use and health outcomes for people with type 2 diabetes: a longitudinal observational study in England. <i>British Journal of General Practice</i> , 2021, 71, e565-e573.	0.7	18
14	COVID-19 and UK family carers: policy implications. <i>Lancet Psychiatry</i> , 2021, 8, 929-936.	3.7	18
15	Exploring the facilitators, barriers, and strategies for self-management in adults living with severe mental illness, with and without long-term conditions: A qualitative evidence synthesis. <i>PLoS ONE</i> , 2021, 16, e0258937.	1.1	15
16	Structured lifestyle education for people With Schizophrenia (STEPWISE): mixed methods process evaluation of a group-based lifestyle education programme to support weight loss in people with schizophrenia. <i>BMC Psychiatry</i> , 2019, 19, 358.	1.1	13
17	STEPWISE – Structured lifestyle Education for People With Schizophrenia: a study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 475.	0.7	12
18	Study protocol for a randomised controlled trial of CBT vs antipsychotics vs both in 14–18-year-olds: Managing Adolescent first episode Psychosis: a feasibility study (MAPS). <i>Trials</i> , 2019, 20, 395.	0.7	11

#	ARTICLE	IF	CITATIONS
19	Healthcare resource use and costs for people with type 2 diabetes mellitus with and without severe mental illness in England: longitudinal matched-cohort study using the Clinical Practice Research Datalink. <i>British Journal of Psychiatry</i> , 2022, 221, 402-409.	1.7	10
20	Adherence to NICE guidance on lifestyle advice for people with schizophrenia: A survey. <i>BJPsych Bulletin</i> , 2017, 41, 137-144.	0.7	9
21	Early psychosis for the non-specialist doctor. <i>BMJ: British Medical Journal</i> , 2017, 357, j4578.	2.4	9
22	Psychological intervention, antipsychotic medication or a combined treatment for adolescents with a first episode of psychosis: the MAPS feasibility three-arm RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-124.	1.3	7
23	Still "being bothered about Billy": managing the physical health of people with severe mental illness. <i>British Journal of General Practice</i> , 2021, 71, 373-376.	0.7	6
24	Exploring Severe Mental Illness and Diabetes: Protocol for a Longitudinal, Observational, and Qualitative Mixed Methods Study. <i>JMIR Research Protocols</i> , 2019, 8, e13407.	0.5	6
25	Physical Health Problems in Psychosis: Is It Time to Consider the Views of Family Carers?. <i>Frontiers in Psychiatry</i> , 2018, 9, 668.	1.3	5
26	Applying economic models to estimate local economic benefits of improved coverage of early intervention for psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 1424-1430.	0.9	5
27	"I don't think I took her fears seriously": Exploring the experiences of family members of individuals at risk of developing psychosis over 12 months. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 965-976.	1.4	5
28	The DIAMONDS intervention to support self-management of type 2 diabetes in people with severe mental illness: Study protocol for a single-group feasibility study. <i>SSM Mental Health</i> , 2022, 2, 100086.	0.9	4
29	Identifying determinants of diabetes risk and outcomes for people with severe mental illness: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2021, 9, 1-194.	1.4	2
30	Exploring determinants of self-management in adults with severe mental illness: a qualitative evidence synthesis. <i>BJPsych Open</i> , 2021, 7, S13-S13.	0.3	2
31	Study protocol for the development and internal validation of Schizophrenia Prediction of Resistance to Treatment (SPIRIT): a clinical tool for predicting risk of treatment resistance to antipsychotics in first-episode schizophrenia. <i>BMJ Open</i> , 2022, 12, e056420.	0.8	1
32	Multiple versus single risk behaviour interventions for people with severe mental illness: a network meta-analysis and qualitative synthesis. , 2022, 10, 1-186.		1
33	Authors' reply. <i>British Journal of Psychiatry</i> , 2016, 208, 398-399.	1.7	0
34	Stand-alone cognitive behavioural therapy is not in clinical equipoise with antipsychotic treatment " Author's reply. <i>Lancet Psychiatry</i> , 2018, 5, 540-541.	3.7	0