

# M Teresa Donato

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8393685/m-teresa-donato-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122  
papers

6,913  
citations

43  
h-index

80  
g-index

122  
ext. papers

7,717  
ext. citations

3.8  
avg, IF

5.65  
L-index

#	Paper	IF	Citations
122	Recent advances in 2D and 3D in vitro systems using primary hepatocytes, alternative hepatocyte sources and non-parenchymal liver cells and their use in investigating mechanisms of hepatotoxicity, cell signaling and ADME. <i>Archives of Toxicology</i> , <b>2013</b> , 87, 1315-530	5.8	837
121	A human hepatocellular in vitro model to investigate steatosis. <i>Chemico-Biological Interactions</i> , <b>2007</b> , 165, 106-16	5	333
120	Cytochrome P450 expression in human hepatocytes and hepatoma cell lines: molecular mechanisms that determine lower expression in cultured cells. <i>Xenobiotica</i> , <b>2002</b> , 32, 505-20	2	304
119	A microassay for measuring cytochrome P450IA1 and P450IIB1 activities in intact human and rat hepatocytes cultured on 96-well plates. <i>Analytical Biochemistry</i> , <b>1993</b> , 213, 29-33	3.1	283
118	Cell lines: a tool for in vitro drug metabolism studies. <i>Current Drug Metabolism</i> , <b>2008</b> , 9, 1-11	3.5	216
117	Human hepatocytes in primary culture: the choice to investigate drug metabolism in man. <i>Current Drug Metabolism</i> , <b>2004</b> , 5, 443-62	3.5	202
116	Human hepatocytes as a tool for studying toxicity and drug metabolism. <i>Current Drug Metabolism</i> , <b>2003</b> , 4, 292-312	3.5	187
115	Fluorescence-based assays for screening nine cytochrome P450 (P450) activities in intact cells expressing individual human P450 enzymes. <i>Drug Metabolism and Disposition</i> , <b>2004</b> , 32, 699-706	4	181
114	Metabolism and bioactivation of toxicants in the lung. The in vitro cellular approach. <i>Experimental and Toxicologic Pathology</i> , <b>2005</b> , 57 Suppl 1, 189-204		175
113	Targeted profiling of circulating and hepatic bile acids in human, mouse, and rat using a UPLC-MRM-MS-validated method. <i>Journal of Lipid Research</i> , <b>2012</b> , 53, 2231-2241	6.3	171
112	Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS. <i>Biochemical Pharmacology</i> , <b>2003</b> , 66, 2155-67	6	132
111	Mammalian cell metabolomics: experimental design and sample preparation. <i>Electrophoresis</i> , <b>2013</b> , 34, 2762-75	3.6	130
110	Competency of different cell models to predict human hepatotoxic drugs. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , <b>2014</b> , 10, 1553-68	5.5	116
109	Cytochrome P-450 mRNA expression in human liver and its relationship with enzyme activity. <i>Archives of Biochemistry and Biophysics</i> , <b>2001</b> , 393, 308-15	4.1	113
108	Hepatocytes--the choice to investigate drug metabolism and toxicity in man: in vitro variability as a reflection of in vivo. <i>Chemico-Biological Interactions</i> , <b>2007</b> , 168, 30-50	5	112
107	Transcriptional regulation and expression of CYP3A4 in hepatocytes. <i>Current Drug Metabolism</i> , <b>2007</b> , 8, 185-94	3.5	106
106	Potential impact of steatosis on cytochrome P450 enzymes of human hepatocytes isolated from fatty liver grafts. <i>Drug Metabolism and Disposition</i> , <b>2006</b> , 34, 1556-62	4	105

105	Characterization of drug metabolizing activities in pig hepatocytes for use in bioartificial liver devices: comparison with other hepatic cellular models. <i>Journal of Hepatology</i> , <b>1999</b> , 31, 542-9	13.4	102
104	Strategies and molecular probes to investigate the role of cytochrome P450 in drug metabolism: focus on in vitro studies. <i>Clinical Pharmacokinetics</i> , <b>2003</b> , 42, 153-78	6.2	97
103	A comprehensive untargeted metabolomic analysis of human steatotic liver tissue by RP and HILIC chromatography coupled to mass spectrometry reveals important metabolic alterations. <i>Journal of Proteome Research</i> , <b>2011</b> , 10, 4825-34	5.6	93
102	Development of a multiparametric cell-based protocol to screen and classify the hepatotoxicity potential of drugs. <i>Toxicological Sciences</i> , <b>2012</b> , 127, 187-98	4.4	93
101	Culture and Functional Characterization of Human Hepatoma HepG2 Cells. <i>Methods in Molecular Biology</i> , <b>2015</b> , 1250, 77-93	1.4	91
100	Cytochrome P450 expression and related metabolism in human buccal mucosa. <i>Carcinogenesis</i> , <b>2001</b> , 22, 481-8	4.6	87
99	In vitro evaluation of potential hepatotoxicity induced by drugs. <i>Current Pharmaceutical Design</i> , <b>2010</b> , 16, 1963-77	3.3	85
98	General Cytotoxicity Assessment by Means of the MTT Assay. <i>Methods in Molecular Biology</i> , <b>2015</b> , 1250, 333-48	1.4	82
97	Culture of human hepatocytes from small surgical liver biopsies. Biochemical characterization and comparison with in vivo. <i>In Vitro Cellular &amp; Developmental Biology</i> , <b>1990</b> , 26, 67-74		75
96	Cytometric analysis for drug-induced steatosis in HepG2 cells. <i>Chemico-Biological Interactions</i> , <b>2009</b> , 181, 417-23	5	59
95	An update on metabolism studies using human hepatocytes in primary culture. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , <b>2008</b> , 4, 837-54	5.5	59
94	HepG2 cells simultaneously expressing five P450 enzymes for the screening of hepatotoxicity: identification of bioactivable drugs and the potential mechanism of toxicity involved. <i>Archives of Toxicology</i> , <b>2013</b> , 87, 1115-27	5.8	57
93	Expression and induction of a large set of drug-metabolizing enzymes by the highly differentiated human hepatoma cell line BC2. <i>FEBS Journal</i> , <b>2001</b> , 268, 1448-59		57
92	Hepatic cell lines for drug hepatotoxicity testing: limitations and strategies to upgrade their metabolic competence by gene engineering. <i>Current Drug Metabolism</i> , <b>2013</b> , 14, 946-68	3.5	55
91	Validated assay for studying activity profiles of human liver UGTs after drug exposure: inhibition and induction studies. <i>Analytical and Bioanalytical Chemistry</i> , <b>2010</b> , 396, 2251-63	4.4	55
90	High-content imaging technology for the evaluation of drug-induced steatosis using a multiparametric cell-based assay. <i>Journal of Biomolecular Screening</i> , <b>2012</b> , 17, 394-400		53
89	Co-cultures of hepatocytes with epithelial-like cell lines: expression of drug-biotransformation activities by hepatocytes. <i>Cell Biology and Toxicology</i> , <b>1991</b> , 7, 1-14	7.4	53
88	Effect of model inducers on cytochrome P450 activities of human hepatocytes in primary culture. <i>Drug Metabolism and Disposition</i> , <b>1995</b> , 23, 553-8	4	53

87	The carcinoGENOMICS project: critical selection of model compounds for the development of omics-based in vitro carcinogenicity screening assays. <i>Mutation Research - Reviews in Mutation Research</i> , <b>2008</b> , 659, 202-10	7	50
86	A metabolomics cell-based approach for anticipating and investigating drug-induced liver injury. <i>Scientific Reports</i> , <b>2016</b> , 6, 27239	4.9	50
85	Metabolomics discloses donor liver biomarkers associated with early allograft dysfunction. <i>Journal of Hepatology</i> , <b>2014</b> , 61, 564-74	13.4	49
84	Inhibition of human P450 enzymes by natural extracts used in traditional medicine. <i>Phytotherapy Research</i> , <b>2009</b> , 23, 279-82	6.7	49
83	Adenovirus-mediated gene transfer into human hepatocytes: analysis of the biochemical functionality of transduced cells. <i>Gene Therapy</i> , <b>1997</b> , 4, 455-64	4	47
82	Metabolic activation and drug-induced liver injury: in vitro approaches for the safety risk assessment of new drugs. <i>Journal of Applied Toxicology</i> , <b>2016</b> , 36, 752-68	4.1	46
81	Functional assessment of the quality of human hepatocyte preparations for cell transplantation. <i>Cell Transplantation</i> , <b>2008</b> , 17, 1211-9	4	45
80	Effect of xenobiotics on monooxygenase activities in cultured human hepatocytes. <i>Biochemical Pharmacology</i> , <b>1990</b> , 39, 1321-6	6	45
79	Drug metabolizing enzymes in rat hepatocytes co-cultured with cell lines. <i>In Vitro Cellular &amp; Developmental Biology</i> , <b>1990</b> , 26, 1057-62		43
78	Cryopreservation of rat, dog and human hepatocytes: influence of preculture and cryoprotectants on recovery, cytochrome P450 activities and induction upon thawing. <i>Xenobiotica</i> , <b>2006</b> , 36, 457-72	2	41
77	Advantageous use of HepaRG cells for the screening and mechanistic study of drug-induced steatosis. <i>Toxicology and Applied Pharmacology</i> , <b>2016</b> , 302, 1-9	4.6	40
76	Potential hepatoprotective effects of new Cuban natural products in rat hepatocytes culture. <i>Toxicology in Vitro</i> , <b>2008</b> , 22, 1242-9	3.6	40
75	Interactions of polyphenols with the P450 system: possible implications on human therapeutics. <i>Mini-Reviews in Medicinal Chemistry</i> , <b>2008</b> , 8, 97-106	3.2	40
74	Effects of steatosis on drug-metabolizing capability of primary human hepatocytes. <i>Toxicology in Vitro</i> , <b>2007</b> , 21, 271-6	3.6	39
73	Human Upcyte Hepatocytes: Characterization of the Hepatic Phenotype and Evaluation for Acute and Long-Term Hepatotoxicity Routine Testing. <i>Toxicological Sciences</i> , <b>2016</b> , 152, 214-29	4.4	37
72	Neonatal livers: a source for the isolation of good-performing hepatocytes for cell transplantation. <i>Cell Transplantation</i> , <b>2014</b> , 23, 1229-42	4	36
71	Drug-induced liver steatosis and phospholipidosis: cell-based assays for early screening of drug candidates. <i>Current Drug Metabolism</i> , <b>2012</b> , 13, 1160-73	3.5	35
70	Strategies to in vitro assessment of major human CYP enzyme activities by using liquid chromatography tandem mass spectrometry. <i>Current Drug Metabolism</i> , <b>2008</b> , 9, 12-9	3.5	35

69	High-content screening technology for studying drug-induced hepatotoxicity in cell models. <i>Archives of Toxicology</i> , <b>2015</b> , 89, 1007-22	5.8	33
68	Cytochrome P450 activities in pure and co-cultured rat hepatocytes. Effects of model inducers. <i>In Vitro Cellular and Developmental Biology - Animal</i> , <b>1994</b> , 30A, 825-32	2.6	33
67	The potential use of cultured hepatocytes in predicting the hepatotoxicity of xenobiotics. <i>Xenobiotica</i> , <b>1988</b> , 18, 725-35	2	33
66	Oncostatin M down-regulates basal and induced cytochromes P450 in human hepatocytes. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>1998</b> , 285, 127-34	4.7	33
65	High-content screening of drug-induced mitochondrial impairment in hepatic cells: effects of statins. <i>Archives of Toxicology</i> , <b>2015</b> , 89, 1847-60	5.8	32
64	The use of hepatocytes to investigate drug toxicity. <i>Methods in Molecular Biology</i> , <b>2010</b> , 640, 389-415	1.4	32
63	Upgrading cytochrome P450 activity in HepG2 cells co-transfected with adenoviral vectors for drug hepatotoxicity assessment. <i>Toxicology in Vitro</i> , <b>2012</b> , 26, 1272-7	3.6	31
62	Evaluation of the xenobiotic biotransformation capability of six rodent hepatoma cell lines in comparison with rat hepatocytes. <i>In Vitro Cellular and Developmental Biology - Animal</i> , <b>1994</b> , 30A, 574-80 <sup>2.6</sup>	2.6	31
61	Functional characterization of hepatocytes for cell transplantation: customized cell preparation for each receptor. <i>Cell Transplantation</i> , <b>2010</b> , 19, 21-8	4	29
60	Extending metabolome coverage for untargeted metabolite profiling of adherent cultured hepatic cells. <i>Analytical and Bioanalytical Chemistry</i> , <b>2016</b> , 408, 1217-30	4.4	28
59	In vitro ADME medium/high-throughput screening in drug preclinical development. <i>Mini-Reviews in Medicinal Chemistry</i> , <b>2006</b> , 6, 1053-62	3.2	28
58	Effects of <i>Mangifera indica</i> L. aqueous extract (Vimang) on primary culture of rat hepatocytes. <i>Food and Chemical Toxicology</i> , <b>2007</b> , 45, 2506-12	4.7	28
57	Functionality of cultured human hepatocytes from elective samples, cadaveric grafts and hepatectomies. <i>Toxicology in Vitro</i> , <b>2003</b> , 17, 769-74	3.6	28
56	Cytochrome p450 and steatosis. <i>Current Drug Metabolism</i> , <b>2009</b> , 10, 692-9	3.5	27
55	Mechanism-based selection of compounds for the development of innovative in vitro approaches to hepatotoxicity studies in the LIINTOP project. <i>Toxicology in Vitro</i> , <b>2010</b> , 24, 1879-89	3.6	26
54	Determination of major human cytochrome P450s activities in 96-well plates using liquid chromatography tandem mass spectrometry. <i>Toxicology in Vitro</i> , <b>2007</b> , 21, 1247-52	3.6	26
53	A simple transcriptomic signature able to predict drug-induced hepatic steatosis. <i>Archives of Toxicology</i> , <b>2014</b> , 88, 967-82	5.8	25
52	LC-MS untargeted metabolomic analysis of drug-induced hepatotoxicity in HepG2 cells. <i>Electrophoresis</i> , <b>2015</b> , 36, 2294-2302	3.6	25

51	The immunosuppressant drug FK506 prevents Fas-induced apoptosis in human hepatocytes. <i>Biochemical Pharmacology</i> , <b>2004</b> , 68, 2427-33	6	25
50	Metabolite formation kinetics and intrinsic clearance of phenacetin, tolbutamide, alprazolam, and midazolam in adenoviral cytochrome P450-transfected HepG2 cells and comparison with hepatocytes and in vivo. <i>Drug Metabolism and Disposition</i> , <b>2010</b> , 38, 1449-55	4	24
49	Modulation of P450 enzymes by Cuban natural products rich in polyphenolic compounds in rat hepatocytes. <i>Chemico-Biological Interactions</i> , <b>2008</b> , 172, 1-10	5	24
48	Evaluation of drug-metabolizing and functional competence of human hepatocytes incubated under hypothermia in different media for clinical infusion. <i>Cell Transplantation</i> , <b>2008</b> , 17, 887-97	4	24
47	Assessment of cytochrome P450 induction in human hepatocytes using the cocktail strategy plus liquid chromatography tandem mass spectrometry. <i>Drug Metabolism Letters</i> , <b>2008</b> , 2, 205-9	2.1	22
46	Customised in vitro model to detect human metabolism-dependent idiosyncratic drug-induced liver injury. <i>Archives of Toxicology</i> , <b>2018</b> , 92, 383-399	5.8	22
45	A new in vitro approach for the simultaneous determination of phase I and phase II enzymatic activities of human hepatocyte preparations. <i>Rapid Communications in Mass Spectrometry</i> , <b>2008</b> , 22, 240-4 <sup>2</sup>	2.2	21
44	Inhibition of monooxygenase activities in human hepatocytes by interferons. <i>Toxicology in Vitro</i> , <b>1993</b> , 7, 481-5	3.6	21
43	Fluorescent benzofurazan-cholic acid conjugates for in vitro assessment of bile acid uptake and its modulation by drugs. <i>ChemMedChem</i> , <b>2009</b> , 4, 466-72	3.7	19
42	Identification of apoptotic drugs: multiparametric evaluation in cultured hepatocytes. <i>Current Medicinal Chemistry</i> , <b>2008</b> , 15, 2071-85	4.3	19
41	Repression of the nuclear receptor small heterodimer partner by steatotic drugs and in advanced nonalcoholic fatty liver disease. <i>Molecular Pharmacology</i> , <b>2015</b> , 87, 582-94	4.3	18
40	Influence of preservation solution on the isolation and culture of human hepatocytes from liver grafts. <i>Cell Transplantation</i> , <b>2005</b> , 14, 837-43	4	18
39	Role of endogenous nitric oxide in liver-specific functions and survival of cultured rat hepatocytes. <i>Xenobiotica</i> , <b>2001</b> , 31, 249-64	2	18
38	A rapid and sensitive method for measuring monooxygenase activities in hepatocytes cultured in 96-well plates. <i>Cytotechnology</i> , <b>1992</b> , 14, 153-157		18
37	Prolonged expression of biotransformation activities of rat hepatocytes co-cultured with established cell lines. <i>Toxicology in Vitro</i> , <b>1990</b> , 4, 461-6	3.6	18
36	Using high-content screening technology for studying drug-induced hepatotoxicity in preclinical studies. <i>Expert Opinion on Drug Discovery</i> , <b>2017</b> , 12, 201-211	6.2	17
35	In vitro/in vivo screening of oxidative homeostasis and damage to DNA, protein, and lipids using UPLC/MS-MS. <i>Analytical and Bioanalytical Chemistry</i> , <b>2014</b> , 406, 5465-76	4.4	17
34	Multiparametric evaluation of the cytoprotective effect of the <i>Mangifera indica</i> L. stem bark extract and mangiferin in HepG2 cells. <i>Journal of Pharmacy and Pharmacology</i> , <b>2013</b> , 65, 1073-82	4.8	16

33	Influence of platelet lysate on the recovery and metabolic performance of cryopreserved human hepatocytes upon thawing. <i>Transplantation</i> , <b>2011</b> , 91, 1340-6	1.8	16
32	Synthesis of new, UV-photoactive dansyl derivatives for flow cytometric studies on bile acid uptake. <i>Organic and Biomolecular Chemistry</i> , <b>2009</b> , 7, 4973-80	3.9	16
31	Mangifera indica L. extract and mangiferin modulate cytochrome P450 and UDP-glucuronosyltransferase enzymes in primary cultures of human hepatocytes. <i>Phytotherapy Research</i> , <b>2013</b> , 27, 745-52	6.7	15
30	Stem-cell derived hepatocyte-like cells for the assessment of drug-induced liver injury. <i>Differentiation</i> , <b>2019</b> , 106, 15-22	3.5	14
29	Upgrading HepG2 cells with adenoviral vectors that encode drug-metabolizing enzymes: application for drug hepatotoxicity testing. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , <b>2017</b> , 13, 137-148	5.5	14
28	Liver grafts preserved in Celsior solution as source of hepatocytes for drug metabolism studies: comparison with surgical liver biopsies. <i>Drug Metabolism and Disposition</i> , <b>2005</b> , 33, 108-14	4	14
27	Long-term and mechanistic evaluation of drug-induced liver injury in Upcyte human hepatocytes. <i>Archives of Toxicology</i> , <b>2019</b> , 93, 519-532	5.8	14
26	Human neonatal hepatocyte transplantation induces long-term rescue of unconjugated hyperbilirubinemia in the Gunn rat. <i>Liver Transplantation</i> , <b>2015</b> , 21, 801-11	4.5	13
25	Establishment and characterization of immortal hepatocytes derived from various transgenic mouse lines. <i>Biochemical and Biophysical Research Communications</i> , <b>2002</b> , 294, 864-71	3.4	13
24	A lipidomic cell-based assay for studying drug-induced phospholipidosis and steatosis. <i>Electrophoresis</i> , <b>2017</b> , 38, 2331-2340	3.6	12
23	Rat hepatocytes cultured on a monkey kidney cell line: Expression of biotransformation and hepatic metabolic activities. <i>Toxicology in Vitro</i> , <b>1991</b> , 5, 435-8	3.6	12
22	Steatotic liver: a suitable source for the isolation of hepatic progenitor cells. <i>Liver International</i> , <b>2011</b> , 31, 1231-8	7.9	10
21	Evaluation of cytochrome P450 activities in human hepatocytes in vitro. <i>Methods in Molecular Biology</i> , <b>2012</b> , 806, 87-97	1.4	8
20	Comparison of rat hepatocyte and differentiated hepatoma cell line cultures as bio indicators of CYP 1A1 inducers in urban air. <i>Biomarkers</i> , <b>1997</b> , 2, 279-85	2.6	8
19	Constitutive and inducible expression of CYP enzymes in immortal hepatocytes derived from SV40 transgenic mice. <i>Xenobiotica</i> , <b>2003</b> , 33, 459-73	2	8
18	Ultra-performance liquid chromatography-mass spectrometry targeted profiling of bile acids: application to serum, liver tissue, and cultured cells of different species. <i>Methods in Molecular Biology</i> , <b>2014</b> , 1198, 233-47	1.4	6
17	Drug metabolism by cultured human hepatocytes: how far are we from the in vivo reality?. <i>ATLA Alternatives To Laboratory Animals</i> , <b>2004</b> , 32, 101-10	2.1	6
16	Toxicity of the antitumoral drug datelliptium in hepatic cells: Use of models in vitro for the prediction of toxicity in vivo. <i>Toxicology in Vitro</i> , <b>1992</b> , 6, 295-302	3.6	6

15	Assessment of the cytotoxic potential of an aqueous-ethanolic extract from <i>Thalassia testudinum</i> angiosperm marine grown in the Caribbean Sea. <i>Journal of Pharmacy and Pharmacology</i> , <b>2018</b> , 70, 1553-1560	4.8	6
14	The coumarin 7-hydroxylation microassay in living hepatic cells in culture. <i>ATLA Alternatives To Laboratory Animals</i> , <b>1998</b> , 26, 213-23	2.1	6
13	Both cholestatic and steatotic drugs trigger extensive alterations in the mRNA level of biliary transporters in rat hepatocytes: Application to develop new predictive biomarkers for early drug development. <i>Toxicology Letters</i> , <b>2016</b> , 263, 58-67	4.4	5
12	Fluorescence-based screening of cytochrome P450 activities in intact cells. <i>Methods in Molecular Biology</i> , <b>2013</b> , 987, 135-48	1.4	5
11	Modulation of biotransformation and elimination systems by BM-21, an aqueous ethanolic extract from <i>Thalassia testudinum</i> , and thalassiolin B on human hepatocytes. <i>Journal of Functional Foods</i> , <b>2012</b> , 4, 167-176	5.1	5
10	Photophysical characterization and flow cytometry applications of cholylamidofluorescein, a fluorescent bile acid scaffold. <i>Photochemical and Photobiological Sciences</i> , <b>2008</b> , 7, 860-6	4.2	5
9	The Coumarin 7-Hydroxylation Microassay in Living Hepatic Cells in Culture. <i>ATLA Alternatives To Laboratory Animals</i> , <b>1998</b> , 26, 213-223	2.1	4
8	New non-woven polyurethane-based biomaterials for the cultivation of hepatocytes: expression of differentiated functions. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2000</b> , 11, 37-41	4.5	3
7	Improved in vivo efficacy of clinical-grade cryopreserved human hepatocytes in mice with acute liver failure. <i>Cytotherapy</i> , <b>2020</b> , 22, 114-121	4.8	2
6	In vitro modulation of the cytochrome P450 and ABCB1/P-glycoprotein activities of the aqueous extract of <i>Allophylus cominia</i> (L) Sw. leaves. <i>Drug Metabolism and Personalized Therapy</i> , <b>2017</b> , 32, 201-208	2	1
5	Oxidative-stress and long-term hepatotoxicity: comparative study in Upcyte human hepatocytes and hepaRG cells.. <i>Archives of Toxicology</i> , <b>2022</b> , 96, 1021	5.8	1
4	Application of high-content screening for the study of hepatotoxicity: Focus on food toxicology. <i>Food and Chemical Toxicology</i> , <b>2021</b> , 147, 111872	4.7	0
3	A Multi-Parametric Fluorescent Assay for the Screening and Mechanistic Study of Drug-Induced Steatosis in Liver Cells in Culture. <i>Current Protocols in Toxicology / Editorial Board, Mahin D Maines (editor-in-chief) [et Al ]</i> , <b>2017</b> , 72, 14.15.1-14.15.11	1	
2	A specific microassay for evaluating hepatic LDH activity in co-cultures of hepatocytes with other cells. <i>Cytotechnology</i> , <b>1995</b> , 17, 45-52	2.2	
1	Induced pluripotent stem cells in liver disease <b>2021</b> , 225-250		