

# Henry S Kahn

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8393834/henry-s-kahn-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84  
papers

4,691  
citations

32  
h-index

68  
g-index

91  
ext. papers

5,287  
ext. citations

10.4  
avg, IF

5.5  
L-index

#	Paper	IF	Citations
84	What to Do With Sideline Guilt. <i>JAMA Internal Medicine</i> , <b>2021</b> , 181, 565	11.5	
83	Measuring the abdomen's height rather than its circumference. <i>American Journal of Clinical Nutrition</i> , <b>2021</b> , 113, 1713-1714	7	
82	How well does anthropometry identify cardiometabolic risks among treated patients?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2021</b> , 31, 1939	4.5	1
81	Alternative waist-to-height ratios associated with risk biomarkers in youth with diabetes: comparative models in the SEARCH for Diabetes in Youth Study. <i>International Journal of Obesity</i> , <b>2019</b> , 43, 1940-1950	5.5	2
80	Prevalence of Diabetes by Race and Ethnicity in the United States, 2011-2016. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 322, 2389-2398	27.4	161
79	Diabetes-Related Emergency Medical Service Activations in 23 States, United States 2015. <i>Prehospital Emergency Care</i> , <b>2018</b> , 22, 705-712	2.8	8
78	Comparison of adiposity indicators associated with fasting-state insulinemia, triglyceridemia, and related risk biomarkers in a nationally representative, adult population. <i>Diabetes Research and Clinical Practice</i> , <b>2018</b> , 136, 7-15	7.4	10
77	Mortality associated with less intense risk-factor control among adults with diabetes in the United States. <i>Primary Care Diabetes</i> , <b>2018</b> , 12, 3-12	2.4	4
76	Letter by Kahn Regarding Article, "Cardiovascular and Metabolic Heterogeneity of Obesity: Clinical Challenges and Implications for Management". <i>Circulation</i> , <b>2018</b> , 138, 1494-1495	16.7	1
75	Sagittal abdominal diameter predicts cardiovascular events. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2017</b> , 27, 1031-1032	4.5	2
74	Indicators of abdominal size relative to height associated with sex, age, socioeconomic position and ancestry among US adults. <i>PLoS ONE</i> , <b>2017</b> , 12, e0172245	3.7	11
73	Beyond Body Mass Index: Advantages of Abdominal Measurements for Recognizing Cardiometabolic Disorders. <i>American Journal of Medicine</i> , <b>2016</b> , 129, 74-81.e2	2.4	20
72	The contribution of subsidized food commodities to total energy intake among US adults. <i>Public Health Nutrition</i> , <b>2016</b> , 19, 1348-57	3.3	4
71	Comparing Two Waist-to-Height Ratio Measurements with Cardiometabolic Risk Factors among Youth with Diabetes. <i>International Journal of Child Health and Nutrition</i> , <b>2016</b> , 5, 87-94	1.5	2
70	Association of Higher Consumption of Foods Derived From Subsidized Commodities With Adverse Cardiometabolic Risk Among US Adults. <i>JAMA Internal Medicine</i> , <b>2016</b> , 176, 1124-32	11.5	33
69	Metabolically Healthy Obesity and Development of Chronic Kidney Disease. <i>Annals of Internal Medicine</i> , <b>2016</b> , 165, 743	8	
68	Change in medical spending attributable to diabetes: national data from 1987 to 2011. <i>Diabetes Care</i> , <b>2015</b> , 38, 581-7	14.6	51

67	The population distribution of the sagittal abdominal diameter (SAD) and SAD/height ratio among Finnish adults. <i>Clinical Obesity</i> , <b>2014</b> , 4, 333-41	3.6	5
66	Cardiometabolic risk assessments by body mass index z-score or waist-to-height ratio in a multiethnic sample of sixth-graders. <i>Journal of Obesity</i> , <b>2014</b> , 2014, 421658	3.7	15
65	Population distribution of the sagittal abdominal diameter (SAD) from a representative sample of US adults: comparison of SAD, waist circumference and body mass index for identifying dysglycemia. <i>PLoS ONE</i> , <b>2014</b> , 9, e108707	3.7	20
64	Sagittal abdominal diameter and visceral adiposity: correlates of beta-cell function and dysglycemia in severely obese women. <i>Obesity Surgery</i> , <b>2013</b> , 23, 874-81	3.7	20
63	Response to Comment on: Bardenheier et al. Variation in prevalence of gestational diabetes mellitus among hospital discharges for obstetric delivery across 23 states in the United States. <i>Diabetes Care</i> 2013;36:1209-1214. <i>Diabetes Care</i> , <b>2013</b> , 36, e103	14.6	1
62	The lipid accumulation product for the early prediction of gestational insulin resistance and glucose dysregulation. <i>Journal of Women's Health</i> , <b>2013</b> , 22, 362-7	3	8
61	Race/ethnicity disparities in dysglycemia among U.S. women of childbearing age found mainly in the nonoverweight/nonobese. <i>Diabetes Care</i> , <b>2013</b> , 36, 3033-9	14.6	16
60	Cost-effectiveness of alternative thresholds of the fasting plasma glucose test to identify the target population for type 2 diabetes prevention in adults aged ≥5 years. <i>Diabetes Care</i> , <b>2013</b> , 36, 3992-8	14.6	17
59	Differences between adiposity indicators for predicting all-cause mortality in a representative sample of United States non-elderly adults. <i>PLoS ONE</i> , <b>2012</b> , 7, e50428	3.7	32
58	Intra-abdominal pressure can be estimated inexpensively by the sagittal abdominal diameter. <i>American Journal of Kidney Diseases</i> , <b>2011</b> , 57, 959; author reply 959-60	7.4	2
57	Prevalence of overweight and obesity in youth with diabetes in USA: the SEARCH for Diabetes in Youth study. <i>Pediatric Diabetes</i> , <b>2010</b> , 11, 4-11	3.6	256
56	Cost-effectiveness of bariatric surgery for severely obese adults with diabetes. <i>Diabetes Care</i> , <b>2010</b> , 33, 1933-9	14.6	114
55	Waist-to-thigh ratio and diabetes among US adults: the Third National Health and Nutrition Examination Survey. <i>Diabetes Research and Clinical Practice</i> , <b>2010</b> , 89, 79-87	7.4	23
54	Recent population changes in HbA(1c) and fasting insulin concentrations among US adults with preserved glucose homeostasis. <i>Diabetologia</i> , <b>2010</b> , 53, 1890-3	10.3	11
53	The 2D:4D digit ratio is not a useful marker for prenatal famine exposure: Evidence from the Dutch hunger winter families study. <i>American Journal of Human Biology</i> , <b>2010</b> , 22, 801-6	2.7	10
52	A simple index of lipid overaccumulation is a good marker of liver steatosis. <i>BMC Gastroenterology</i> , <b>2010</b> , 10, 98	3	140
51	Association of type 1 diabetes with month of birth among U.S. youth: The SEARCH for Diabetes in Youth Study. <i>Diabetes Care</i> , <b>2009</b> , 32, 2010-5	14.6	74
50	Diabetes trends in hospitalized HIV-infected persons in the United States, 1994-2004. <i>Current HIV Research</i> , <b>2009</b> , 7, 481-6	1.3	4

49	Lipid profiles in middle-aged men and women after famine exposure during gestation: the Dutch Hunger Winter Families Study. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 89, 1737-43	7	138
48	A fingerprint marker from early gestation associated with diabetes in middle age: the Dutch Hunger Winter Families Study. <i>International Journal of Epidemiology</i> , <b>2009</b> , 38, 101-9	7.8	33
47	Two risk-scoring systems for predicting incident diabetes mellitus in U.S. adults age 45 to 64 years. <i>Annals of Internal Medicine</i> , <b>2009</b> , 150, 741-51	8	138
46	Longitudinal changes in BMI and in an index estimating excess lipids among white and black adults in the United States. <i>International Journal of Obesity</i> , <b>2008</b> , 32, 136-43	5.5	45
45	Does the relationship between waist circumference, morbidity and mortality depend on measurement protocol for waist circumference?. <i>Obesity Reviews</i> , <b>2008</b> , 9, 312-25	10.6	234
44	A fingerprint characteristic associated with the early prenatal environment. <i>American Journal of Human Biology</i> , <b>2008</b> , 20, 59-65	2.7	22
43	The missed patient with diabetes: how access to health care affects the detection of diabetes. <i>Diabetes Care</i> , <b>2008</b> , 31, 1748-53	14.6	41
42	Muscle-strengthening activity and its association with insulin sensitivity. <i>Diabetes Care</i> , <b>2007</b> , 30, 2264-70	4.6	52
41	Cohort profile: the Dutch Hunger Winter Families study. <i>International Journal of Epidemiology</i> , <b>2007</b> , 36, 1196-204	7.8	260
40	Relation of body mass index and waist-to-height ratio to cardiovascular disease risk factors in children and adolescents: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , <b>2007</b> , 86, 33-40	7	234
39	Anthropometric measures in middle age after exposure to famine during gestation: evidence from the Dutch famine. <i>American Journal of Clinical Nutrition</i> , <b>2007</b> , 85, 869-76	7	160
38	Peripheral insensate neuropathy--a tall problem for US adults?. <i>American Journal of Epidemiology</i> , <b>2006</b> , 164, 873-80	3.8	48
37	Obesity and risk of myocardial infarction: the INTERHEART study. <i>Lancet, The</i> , <b>2006</b> , 367, 1053-1054	40	7
36	The lipid accumulation product is better than BMI for identifying diabetes: a population-based comparison. <i>Diabetes Care</i> , <b>2006</b> , 29, 151-3	14.6	57
35	Universal health care: a regional perspective--why not a "Georgia SecureCare"?. <i>Ethnicity and Disease</i> , <b>2006</b> , 16, S3-4-7	1.8	
34	A population-based comparison of BMI percentiles and waist-to-height ratio for identifying cardiovascular risk in youth. <i>Journal of Pediatrics</i> , <b>2005</b> , 146, 482-8	3.6	224
33	The "lipid accumulation product" performs better than the body mass index for recognizing cardiovascular risk: a population-based comparison. <i>BMC Cardiovascular Disorders</i> , <b>2005</b> , 5, 26	2.3	342
32	Enhanced collection of fingerprints and ridge counting. <i>American Journal of Human Biology</i> , <b>2005</b> , 17, 383	2.7	3

31	Depressive symptoms and mortality among persons with and without diabetes. <i>American Journal of Epidemiology</i> , <b>2005</b> , 161, 652-60	3.8	240
30	An increase in the incidence of gestational diabetes mellitus: Northern California, 1991-2000. <i>Obstetrics and Gynecology</i> , <b>2004</b> , 103, 526-33	4.9	293
29	Effects of injectable or implantable progestin-only contraceptives on insulin-glucose metabolism and diabetes risk. <i>Diabetes Care</i> , <b>2003</b> , 26, 216-25	14.6	54
28	Metabolic risks identified by the combination of enlarged waist and elevated triacylglycerol concentration. <i>American Journal of Clinical Nutrition</i> , <b>2003</b> , 78, 928-34	7	141
27	Peripheral adiposity and cardiovascular risk. <i>Circulation</i> , <b>2003</b> , 108, e164; author reply e164	16.7	8
26	Fatty acid composition of abdominal adipose tissue. <i>American Journal of Clinical Nutrition</i> , <b>2002</b> , 75, 1123; author reply 1124	7	
25	Fingerprint ridge-count difference between adjacent fingertips (dR45) predicts upper-body tissue distribution: evidence for early gestational programming. <i>American Journal of Epidemiology</i> , <b>2001</b> , 153, 338-44	3.8	21
24	Glucose tolerance in adults after prenatal exposure to famine. <i>Lancet, The</i> , <b>2001</b> , 357, 1798-9	40	9
23	Wine and mortality. <i>Annals of Internal Medicine</i> , <b>2001</b> , 135, 66-7	8	
22	Body mass index and colon cancer mortality in a large prospective study. <i>American Journal of Epidemiology</i> , <b>2000</b> , 152, 847-54	3.8	233
21	Cancer Mortality After Nonmelanoma Skin Cancer Reply. <i>JAMA - Journal of the American Medical Association</i> , <b>1999</b> , 281, 325	27.4	1
20	Are geographic regions with high income inequality associated with risk of abdominal weight gain?. <i>Social Science and Medicine</i> , <b>1998</b> , 47, 1-6	5.1	56
19	Risk factors for self-reported colon polyps. <i>Journal of General Internal Medicine</i> , <b>1998</b> , 13, 303-10	4	34
18	Prenatal exposure to famine and health in later life. <i>Lancet, The</i> , <b>1998</b> , 351, 1360-1; author reply 1362	40	3
17	Diabetes in urban African Americans. XII. Anthropometry for assessing municipal hospital outpatients recently diagnosed with type 2 diabetes. <i>Obesity</i> , <b>1998</b> , 6, 238-45		3
16	Health-related behaviors of women physicians vs other women in the United States. <i>Archives of Internal Medicine</i> , <b>1998</b> , 158, 342-8		99
15	Increased cancer mortality following a history of nonmelanoma skin cancer. <i>JAMA - Journal of the American Medical Association</i> , <b>1998</b> , 280, 910-2	27.4	87
14	Simple anthropometric indices associated with ischemic heart disease. <i>Journal of Clinical Epidemiology</i> , <b>1996</b> , 49, 1017-24	5.7	108

13	The accumulation of visceral adipose tissue may be influenced by intra-abdominal temperature. <i>Obesity</i> , <b>1996</b> , 4, 297-9		2
12	The abdominal diameter index and sudden coronary death in men. <i>American Journal of Cardiology</i> , <b>1996</b> , 78, 961-4	3	27
11	Choosing an index for abdominal obesity: an opportunity for epidemiologic clarification. <i>Journal of Clinical Epidemiology</i> , <b>1993</b> , 46, 491-4	5.7	30
10	Precision of recumbent anthropometry. <i>American Journal of Human Biology</i> , <b>1993</b> , 5, 159-167	2.7	35
9	Re: "Body mass index versus height and weight in relation to blood pressure: findings for the 10,079 persons in the INTERSALT study". <i>American Journal of Epidemiology</i> , <b>1991</b> , 133, 511-2	3.8	1
8	Toward improved tracking of childhood blood pressure: another use for vertex-corrected blood pressure measurements. <i>Journal of Clinical Epidemiology</i> , <b>1989</b> , 42, 817-8	5.7	2
7	Interpretation of children's blood pressure using a physiologic height correction. <i>Journal of Chronic Diseases</i> , <b>1986</b> , 39, 521-31		16
6	An association between the Dalkon Shield and complicated pregnancies among women hospitalized for intrauterine contraceptive device--related disorders. <i>American Journal of Obstetrics and Gynecology</i> , <b>1976</b> , 125, 83-6	6.4	24
5	IUD-Related Hospitalizations. <i>JAMA - Journal of the American Medical Association</i> , <b>1975</b> , 234, 53	27.4	12
4	Mortality Associated With Use of IUDs. <i>JAMA - Journal of the American Medical Association</i> , <b>1975</b> , 234, 57	27.4	11
3	IUD Insertion Practices in the United States and Puerto Rico, 1973. <i>Family Planning Perspectives</i> , <b>1975</b> , 7, 209		3
2	IUD-related hospitalizations. United States and Puerto Rico, 1973. <i>JAMA - Journal of the American Medical Association</i> , <b>1975</b> , 234, 53-6	27.4	4
1	Mortality associated with use of IUDs. <i>JAMA - Journal of the American Medical Association</i> , <b>1975</b> , 234, 57-59	27.4	8