

# Matthew D Welch

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8396009/matthew-d-welch-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74  
papers

7,389  
citations

39  
h-index

85  
g-index

167  
ext. papers

8,358  
ext. citations

12.7  
avg, IF

6.17  
L-index

#	Paper	IF	Citations
74	Introducing Preprint Highlights.. <i>Molecular Biology of the Cell</i> , <b>2022</b> , 33, ed1	3.5	
73	Plasma membrane protrusions mediate host cell-cell fusion induced by .. <i>Molecular Biology of the Cell</i> , <b>2022</b> , mbcE22020056	3.5	0
72	Baculovirus actin-rearrangement-inducing factor ARIF-1 induces the formation of dynamic invadosome clusters. <i>Molecular Biology of the Cell</i> , <b>2021</b> , 32, 1433-1445	3.5	2
71	Lysine methylation shields an intracellular pathogen from ubiquitylation and autophagy. <i>Science Advances</i> , <b>2021</b> , 7,	14.3	13
70	Mechanical competition triggered by innate immune signaling drives the collective extrusion of bacterially infected epithelial cells. <i>Developmental Cell</i> , <b>2021</b> , 56, 443-460.e11	10.2	12
69	Trypanosomes have divergent kinesin-2 proteins that function differentially in flagellum biosynthesis and cell viability. <i>Journal of Cell Science</i> , <b>2020</b> , 133,	5.3	4
68	Inflammasome-mediated antagonism of type I interferon enhances Rickettsia pathogenesis. <i>Nature Microbiology</i> , <b>2020</b> , 5, 688-696	26.6	24
67	Evasion of autophagy mediated by Rickettsia surface protein OmpB is critical for virulence. <i>Nature Microbiology</i> , <b>2019</b> , 4, 2538-2551	26.6	31
66	A Metabolic Dependency for Host Isoprenoids in the Obligate Intracellular Pathogen Rickettsia parkeri Underlies a Sensitivity to the Statin Class of Host-Targeted Therapeutics. <i>MSphere</i> , <b>2019</b> , 4,	5	4
65	Baculovirus AC102 Is a Nucleocapsid Protein That Is Crucial for Nuclear Actin Polymerization and Nucleocapsid Morphogenesis. <i>Journal of Virology</i> , <b>2018</b> , 92,	6.6	13
64	Role of Sca2 and RickA in the Dissemination of Rickettsia parkeri in Amblyomma maculatum. <i>Infection and Immunity</i> , <b>2018</b> , 86,	3.7	9
63	A streamlined method for transposon mutagenesis of Rickettsia parkeri yields numerous mutations that impact infection. <i>PLoS ONE</i> , <b>2018</b> , 13, e0197012	3.7	9
62	RECON-Dependent Inflammation in Hepatocytes Enhances Listeria monocytogenes Cell-to-Cell Spread. <i>MBio</i> , <b>2018</b> , 9,	7.8	20
61	Baculovirus Actin-Based Motility Drives Nuclear Envelope Disruption and Nuclear Egress. <i>Current Biology</i> , <b>2018</b> , 28, 2153-2159.e4	6.3	30
60	Actin-based motility and cell-to-cell spread of bacterial pathogens. <i>Current Opinion in Microbiology</i> , <b>2017</b> , 35, 48-57	7.9	68
59	Rickettsia Sca4 Reduces Vinculin-Mediated Intercellular Tension to Promote Spread. <i>Cell</i> , <b>2016</b> , 167, 670-683.e10	56.2	56
58	Rab1 recruits WHAMM during membrane remodeling but limits actin nucleation. <i>Molecular Biology of the Cell</i> , <b>2016</b> , 27, 967-78	3.5	21

57	Actin-based motility of bacterial pathogens: mechanistic diversity and its impact on virulence. <i>Pathogens and Disease</i> , <b>2016</b> , 74,	4.2	16
56	Virulent Burkholderia species mimic host actin polymerases to drive actin-based motility. <i>Cell</i> , <b>2015</b> , 161, 348-60	56.2	74
55	Cell migration, freshly squeezed. <i>Cell</i> , <b>2015</b> , 160, 581-582	56.2	20
54	A 2-pyridone-amide inhibitor targets the glucose metabolism pathway of Chlamydia trachomatis. <i>MBio</i> , <b>2014</b> , 6, e02304-14	7.8	15
53	Electron tomography and simulation of baculovirus actin comet tails support a tethered filament model of pathogen propulsion. <i>PLoS Biology</i> , <b>2014</b> , 12, e1001765	9.7	45
52	Rickettsia actin-based motility occurs in distinct phases mediated by different actin nucleators. <i>Current Biology</i> , <b>2014</b> , 24, 98-103	6.3	62
51	Arp2/3-mediated actin-based motility: a tail of pathogen abuse. <i>Cell Host and Microbe</i> , <b>2013</b> , 14, 242-55	23.4	143
50	Mobilization of the actin cytoskeleton by microbial pathogens. <i>FASEB Journal</i> , <b>2013</b> , 27, 76.2	0.9	
49	Rickettsia parkeri invasion of diverse host cells involves an Arp2/3 complex, WAVE complex and Rho-family GTPase-dependent pathway. <i>Cellular Microbiology</i> , <b>2012</b> , 14, 529-45	3.9	32
48	Nuclear localization of actin requires AC102 in Autographa californica multiple nucleopolyhedrovirus-infected cells. <i>Journal of General Virology</i> , <b>2012</b> , 93, 1795-1803	4.9	17
47	Expression of an epitope-tagged virulence protein in Rickettsia parkeri using transposon insertion. <i>PLoS ONE</i> , <b>2012</b> , 7, e37310	3.7	11
46	Membrane-deforming proteins play distinct roles in actin pedestal biogenesis by enterohemorrhagic Escherichia coli. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 20613-24	5.4	13
45	Structural insights into WHAMM-mediated cytoskeletal coordination during membrane remodeling. <i>Journal of Cell Biology</i> , <b>2012</b> , 199, 111-24	7.3	24
44	New mechanisms and functions of actin nucleation. <i>Current Opinion in Cell Biology</i> , <b>2011</b> , 23, 4-13	9	153
43	Pathogens and polymers: microbe-host interactions illuminate the cytoskeleton. <i>Journal of Cell Biology</i> , <b>2011</b> , 195, 7-17	7.3	149
42	Matthew Welch: The many branches of actin regulation. Interview by Ben Short. <i>Journal of Cell Biology</i> , <b>2011</b> , 192, 206-7	7.3	
41	Antibacterial autophagy occurs at PI(3)P-enriched domains of the endoplasmic reticulum and requires Rab1 GTPase. <i>Autophagy</i> , <b>2011</b> , 7, 17-26	10.2	93
40	Rickettsia Sca2 is a bacterial formin-like mediator of actin-based motility. <i>Nature Cell Biology</i> , <b>2010</b> , 12, 1057-63	23.4	120

39	A nucleator arms race: cellular control of actin assembly. <i>Nature Reviews Molecular Cell Biology</i> , <b>2010</b> , 11, 237-51	48.7	680
38	An actin-filament-binding interface on the Arp2/3 complex is critical for nucleation and branch stability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2010</b> , 107, 8159-64	11.5	48
37	Defining a core set of actin cytoskeletal proteins critical for actin-based motility of Rickettsia. <i>Cell Host and Microbe</i> , <b>2010</b> , 7, 388-98	23.4	52
36	Actin-based motility drives baculovirus transit to the nucleus and cell surface. <i>Journal of Cell Biology</i> , <b>2010</b> , 190, 187-95	7.3	157
35	WHAMM is an Arp2/3 complex activator that binds microtubules and functions in ER to Golgi transport. <i>Cell</i> , <b>2008</b> , 134, 148-61	56.2	202
34	Repetitive N-WASP-binding elements of the enterohemorrhagic Escherichia coli effector EspF(U) synergistically activate actin assembly. <i>PLoS Pathogens</i> , <b>2008</b> , 4, e1000191	7.6	40
33	Exploitation of cytoplasmic and nuclear actin by baculoviruses. <i>FASEB Journal</i> , <b>2008</b> , 22, 530.3	0.9	
32	Lessons from the enemy: what pathogens have taught us about the control of cytoskeletal dynamics. <i>FASEB Journal</i> , <b>2007</b> , 21, A37	0.9	
31	Dynamic nuclear actin assembly by Arp2/3 complex and a baculovirus WASP-like protein. <i>Science</i> , <b>2006</b> , 314, 464-7	33.3	144
30	Arp2/3 ATP hydrolysis-catalysed branch dissociation is critical for endocytic force generation. <i>Nature Cell Biology</i> , <b>2006</b> , 8, 826-33	23.4	64
29	The ARP2/3 complex: an actin nucleator comes of age. <i>Nature Reviews Molecular Cell Biology</i> , <b>2006</b> , 7, 713-26	48.7	693
28	Actin-based motility of intracellular pathogens. <i>Current Opinion in Microbiology</i> , <b>2005</b> , 8, 35-45	7.9	304
27	Identification of a bacterial factor required for actin-based motility of Burkholderia pseudomallei. <i>Molecular Microbiology</i> , <b>2005</b> , 56, 40-53	4.1	150
26	Effects of Arp2 and Arp3 nucleotide-binding pocket mutations on Arp2/3 complex function. <i>Journal of Cell Biology</i> , <b>2005</b> , 168, 315-28	7.3	59
25	A Rickettsia WASP-like protein activates the Arp2/3 complex and mediates actin-based motility. <i>Cellular Microbiology</i> , <b>2004</b> , 6, 761-9	3.9	120
24	Critical conformational changes in the Arp2/3 complex are induced by nucleotide and nucleation promoting factor. <i>Molecular Cell</i> , <b>2004</b> , 16, 269-79	17.6	101
23	Salmonella effectors translocated across the vacuolar membrane interact with the actin cytoskeleton. <i>Molecular Microbiology</i> , <b>2003</b> , 48, 401-15	4.1	120
22	Mycobacterium marinum escapes from phagosomes and is propelled by actin-based motility. <i>Journal of Experimental Medicine</i> , <b>2003</b> , 198, 1361-8	16.6	228

21	Formation of filopodia-like bundles in vitro from a dendritic network. <i>Journal of Cell Biology</i> , <b>2003</b> , 160, 951-62	7.3	206
20	Turning on the Arp2/3 complex at atomic resolution. <i>Structure</i> , <b>2002</b> , 10, 131-5	5.2	7
19	Cellular control of actin nucleation. <i>Annual Review of Cell and Developmental Biology</i> , <b>2002</b> , 18, 247-88	12.6	380
18	Systematic mutational analysis of the amino-terminal domain of the <i>Listeria monocytogenes</i> ActA protein reveals novel functions in actin-based motility. <i>Molecular Microbiology</i> , <b>2001</b> , 42, 1163-77	4.1	28
17	Cytoskeleton: actin and endocytosis--no longer the weakest link. <i>Current Biology</i> , <b>2001</b> , 11, R691-4	6.3	86
16	Pivotal role of VASP in Arp2/3 complex-mediated actin nucleation, actin branch-formation, and <i>Listeria monocytogenes</i> motility. <i>Journal of Cell Biology</i> , <b>2001</b> , 155, 89-100	7.3	108
15	Reconstitution of human Arp2/3 complex reveals critical roles of individual subunits in complex structure and activity. <i>Molecular Cell</i> , <b>2001</b> , 8, 1041-52	17.6	131
14	Three regions within ActA promote Arp2/3 complex-mediated actin nucleation and <i>Listeria monocytogenes</i> motility. <i>Journal of Cell Biology</i> , <b>2000</b> , 150, 527-38	7.3	159
13	Spatial control of actin polymerization during neutrophil chemotaxis. <i>Nature Cell Biology</i> , <b>1999</b> , 1, 75-81	23.4	218
12	The Wiskott-Aldrich syndrome protein directs actin-based motility by stimulating actin nucleation with the Arp2/3 complex. <i>Current Biology</i> , <b>1999</b> , 9, 555-8	6.3	227
11	The world according to Arp: regulation of actin nucleation by the Arp2/3 complex. <i>Trends in Cell Biology</i> , <b>1999</b> , 9, 423-7	18.3	143
10	Visualization and molecular analysis of actin assembly in living cells. <i>Journal of Cell Biology</i> , <b>1998</b> , 143, 1919-30	7.3	157
9	Purification and assay of the platelet Arp2/3 complex. <i>Methods in Enzymology</i> , <b>1998</b> , 298, 52-61	1.7	24
8	The human Arp2/3 complex is composed of evolutionarily conserved subunits and is localized to cellular regions of dynamic actin filament assembly. <i>Journal of Cell Biology</i> , <b>1997</b> , 138, 375-84	7.3	396
7	Actin polymerization is induced by Arp2/3 protein complex at the surface of <i>Listeria monocytogenes</i> . <i>Nature</i> , <b>1997</b> , 385, 265-9	50.4	501
6	The yeast actin cytoskeleton. <i>Current Opinion in Cell Biology</i> , <b>1994</b> , 6, 110-9	9	98
5	Novel use of a chimpanzee pseudogene for chromosomal mapping of human cytochrome c oxidase subunit IV. <i>Gene</i> , <b>1990</b> , 86, 209-16	3.8	23
4	Establishing Intracellular Infection: Escape from the Phagosome and Intracellular Colonization (Rickettsiaceae)	154-174	

- 3 Interferon receptor-deficient mice are susceptible to eschar-associated rickettsiosis 1
- 2 Baculovirus AC102 is a nucleocapsid protein that is crucial for nuclear actin polymerization and nucleocapsid morphogenesis 1
- 1 A metabolic dependency for host isoprenoids in the obligate intracellular pathogen *Rickettsia parkeri* underlies a sensitivity for the statin class of host-targeted therapeutics 1