

# Ronaldo D Piovezan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8396136/publications.pdf>

Version: 2024-02-01

20  
papers

562  
citations

933447  
10  
h-index

888059  
17  
g-index

20  
all docs

20  
docs citations

20  
times ranked

882  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of aging on sleep structure throughout adulthood: a population-based study. <i>Sleep Medicine</i> , 2014, 15, 401-409.	1.6	166
2	The impact of sleep on age-related sarcopenia: Possible connections and clinical implications. <i>Ageing Research Reviews</i> , 2015, 23, 210-220.	10.9	99
3	Objective short sleep duration is associated with the activity of the hypothalamic-pituitary-adrenal axis in insomnia. <i>Arquivos De Neuro-Psiquiatria</i> , 2015, 73, 516-519.	0.8	50
4	Obstructive sleep apnea and objective short sleep duration are independently associated with the risk of serum vitamin D deficiency. <i>PLoS ONE</i> , 2017, 12, e0180901.	2.5	42
5	Alzheimer's disease and sleep disturbances: a review. <i>Arquivos De Neuro-Psiquiatria</i> , 2019, 77, 815-824.	0.8	42
6	Associations between sleep conditions and body composition states: results of the EPISONO study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019, 10, 962-973.	7.3	32
7	Hip axis length as an independent risk factor for hip fracture independently of femoral bone mineral density in Caucasian elderly Brazilian women. <i>Bone</i> , 2005, 37, 871-875.	2.9	30
8	Gabapentin acutely increases the apnea-hypopnea index in older men: data from a randomized, double-blind, placebo-controlled study. <i>Journal of Sleep Research</i> , 2017, 26, 166-170.	3.2	26
9	Assessment of Undergraduate Clinical Reasoning in Geriatric Medicine: Application of a Script Concordance Test. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 1946-1950.	2.6	20
10	Reserpine does not induce orofacial dyskinesia in spontaneously hypertensive rats. <i>European Journal of Pharmacology</i> , 1998, 356, 105-108.	3.5	18
11	Mortality Rates and Mortality Risk Factors in Older Adults with Dementia from Low- and Middle-Income Countries: The 10/66 Dementia Research Group Population-Based Cohort Study. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 581-593.	2.6	13
12	Associations of indicators of sleep impairment and disorders with low muscle strength in middle-aged and older adults: The HypnoLaus cohort study. <i>Maturitas</i> , 2022, 164, 52-59.	2.4	7
13	Subjective sleep parameters in prodromal Alzheimer's disease: a case-control study. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 510-513.	1.7	6
14	The cholinergic system may play a role in the pathophysiology of residual excessive sleepiness in patients with obstructive sleep apnea. <i>Medical Hypotheses</i> , 2013, 81, 509-511.	1.5	5
15	Associations of the Severity of Obstructive Sleep Apnea With Age-Related Comorbidities: A Population-Based Study. <i>Frontiers in Neurology</i> , 2022, 13, .	2.4	3
16	Plasma Lower Gait Speed is Independently Associated with Increased Mortality Risk Among People with Dementia in Low- and Middle-Income Countries: Results from The 10/66 Dementia Research Group Population-Based Cohort Study. <i>Alzheimer's and Dementia</i> , 2016, 12, P582.	0.8	1
17	REM Behavior Disorder diagnostic challenges. <i>Arquivos De Neuro-Psiquiatria</i> , 2020, 78, 601-602.	0.8	1
18	Hypnotics: evidence vs practice. <i>Geriatrics Gerontology and Aging</i> , 0, 15, .	0.3	1

#	ARTICLE	IF	CITATIONS
19	[O1â€™04â€™06]: MORTALITY AMONG OLDER ADULTS WITH DEMENTIA IN LOWâ€™AND MIDDLEâ€™INCOME COUNTRIES: THE 10/66 DEMENTIA RESEARCH GROUP COHORT STUDIES. Alzheimer's and Dementia, 2017, 13, P197.	0.8	0
20	OSACS score - a new simple tool for identifying high risk for obstructive sleep apnea syndrome based on clinical parameters. Anatolian Journal of Cardiology, 2015, 15, 676-677.	0.9	0