## Juan Carlos Zuniga-Pflucker

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8396369/publications.pdf

Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Monoallelic Heb/Tcf12 Deletion Reduces the Requirement for NOTCH1 Hyperactivation in T-Cell Acute Lymphoblastic Leukemia. Frontiers in Immunology, 2022, 13, 867443.  | 2.2 | 4         |
| 2  | Thymic Microenvironment: Interactions Between Innate Immune Cells and Developing Thymocytes.<br>Frontiers in Immunology, 2022, 13, 885280.  | 2.2 | 8         |
| 3  | Realization of the T Lineage Program Involves GATA-3 Induction of Bcl11b and Repression of Cdkn2b Expression. Journal of Immunology, 2022, 209, 77-92.  | 0.4 | 1         |
| 4  | The E protein-TCF1 axis controls γδTÂcell development and effector fate. Cell Reports, 2021, 34, 108716.  | 2.9 | 18        |
| 5  | High-Oxygen Submersion Fetal Thymus Organ Cultures Enable FOXN1-Dependent and -Independent<br>Support of T Lymphopoiesis. Frontiers in Immunology, 2021, 12, 652665.  | 2.2 | 5         |
| 6  | Cutting Edge: TCR-β Selection Is Required at the CD4+CD8+ Stage of Human T Cell Development. Journal of Immunology, 2021, 206, 2271-2276.   | 0.4 | 5         |
| 7  | Ontogenic timing, TÂcell receptor signal strength, and Notch signaling direct γδTÂcell functional<br>differentiation inÂvivo. Cell Reports, 2021, 35, 109227.   | 2.9 | 8         |
| 8  | DL4-μbeads induce T cell lineage differentiation from stem cells in a stromal cell-free system. Nature Communications, 2021, 12, 5023.  | 5.8 | 43        |
| 9  | A 2020 View of Thymus Stromal Cells in T Cell Development. Journal of Immunology, 2021, 206, 249-256.   | 0.4 | 36        |
| 10 | T Cell Development. , 2021, , .   |     | 0         |
| 11 | Wendy Havran: Scientist, mentor, advocate. Immunological Reviews, 2020, 298, 289-291.   | 2.8 | 1         |
| 12 | Thymic Engraftment by in vitro-Derived Progenitor T Cells in Young and Aged Mice. Frontiers in<br>Immunology, 2020, 11, 1850.   | 2.2 | 9         |
| 13 | E2A regulates neural ectoderm fate specification in human embryonic stem cells. Development<br>(Cambridge), 2020, 147, .  | 1.2 | 8         |
| 14 | NOTCH1 signaling establishes the medullary thymic epithelial cell progenitor pool during mouse fetal development. Development (Cambridge), 2020, 147, .   | 1.2 | 23        |
| 15 | Chronic virus infection drives CD8 T cell-mediated thymic destruction and impaired negative selection. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 5420-5429. | 3.3 | 23        |
| 16 | RBPJ-dependent Notch signaling initiates the T cell program in a subset of thymus-seeding progenitors.<br>Nature Immunology, 2019, 20, 1456-1468.   | 7.0 | 61        |
| 17 | Notch and the pre-TCR coordinate thymocyte proliferation by induction of the SCF subunits Fbxl1 and Fbxl12. Nature Immunology, 2019, 20, 1381-1392.   | 7.0 | 26        |
| 18 | Close Quarters Can Be a Good Fit for Stem Cells to Become T Cells. Cell Stem Cell, 2019, 24, 345-347.   | 5.2 | 1         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | T-Cell Development: From T-Lineage Specification to Intrathymic Maturation. , 2019, , 67-115.  |     | 4         |
| 20 | Generation and function of progenitor T cells from StemRegenin-1–expanded CD34+ human<br>hematopoietic progenitor cells. Blood Advances, 2019, 3, 2934-2948.   | 2.5 | 14        |
| 21 | In vitro â€generated MART â€1â€specific CD 8 T cells display a broader Tâ€cell receptor repertoire than exÂvivo<br>naÃīve and tumorâ€infiltrating lymphocytes. Immunology and Cell Biology, 2019, 97, 427-434. | 1.0 | 0         |
| 22 | Genetic engineering in primary human B cells with CRISPR-Cas9 ribonucleoproteins. Journal of<br>Immunological Methods, 2018, 457, 33-40.   | 0.6 | 39        |
| 23 | Role of a selecting ligand in shaping the murine γδ-TCR repertoire. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 1889-1894.                                     | 3.3 | 40        |
| 24 | Robust Progenitor T-Cell Production From Human Hematopoietic Progenitor Cell Expanded with Stemregenin-1. Biology of Blood and Marrow Transplantation, 2018, 24, S425-S426.                                    | 2.0 | 0         |
| 25 | Generation and molecular recognition of melanoma-associated antigen-specific human $\hat{I}^3\hat{I}$ T cells. Science Immunology, 2018, 3, .  | 5.6 | 43        |
| 26 | Peroxisome Proliferator-Activated Receptor–δ Supports the Metabolic Requirements of Cell Growth in<br>TCRβ-Selected Thymocytes and Peripheral CD4+ T Cells. Journal of Immunology, 2018, 201, 2664-2682.       | 0.4 | 13        |
| 27 | Integration of Tâ€cell receptor, Notch and cytokine signals programs mouse γδTâ€cell effector<br>differentiation. Immunology and Cell Biology, 2018, 96, 994-1007.   | 1.0 | 21        |
| 28 | Producing proT cells to promote immunotherapies. International Immunology, 2018, 30, 541-550.  | 1.8 | 12        |
| 29 | The ion channel TRPM7 is required for B cell lymphopoiesis. Science Signaling, 2018, 11, .   | 1.6 | 13        |
| 30 | <i>EXTL3</i> mutations cause skeletal dysplasia, immune deficiency, and developmental delay. Journal of Experimental Medicine, 2017, 214, 623-637.   | 4.2 | 76        |
| 31 | Progenitor T-cell differentiation from hematopoietic stem cells using Delta-like-4 and VCAM-1. Nature<br>Methods, 2017, 14, 531-538.   | 9.0 | 102       |
| 32 | Engineering the haemogenic niche mitigates endogenous inhibitory signals and controls pluripotent stem cell-derived blood emergence. Nature Communications, 2017, 8, 15380.                                    | 5.8 | 21        |
| 33 | A key role for ILâ€7R in the generation of microenvironments required for thymic dendritic cells.<br>Immunology and Cell Biology, 2017, 95, 933-942.   | 1.0 | 4         |
| 34 | Notch Shapes the Innate Immunophenotype in Breast Cancer. Cancer Discovery, 2017, 7, 1320-1335.  | 7.7 | 98        |
| 35 | Targeted Disruption of TCF12 Reveals HEB as Essential in Human Mesodermal Specification and<br>Hematopoiesis. Stem Cell Reports, 2017, 9, 779-795.   | 2.3 | 25        |
| 36 | HEB is required for the specification of fetal IL-17-producing γδT cells. Nature Communications, 2017, 8, 2004.  | 5.8 | 45        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Control of HIV Infection InÂVivo Using Gene Therapy with a Secreted Entry Inhibitor. Molecular Therapy<br>- Nucleic Acids, 2017, 9, 132-144.  | 2.3 | 15        |
| 38 | T cell progenitor therapy–facilitated thymopoiesis depends upon thymic input and continued thymic microenvironment interaction. JCI Insight, 2017, 2, .   | 2.3 | 18        |
| 39 | Modeling altered T-cell development with induced pluripotent stem cells from patients with RAG1-dependent immune deficiencies. Blood, 2016, 128, 783-793.   | 0.6 | 45        |
| 40 | T Cell Genesis: In Vitro Veritas Est ?. Trends in Immunology, 2016, 37, 889-901.  | 2.9 | 22        |
| 41 | Artificial Thymus: Recreating Microenvironmental Cues to Direct T Cell Differentiation and Thymic Regeneration. , 2016, , 95-120.   |     | 2         |
| 42 | Induction of T Cell Development In Vitro by Delta-Like (Dll)-Expressing Stromal Cells. Methods in<br>Molecular Biology, 2016, 1323, 159-167.  | 0.4 | 4         |
| 43 | In Vitro T-Cell Generation From Adult, Embryonic, and Induced Pluripotent Stem Cells: Many Roads to One Destination. Stem Cells, 2015, 33, 3174-3180.   | 1.4 | 11        |
| 44 | Gamma delta T-cell differentiation and effector function programming, TCR signal strength, when and how much?. Cellular Immunology, 2015, 296, 70-75.   | 1.4 | 35        |
| 45 | Hematopoiesis: from start to immune reconstitution potential. Stem Cell Research and Therapy, 2015, 6, 52.  | 2.4 | 6         |
| 46 | T cell development runs marrow deep. Journal of Experimental Medicine, 2015, 212, 599-600.  | 4.2 | 0         |
| 47 | An in vitro model of innate lymphoid cell function and differentiation. Mucosal Immunology, 2015, 8, 340-351.   | 2.7 | 45        |
| 48 | Derivation of T Cells <em>In Vitro</em> from Mouse Embryonic Stem Cells. Journal of Visualized Experiments, 2014, , e52119.   | 0.2 | 1         |
| 49 | Noncanonical Mode of ERK Action Controls Alternative $\hat{I}\pm\hat{I}^2$ and $\hat{I}^3\hat{I}$ T Cell Lineage Fates. Immunity, 2014, 41, 934-946.  | 6.6 | 28        |
| 50 | Leukocyte Infiltration and Activation of the NLRP3 Inflammasome in White Adipose Tissue Following Thermal Injury*. Critical Care Medicine, 2014, 42, 1357-1364.   | 0.4 | 55        |
| 51 | The TCR ligand-inducible expression of CD73 marks Î <sup>3</sup> δ lineage commitment and a metastable intermediate<br>in effector specification. Journal of Experimental Medicine, 2014, 211, 329-343.             | 4.2 | 75        |
| 52 | Enforcement of γÎ′-lineage commitment by the pre–T-cell receptor in precursors with weak γÎ′-TCR signals.<br>Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 5658-5663. | 3.3 | 35        |
| 53 | Adapting in vitro embryonic stem cell differentiation to the study of locus control regions. Journal of Immunological Methods, 2014, 407, 135-145.  | 0.6 | 1         |
| 54 | Primary Immune Deficiency Treatment Consortium (PIDTC) report. Journal of Allergy and Clinical<br>Immunology, 2014, 133, 335-347.e11.   | 1.5 | 65        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Dedicated mTEC Progenitors Stay True, Even into Adulthood. Immunity, 2014, 41, 675-676.  | 6.6 | 2         |
| 56 | Notch signals are required for in vitro but not in vivo maintenance of human hematopoietic stem cells and delay the appearance of multipotent progenitors. Blood, 2014, 123, 1167-1177.  | 0.6 | 37        |
| 57 | A Monoclonal Antibody Against the Extracellular Domain of Mouse and Human Epithelial V-like<br>Antigen 1 Reveals a Restricted Expression Pattern Among CD4- CD8- Thymocytes. Monoclonal<br>Antibodies in Immunodiagnosis and Immunotherapy, 2014, 33, 305-311. | 0.8 | 4         |
| 58 | An Overview of the Intrathymic Intricacies of T Cell Development. Journal of Immunology, 2014, 192, 4017-4023.   | 0.4 | 231       |
| 59 | The orphan nuclear receptor Ear-2 (Nr2f6) is a novel negative regulator of T cell development.<br>Experimental Hematology, 2014, 42, 46-58.  | 0.2 | 12        |
| 60 | FOXN1GFP/w Reporter hESCs Enable Identification of Integrin-β4, HLA-DR, and EpCAM as Markers of<br>Human PSC-Derived FOXN1+ Thymic Epithelial Progenitors. Stem Cell Reports, 2014, 2, 925-937.  | 2.3 | 42        |
| 61 | GATA-3 regulates the self-renewal of long-term hematopoietic stem cells. Nature Immunology, 2013, 14, 1037-1044.   | 7.0 | 90        |
| 62 | Induction of T-cell development by Delta-like 4-expressing fibroblasts. International Immunology, 2013, 25, 601-611.   | 1.8 | 47        |
| 63 | Generation, Isolation, and Engraftment of In Vitro-Derived Human T Cell Progenitors. Methods in<br>Molecular Biology, 2013, 946, 103-113.  | 0.4 | 6         |
| 64 | Cellular and Molecular Requirements for the Selection of In Vitro–Generated CD8 T Cells Reveal a<br>Role for Notch. Journal of Immunology, 2013, 191, 1704-1715.   | 0.4 | 17        |
| 65 | Directed Differentiation of Embryonic Stem Cells to the T-Lymphocyte Lineage. Methods in Molecular<br>Biology, 2013, 1029, 119-128.  | 0.4 | 4         |
| 66 | Removal of myeloid cytokines from the cellular environment enhances T-cell development in vitro.<br>International Immunology, 2013, 25, 589-599.   | 1.8 | 5         |
| 67 | Complete TCR-α Gene Locus Control Region Activity in T Cells Derived In Vitro from Embryonic Stem<br>Cells. Journal of Immunology, 2013, 191, 472-479.   | 0.4 | 6         |
| 68 | Human proT-cells generated in vitro facilitate hematopoietic stem cell-derived T-lymphopoiesis in vivo and restore thymic architecture. Blood, 2013, 122, 4210-4219.   | 0.6 | 62        |
| 69 | Neurokinin-1 Receptor Signalling Impacts Bone Marrow Repopulation Efficiency. PLoS ONE, 2013, 8, e58787.   | 1.1 | 4         |
| 70 | T-Cell Development. , 2013, , 47-67.   |     | 0         |
| 71 | Dynamics of Human Prothymocytes and Xenogeneic Thymopoiesis in Hematopoietic Stem Cell-Engrafted<br>Nonobese Diabetic-SCID/IL-2rγnull Mice. Journal of Immunology, 2012, 189, 1648-1660.   | 0.4 | 16        |
| 72 | Comparative and Functional Evaluation of In Vitro Generated to Ex Vivo CD8 T Cells. Journal of<br>Immunology, 2012, 189, 3411-3420.  | 0.4 | 19        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Transcriptional priming of intrathymic precursors for dendritic cell development. Development<br>(Cambridge), 2012, 139, 373-384.   | 1.2  | 20        |
| 74 | HES1 opposes a PTEN-dependent check on survival, differentiation, and proliferation of TCRÎ <sup>2</sup> -selected mouse thymocytes. Blood, 2012, 120, 1439-1448.                                   | 0.6  | 109       |
| 75 | Role of Recycling, Mindbomb1 Association, and Exclusion from Lipid Rafts of Delta-like 4 for Effective<br>Notch Signaling To Drive T Cell Development. Journal of Immunology, 2012, 189, 5797-5808. | 0.4  | 12        |
| 76 | When Three Negatives Made a Positive Influence in Defining Four Early Steps in T Cell Development.<br>Journal of Immunology, 2012, 189, 4201-4202.  | 0.4  | 4         |
| 77 | Notch Activation by the Metalloproteinase ADAM17 Regulates Myeloproliferation and Atopic Barrier<br>Immunity by Suppressing Epithelial Cytokine Synthesis. Immunity, 2012, 36, 105-119.             | 6.6  | 108       |
| 78 | Notch Receptor-Ligand Interactions During T Cell Development, a Ligand Endocytosis-Driven<br>Mechanism. Current Topics in Microbiology and Immunology, 2012, 360, 19-46.                            | 0.7  | 9         |
| 79 | IDH1(R132H) mutation increases murine haematopoietic progenitors and alters epigenetics. Nature, 2012, 488, 656-659.  | 13.7 | 474       |
| 80 | The role of induced pluripotent stem cells in research and therapy of primary immunodeficiencies.<br>Current Opinion in Immunology, 2012, 24, 617-624.  | 2.4  | 12        |
| 81 | T Lymphocyte Potential Marks the Emergence of Definitive Hematopoietic Progenitors in Human<br>Pluripotent Stem Cell Differentiation Cultures. Cell Reports, 2012, 2, 1722-1735.                    | 2.9  | 341       |
| 82 | On becoming a T cell, a convergence of factors kick it up a Notch along the way. Seminars in<br>Immunology, 2011, 23, 350-359.  | 2.7  | 52        |
| 83 | A human thymic epithelial cell culture system for the promotion of lymphopoiesis from hematopoietic stem cells. Experimental Hematology, 2011, 39, 570-579.   | 0.2  | 24        |
| 84 | Human CD8 T cells generated in vitro from hematopoietic stem cells are functionally mature. BMC<br>Immunology, 2011, 12, 22.  | 0.9  | 39        |
| 85 | Thymus-bound: the many features of T cell progenitors. Frontiers in Bioscience - Scholar, 2011, S3, 961.  | 0.8  | 10        |
| 86 | Key players for T-cell regeneration. Current Opinion in Hematology, 2010, 17, 327-332.  | 1.2  | 20        |
| 87 | gp96, an endoplasmic reticulum master chaperone for integrins and Toll-like receptors, selectively regulates early T and B lymphopoiesis. Blood, 2010, 115, 2380-2390.                              | 0.6  | 109       |
| 88 | TGFâ€Î² affects development and differentiation of human natural killer cell subsets. European Journal of<br>Immunology, 2010, 40, 2289-2295.   | 1.6  | 95        |
| 89 | Determining $\hat{I}^{\hat{J}}$ versus $\hat{I} \pm \hat{I}^2$ T cell development. Nature Reviews Immunology, 2010, 10, 657-663.  | 10.6 | 127       |
| 90 | Direct Comparison of Dll1- and Dll4-Mediated Notch Activation Levels Shows Differential<br>Lymphomyeloid Lineage Commitment Outcomes. Journal of Immunology, 2010, 185, 867-876.                    | 0.4  | 142       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | A Notch Ligand, Delta-Like 1 Functions As an Adhesion Molecule for Mast Cells. Journal of<br>Immunology, 2010, 185, 3905-3912.  | 0.4 | 33        |
| 92  | Correction: Direct Comparison of Dll1- and Dll4-Mediated Notch Activation Levels Shows Differential Lymphomyeloid Lineage Commitment Outcomes. Journal of Immunology, 2010, 185, 3777-3778.   | 0.4 | 0         |
| 93  | Î <sup>3</sup> δand αβ T cell lineage choice: Resolution by a stronger sense of being. Seminars in Immunology, 2010, 22,<br>228-236.  | 2.7 | 28        |
| 94  | Positive selection of T cells, an in vitro view. Seminars in Immunology, 2010, 22, 276-286.   | 2.7 | 24        |
| 95  | The Original Intrathymic Progenitor from Which T Cells Originate. Journal of Immunology, 2009, 183, 3-4.  | 0.4 | 7         |
| 96  | The OP9-DL1 System: Generation of T-Lymphocytes from Embryonic or Hematopoietic Stem Cells In<br>Vitro. Cold Spring Harbor Protocols, 2009, 2009, pdb.prot5156.                               | 0.2 | 144       |
| 97  | Marked Induction of the Helix-Loop-Helix Protein Id3 Promotes the Î <sup>3</sup> δT Cell Fate and Renders Their<br>Functional Maturation Notch Independent. Immunity, 2009, 31, 565-575.      | 6.6 | 136       |
| 98  | Characterization in vitro and engraftment potential in vivo of human progenitor T cells generated from hematopoietic stem cells. Blood, 2009, 114, 972-982.                                   | 0.6 | 125       |
| 99  | Tumor immunotherapy across MHC barriers using allogeneic T-cell precursors. Nature<br>Biotechnology, 2008, 26, 453-461.   | 9.4 | 110       |
| 100 | In Vitro Human T Cell Development Directed by Notch–Ligand Interactions. Methods in Molecular<br>Biology, 2008, 430, 135-142.   | 0.4 | 19        |
| 101 | Beyond tumor necrosis factor receptor: TRADD signaling in toll-like receptors. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 12429-12434.       | 3.3 | 100       |
| 102 | Differences in lymphocyte developmental potential between human embryonic stem cell and umbilical cord blood–derived hematopoietic progenitor cells. Blood, 2008, 112, 2730-2737.             | 0.6 | 62        |
| 103 | Constitutive Notch signalling promotes CD4-CD8- thymocyte differentiation in the absence of the pre-TCR complex, by mimicking pre-TCR signals. International Immunology, 2007, 19, 1421-1430. | 1.8 | 28        |
| 104 | Early Growth Response 1 and NF-ATc1 Act in Concert to Promote Thymocyte Development beyond the β-Selection Checkpoint. Journal of Immunology, 2007, 179, 4694-4703.                           | 0.4 | 23        |
| 105 | In Vitro Models of Human T Cell Development: Dishing Out Progenitor T Cells. Current Immunology<br>Reviews, 2007, 3, 57-75.   | 1.2 | 3         |
| 106 | Generation of pro-T cells in vitro: potential for immune reconstitution. Seminars in Immunology, 2007, 19, 341-349.   | 2.7 | 13        |
| 107 | Giving T cells a chance to come back. Seminars in Immunology, 2007, 19, 279.  | 2.7 | 6         |
| 108 | Chromosome Transfer Activates and Delineates a Locus Control Region for Perforin. Immunity, 2007, 26, 29-41.  | 6.6 | 38        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 109 | Commitment and Developmental Potential of Extrathymic and Intrathymic T Cell Precursors: Plenty to Choose from. Immunity, 2007, 26, 678-689.                                       | 6.6  | 244       |
| 110 | Zoned Out: Functional Mapping of Stromal Signaling Microenvironments in the Thymus. Annual Review of Immunology, 2007, 25, 649-679.  | 9.5  | 415       |
| 111 | The Thymus as an Inductive Site for T Lymphopoiesis. Annual Review of Cell and Developmental Biology, 2007, 23, 463-493.   | 4.0  | 193       |
| 112 | CD8+ T cells are kept in tune by modulating IL-7 responsiveness. Nature Immunology, 2007, 8, 1027-1028.  | 7.0  | 3         |
| 113 | Mutational loss of PTEN induces resistance to NOTCH1 inhibition in T-cell leukemia. Nature Medicine, 2007, 13, 1203-1210.  | 15.2 | 804       |
| 114 | T-cell potential and development in vitro: the OP9-DL1 approach. Current Opinion in Immunology, 2007, 19, 163-168.   | 2.4  | 71        |
| 115 | Generation of Immunocompetent T Cells from Embryonic Stem Cells. Methods in Molecular Biology, 2007, 380, 73-81.   | 0.4  | 7         |
| 116 | In Vitro Systems for the Study of T Cell Development: Fetal Thymus Organ Culture and OP9â€ĐL1 Cell<br>Coculture. Current Protocols in Immunology, 2006, 71, Unit 3.18.             | 3.6  | 18        |
| 117 | Stage-Specific and Differential Notch Dependency at the αβ and γδT Lineage Bifurcation. Immunity, 2006, 25, 105-116.   | 6.6  | 208       |
| 118 | Pre-T Cell Receptor's clashing Signals: "Should I Stay or Should I Go― Immunity, 2006, 24, 669-670.  | 6.6  | 2         |
| 119 | Regulation of Early T-Cell Development in the Thymus. , 2006, , 89-108.  |      | 0         |
| 120 | T-cell development, doing it in a dish. Immunological Reviews, 2006, 209, 95-102.  | 2.8  | 78        |
| 121 | Early hematopoietic lineage restrictions directed by Ikaros. Nature Immunology, 2006, 7, 382-391.  | 7.0  | 272       |
| 122 | Adoptive transfer of T-cell precursors enhances T-cell reconstitution after allogeneic hematopoietic stem cell transplantation. Nature Medicine, 2006, 12, 1039-1047.              | 15.2 | 173       |
| 123 | A Survival Guide to Early T Cell Development. Immunologic Research, 2006, 34, 117-132.   | 1.3  | 43        |
| 124 | In Vitro Generation of T Lymphocytes From Embryonic Stem Cells. , 2006, 330, 113-122.  |      | 12        |
| 125 | Differential synergy of Notch and T cell receptor signaling determines αβ versus γδlineage fate. Journal of<br>Experimental Medicine, 2006, 203, 1579-1590.                        | 4.2  | 101       |
| 126 | The Basic Helix-Loop-Helix Transcription Factor HEBAlt Is Expressed in Pro-T Cells and Enhances the<br>Generation of T Cell Precursors. Journal of Immunology, 2006, 177, 109-119. | 0.4  | 65        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Cutting Edge: Three-Dimensional Architecture of the Thymus Is Required to Maintain Delta-Like<br>Expression Necessary for Inducing T Cell Development. Journal of Immunology, 2006, 176, 730-734.   | 0.4  | 97        |
| 128 | A Natural Structural Variant of the Mouse TCR β-Chain Displays Intrinsic Receptor Function and Antigen Specificity. Journal of Immunology, 2006, 177, 8587-8594.  | 0.4  | 0         |
| 129 | Notch Signaling Requires GATA-2 to Inhibit Myelopoiesis from Embryonic Stem Cells and Primary<br>Hemopoietic Progenitors. Journal of Immunology, 2006, 176, 5267-5275.  | 0.4  | 59        |
| 130 | In Vitro Generation of Lymphocytes From Embryonic Stem Cells. , 2005, 290, 135-148.   |      | 9         |
| 131 | Induction of T-cell development from human cord blood hematopoietic stem cells by Delta-like 1 in vitro. Blood, 2005, 105, 1431-1439.   | 0.6  | 266       |
| 132 | T-cell generation by lymph node resident progenitor cells. Blood, 2005, 106, 193-200.   | 0.6  | 41        |
| 133 | Notch promotes survival of pre–T cells at the β-selection checkpoint by regulating cellular<br>metabolism. Nature Immunology, 2005, 6, 881-888.   | 7.0  | 437       |
| 134 | The BTG/TOB family protein TIS21 regulates stage-specific proliferation of developing thymocytes.<br>European Journal of Immunology, 2005, 35, 3030-3042.   | 1.6  | 24        |
| 135 | Unraveling the origin of lymphocyte progenitors. European Journal of Immunology, 2005, 35, 2016-2018.   | 1.6  | 6         |
| 136 | Delayed, asynchronous, and reversible T-lineage specification induced by Notch/Delta signaling. Genes and Development, 2005, 19, 965-978.   | 2.7  | 141       |
| 137 | Propensity of Adult Lymphoid Progenitors to Progress to DN2/3 Stage Thymocytes with Notch<br>Receptor Ligation. Journal of Immunology, 2005, 175, 4858-4865.  | 0.4  | 46        |
| 138 | Thymus-Derived Signals Regulate Early T-Cell Development. Critical Reviews in Immunology, 2005, 25, 141-160.  | 1.0  | 23        |
| 139 | Survivin Loss in Thymocytes Triggers p53-mediated Growth Arrest and p53-independent Cell Death.<br>Journal of Experimental Medicine, 2004, 199, 399-410.  | 4.2  | 118       |
| 140 | Maintenance of T Cell Specification and Differentiation Requires Recurrent Notch Receptor–Ligand<br>Interactions. Journal of Experimental Medicine, 2004, 200, 469-479.   | 4.2  | 302       |
| 141 | Cyclic Adenosine 5′-Monophosphate Response Element Binding Protein Plays a Central Role in<br>Mediating Proliferation and Differentiation Downstream of the Pre-TCR Complex in Developing<br>Thymocytes. Journal of Immunology, 2004, 173, 1802-1810. | 0.4  | 18        |
| 142 | Obligatory Role for Cooperative Signaling by Pre-TCR and Notch during Thymocyte Differentiation.<br>Journal of Immunology, 2004, 172, 5230-5239.  | 0.4  | 234       |
| 143 | Induction of T cell development and establishment of T cell competence from embryonic stem cells differentiated in vitro. Nature Immunology, 2004, 5, 410-417.  | 7.0  | 336       |
| 144 | T-cell development made simple. Nature Reviews Immunology, 2004, 4, 67-72.  | 10.6 | 246       |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 145 | Heterogeneity among DN1 Prothymocytes Reveals Multiple Progenitors with Different Capacities to<br>Generate T Cell and Non-T Cell Lineages. Immunity, 2004, 20, 735-745.  | 6.6  | 360       |
| 146 | Identification of Upstream cis-Acting Regulatory Elements Controlling Lineage-specific Expression of the Mouse NK Cell Activation Receptor, NKR-P1C. Journal of Biological Chemistry, 2003, 278, 31909-31917.                                     | 1.6  | 10        |
| 147 | Low Activation Threshold As a Mechanism for Ligand-Independent Signaling in Pre-T Cells. Journal of<br>Immunology, 2003, 170, 2853-2861.  | 0.4  | 53        |
| 148 | The role of nuclear factor-ÂB essential modulator (NEMO) in B cell development and survival.<br>Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 1203-1208.  | 3.3  | 35        |
| 149 | Development of Lymphoid Lineages from Embryonic Stem Cells In Vitro. Methods in Enzymology, 2003, 365, 158-169.   | 0.4  | 16        |
| 150 | In vitro generation of T lymphocytes from embryonic stem cell–derived prehematopoietic progenitors.<br>Blood, 2003, 102, 1649-1653.   | 0.6  | 70        |
| 151 | Regulation of thymocyte differentiation: pre-TCR signals and β-selection. Seminars in Immunology, 2002, 14, 311-323.  | 2.7  | 189       |
| 152 | Induction of T Cell Development from Hematopoietic Progenitor Cells by Delta-like-1 In Vitro.<br>Immunity, 2002, 17, 749-756.   | 6.6  | 1,003     |
| 153 | Essential role of the mitochondrial apoptosis-inducing factor in programmed cell death. Nature, 2001, 410, 549-554.   | 13.7 | 1,212     |
| 154 | The Stress Kinase Mitogen-Activated Protein Kinase Kinase (Mkk)7 Is a Negative Regulator of Antigen<br>Receptor and Growth Factor Receptor–Induced Proliferation in Hematopoietic Cells. Journal of<br>Experimental Medicine, 2001, 194, 757-768. | 4.2  | 56        |
| 155 | Transfection and Transcription of Genes in Developing Thymocytes. , 2000, 134, 55-62.   |      | 4         |
| 156 | Branching out to gain control: how the pre-TCR is linked to multiple functions. Trends in Immunology, 2000, 21, 637-644.  | 7.5  | 105       |
| 157 | InVivoDetection of Intracellular Signaling Pathways in Developing Thymocytes. Autoimmunity, 2000, 8, 31-45.   | 0.6  | 3         |
| 158 | Competitive Displacement of pTα by TCR-α During TCR Assembly Prevents Surface Coexpression of Pre-TCR and αβ TCR. Journal of Immunology, 2000, 165, 5566-5572.  | 0.4  | 40        |
| 159 | Clonal Characterization of a Bipotent T Cell and NK Cell Progenitor in the Mouse Fetal Thymus.<br>Journal of Immunology, 2000, 164, 1730-1733.  | 0.4  | 81        |
| 160 | Extracellular Signal–Regulated Kinase (Erk) Activation by the Pre-T Cell Receptor in Developing<br>Thymocytes in Vivo. Journal of Experimental Medicine, 1999, 190, 1647-1656.  | 4.2  | 41        |
| 161 | Requirement for the Thymus in $\hat{I}\pm\hat{I}^2$ T Lymphocyte Lineage Commitment. Immunity, 1998, 9, 187-197.  | 6.6  | 87        |
| 162 | Identification of a Novel Developmental Stage Marking Lineage Commitment of Progenitor Thymocytes.<br>Journal of Experimental Medicine, 1997, 186, 173-182.   | 4.2  | 128       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Synergy between T Cell Receptor and Fas (CD95/APO-1) Signaling in Mouse Thymocyte Death. Cellular<br>Immunology, 1996, 169, 99-106.        | 1.4 | 18        |
| 164 | Regulation of thymocyte development from immature progenitors. Current Opinion in Immunology, 1996, 8, 215-224.                            | 2.4 | 155       |
| 165 | Transcriptional Control of IL-2 and IL-4 in T Cells of Young and Old Mice. Cellular Immunology, 1995, 164, 170-175.                        | 1.4 | 18        |
| 166 | Parameters controlling the programmed death of mature mouse T lymphocytes in high-dose suppression. Cellular Immunology, 1995, 160, 71-78. | 1.4 | 33        |
| 167 | Generation of Immunocompetent T Cells from Embryonic Stem Cells. , 0, , 73-82.   |     | 0         |
| 168 | Thymus Reconstitution in Young and Aged Mice Is Facilitated by In Vitro-Generated Progenitor T Cells.<br>Frontiers in Immunology, 0, 13, . | 2.2 | 6         |