
Michael Mian

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8396994/publications.pdf

Version: 2024-02-01



Μιςήλει Μιλνι

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Genome-wide DNA profiling of marginal zone lymphomas identifies subtype-specific lesions with an impact on the clinical outcome. Blood, 2011, 117, 1595-1604. | 0.6 | 173 |
| 2 | High Doses of Antimetabolites Followed by High-Dose Sequential Chemoimmunotherapy and Autologous Stem-Cell Transplantation in Patients With Systemic B-Cell Lymphoma and Secondary CNS Involvement: Final Results of a Multicenter Phase II Trial. Journal of Clinical Oncology, 2015, 33, 3903-3910. | 0.8 | 99 |
| 3 | Comparison of Complications in Three Incontinent Urinary Diversions. European Urology, 2008, 54, 825-834. | 0.9 | 73 |
| 4 | Pim kinases in hematological malignancies: where are we now and where are we going?. Journal of Hematology and Oncology, 2014, 7, 95. | 6.9 | 72 |
| 5 | Genome wide DNAâ€profiling of HIVâ€related Bâ€cell lymphomas. British Journal of Haematology, 2010, 148, 245-255. | 1.2 | 70 |
| 6 | Fluorescence In Situ Hybridisation in the Diagnosis of Upper Urinary Tract Tumours. European Urology, 2010, 58, 288-292. | 0.9 | 68 |
| 7 | Single nucleotide polymorphismâ€arrays provide new insights in the pathogenesis of postâ€transplant diffuse large Bâ€cell lymphoma. British Journal of Haematology, 2010, 149, 569-577. | 1.2 | 53 |
| 8 | Cancer Cachexia Syndrome: Pathogenesis, Diagnosis, and New Therapeutic Options. Nutrition and Cancer, 2015, 67, 12-26. | 0.9 | 53 |
| 9 | Extranodal Marginal Zone Lymphoma of Mucosa-Associated Lymphoid Tissue of the Salivary Glands: A Multicenter, International Experience of 248 Patients (IELSG 41). Oncologist, 2015, 20, 1149-1153. | 1.9 | 52 |
| 10 | Genomic lesions associated with a different clinical outcome in diffuse large Bâ€Cell lymphoma treated with Râ€CHOPâ€21. British Journal of Haematology, 2010, 151, 221-231. | 1.2 | 47 |
| 11 | Gains of <i>MYC</i> locus and outcome in patients with diffuse large Bâ€cell lymphoma treated with R HOP. British Journal of Haematology, 2011, 155, 274-277. | 1.2 | 47 |
| 12 | Genomic profiling of Richter's syndrome: recurrent lesions and differences with <i>de novo</i> diffuse large B ell lymphomas. Hematological Oncology, 2010, 28, 62-67. | 0.8 | 46 |
| 13 | Four Years Experience in Bladder Preserving Management for Muscle Invasive Bladder Cancer. European Urology, 2005, 47, 773-779. | 0.9 | 42 |
| 14 | Genomeâ€wide DNA profiling better defines the prognosis of chronic lymphocytic leukaemia. British Journal of Haematology, 2011, 154, 590-599. | 1.2 | 40 |
| 15 | Frontline treatment of diffuse large Bâ€cell lymphoma: Beyond Râ€CHOP. Hematological Oncology, 2019, 37, 333-344. | 0.8 | 38 |
| 16 | Early-stage diffuse large B cell lymphoma of the head and neck: clinico-biological characterization and 18Âyear follow-up of 488 patients (IELSG 23 study). Annals of Hematology, 2014, 93, 221-231. | 0.8 | 36 |
| 17 | Patterns of survival of follicular lymphomas at a single institution through three decades. Leukemia and Lymphoma, 2010, 51, 1028-1034. | 0.6 | 33 |
| 18 | Lenalidomide in Relapsed or Refractory Diffuse Large B-Cell Lymphoma: Is It a Valid Treatment Option?. Oncologist, 2016, 21, 1107-1112. | 1.9 | 33 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | 90 Y-ibritumomab tiuxetan: a nearly forgotten opportunity. Oncotarget, 2016, 7, 7597-7609. | 0.8 | 31 |
| 20 | Perforation during TUR of bladder tumours influences the natural history of superficial bladder cancer. World Journal of Urology, 2014, 32, 1219-1223. | 1.2 | 30 |
| 21 | Bone marrow micro-environment is a crucial player for myelomagenesis and disease progression. Oncotarget, 2017, 8, 20394-20409. | 0.8 | 30 |
| 22 | Extensive organizing pneumonia during chemo-immunotherapy containing rituximab and G-CSF in a patient with diffuse large B-cell lymphoma: Case report and review of the literature. Leukemia and Lymphoma, 2006, 47, 1683-1685. | 0.6 | 29 |
| 23 | Diffuse large Bâ€cell lymphoma with concordant bone marrow involvement has peculiar genomic profile and poor clinical outcome. Hematological Oncology, 2011, 29, 38-41. | 0.8 | 29 |
| 24 | Lenalidomide maintenance after autologous haematopoietic stem-cell transplantation in mantle cell lymphoma: results of a Fondazione Italiana Linfomi (FIL) multicentre, randomised, phase 3 trial. Lancet Haematology,the, 2021, 8, e34-e44. | 2.2 | 29 |
| 25 | CLIPI: a new prognostic index for indolent cutaneous B cell lymphoma proposed by the International Extranodal Lymphoma Study Group (IELSG 11). Annals of Hematology, 2011, 90, 401-408. | 0.8 | 28 |
| 26 | Multiprobe fluorescence in situ hybridisation: prognostic perspectives in superficial bladder cancer. Journal of Clinical Pathology, 2006, 59, 984-987. | 1.0 | 27 |
| 27 | Serotonin Receptor 3A Expression in Normal and Neoplastic B Cells. Pathobiology, 2010, 77, 129-135. | 1.9 | 26 |
| 28 | Comparison of Complications from Radical Cystectomy between Old-Old versus Oldest-Old Patients. Urologia Internationalis, 2015, 94, 25-30. | 0.6 | 25 |
| 29 | Bendamustine plus rituximab versus R-CHOP as first-line treatment for patients with indolent non-Hodgkin's lymphoma: evidence from a multicenter, retrospective study. Annals of Hematology, 2016, 95, 1107-1114. | 0.8 | 25 |
| 30 | High response rate and improvement of long-term survival with combined treatment modalities in patients with poor-risk primary thyroid diffuse large B-cell lymphoma: an International Extranodal Lymphoma Study Group and Intergruppo Italiano Linfomi study. Leukemia and Lymphoma, 2011, 52, 823-832. | 0.6 | 23 |
| 31 | Bendamustine plus Rituximab Versus R-CHOP as First-Line Treatment for Patients with Follicular Lymphoma Grade 3A: Evidence from a Multicenter, Retrospective Study. Oncologist, 2018, 23, 454-460. | 1.9 | 22 |
| 32 | lmmunogenetics features and genomic lesions in splenic marginal zone lymphoma. British Journal of Haematology, 2010, 151, 435-439. | 1.2 | 20 |
| 33 | Del(13q14.3) length matters: an integrated analysis of genomic, fluorescence in situ hybridization and clinical data in 169 chronic lymphocytic leukaemia patients with 13q deletion alone or a normal karyotype. Hematological Oncology, 2012, 30, 46-49. | 0.8 | 20 |
| 34 | Clinical and molecular characterization of diffuse large B-cell lymphomas with 13q14.3 deletion. Annals of Oncology, 2012, 23, 729-735. | 0.6 | 19 |
| 35 | Alemtuzumab in chronic lymphocytic leukemia: final results of a large observational multicenter study in mostly pretreated patients. Annals of Hematology, 2014, 93, 267-277. | 0.8 | 17 |
| 36 | Cardiovascular Comorbidities and Events inÂNSCLC: Often Underestimated but WorthÂConsidering. Clinical Lung Cancer, 2015, 16, 305-312. | 1.1 | 17 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Role of radiotherapy in patients with early-stage diffuse large B-cell lymphoma of Waldeyer's ring in remission after anthracycline-containing chemotherapy. Leukemia and Lymphoma, 2013, 54, 62-68. | 0.6 | 14 |
| 38 | Bendamustine in chronic lymphocytic leukemia: Outcome according to different clinical and biological prognostic factors in the everyday clinical practice. American Journal of Hematology, 2013, 88, 955-960. | 2.0 | 14 |
| 39 | Large genomic aberrations detected by SNP array are independent prognosticators of a shorter time to first treatment in chronic lymphocytic leukemia patients with normal FISH. Annals of Oncology, 2013, 24, 1378-1384. | 0.6 | 13 |
| 40 | Frontline High Dose Sequential Chemotherapy with Rituximab (R-HDS) and Autologous Stem Cell Transplantation Induces High Rates of Complete Response and Prolongs Survival in Mantle Cell Lymphoma (MCL) Blood, 2006, 108, 3045-3045. | 0.6 | 13 |
| 41 | Integrated profiling of diffuse large B ell lymphoma with 7q gain. British Journal of Haematology, 2011, 153, 499-503. | 1.2 | 12 |
| 42 | Necrotizing fasciitis as a rare complication of osteonecrosis of the jaw in a patient with multiple myeloma treated with lenalidomide: case report and review of the literature. SpringerPlus, 2014, 3, 123. | 1.2 | 12 |
| 43 | R-CHOP versus R-COMP: Are They Really Equally Effective?. Clinical Oncology, 2014, 26, 648-652. | 0.6 | 12 |
| 44 | B Cell Lymphoma with Lung Involvement: What Is It about?. Acta Haematologica, 2015, 133, 221-225. | 0.7 | 11 |
| 45 | Docetaxel in the treatment of non-small cell lung cancer (NSCLC) an observational study focusing on symptom improvement. Anticancer Research, 2013, 33, 3831-6. | 0.5 | 10 |
| 46 | Radiotherapy for stage I/II follicular lymphoma (FL): is it time for a re-appraisal?. Anticancer Research, 2014, 34, 6701-4. | 0.5 | 10 |
| 47 | Bendamustine salvage for the treatment of relapsed Hodgkin's lymphoma after allogeneic bone marrow transplantation. Annals of Hematology, 2013, 92, 121-123. | 0.8 | 9 |
| 48 | Primary central nervous system lymphoma: Novel precision therapies. Critical Reviews in Oncology/Hematology, 2019, 141, 139-145. | 2.0 | 9 |
| 49 | STAT6 activation correlates with cerebrospinal fluid ILâ€4 and ILâ€10 and poor prognosis in primary central nervous system lymphoma. Hematological Oncology, 2020, 38, 106-110. | 0.8 | 9 |
| 50 | Molecular biological analysis of the heterogeneous prostate cancer group Gleason score 7. Prostate, 2006, 66, 966-970. | 1.2 | 8 |
| 51 | Osteolytic bone lesions as a rare sign of progression of chronic lymphocytic leukemia without evidence of Richter syndrome. Leukemia and Lymphoma, 2012, 53, 993-995. | 0.6 | 8 |
| 52 | "ldiopathic Bence-Jones proteinuria― a new characterization of an old entity. Annals of Hematology, 2013, 92, 1263-1270. | 0.8 | 7 |
| 53 | Interferon Alpha Has a Strong Anti-tumor Effect in Philadelphia-negative Myeloproliferative Neoplasms. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, e489-e495. | 0.2 | 7 |
| 54 | Extranodal diffuse large B-cell lymphoma with monoclonal gammopathy: an aggressive and primary refractory disease responding to an immunomodulatory agent. Experimental Hematology and Oncology, 2015, 5, 1. | 2.0 | 6 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Non-pegylated liposomal doxorubicin in lymphoma: patterns of toxicity and outcome in a large observational trial. Annals of Hematology, 2015, 94, 593-601. | 0.8 | 6 |
| 56 | 90Y-Ibritumomab-Tiuxetan Consolidation Therapy for Advanced-Stage Mantle Cell Lymphoma After First-Line Autologous Stem Cell Transplantation: Is It Time for a Step Forward?. Clinical Lymphoma, Myeloma and Leukemia, 2016, 16, 82-88. | 0.2 | 6 |
| 57 | ABVD vs BEACOPP escalated in advancedâ€stage Hodgkin's lymphoma: Results from a multicenter European study. American Journal of Hematology, 2020, 95, 1030-1037. | 2.0 | 6 |
| 58 | A success story: how a single targeted-therapy molecule impacted on treatment and outcome of diffuse large B-cell lymphoma. Anticancer Research, 2014, 34, 2559-64. | 0.5 | 6 |
| 59 | 90Y-Ibritumomab Tiuxetan consolidation after autologous stem cell transplantation improves survival of patients with intermediate-/high-risk diffuse large B-cell lymphoma not responding adequately to first-line treatment. Anticancer Research, 2014, 34, 5121-5. | 0.5 | 6 |
| 60 | Bortezomib, Thalidomide and Lenalidomide: Have They Really Changed the Outcome of Multiple Myeloma?. Anticancer Research, 2016, 36, 1059-65. | 0.5 | 6 |
| 61 | Phase <scp>II</scp> trial to investigate efficacy and safety of bendamustine, dexamethasone and thalidomide in relapsed or refractory multiple myeloma patients after treatment with lenalidomide and bortezomib. British Journal of Haematology, 2019, 185, 944-947. | 1.2 | 5 |
| 62 | Diffuse large B-cell lymphoma as a second, clonally unrelated lymphoproliferative disease in a patient with IgM monoclonal gammopathy of undetermined significance (MGUS) and concomitant polycythemia vera rubra. Leukemia and Lymphoma, 2006, 47, 940-943. | 0.6 | 4 |
| 63 | SNP6 Array Better Defines Chronic Lymphocytic Leukemia (CLL) Prognostic Groups. Blood, 2010, 116, 3611-3611. | 0.6 | 4 |
| 64 | Syk expression patterns differ among B-cell lymphomas. Leukemia Research, 2010, 34, e243-e245. | 0.4 | 3 |
| 65 | Single- vs. Two-Stage Fowler-Stephens Orchidopexy: Are Two Operations Better than One? A Retrospective, Single-Institution Critical Analysis. Current Urology, 2011, 5, 12-17. | 0.4 | 3 |
| 66 | Primary diffuse large B-cell lymphoma of the bone: bendamustine and rituximab are able to overcome resistant disease. SpringerPlus, 2014, 3, 342. | 1.2 | 3 |
| 67 | Is radiotherapy still necessary for diffuse large B-cell lymphoma therapy?. Acta Oncológica, 2015, 54, 953-955. | 0.8 | 3 |
| 68 | The Prognostic Impact of Comorbidities in Patients with De-Novo Diffuse Large B-Cell Lymphoma Treated with R-CHOP Immunochemotherapy in Curative Intent. Journal of Clinical Medicine, 2020, 9, 1005. | 1.0 | 3 |
| 69 | Upfront intensive chemo-immunotherapy with autograft in 199 adult mantle cell lymphoma patients: prolonged survival and cure potentiality at long term. Bone Marrow Transplantation, 2021, 56, 2606-2609. | 1.3 | 3 |
| 70 | Update of a GITIL Cohort Study: Frontline High Dose Sequential Chemotherapy with Rituximab and Autologous Stem Cell Transplantation Induces a High Rate of Long-Term Remissions in Patients with Mantle Cell Lymphoma. Blood, 2007, 110, 1282-1282. | 0.6 | 3 |
| 71 | Long-term PSA-free survival and castration-free survival with delayed antiandrogen therapy in patients with one versus two or more positive nodes at prostatectomy. World Journal of Urology, 2013, 31, 293-297. | 1.2 | 1 |
| 72 | Quality of life in patients with invasive bladder cancer who cannot undergo cystectomy. Expert Review of Quality of Life in Cancer Care, 2016, 1, 339-345. | 0.6 | 1 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Retrospective Analysis of 206 Mantle Cell Lymphoma Patients at Diagnosis: Mantle Cell International Prognostic Index (MIPI) Is a Good Predictor of Death Event In Patients Treated Either with Rituximab-Chemotherapy or Rituximab-High-Dose-Chemotherapy. Blood, 2010, 116, 1784-1784. | 0.6 | 1 |
| 74 | Authors' response to Professor J. F. Seymour. Leukemia and Lymphoma, 2012, 53, 1012-1012. | 0.6 | 0 |
| 75 | Rituximab: how evidence based medicine can change our clinical practice. Leukemia and Lymphoma, 2014, 55, 1694-1696. | 0.6 | 0 |
| 76 | Genomeâ€wide <scp>DNA</scp> profiling identifies clonal heterogeneity in marginal zone lymphomas. British Journal of Haematology, 2014, 164, 896-899. | 1.2 | 0 |
| 77 | Changing treatment paradigms in lymphoma: new targets and new drugs. Memo - Magazine of European Medical Oncology, 2015, 8, 184-188. | 0.3 | 0 |
| 78 | Granulopoiesis-stimulating factors for preventing infections after autologous peripheral stem cell transplantation for lymphoma and multiple myeloma in adults. The Cochrane Library, 0, , . | 1.5 | 0 |
| 79 | Favorable Influence of Rituximab with High Dose Sequential Chemotherapy (R-HDS) Programs and Autologous Stem Cell Transplantation (ASCT) in Salvage Treatment for Patients with Refractory or Relapsed B-Cell Non-Hodgkin's Lymphoma Blood, 2006, 108, 2744-2744. | 0.6 | 0 |
| 80 | Outcome of Adult AML at First Relapse Following a Risk-Oriented Strategy: The Northern Italy Leukemia Group (NILG) Experience Blood, 2006, 108, 5380-5380. | 0.6 | 0 |
| 81 | 240: Is Fish on Voided Urine a Predictive Marker for the Response to Farmorubicin Intravesical Instillation in Intermediate Risk Bladder Cancer?. Journal of Urology, 2007, 177, 80-80. | 0.2 | 0 |
| 82 | Primary Thyroid Lymphoma: A Retrospective IELSG and IIL Analysis of Clinical Characteristics, Prognostic Factors, Treatment Outcome and Somatic Hypermutation for Localized Diffuse Large B-Cell Lymphoma (DLBCL) Blood, 2007, 110, 3432-3432. | 0.6 | 0 |
| 83 | The Impact of Therapeutic Management and Prognostic Factors on the Outcome of Primary Cutaneous B-Cell Lymphomas (PCBCL) (IELSG 11 Study). Blood, 2008, 112, 3608-3608. | 0.6 | 0 |
| 84 | Obinutuzumab does not improve complete methabolic response but does not compromise mobilization or engraftment of autologous peripheral blood stem cells in diffuse large B cell lymphoma: Results from a fondazione italiana linfomi prospective phase II study (the GIOTTO study). Hematological Oncology, 2022, 40, 609-616. | 0.8 | 0 |